AD-A207 649

S ELECTE MAY 1 2 1989

This document has been appointed for public solvens and units in deprivation in malauted, appointed

89 5 12 046

REPORT DOCUMENTATION 1. REPORT NO. PAGE	2.	3. Recipient's	Activity No
A. Thie and Subtitle  Bibliography on Cold Regions Science and Technology, Volume 42, 1988.		5. Report Date  1988 6. 8. Performing Organization Rept. No.	
7. Author(s)			
Dr. Geza Thuronyi, Editor  Performing Organization Name and Address		10. Project/T	ask/Work Unit No.
Library of Congress Science & Technology Division Washington, DC 20540	11. Contract(C) or Grant(G) No. (C) (G)		
12. Sponsoring Organization Name and Address		13. Type of R	leport & Period Covered
US Army Cold Regions Research & Engineering Laboratory, 72 Lyme Road Hanover, NH 03755-1290		Biblio	graphy
		14.	
15. Supplementary Notes			
This Bibliography contains citation concerned with snow, ice, permafro Bibliography has been prepared sin patents, journal articles, confere translations. This volume is not literature is in the Russian langu mobility, winter construction, ice geophysics, and glaciology. The B Orbit Search Service, McLean, Virg	st, and frozen ce 1951 and incommon ceding inclusive to 19 age. Additional navigation, cibliography is	ground. The cludes citates, monograph 988. 50% of al subject a limatology, also availa	e ions to s, and the reas include hydrology, ble through
S VA			
• •		> Variets;	Cold regions me
•		/	edc)
			edc)
17. Document Analysis e. Descriptors			edc)
snow glaciers;	climatology		edc)
-		uction —	DTIC
snow glaciers; ice permafrost	climatology winter constru	uction —	DTIC ELECTE MAY 12 1989
snow glaciers; ice permafrost glaciology mobility	climatology winter constru	oction -	DTIC
snow glaciers; ice permafrost glaciology mobility  b. Identifiers/Open-Ended Terms	climatology winter constru frozen ground	action	DTIC
snow glaciers; ice permafrost glaciology mobility  b. identifiers/Open-Ended Terms  c. COSATI Field/Group	climatology winter constru frozen ground  19. Security C	lass (This Report) Sified lass (This Page)	DTIC ELECTE MAY 1 2 1989

December 1988



## Bibliography on COLD REGIONS SCIENCE AND TECHNOLOGY

**VOLUME 42, 1988** 

Geza T. Thuronyi, Editor

	SO INSPE	( )	
Acces	sion Fo	r	
DTIC Unann Justi	ounced fication		
Distr	ibution		30.00
Avai	Avail	y Cedes	_
Dist	Speu	ial	1
A-1	21		

## BIBLIOGRAPHY ON COLD REGIONS SCIENCE AND TECHNOLOGY Volume 42. 1988

## INTRODUCTION

The Bibliography on Cold Regions Science and Technology was first published in 1951 and is a continuing publication of the Cold Regions Bibliography Project in the Science and Technology Division of the Library of Congress. It is sponsored by and prepared for the Cold Regions Research and Engineering Laboratory (formerly Snow, Ice and Permafrost Research Establishment) of the U.S. Army Corps of Engineers. Volumes 1-15 were issued as the Bibliography on Snow, Ice and Permafrost, SIPRE Report 12. Beginning with volume 16 the designation was changed to CRREL Report 12. With volume 20 the title was changed to Bibliography on Snow, Ice and Frozen Ground, with Abstracts, and with volume 23 the current title was adopted.

The present volume contains material accessioned between October 1987 and September 1988. It gives full citations of 4328 items, in many cases with abstracts. The usual author and subject indexes will not be prepared for this volume. Instead, five-year author and subject indexes are being published; these will include volumes 38-42.

This publication is the result of a coordinated effort. The bibliographic work was done by the Cold Regions Bibliography Project Staff who entered all data on a single computerized data base that accommodates both the *Bibliography on Cold Regions Science and Technology* and the *Antarctic Bibliography*, thus eliminating duplication of effort between the two bibliographies. The data processing, based on MARC II input, was handled by the Library's Automated Systems Office and the photocomposition by the Cataloging Distribution Service.

This publication is available from the National Technical information Service, Springfield, Virginia 22151.

The items contained herein are also available for on-line access on the ORBIT system. For information write to ORBIT Information Technologies, 8000 Westpark Drive, McLean, Virginia 22102, (800) 421-7229 or (703) 442-0900.

Geza T. Thuronyi, Head Cold Regions Bibliography Project Science and Technology Division Library of Congress

Preconditioning of snow to improve trafficability. Irwin, G.J., et al., International Conference of ISTVS, 9th, Barcelona, Spain, Aug. 31-Sep. 4, 1987. Pro-ceedings, Vol.1, Hanover, NH, International Society for Terrain Vehicle Systems (ISTVS), [1987], p.135-

144, 3 tens.
Boonsinsuk, P., Caporuscio, F., Yong, R.N.
Snow compaction, Trafficability, Snow strength,
Vehicles, Loads (forces), Snow hardness, Penetration, Tracked vehicles, Experimentation.

74-17 Trailing-tire motion resistance in shallow snow. Blaisdell, G.L., MP 2248, International Conference of ISTVS, 9th, Barcelona, Spain, Aug. 31-Sep. 4, 1987. Proceedings, Vol.1, Hanover, NH, International Society for Terrain Vehicle Systems (ISTVS), [1987], p.296-304, 6 refs.

Snow strength, Trafficability, Vehicles, Snow cover, Ground thawing, Tires, Snow compaction, Velocity,

Tests.

Considerable attention has been given to the subject of motion resistance of tires traveling in virgin snow. Trailing tires (those that follow in the rut of a preceding wheel) are generally assumed to provide negligible motion resistance. Levels of resistance for trailing tires were measured with the CRREL instrumented Vehicle operating in two snow conditions. Using this vehicle, two methods of measuring trailing tire resistance have been expiored. Good agreement was found between the methods. A very different balance of leading-tire to trailing-tire resistance was also found for the two anows. For both snows, it is seen that it is not appropriate to assume that trailing-tire resistance is nealiable. tire resistance is negligible.

Velocity of ice streams B and C, Antarctica. Whillans, I.M., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8895-8902, 16 refs. Bolzan, J., Shabtaic, S. Flow rate, Ice volume, Stream flow, Ice sheets, An-

tarctics-Marie Byrd Land.

tarctics—Marie Byrd Land.
The essential difference between ice stream and inland ice and the cause of ice streaming are not known. In order to study these problems, velocities have been measured on and ness ice streams B and C by repeated tracking of TRANSIT statellites. The results confirm the difference in mode of flow between fast on ice stream B and slow on the interstream ice ridges. Also as expected, ice stream C is nearly stagnant, which with other evidence of formerly fast flow confirms its recent slowing and current thickening. The drainage of ice stream B has a negative balance equivalent to thinning by 0.15 m/y rower the entire catchment. The lower portion of the ice stream is thickening at about 2 n/y, but the overall behavior is thinning. This general thinning is probably partly due to progressive extension of the ice stream into inland ice. The transition from inland ice to ice stream seems to occur irregularly both spatially and in time, with rafts of inland ice being carried into the ice stream and slowly incorporated. (Auth.)

42-4 Engineering-geological investigations for construc-tion. [Inzhenerno-geologicheskie issledovaniia dlia stroitel\*stwp, Ziangirov, R.S., ed, Moscow, Nauka, 1985, 136p., In Russian. For selected papers see 42-5 through 42-7.

Russian. For selected papers and the selected papers are selected papers and the selected papers and the selected papers are selected papers and the selected papers are selected papers.

Influence of engineering and geological conditions on the technical state of main underground pipelines in northern areas of western Siberia. Vilianie inz-henemo-geologicheskikh uslovil na tekhnicheskoe

henemo-geologicheskith uslovii na tekhnicheskoe sostoianie podzemnykh magistral nykh gazoprovodov v severnykh ralonakh Zapadnoi Sibiri, Nefedova, T.V., et al, Inzhenerno-geologicheskie isledovania dila stroitel'stva (Engineering-geological investigations for construction) edited by R.S. Ziangirov and N.L. Sheshenia, Moscow, Nauka, 1985, p.38-42, In Russian.
Korobanova, I.G.

Gas pipelines, Embankments, Permafrost beneath structures, Geocryology, Hydrothermal processes, Subarctic landscapes.

Engineering-geological classification of cave-in and Engineering-geological classification of cave-in and silding processes on slopes of the Naryn River basin. Inzhenemo-geologicheskaia tipizatsiia opolzuevykh i obval'nykh sklonov basseins r. Naryn, Sheshenia, N.L., Inzhenermo-geologicheskie is-

1 obvalnykh sklonov basseins r. Narynj, Sheshenia, N.L., Inzhenemo-geologicheskie is-sledovaniia dlia stroitel'stva (Engineering-geological investigations for construction) edited by R.S. Zian-girov and N.L. Sheshenia, Moscow, Nauka, 1985, p.56-67, In Russian. River basina, Slope processes, Landalides, Soil creep, Soil freezing, Freeze thaw cycles, Climatic factors.

42.7

Problems in mapping ice content in permafrost. (Nekotorye problemy kartografirovaniia l'distosti mnogoletnemerzlykh gruntov),
Vasil'chuk, lU.K., et al, inzhenerno-geologicheskie is-

Vasii chuk, IU.K., et al, inzhenerno-geologicheskie is-sledovaniia dlis stroitel'stva (Engineering-geological investigations for construction) edited by R.S. Zian-girov and N.L. Sheshenia, Moscow, Nauka, 1985, p.78-82, In Russian. 4 refs. Gruzdov, A.V. Mapping, Permatrost distribution, Permatrost struc-ture, Ice veins, Ice volume, Ice structure, Classifica-

Conference of young specialists in the geography of Siberia and the Far East, 9th, Irkutsk, 1984. Geographic problems in economic development of eastern regions of the USSR. Summaries of reports. [Geograficheskie problemy osvoenija vostochnykh rajonov SSSR. Tezisy dokladovj,

Konferentsiia molodykh geografov Sibiri i Dal'nego Vostoka, 9th, Irkutsk, 1984, Irkutsk, 1984, 184p., In Russian. For selected summaries see 42-9 through

Antipov, A.N., ed. DLC HC337.R852S535

Classifications, Mathematical models, Landscape types, Glacial lakes, Glacial rivers, Mountain gla-ciers, Rock glaciers, Glacier alimentation, Glacier ablation, Runoff, Solls, Slope processes, Taiga.

Water-balance characteristics of small lakes in the East Siterian geosystems. ¡Vodnobalansovye kha-rakteristiki malykh ozer geosistem iuga Vostochnol Sibiri<sub>]</sub>,

Sibiri,
Aseev, V.V., Konferentsiia molodykh geografov Sibiri
i Dal'nego Vostoka, 9th, Irkutak, 1984. Geograficheskie problemy osvoeniis vostochnykh ralonov
SSSR. Tezisy dokladov (Conference of young specialists on the geology of Siberia and the Far East, 9th,
Irkutak, 1984. Geographic problems in economic development of eastern regions of the USSR. Summarieso freporis) edited by A.N. Antipov, Irkutak, 1984,
p.11-13, In Russian.
DIG 14/237 P842S345 p.11-13, In Russian. DLC HC337.R852S535

Landscape types, Giacial lakes, Water balance, Snow cover distribution, Snow water equivalent, Thermal regime, Alimentation, Taiga, Mountains.

Determination of coefficients characterizing the intensity of diffusion in discrete models of heat transfer in soil and the atmosphere. (Opredelenie koeffitsientov kharakterizujushchikh intensiynost' diffuzii y disktov kharakterizulushchikh intensivnost diffuzii v diskretnol modeli teploobmena v atmosfere i pochve, Bokhovko, G.V., et al., Konferentsiis molodykh geografov Sibiri i Dal'nego Vostoka, 9th, Irkutak, 1984. Geograficheskie problemy osvoeniis vostochnykh ralonov SSSR. Tezisy dokladov (Conference of young specialists on the geoligy of Siberia and the Far East, 9th, Irkutak, 1984. Geographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutak, 1984, p.16-17, In Russian. Konstantinov, G.N., Epova, L.A.
DLC HC337.R852S335

Mathematical models, Heat transfer, Diffusion, Soils, Atmospheric physics.

Rock streams in the Kolyma power plant area and forecasts of their interactions with the water reser-

forecasts of their interactions with the water reservoir. ¡Kurumy rations Kolymakof GES i prognoz ikh vzaimodelstviia a vodokhranilishchem, Govorushko, S.M., Konferentsiia molodysh geografor Sibiri i Dal'nego Vostoka, 9th, Irkutsk, 1984. Geograficheskie problemy osvoeniia vostochnykh rationov SSSR. Tezisy dokladov (Conference of young apecialists on the geology of Siberia and the Far East, 9th, Irkutsk, 1984. Geographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutsk, 1984, p.28-30. In Russian. p.28-30, In Russian. DLC HC337.R852S535

Slope processes, Slope stability, Rock streams, Soil erosion. Revegetation. Hydraulic structures.

42.12

A2-12
Landscape-geochemical basis for developing natural resources in taiga and tundra of Evenkiys. ¿Landshaftno-geokhimicheskoe obosnovanie ratsional'nogo

shaftno-geokhimicheakoe obosnovanie ratsional'nogo ispol'zovaniia prirodnykh resursov tundrovo-taezhnykh landshaftov Evenkijs,
Zhuravel', N.E., Konferentsiia molodykh geografov Sibiri i Dal'nego Vostoka, 9th, Irkutsk, 1984. Geograficheskie problemy osvoeniia vostochnykh ratonov SSSR. Tezisy dokladov (Conference of young specialists on the geology of Siberia and the Far East, 9th, Irkutsk, 1984. Ceographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutsk, 1984, p.43-45. In Russian. p.43-45, In Russian. DLC HC337.R852S535

Economic development, Taign, Tundra, Soil erosion, Grazing, Revegetation, Mosses, Lichens.

Role of glaciers and snow fields in the formation of geologic complexes in the volcanic regions of Kam-chatks. [Rol' lednikov i snezhnikov v formirovanii geokompleksov vulkanicheskikh rajonov Kamchat-

kij,
Kanishchev, V.N., Konferentalia molodykh geografov
Sibiri i Dal'nego Vostoka, 9th, Irkutsk, 1984. Geograficheskie problemy osvoenila vostochnykh rations
SSSR. Tezisy dokladov (Conference of young specialists on the geology of Siberia and the Far East, 9th,
Lither March Conversible problems in security de-Irkutsk, 1984. Geographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutsk, 1984, p.52-54, In Russian. DLC HC337.R852S535

Mountain glaciers, Snow cover effect, Glacial deposits, Glacial erosion, Periglacial processes.

42-14
Dynamics of rock glacier landscapes. (Landshafty kamennykh gletcherov i ikh dinamika),
Kokarev, A.L., Konferentsiia molodykh geografov Sibiri i Dal'nego Vostoka, 9th, Irkusk, 1984. Geograficheskie problemy osvoeniia vostochnykh ratonov SSSR. Tezisy dokladov (Conference of young specialists on the geology of Siberia and the Far East, 9th, Irkutak 1984. Geograficheshie problemy in expension of the second of the sec Irkutsk, 1984. Geographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutsk, 1984, p.59-61, In Russian.

DLC HC337.R852S535

Rock glaciers, Origin, Ice composition, Glacier ice, Impurities, Glacial erosion, Topographic effects.

Coastal naleds in southwestern Kamchatka Penin-Coastal naleds in southwestern Kamchatka Peninsula. [Beregovye naledi iugo-zapadnoi Kamchatki, Maiorov, I.S., Konferentsiis molodykh geografov Sibiri i Dal'nego Vostoka, 9th, Irkutsk, 1984. Geograficheskie problemy osvoeniia vostochnykh ralonov SSR. Tezisy dokladov (Conference of young specialists on the geology of Siberia and the Far East, 9th, Irkutsk, 1984. Geographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutsk, 1984, p.70-73, In Russian. DLC HC337.R82SS35

Sea water freezing, Naieds, Shores, Fast ice, Ice composition, Ice accretion, Ice volume.

Glacial runoff in the Central Altai. [Lednikovy] stok

Glacial ranoff in the Central Altai. ¿Lednikovył stok Tsentral'nogo Altaia, Narozhnev, IU.K., Konferentsiia molodykh geografov Sibiri i Dal'nego Vostoka, 9th. Irkutsk, 1984. Geo-graficheskie problemy osvoeniia vostochnykh ratonov SSSR. Tezisy dokladov (Conference of young ape-cialists on the geology of Siberia and the Far East, 9th, Irkutsk, 1984. Geographic problems in economic de-relacement of easter regions of the IISSR. Supre-Irkuts, 1964. deographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutsk, 1984, p.78-81, In Russian. DLC HC337.R852S535

Glacial rivers, Runoff, Water reserves, Forecasting, Alpine landscapes, Snow water equivalent, Glacier eblation.

Using dendrechronologic analysis in studying naled phenomena. Oppyt primeneniia dendrokhronologi-cheekoge analiza pri izuchenii nalednykh iavienii, Novitskaia, N.I., Konferentsiia molodykh geografov Sibiri i Dal'nego Vostoka, 9th, Irkutak, 1984. Geograficheskie problemy osvoenila vostochnykh ratonov SSSR. Tezisy dokladov (Conference of young spe-cialists on the geology of Siberia and the Far East, 9th, Trkutsk, 1944. Geographic problems in economic development of eastern regions of the USSR. Summaries of reports) edited by A.N. Antipov, Irkutsk, 1984, p.82-83, In Russian.

DLC HC337,R8528535

Permatreet hydrology, River basins, Naleds, Age determination, Forecasting.

42-18

Thermokarst on the naled fields of Verkhnecharskaya basin. [Termokarst na nalednykh polianakh Verkhne

basis., (Termokarst na naledných polianakh verknne-charskof kotloviny, Sannikov, S.A., Konferentsiia molodykh geografov Sibiri i Dal'nego Vostoka, 9th, Irkutak, 1984. Geo-graficheskie problemy osvoenila vostochnýkh rafonov SSSR. Tezisy dokladov (Conference of young spe-cialists on the geology of Siberia and the Far Bast, 9th, Irkutak, 1984. Geographic problems in economic de-valencement of eastern rasions of the USSR. Summarvelopment of eastern regions of the USSR. Summar-les of reports) edited by A.N. Antipov, Irkutsk, 1984, p.94-96, In Russian. DLC HC337.R852S535

River basins, Permafrost distribution, Permafrost hy-drology, Naleds, Thermokarst.

Seismic properties of fine-grained frozen ground. Seismicheskie svoïstva merziykh dispersnykh gruntovi, Baulin, IU.I., Seïsmicheskie svoïstva gruntov (Seismic properties of ground) edited by L.A. Misharina and V.N. Tabulevich, Moscow, Nauka, 1985, p.68-73, In Russian. 14 refs. DLC TA705.839

Frozen fines, Seismic surveys, Acoustic measurement, Frozen ground physics, Frozen ground strength, Per-mafrost structure, Ground ice, Permafrost distribu-Hom

42-20 Development of an analytical method for explosive residues in soil.

LERY S. T.F., et al., U.S. Army Cold Regions Research and Conferenting Laboratory, June 1987, CR 87-07, ADA-183 738, Refs. p.19-21. Waish, M.E.

Explosives, Soil pollution, Military operation, Measuring instruments, Experimentation

suring lastruments, Experimentation.

An analytical method was developed to fetermine the concentrations of HMX, RDX, TNB, DNB, Tetryl, TNT and 2,4-DNT in soil. The method involves extracting a 2-g ample with 50 mL of acctorities using an ultrasonic best procedure for 18 hr. A 10-mL portion of the extract is distated with 10 mL of water, filtered through a 0.45-micron Millex SR filter, and analyzed by RP-HPLC using a fixed 254-m UV detector. Separations were obtained on an LC-18 column eluted with 50-50 water-methanol. Retention times were 2.55, 3.62, 5.16, 6.25, 7.04. 8.47 and 10.15 min for HMX, RDX, TNB, DNB, Tetryl, TNT and 2,4-DNT, respectively. Confirmation of analyte identities is recommended by RP-HPLC on an LC-CN column using 50:50 water-methanol. Kinetic studies using naturally contaminated soil indicated that equilibrium was achieved within 24 hr for the majority of soils and analytes studied.

43-21 Use of Landsat digital data for snow cover mapping in the upper Saint John River basin, Maine. Merry, C.J., et al, U.S. Army Cold Regions Research and Engineering Leboratory, June 1987, CR 87-08, 68p., ADA-183 213, Refs. p.52-57.
Miller, M.S.

Snow cover distribution, Snow depth, Res ing, Snow water equivalent, Mapping, LANDSAT, Computer applications, Forest laud.

Computer applications, rorest tens.

Measurements of snow depth and its water equivalent were obtained at 11 snow courses in the Allagash, Maine, area in conjunction with the acquisition of five Landast-2 and -3 images during the 1977-78 and 1978-79 winters. To test a hypothesis that Landast reflected radiance values on a regional scale do change, histograms of the Landast MSS band 7 reflected radiance values for a 300 x 300 pixel (420 sq km) area near Allagash were evaluated to quantify the change. A statistical descripance values for a 300 x 300 pixel (420 sq km) area near Allagash were evaluated to quantify the change. A statistical description (akewness and kurtosis) of the histogram for each scene was developed and then correlated with ground measurements of snow depth. A snow index based on akewness and modal population was found to correlate well with snow depth. Pollowing these initial results, the Landast data were re-examined and corrections were made for solar slevation and MSS sensor calibration. The reflected radiance from open areas showed a consistent increase in intensity with increasing anow depth. The forested land cover classes did not change with snow depth.

42-22

Environmental atlas for Beaufort See oil spill re-

Dickins, D., et al, Yellowknife, N.W.T., Environmen Diekins, D., et al. Tellowine, N. W. J., Edivionier, et al. Protection Service, Mar. 1987, 182p., 42 refs. Oil spills, Eavironmental impact, Maps, Sea ice, Natural resources, Logistics, Ecosystems, Ice conditions, Tundra, Shores, Beautort Sea.

42-23

Damaging freezing processes at heat output with earth heat pump systems. [Skadliga tj#Iprocesser vid

värmeuttag med ytjordvärmesystem, Fredén, S., Sweden. Statens väg- och trafikinstitut. Rapport, 1987, No.320, 15p., In Swedish with English

summary. 4 refs.

Heat pipes, Freet heave, Soil freezing, Underground pipelines, Soil temperature, Temperature effects.

Antarctic Treaty regime: law, environment and re-

sources.
Triggs, G.D., ed, Cambridge, Cambridge University
Press, 1987, 237p., For individual papers see 42-25 and
42-26 or A-36137, A-36145 through A-36147, E36136, M-36138 through M-36144 and M-36148 through M-36152. DLC JX4084.A5 A556 1987

Economic development, Natural resources, Environ-mental protection, Antarctica.

mental protection, Anterctica.

The papers in this volume were written for an international conference held in London, Apr. 11-12, 1985. The conference, entitled "Whither Antarctica?", was organized by the British Institute of International and Comparative Law. This work is intended to build upon the 1982 publication Ansarctic resources policy: scientific, legal and political issue, edited by F. Orrego-Vicutia (see 13A-1840) or 38-690) by updating the legal, resources and environmental issues presently under consideration within the Antarctic Treaty system and, more recently, by the Secretary-General of the United Nations. An objective of this collection has been to provide a guide to the papers by including an introduction to each part which incorporates points made during conference discussion. Part I treats the points made during conference discussion. Part I treats the physical environment and scientific research; Part II, legal issues; Part III, protecting the marine environment; Part IV, minerals regulation; and Part V, future policies. (Auth. mod.)

42.25

Antarctic physical environment.

Drewry, D.J., Antarctic Treaty regime: law, environment and resources, edited by G.D. Triggs, Cambridge, Cambridge University Press, 1987, p.6-27, 41

DLC JX4084.A5 A556 1987

Geologic structures, Minerals, Ice sheets, Sea ice, Climate.

The geographic and geological characteristics of Antarctics are described with emphasis on special influences of the continental ice cover upon Earth's climate, oceanographic patterns and the unusual depth of the antarctic continental shelf. Particular topics considered include the: geographical setting, geophysical structure, geoglogical evolution and mineral resources, ice sheet, antarctic ocean and sea ice, and climate characteristics. (Auth. mod.)

Scientific opportunities in the Antarctic. Laws, R.M., Antarctic Treaty regime: law, environment and resources, edited by G.D. Triggs, Cambridge, Cambridge University Press, 1987, p.28-48, 11 refs. DLC JX4084.A5 A556 1987

Research projects.

Research projects.

Outlined are the diversity and interrelated nature of scientific research in Antarctica which influences the study of geology, geophysics, plate tectonics, glaciology, clientology, oceanography, meteorology and geophysics, biology and ecology of living organisms. It is argued that the very special nature of antarctic research lies in the simplicity of the environment. There are few people, no industry; environmental impact and pollution are minimal; the rock structures are relatively uncomplicated; the ecosystems are non-specific and the ocean food webs are simple and dominated by krills as the key species. This simplicity provides scientists with unique opportunities to expand their knowledge. (Auth.) knowledge. (Auth.)

Probability analysis of working conditions for ex-cavating machines in Siberia and the Far North. Analiz veroiatnykh uslovii ekspluatatsii zem-leroinykh mashin v ratonakh Sibiri i Krainego Sev-

Nedorezov, I.A., et al, Stroitel'nye i dorozhnye mashi-ny, Feb. 1987, No.2, p.24-26, In Russian. 12 refs. Zhurbin, V.G.

Roads, Construction equipment, Cold weather opera-tion, Cold weather performance, Continuous permafrost, Earthwork.

42-28

Calculation of forces for cutting frozen ground con-taining gravel and shingle inclusions. (Raschet sil rezaniia merzlykh gruntov s graviino-galechnikovymi

vkliuchenilami, Sokolov, L.K., et al, Stroitel'nye i dorozhnye mashiny, Apr. 1986, No.4, p.24-26, In Russian. 7 refs.
Osipenko, B.V., Dashevskii, A.G.
Earthwork, Excavation, Trenching, Frozen ground,

Equipment, Design.

Influence of static overload on the efficiency of percussion excavation of frozen ground. ¿Vliianie stati-cheskoi prigruzki na effektivnost' udarnogo razrusheniis merzlykh gruntov<sub>3</sub>, Nedorezov, I.A., et al, *Stroitel'nye i dorozhnye mashi-ny*, June 1986, No.6, p.24-25, In Russian. 4 refs.

Isacv, O.K. Hammers, Excavation, Earthwork, Frozen ground.

Specific features of artificial freezing of rocks when Specific restures of artificial recessing of the building shafts in potential recession mines. (Osobennosti zamorazhivaniia porod pri sooruzhenii stvolov na kalifnykh mestorozhdeniiakh,

Shparber, P.A., Shakhtnoe stroitel'stvo, July 1986, No.7, p.19-21, In Russian.

Brines, Artificial freezing, Mining, Excavation.

Docking of ships in freezing weather. Dokovanie

korablel zimolj, Pavlov, P., *Tekhnika i vooruzhenie*, Feb. 1987, No.2, p.21, In Russian. Ice navigation, Ships, Docks, Cold weather operation.

Freezing of peat deposits dehydrated by drainage methods. Promerzanie torfianol zalezhi pri drenazh-

nom aposobe osusheniia, Smelovskii, V.E., et al, Torfianaia promyshlennost',

July 1986, No.7, p.7-9, In Russian. Poliankov, V.T.

Poliankov, v.i.
Swamps, Drainage, Peat, Frost penetration, Soil
water migration, Phase transformations, Snow cover
effect, Thawing rate.

Ability of a walking, swamp-designed vehicle to negotiate obstacles. Prokhodimost' shagaiushchego bolotokhoda po prepiatstviiam, Petrov, A.A., et al, Torfianaia promyshlennost', June 1986, No.6, p.20-23, In Russian. 2 refs.

Korovitsyn, L.F. All terrain vehicles, Swamps, Design.

Operation of gasoline motor pumps in freezing weather. Eksplustasia BMP v zimnikh usloviiakhı, Shatilov, B., Tekhnika i vooruzhenie, Nov. 1986, No. 11, p.16-17, In Russian.

Winter maintenance, Military transportation, Tanks (combat vehicles), Engine starters, Cold weather performance, Cold weather operation.

Artificial thawing of ground. [Ottaivanie gruntov], Usenko, V., Tekhnika i vooruzhenie, Dec. 1986, No.12, p.27, In Russian. Military equipment, Earthwork, Cold weather con-struction, Artificial thawing, Electric equipment, De-

Estimating the thermal influence of flames on frozen ground. (K prognozirovaniu teplovogo viiianiia defatvuiushchego fakela na merzlye grunty). Rubtsov, N.A., et al, Akademiia nauk SSSR. Si-

birskoe otdelenie. Izvestiia. Seriia tekhnicheskikh nauk, June 1986, 10(2), p.33-36, In Russian. 3 refs. Danielian, IU.S., Gamarnik, V.B., Varichenko, S.A. Gas wells, Artificial thawing, Continuous permafrost, Natural gas, Petroleum industry, USSR—Tyumen'.

Muonium diffusion in ice.

Leung, S.K., et al, *Chemical physics*, 1987, 114, p.399-409, 42 refs.

Brodovitch, J.C., Newman, K.E., Percival, P.W. Ion diffusion, Ice crystals.

Production of heavy-wall, hight-strength SAW bent-

pipe for Arctic use.
Sakamoto, H., et al, Iron and Steel Institute of Japan.
Transactions, Apr. 1987, 27(4), p.291-298, 3 refs.
Pipes (tubes), Steels.

Ablation of ice-solids and wax-solids mixtures in tur-bulent axisymmetric water jets. Law, H.S., et al, Canadian journal of chemical engi-neering, June 1987, 65(3), p.420-429, With French summary. 11 refs.
Masliyah, J.H., Nandakumar, K.
Hydraulic jets, Ablation, Ice deterioration.

42-40
Mechanical behavior of ice. Interaction mechanisms between ice and offshore structures, [Comportement mécanique de la glace. Mécanismes de l'interaction

glace/ouvrages en mer,
Putot, C., Institut Français du Pétrole. Revue,
May-June 1987, 42(3), p.347-373, In French with
English summary. 17 refs.
Offshore structures, Ice pressure, Drift.

42-41

Effect of water soluble saits on the nucleating ability

artect of water soluble state of the ancienting sounty of the Agi-Agis-Cal system.
Palanisamy, M., et al, Journal of materials science, Arc. 1987, 22(4), p.1335-1340, 26 refs.
Thangaraj, K., Gobinathan, R., Ramasamy, P.
Supercooling, Nucleating agents, Freezing nuclei, Ice nuclei, Sallaity.

42-42

Electronics stand up to damage from snow and ice. Suzuki, M., et al, Institute of Electronics and Communications Engineers of Japan. Journal, Sep. 1986, 69(9), p.897-901, In Japanere. 10 refs. Monma, M.

Snow loads, Icing, Electronic equipment.

42-43

Approach for predicting snow damage to Ponderosa Plus plantations. Megahan, W.F., et al, Forest science, June 1987, 33(2), p.485-503, 24 refs. Steele, R. Snow loads, Damage, Forest canopy.

42-44

Is the trans-Channel Icebridge a viable alternative to

the Channel Tunnel.

Catheart, R.B., Speculations in science and technology, Mar. 1987, 10(1), p.63-65, 7 refs.

Ice crossings, Artificial freezing.

42-45

State-of-the-art methods for computing global and

DIRECTOR OF THE PROPERTY OF COMPATING GLOBAL AND INCOME. NORSK Veritas Ltd., Calgary, Alberta, Canada. Architectural and Engineering Services. Technical report, July 1986, AES/SAG 1-2:86-9, 184p., Refs. p.159-184.

Ice loads, Ice solid interface, Offshore structures, Ice pressure, Ice strength, Ice mechanics, Ice structure, Flexural strength, Ice friction, Models.

Evaluation of the MEDOF ice load sensor in the Arctic environment

Strandberg, A., Canada. Architectural and engineer-

Strandorty, A., canada. Architectural and engineering Services. Technical report, July 1986, AES/SAG 1-2:86-12, 46p. Ice loads, Ice pressure, Offshore structures, Ice conditions, Sea lee distribution, Stresses, Measuring instruments, Boreholes, Tests, Beaufort Sea.

42-47 Evaluation of ice force sensors in the Arctic environment.

Newar, A.M., et al, Canada. Architectural and Engineering Services. Technical report, July 1986, AES/SAG 1-2:86-13, 1#3n.

Edworthy, J., Steele, M., Blant, H.
Ice loads, Ice pressure, Offshore structures, Ice conditions, Design criteria, Tides, Measuring instruments, Ice cover thickness.

42-48

Bearing capacity of broken ice zones.
Roth, D.R., et al, Canada. Architectural and Engineering Services. Technical report, July 1986,
AES/SAG 1-2:86-15, 65p., Refs. p.(R)1-(R)3. Marcellus, R.W.W.

Ice strength, Bearing strength, Ice breaking, Ice physics, Ice friction, Thermodynamics, Shear stress, Heat transfer, Analysis (mathematics).

Ice structure interaction: engineering design and construction criteria; Vols.1 and 2.

struction criteris; vois.1 and 2. Bercha, F.G., Canada. Architectural and Engineering Services. Technical report, July 1986, AES/SAG 1-2:86-174 and 17v2, 2 vois., 53 refs. Ice solid interface, Ice loads, Offshore structures, Engineering, Design criteria, Ice pressure, Mathematical models, Computer applications, Artificial islands.

Probabilistic ice load analysis of Cape Noire wharf; Vols. 1 and 2. Bercha, F.G., Canada. Architectural and Engineering Services. Technical report, July 1986, AES/SAG -12:86-18v1 and 18v2, 2 vols., Refs. pass-Ice loads, Piles, Ice solid interface, Ice strength, Water level, Wharves, Statistical analysis.

42-51

42-51
Products and effects of modern solian activity on a nineteenth-century glacier-pushed ridge in West Spitsbergen, Svalbard.
Riezebos, P.A., et al, Arctic and alpine research, Nov. 1986, 18(4), p.389-396, 17 refs.
Glacial eroston, Glacier surges, Glacial deposits, Topographic features, Moraines, Particle size distribution, Eolian soils, Norway—Spitsbergen.

42-52

Glaciers and the morphology and structure of Milne ice Shelf, Elleamere Island, N.W.T., Canada. Jeffries, M.O., Arctic and alpine research, Nov. 1986, 18(4), p.397-405, 31 refs. Glacier surges, Glacier tougues, Ice shelves, Structural analysis, Fast ice, Geomorphology, Ice growth, Paleoclimatology.

Mapping of glaciation levels: comments on the effect of sampling area size.

Humlum, O., Arctic and alpine research, Nov. 1986, 18(4), p.407-414, 31 refs. Glaciation, Geomorphology, Mapping, Landscapes, Snow line.

42-54

Ballooning spiders as a component of arthropod fall-out on snowfields of Mount Rainler, Washington, U.S.A.

Crawford, R.L., et al, Arctic and alpine research, Nov. 1986, 18(4), p.429-437, 33 refs. Edwards, J.S. Snow com-

Snow cover, Air pollution, Cryobiology, Ecology, Snow surface, Snow composition.

Passmatically de-iced ice detector—final report, phase 2, part 1. Franklin, C.H., et al, MP 2249, Ann Arbor, MI, Frank-

r-anaun, c.-r., et al, Mr 2749, Ann Arbor, MI, Frank-lin Engineering Company, May 1986, 9p. + appends. Rogne, C.O., Vinton, C.S. Ice detection, Ice removal, Equipment, Ice formation, Measuring instruments, Wind factors, Ice accretion, Loads (forces).

42-56

Viacoplastic properties of ice and frozen ground. (Viazkoplastichnost' l'da i merzlykh gruntov), Zaretskii, IUK., et al., Novosibirsk, Nauka, 1986, 184p., in Russian with abridged English table of contents enclosed. Refs. p.173-183. Chumichev, B.D., Shchebolev, A.G.

Ice physics, Elastic properties, Plastic properties, Rheology, Frozen ground, Frozen rocks, Permafrost, Artificial freezing, Ice creep, Mathematical models.

42-57 The Polar Shelf: the saga of Canada's Arctic scien-

tists. Foster, M., et al, Toronto, NC Press Ltd., 1986, 128p. Marino, C.

Research projects, Ice surveys, Snow surveys, Ice shelves, Offshore drilling, Ecosystems.

42-58

Canadians declare open season on errant icebergs. West, A., Offshore engineer, Feb. 1986, p.24-27.
Iceberg towing, Drift, Ice conditions, Offshore drilling, Ice loads, Countermeasures.

42-59

Ice not the only obstacle in Hibernia's path.

Morgan, D., Offshore engineer, Feb. 1986, p.27-28.

Sea ice distribution, Offshore structures, Offshore drilling, Icebergs, Ice loads, Ocean environments, Ice strength.

42-60

Reference marks and datum points of the USSR state reservance marks and darum points of the USSR state geodetic network. U.S. Army Foreign Science and Technology Center, Charlottesville, VA. Technical translation, May 1980, FSTC-HT-1452-79, 34p., ADB-049 839L, Translation of Teentry i repery Gosudarstvenno' geodesichesko'i seti SSSR. Moscow, Nedra 1973.

Permafrost physics, Excavation, Cold weather opera-tion, Standards, Frozen ground mechanics, Seasonal variations, Frost heave, Corrosion, Coatings.

42-61
Feadbility test of battery slave cables and receptacles (12-volt) for commercial vehicles.
Davis, L.D., U.S. Army Cold Regions Test Center.
Final letter report, Aug. 8, 1980, TECOM proj.
No.1-VG-123-000-011, 13p. ADB-049 983L.
Validae Cold market tests Winter maintanance. Vehicles, Cold weather tests, Winter maintenance,

Temperature effects.

42-62 Development of analytical models related to experi-

mental work on ice structure interaction.

Tomin, M.J., et al, Canada. Architectural & d Engineering Services. Technical report, July 1986, neering Services. Technical report, July 1980, No.AES/SAG 1-2:86-19, 229p. + append., Refs. p.91-98.

Ice loads, Ice solid interface, Offshore structures, Ice models, Ice cracks, Fracturing, Mathematical models, Tests.

42.63

Study of caleson towing and sinking methods. Vol.1 Formal report. Vol.2 User's manual. Menon, B., Canada. Architectural and Engineering Services. Technical report, July 1986, AES/SAG 1-2:86-14v1 and 14v2, 2 vols., 17 refs.

2-2-00-1-v1 mm 1vv2, 2 vois, 1/ reis. Caissons, Ice loads, Ice solid interface, Ice conditions, Cold weather construction, Offshore structures, Transportation, Computer programs, Analysis (mathematics), Models.

42-64

Antarctica: soils, weathering processes and environ-

Campbell, I.B., et al, Developments in soil science, No.16, Amsterdam, Elsevier, 1987, 368p., Refs. p.341-358

Claridge, G.G.C. DLC \$599.9.A6.C36 1987

Cryogenic solls, Geologic processes, Frozen rocks, Geochemistry, Geochronology, Salt lakes, Antarc-

Geochemistry, Geochrosology, Salt lakes, Antarctica.

It is assumed that the reader has little previous knowledge of Antarctica, and therefore sufficient background information is given to allow the antarctic environment as it is related to soil formation to be understood. It was not the purpose to write a treatise on all aspects of Antarctics, and hence there are many omissions in the discussions on the geology, climatology and biology of the continent. The emphasis is on only those features which have seemed relevant from a soil point of view. Following a general introductory chapter to the antarctic continent, the authors dalve into the details of geology and geomorphology (basements, rocks, sediments, land forms, alluvial features); climate (wind, precipitation, climatic regions, io-free regions, and soils); soil biology (distribution of organisms by region and soil development); physical weathering, also infeatures development, soil depth, frozen ground); soil distribution (forming factors, mosture, perent material, time, exacting its properties (prodological research, soil distribution (forming factors, mosture, perent material, time, exenthering); soil saits (precipitation chemistry, saline lakes, coastal regions, deposits in soils, and origin); soil weathering and glacial history (multiple glaciations, age, chronology, reconstruction); classification of soils (system details, considerations (ecosystems, man's influence, soil sensitivity, stability and renewal).

Multispectral study of the St. Louis area under saow covered conditions using NOAA-7 AVHRR data. Kidder, S.Q., et al, Remote sensing of environment, July 1987, 22(2), p.159-172, 17 refs. Wu, H.T.

Spaceborne photography, Radiometry, Snow surveys, Albedo.

42-66

42-66 Chemical, physical and structural properties of estua-riae ice in Great Bay, New Hampshire.

Meese, D.A., et al, Estuarine, coastal and shelf science, June 1987, 24(6), MP 2251, p.833-840, 5 refs. Gow, A.J., Mayewski, P.A., Ficklin, W., Loder, T.C. Ice physics, Ice composition, Ice structure, Sea ice,

42-67

Helicopter rotor icing protection methods. Coffman, H.J., Jr., American Helicopter Society. Journal, Apr. 1987, 32(2), p.34-39, 7 refs. Aircraft icing, Helicopters, Propellers, Ice preven-

Performance characteristic of rotorcraft airfolis with simulated ice.

Flemming, R.J., et al, American Helicopter Society. Journal, Apr. 1987, 32(2), p.67-77, 21 refs. Shaw, R.J., Lee, J.D.

Aircraft icing, Helicopters, Wind tunnels.

Theory of particle coarsening with a log-normal distribution. Colbeck, S.C.,

Colbeck, S.C., Acta metallurgica, July 1987, 35(7), MP 2250, p.1583-1588, With French and German summaries. 22 refs.
Metals, Low temperature tests

42-70

Glacial strine, roches moutonnées and ice movements in the Facroe Islands.

Jörgensen, G., et al. Its DGU series C. No.7, Copenhagen, Denmarks geologiske undersögelse, 1986, 113p. man. 22 refs. Rasmussen, J.

Glacial erosion, Ice mechanics, Glaciation, Geomorphology, Mapa, Paleoclimatology, Shores, Denmark —Faeroe Islands.

42-71

ervations of effects on agricultural soils of the artificial enhancement of snowmelt in interior Alas-

Holty, J.G., et al, Agroborealis, July 1987, 19(1), p.20-

26, 7 refs.
Kawasaki, K., Osterkamp, T.E.
Snowmelt, Dusting, Soil water, Albedo, Artificial
melting, Ground thawing, Agriculture, Experimenta-

42-72

Airships: potential Alaskan transportation alternative.

Hoke, O.A., Alaska. Legislature House Research Agency, Juneau. Report, Mar. 1981, No.80-12, 147p. PB81-194 515.

Transportation, Airplanes, Cold weather operation, United States—Alaska.

42-73

Sewage lagoons in cold climates. Canada. Environmental Protection Service. Report, Mar. 1985, EPS 4/NR/1, 89p., With French summary. Ref.

p.61-89. Sewage disposal, Sewage treatment, Ponds, Perma-frost thermal properties, Ice cover effect, Snow cover effect, Environmental impact, Climatic factors, Sea-

Minimizing the environmental impact of the disposal of snow from urban areas; Proceedings of Workshop, June 11-12, 1984.

Workshop on Minimizing the Environmental Impact of the Disposal of Snow from Urban Areas, Montreal, of the Disposal of Snow from Urban Areas, Montreal, Quebec, June 11-12, 1984, Canada. Environmental Protection Service. Report, Oct. 1985, EPS 2/UP/1, 125p., Reft. passim. Consists of 11 papers. Snow disposal, Snow removal, Environmental protection, Pollution, Snowmelt, Environmental impact, Meetings.

42-75

Cold climate sewage lagoons; Proceedings of the 1985 Workshop, Winnipeg, Manitoba. Townshend, A.R., ed, Canada. Environmental Pro-tection Service. Report, Apr. 1987, EPS 3/NR/1, 159p., Refs. p.151-156. Knoll, H., ed.

Sewage disposal, Sewage treatment, Permafrost dis-tribution, Ice cover effect, Sludges, Water treatment, Pollution, Ponds, Environmental impact, Meetings, Freeze thaw cycles, Limnology.

42-76

Arctic sea ice, 1973-1976: satellite passive-microwave

Arctic sea Ice, 1973-1978: satellite passive-interowave observations.

Parkinson, C.L., et al, NASA SP-489, Washington, D.C., U.S. National Aeronautics and Space Administration, 1987, 296p., Refs. p.231-239.

Comiso, J.C., Zwally, H.J., Cavalieri, D.J., Gloersen, P., Campbell, W.J.

Sea ice distribution, Remote sensing, Ice physics, Microwares, Climatic factors, Ice formation, Ice cover thickness, Ice conditions, Arctic Ocean.

Relative levels of natural and anthropogenic lead in

recent antarctic snow.
Boutron, C.F., et al, Journal of geophysical research, July 20, 1987, 92(D7), p.8454-8464, 43 refs.
Patterson, C.C.

Snow composition, Impurities, Metals, Antarctica Dumont d'Urville Statiot: Antarctica—Amundae Scott Station.

Scott Station.

Concentrations of lead have been measured by ultraclean isotope dilution mass spectrometry in large blocks of surface snow collected slong a 433-km coast-interior axis in East Antarctica and near the geographic south pole. Slight contamination existed on the outside of the blocks, but concentration profiles from their exteriors to their interiors indicate that lead concentration profiles.

trations in the innermost parts of the blocks do represent the original concentrations in present-day antarctic snow. Geo-graphical variations of lead concentrations appear to be mainly due to local emissions from Dumont d'Urville and Amundsendue to local emissions from Dumont d'Urville and Amundsen-Scott stations. The globally significant lead concentration in present-day antarctic anow is found to be about 2 pg Pb/g. The corresponding value in natarctic air is estimated to be about 7 pg Pb/cu STP, which is approximately fivefold larger than total natural lead contributed by soil dusts, volcances and see saits. A tentative temporal curve of globally significant lead concen-trations in antarctic ice and snow for the last 13,000 years is given. It shows concentrations of about 0.4 pg Pb/g throughout most of the Holocene, with recent fivefold increases to about 2 pg Pb/g today. The general picture is then that four-fifths of total lead in the antarctic troposphere today is anthropogenic. (Auth.) anthropogenic. (Auth.)

Freezing precipitation in winter storms. Stewart, R.E., et al, Monthly weather review, July 1987, 115(7), p.1270-1279, 21 refs.

Weather forecasting, Glaze, Snow pellets, Radar echoes. Ice storms

42.70

Vertical eddy diffusivity determined with Rn-222 in the beathic boundary layer of ice-covered lakes.
Colman, J.A., et al, Limnology and oceanography,
May 1987, 32(3), p.577-590, 37 refs.

Armstrong, D.E.
Lake water, Water chemistry, Ice cover effect,
Boundary layer.

Using LANDSAT MSS data for measuring ice sheet

retreat.

Knight, P., et al, International journal of remote sensing, July 1987, 8(7), p. 1069-1074, 2 refs.

Weaver, R., Sugden, D.

Remote sensing, Ice sheets, Spaceborne photography, Greenland.

42-81

Physical properties and structure of water. ¡Fizicheskie svoiatva i struktury vody],
Zatsepina, G.N., Moscow, Universitet, 1987, 171p., In
Russian with abridged English table of contents enclosed. Refs. p.166-169.

Water chemistry, Physical properties, Molecular structure, Molecular energy levels, Ice physics, Ice thermal properties, Ice electrical properties.

42-82

Climatology of mean monthly snowfall for the conterminous United States: temporal and spatial patterns. Harrington, J.A., Jr., et al, Journal of climate and applied meteorology, Aug. 1987, 26(8), p.897-912, 57 refa

Cerveny, R.S., Dewey, K.F. Climatology, Snowfall.

42.83

Coupled dynamic-thermodynamic model of an ice-

ocean system in the marginal ice zone.

Häkkinen, S., Journal of geophysical research, Aug.
15, 1987, 92(C9), p.9469-9478, 43 refs. Comment by
P.C. Chu and R.W. Garwood, Jr., Ibid, May 15, 1988, 93(C5), p.5155-5156. 8 refs. Chu, P.C., Garwood, R.W., Jr.

Sea ice, Ice edge, Ice water interface, Thermodynamics, Models.

42-84

Variability of an under-ice river plume in Hudson Bav.

Ingram, R.G., et al, Journal of geophysical research, Aug. 15, 1987, 92(C9), p.9541-9547, 18 refs. Larouche, P.

River flow, Subglacial observations, Ice cover, Canada—Hudson Bay, Canada—Ouebec—Great Whale

42-85

Why is there little anthropogenic CO2 in the Antarc-

why is there intro antaropogenic COZ in the Amarica tic Bottom Water.

Poisson, A., et al, Deep-sca research, July 1987, 34(7A), p.1255-1275, Refs. p.1273-1275.

Chen, C.T.A.

Ice cover effect, Air water interactions, Chemical

composition, Carbon dioxide.

composition, Larbon dioxide.

Late-winter and early-spring carbonate data compared with summer data confirm the notion that the Weddell Sea pack ice effectively blocks the air-sea exchange of gases. The upwelled old Weddell Deep Water (WDW) dilutes the anthropogenic CO<sub>2</sub> concentration in the winter surface water, which then mixes with the Weddell Shelf Water and more WDW to form the Antarctic Bottom Water (AABW). Since the WDW probably was formed before industrialization and the winter surface any was formed oerore industrialization and the writer is strace water is also deficient in excess CO2, it was expected and found that the AABW contains little anthropogenic CO2. The dilution of the winter surface water by the old WDW also explains why less excess CO2 is found in the remnant winter water (the

minimum temperature layer) than in the surface water for the GEOSECS and IGY summer stations. The pre-industrial CO2 concentration is estimated to be 268 micro-atm. (Auth.)

Maltispectral Landsat images of Antarctica. Lucchitta, B.K., et al. U.S. Geological Survey. Bulle-tin, 1987, No.1696, 21p., Refs. p.20-21. DLC QE75.89

III., 1981, NO.1096, 21p., Rets. p.10-21.

DLC QETS.B9

Mapping, LANDSAT, Ice, Snow.

The U.S. Geological Survey has initiated a program to map
Antarctica by using colored, digitally enhanced Landsat multiappectral scanner (MSS) images to increase existing map coverage and to improve upon previously published Landsat maps.

A mosaic image in map projection of the McMurdo Sound
region was compiled. This digitally enhanced mosaic covers 4
compilets and 2 partial 1:250,000-scale topographic quadrangles
and shows significantly more detail in rock and ice than do
previously compiled black-and-white paperprint mosaics of the
region. Digitally processed Landsat images can provide accurate and detailed base maps, and they may aid in solving several
antarctic research proofems. Some of these problems are addressed in the mapping program; results are given in this report.

The images also reveal that the Byrd Glacier has moved at an
average velocity of 800 m/yr within 10 years. It is found that
the resolution of Landsat MSS (about 80 m) is insufficient for
most detailed spectral studies because almost all rock outcrops
in Antarctics are small, but it is anticipised that the resolution
of thematic mapper (TM) images (about 30 m) will be adequate
for such studies in the Autware. (Auth mod.) of thematic mapper (TM) images (about 30 m) will be adequate for such studies in the future. (Auth, mod.)

42-87

Investigation of the crystal structure of sea ice in the Bothnian Bay.

Omstedt, A., Swedish Meteorological and Hydrological Institute. Reports hydrology and oceanography, Mar. 1985, SMHI-RHO No.40, 17p., 8 refs. Ice crystal structure, Ses ice, Ice density, Ice salinity,

Drill core analysis, Ice cores, Ice cover, Bothnia, Bay. 42-88

YMER-80, satellites, Arctic sea ice and weather. Thompson, T., Swedish Meteorological and Hydrolo Reports oceanography, Mar. 1986, ical Institute.

Sea ice distribution, Remote sensing, Ice surveys, Ice conditions, Mapping, Weather stations.

42.89 Millimeter wave radiometric detection of ice on air-

Kozakoff, D.J., et al, Millimeter Wave Technology, Inc. MWT final report, Apr. 15, 1983, No.83107, 112p., PB86-201 944, NSF/DMR-83005, Refs. p.72-

Morton, T.P. Aircraft icing, Ice detection, Remote sensing, Ice electrical properties, Radiometry, Dielectric proper-

42-90

Cold weather transit technology program. Volume 4: Advanced countermeasures for combating ice and

anow problems.

Lee, L.H.N., et al, U.S. Urban Mass Transportation
Administration. Report, Sep. 1981, Administration. Report, Sep. 1981, UMTA-IN-06-0009-82-4, 117p., PB83-162 099, 5 refs.

Road icing, Ice prevention, Stress strain diagrams, Ice adhesion, Ice strength, Ice cracks, Snow removal, Heating, Countermeasures.

42-91

Extreme wind predictions for first order weather stations in Alaska. Leslie, L.D., Alaska Climate Center technical note,

No.1, Fairbanks, University of Alaska, Arctic Envi-ronmental Information and Data Center, June 1984.

Wind velocity, Design criteria, Forecasting, Weather stations, Distribution, Statistical analysis, United States-Alaska.

Benchmark design and installation: a synthesis of existing information. Gatto, L.W., U.S. Army Cold Regions Research and

Engineering Laboratory, July 1987, SR 87-10, 73p., ADA-183 925, 27 refs. Bench marks, Cold weather construction, Frost heave, Stability, Subsidence, Design, Surveys.

heave, Stability, Subsidence, Design, Surveys. Techniques used for topographic, hydrographic, construction, boundary, geodetic and structural movement surveys are only as accurate as the benchmarks used as reference. In northern areas, frost action can cause substantial vertical movement of benchmarks. Benchmarks may also subside or shift in wetlands and coastal areas. Various benchmark designs and instaliation procedures reduce or eliminate movement, but information on the designs and procedures is widely scattered and not available to Corps of Engineer Districts in one report. This report is a synthesis of information compiled from surveys of Corps of Engineers Districts and Divisions U.S and Capadian report is a synthesis of information computer from surveys, Corps of Engineers Districts and Divisions, U.S. and Canadian government agencies, private industry and a literature review. Matrices for selecting and installing benchmarks that meet third-order accuracy requirements or better and that are appropriate for various climatic and soil conditions were prepared from the synthesized information. Procedures to be followed while installing various types of benchmarks are included.

Winter evaluation of oil skimmers and booms. Canada. Environmental Protection Service. Tech-Canada. Environmental Protection Service. Icen-nical Services Branch, Canada. Environmental Pro-tection Service. Report, Feb. 1984, EPS 4-EP-84-1, 109p. With French summary. 7 refs. Oll spills, Oll recovery, Equipment, Countermeas-ures, Tests, Winter, Cold weather operation.

42-94
ANARE antarctic field manual (3rd ed). Australian National Antarctic Research Expedition, Kingston, Tasmania, 1987, 140p.

Potter, S.A., ed.

Expeditions, Safety, Cold weather survival, Manuals. In 16 chapters the manual points out the many catastrophic pirtails witing to entrap the unknowledgeshie or unway expeditioner, how to avoid them, and how to defeat them if avoid-ance fails. Among others, the topics include the nature and use of various pieces of camping gear; oversnow/icc transport, Australian antarctic stations and closeby refuges, rawigation, communications, search and rescue, and emergency procedures; and environment protection. Appendix It is a Field Camp Equipment List which could also serve as a giosary of terms to be mastered. Appendix II is a table of distances, weights, and volumes in English and metric units. Expeditions, Safety, Cold weather survival, Manuals.

Spectral measurements in a disturbed boundary layer OVER SHOW.

over snow.

Andreas, E.L., Journal of the atmospheric sciences,
Aug. 1, 1987, 44(15), MP 2254, p.1912-1939, 96 refs.

Turbulest boundary layer. Snow surface, Snow air
Interface, Wind velocity, Air temperature, Humidity. interface, Wind velocity, Air temperature, Humidity. Time series were measured of the turbulent fluctuations in longitudinal (w) and vertical (m) velocity and in temperature (t) and humidity (d) with fast-responding sensors in the near-neutrally stable surface layer over a snow-coverd field. These series yielded individual spectra, u-w, w-t, w-q, and t-q cospectra, and observence spectra for nondimensional frequencies (Iz/U) from roughly 0.001 to 10. This is, thus, one of the most extensive spectral sets ever collected over a snow-covered surface. With the exception of the u-w cospectra, all of the spectra and cospectra displayed the expected dependence on frequency in an inertial or inertial-convective subrange. At this complex site, turbulence slone determines the spectra and cospectra as high frequency, while at low frequency, the spectra and cospectra reflect a combination of topographically generated turbulence and, probably, internal waves. From the measured temperature and humidity spectra and the t-q cospectra, refractive index spectra for light of 0.55 micron and millimeter wavelengths were computed, the first such spectra obtained over snow. From the u, t and q spectra, the surface sensible (Hs) and latent (Hs) heat fluxes were estimated using the inertial-dissipation technique. Aspects of these computed and estimated values are discussed. (Auth. mod.)

Forest tandra. ¡Predtundrovye lesa;, Chertovskol, V.G., et al, Moscow, Agropromizdat, 1987, 169p., In Russian with English table of contents

1967, 1879. In Aussian with Engine toole of Contents enclosed. 105 refs.
Revegetation, Forest tundra, Environmental protection, Cryogenic soils, Vegetation patterns, Continuous permatrost, Soil erosion, Geography, Human fac-

Amnotated bibliography on northern environmental engineering, 1978-1979.

Armstrong, R.C., Canada. Environmental Protection Service. Water Pollution Control Directorate. Re-port, July 1981, EPS 3-WP-81-4, 100p. Waste treatment, Water treatment, Environmental

impact, Bibliographies, Engineering, Ice cover effect, Ice surveys, Snow surveys.

Ploating debris control; a literature review. Perham, R.E., Repair, Evaluation, Maintenance, and Rehabilitation Research Program. Technical report, June 1987, REMR-HY-2, MP 2252, 22p. + 41p. of append., 18 refs.

Hydraulic structures, Flood control, Water pollution,
Damage, Maintonance. Equipment, Tests.

Floating debris can have an extremely harmful effect on certain hydraulic structures such as flood control works and navigation From both 2 and never a scattering statum artists of security statum and the structures such as flood control works and navigation facilities and is consequently an important concern in maintenance and repair activities. This report assembles information found in published sources about equipment and methods used to control floating debris. Also included is an appendix on booms, their functions in the water transportation of pulpwood. and results of laboratory tests of various boom designs which was previously published by the Pulp and Paper Research Institute of Canada and which contains much useful information applicable to booms for control of floating debris.

42-99
Use of microwaves to monitor the freezing and thaw-Use of microwaves to monitor the freezing and thawing of water in plants.

Harbinson, J., et al, Journal of experimental botany,
Aug. 1987, 38(183), p.1325-1335, 18 refs.

Woodward, F.I.

Freezing, Plant physiology, Cold tolerance.

Vibration analysis of the Yamachiche Lightpier. Haynes, F.D., International journal of analytical and experimental modal analysis, Apr. 1986, 1(2), MP 2253, p.9-18, For another version see 40-1881. 14

Piers, Vibration, Ice loads, Shear strength, Mathematical models, Computer applications.

Hydropower tunnels in permafrost.

Jacobsen, T.S., et al, International water power & dam construction, June 1987, 39(6), p.26-35, 3 refs. Mai. H.

Prozen ground temperature, Permafrost thermal properties, Electric power, Tunnels, Ice formation.

42-102

UV resonance Raman and UV-VIS absorption spectra of aqueous solutions of an azobenzene-containing ammonium amphiphile.

Isono, N., et al. Journal of colloid and interface science, June 1987, 117(2), p.400-405, 5 refs. Solutions, Ice melting, Phase transformations.

94-GH2 Doppler radar for cloud observations. Lhermitte, R., Journal of atmospheric and oceanic technology, Mar. 1987, 4(1), p.36-48, 19 refs. Radar, Cloud physics.

42-104

Refinery construction in arctic weather conditions some construction, inspection, and corrosion concerns.

Beaumont, S., *Materials performance*, Aug. 1987, 26(8), p.53-56, 1 ref. Construction materials, Corrosion, Cold weather con-

struction.

Effects of intermolecular interactions on the electric field gradients in ice and liquid water. The role of electrostatics.

Cummins, P.L., et al, *Molecular physics*, July 1987, 61(4), p.795-811, 54 refs. Bacskay, G.B., Hush, N.S.

Molecular structure, Hydrogen bonds, Ice structure, Polarization (charge separation), Ice crystals.

Embankment dams on permafrost: design and per-formance summary, bibliography and an annotated

formace summary, bibliography and an annotative bibliography.

Sayles, F.H., U.S. Army Cold Regions Research and applications of the summary of the summary

mation, Ponda, Spillways, Freeze thaw cycles.
The designs of embankment dams on permafrost can be divided into two general types, frozen and thewed. The frozen type of embankments and their foundations are maintained frozen during the life of the structure. The thawed type of embankments usually are designed assuming that the embankment will remain unfrozen and its permafrost foundation will haw during construction or during the operation of the structure. In some locations where water is to be retained intermittently for short periods of time, thawed embankments have been designed assuming the permafrost will remain frozen throughout the life of the embankment. In selecting this type of design for a particular site, many factors that are peculiar to cold regions must be considered. This summary of methods of design, construction and operation of embankment dams in permafrost areas records the successes and some failures that have occurred. Embankment dams have been built and successfully operated in Canada, Greenland, the USSR and Alaska. A number of failures have been reported in the USSR and one in Alaska. Most of the difficulties arose because insufficient attention was given to establishing and maintaining a reliable frozen condition and to controlling seepage.

42-107

Airborne measurements of the spectral reflectance of

Leahkevich, G.A., International Colloquium Spectral Signatures of Objects in Remote Sensing, 3rd, Les Arcs, France, Dec. 16-20, 1985. Proceedings, Paris, Institut national de la recherche agronomique, 1986,

P. 245-248, 7 refs.
Reflectivity, Ice spectroscopy, Remote sensing, Snow optics, Radiometry, Airborne equipment.

42-108

Tidal movement measurements on the Ekström Ice Italia movement measurements on the Existrom Ite Shelf, Astarctica, (Gezeitenmessungen auf dem Ek-ström-Schelfeis, Antarktis), Kobarg, W., et al, *Polarforschung*, 1986, 56(1/2), p.1-21, In German with English aummary. 14 refs.

Lippmann, E.
Ice shelves, Tidal currents, Subglacial observations,
Gravity, Antarctica—Ekström Ice Shelf, Antarctica
—Georg von Neumayer Station.

Part of the geophysical work at the German Georg von Neumayer Station is the recording of the tidal movement of the Ekström Ice Shelf. Measurements are performed with an Ekström Ice Shelf. Measurements are performed with an earthide gravity meter for the vertical component of the movement and two simple tiltmeters for the horizontal component of Roralty measurements were done continuously during the 1984/85 winter season at the observatory of the Georg von Neumayer Station. Tilt measurements were carried out at the station and at three locations on an ice-tise at about 10 km distance from the station. Gravity measurements provide the tidal movements of the ice shelf, which amounts to about 1 m at spring tide. The most important result of the tiltmeter measurements lies in the fact that the amplitudes of tilt are substantially larger at the ice-rise than at the observatory. Results of tide-correlated ice quake activities are also presented. (Auth.)

42-109
Follow-up stake measurements on a blue ice field in the Borg Massif, New Schwabenland, Antarctica. (Nachmessungen an Pegeln auf einem Blaueisfeld im Borgmassiv, Neuschwabenland, Antarktis, Brunk, K., et al. Polarforschung, 1986, 56(1/2), p.23-32, In German with English summary. 8 refs.

Ice sheets, Ice creep, Markers, Antarctica-New

In Jan./Feb. 1985 a German-South African expedition had the opportunity to repeat measurements made by means of stake planted in 1951 (Norwegian-British-Swedish Antarctic Expedition 1949-52) and 1966 (SANAE VII). Although the rediscovery of the old stakes had not been spected, the stakes could be identified and it was possible to derive movement vectors on the basis of old and heterogeneous measurement data. The long-term movement rates established basically confirm and complement the values determined in 1951. The flow rates of 9.1 cm/a to 86.4 cm/a proved to be extremely low. Observations of the stake lengths showed very little accumulation in the fringe areas of the blue ice-field (ca. 0.7 to 2.6 cm/a snow/firm) on bare ice an ablation of 2.6 cm/a water equivalent (2.9 cm/a ice) was measured. The paper begins with a description of the essential conditions for the formation of the blue ice-field. Subsequently the measurements are explained in detail and their results are discussed. (Auth.) In Jan. / Feb. 1985 a German-South African expedition had the

North polar ice cap of Mars as a steady-state system. Budd, W.F., et al, Polarforschung, 1986, 56(1/2), p.43-63, With German summary. 32 refs. Mars (planet), Ice sheets, Mass balance.

Winter cooling of firn layers of temperate alpine gla-

winter cooling or tra layers of temperate appine gas-cier. ¿Zum winterlichen Kältevor; at in einem tem-perierten Alpengletscher, Ambach, W., et al. *Polarforschung*, 1986. 56(1/2), p.65-67, In. German with English summary. 7 refs. Eisner, H., Meyer, E., Schneider, H. Firn, Mountain glaciers, Cooling.

Identification of clouds over Antarctics from satellite imagery. (Wolkenerkennung über der Antarktis in Satellitenbildern),

Satellitenbildern,
Raschke, E., et al, Polarforschung, 1986, 56(1/2),
p.69-78, In German with English summary. 14 refs.
Jacobs, H., Lutz, H.-J., Steffens, U.
Clouds (meteorology), Ice sheety, Spaceborne photography, Sea ics, Antarctics.

tograpsy, See ics, Antarcrucis.

Detailed analyses of the multispectral data of the AVHRR in the operational NOAA satellites demonstrate their usefulness to map clouds even over the highly reflecting nowfields of Antarctica. With this procedure a contrast enhancement is performed making use of the different spectral reflectance, transmittance and emittance properties respectively, of clouds and the surface below within the spectral ranges of the AVHRR. The measurements within the range between 3.5 and 3.9 micron The measurements within the range between 3.2 and 3.9 micron (channel 3), which unfortunately are highly noisy during night-time, play a key role here. Results of some initial case studies demonstrate that a computer-aided identification of water and ice clouds over Antarctica and adjacent ocean and sea-ice fields is possible, where even sea-ice beneath optically thinner cloud-decks can be mapped. This procedure should be useful for operational use to analyze ISCCP data sets. (Auth.)

42-113. Life span of Arctic data buoys. Muñoz, E.A., Polarforschung, 1986, 56(1/2), p.99-107. With German summary. 5 refs. Weather stations, Remote sensing, Air temperature, Sea ice, Meteorological instruments.

Twenty-fourth Seviet Antarctic Expedition. General description of studies of the 1978-1980 winter seesone, with research results. (Dvadtast' chetvertais sovetakais antarkticheskais ekspeditsiis. Zimovochnye isaledovaniis 1978-1980 gg. Obehchee opisanie i

nauchnye rezul'taty<sub>]</sub>, Sovetskaia antarkticheskaia ekspeditsiia. *Sovetskaia* Sovenskia antarticirceskia expecition, Sovenskia antarkticheskia expecitizia. Trudy, 1986, No.81, 112p., In Russian. Refs. passim. For individual papers see 42-115 and 42-116 or F-36200, H-36201, I-36195 through I-36197, K-36198 and K-36199. Artemiev, A.N., ed, Dubrovin, L.I., ed. Expeditions, Research projects, Antarctics.

The report on the 1978-1980 Soviet Antartic Expedition provides, in pt.1, three chapters which describe the main activities, including the organization and the scientific observations. Pt.2 consists of 7 individual papers giving the scientific results of various projects.

42-115

Metserological conditions at Drushnaya Base in summer 1980, Meteorologicheskie uslovila v ralone bazy Druzhnof letom 1980 g., Sokolov, S.T., Soverskais antarkticheskais ekspeditatia. Trudy, 1986, No.81, p.63-77, In Russian.

refs.

Metaorological data, Metaorological factors, Ice shelves, Antarctica—Weddell Sea, Antarctica— Roune Ice Shelf, Antarctica—Pilchner Ice Shelf, Antarctica-Antarctic Peninsula.

tarctics—Astarctic Fealissis.

Meteorological characteristics and synoptic processes over the southern Weddell Sea and the adjacent Flichner and Roans ics selves, in Jan.-Mar. 1980, are described. The data are compared with data obtained in previous years. Significant influence on the relatively mild climate of West Antarctics is stributed to topographic features of the area, such as the Pensecola Mountains, the mountains of the southern Autarctic Peninsuis, and Bertner I.

42-116

Results of hole drilling with non-freezing fluid at Gor-naia base. Rezul taty bureniia skvazhiny s primene-niem nizkotemperaturnol zalivochnol zhidkosti na

niem nizkotemperaturnoi zauvocanoi znickosti na baze Gornofi, Bobin, N.E., et al, Sovetskais a. arkticheskais ek-speditaiis. Trudy, 1986, No.81, p.93-101, in Russian. Moiseev, B.S., Zemtsov, A.A. Drilling fluids, Thermal drills, Ice drills, Borehole

instruments.

Experimental drilling on Gornala base, 73rd km on the Mirayy-Vostok route, is reported. A thermal drill filled with non-fresting fluid used for boreholes in ice, and the installation of the portable borehole equipment, are described and illustrated. The operational capabilities of the drill are found to be highly satisfactory; its mechanical speed is reported to surpass 2 m/h.

42-117

Microclimate of sport stadium structures. [Mikrok-

limat sportivnykh sooruzheniīj, Aliev, F.G., Moscow, Strolizdat, 1986, 296p., In Russian with abridged English table of contents enclosed. 56 refs.

Artificial ice, Temperature control, Microclimatology, Design, Baildings, Floors, Mathematical models, Basements, Frost penetration.

Katabatic winds in Adélie Land.

Kodama, Y., Fairbanks, University of Alaska, 1985, 191p., University Microfilms order No.87-04873, Ph.D. thesis. Refs. p.181-191.

191p., University Microfilms order No.87-04873, Ph.D. thesis. Refs. p.181-191.
Climate, Blowing snew, Wind velocity, Snew air interface, Antarctica—Asélie Coast.
Data from Autonatic Weather Stations (AWS) on Adélie Land were analyzed, showing the following: the high directional constancy of surface winds was found at the slope stations even in summer, when the inversion is weak or destroyed; synoptic geostrophic winds and eddy viscosity also effect the constancy of the wind direction in summer; wind directional constancies at the slope stations in winter are sometimes lower than the mean annual constancies. These low constancies are associated with warm air advection from maritime air brought into Adélie Land, when the continental anticyclonic ridge lies to the east of it. There is a superadiabatic surface temperature change between the high plateau and intermediate plateau stations, which could be of importance for surface flow when the buoyancy component is balanced or nearly balanced by an increase in depth of the katabatic wind layer. The entrainment of blowing snow particles increases the density of the Latabatic flow layer by 2 mechanisms: the addition of snow particles the increase in density in the katabatic flow layer leads to increased wind speed, which occurs primarily at wind speeds exceeding 12 m/s when there is, usually, a large amount of blowing snow. (Auth. mod.)

42-119

19th General Assembly, Vancouver, Canada, Aug. 9-22, 1987. Programme and abstracts. International Union of Geodesy and Geophysics,

1987, 4 vols.

Clonds (meteorology), Albedo, Ice edge, Polynyas, Ice shelves, Snow, Ice models, Remote sensing, Sea ice, Aerosola, Ice cover, Polar regions, Climatic factore, Ice air interface, River ice, Erosie

tors, 1ce arr internecs, surver ice, grosses.

A c.llection of abstracts of papers presented at numerous symposis in a wide variety of disciplines, the three abstract volumes contain approximately 50 items relating to Antarctica and numerous papers on other cold-regions phenomens. Abstracts pertinent to the Antarctic are in the following categories: occanography (p.147-148); glaciology (p.147-148, 150-151, 861-862); terrestrial physics (p.693-696); atmospheric physics (p.693-896, 803-864, 833).

42-120 Deterioration of woods and avalanche danger. [Il deperimento dei boschi e il pericolo di valanghe, Meyer-Grass, M., et al, *Neve e valanghe*, Dec. 1986, No.4, p.6-15, In Italian.

Imbeck, H. Avalanche formation, Forest land, Snow fences, Counterm

42-121

April 1986 precipitation in Italian Switzerland. (Le precipitazioni dell'aprile 1986 nella Svizzera italiana, Spinedi, F., et al, Neve e valanghe, Dec. 1986, No.4, p.16-21, 3 refs., In Italian.

Kappenberger, G. Snow cover distribution, Snowfall, Avalanche formstion, Precipitation (meteorology).

42-122

Avalanche localization on Monte Baldo, ¡La localizzazione delle valanghe sul Monte Baldo],
Benciolini, G., Neve e valanghe, Dec. 1986, No.4,

p.22-27, 6 refs., in Italian. Avalanche depositz, Avalanche formation, Moun-tains, Italy—Baldo Mountain.

42-123

Field evaluation of snow cover stability by empirical methods. ¡Valutazione sui terreno della stabilità del manto nevoso con metodi empirici, Peretti, G., Neve e valanghe, Dec. 1986, No.4, p.28-39, In Italian.

ow cover stability, Avalanche formation, Sounding, Tests.

Considerations concerning the use of environmental impact statements. [Riflessioni sull'utilizzo della Valutazione di Impatto Ambientale], Di Salvatore, F., Neve e valanghe, Dec. 1986, No.4, 40.47 E. I. Istian.

p.40-47, In Italian. Avalanche formation, Snow fences, Environmental

impact, Countermeas

42-125

Snow depth measurements by the echometric method. (La misura di altezza del manto nevoso con il metodo ecometrico, Cagnati, A., Neve e valanghe, Dec. 1986, No.4, p.48-51, In Italian.

ow depth, Snow accumulation, Echo sounding, Measuring instruments, Ultrasonic tests, Tempera-ture effects.

42-126

Wave drift force on ice floe.

Kobayashi, N., et al, Journal of waterway, port, coast-al, and ocean engineering, Sep. 1987, 113(5), p.476-492, 22 refs.

Frankenstein. S. Ice floes, Drift, Ocean waves, Loads (forces), Analyels (mathematics), Ice air interface.

Added mass and damping for ice floes by long water

Added mass and damping for ice tioes by long water wave theory.

Luk, C.H., Journal of waterway, port, coastal, and ocean engineering. Sep. 1987, 113(3), p.523-539, For another source see 38-638. 8 refs.

Ice floss, Ocean waves, Offshore structures, Impact strength, Hydrodynamics, Analysis (mathematics),

42-128

otection of communication lines and construction of a large hydroelectric mountain plant by local fore-casting of avalanche danger. Protection des voies de communication et des travaux d'un grand chantier en montagne, par prévision localisée du risque d'avamons-lanches, fre, J.F.,

Neige et avalanches, May 1987,

Mente, J.F., Nege et avanues, May 1907, No.43, p.19-34, in French. Avalanche formation, Transmission lines, Forestry, Protection, Mountains, Safety.

Araine glacial lake; study of danger and protective measures. [Lac du glacier d'Arsine; étude de risque et

travaux de protections.

Van Effenterre, C., Neige et avalanches, May 1987,
No.43, p.35-44, In French with English summary. 14 refs.
Glacial lakes, Moraines, Avalanche formation, Protection, France—Arsine, Lake.

Artificial intelligence and forecasting avalanche danger. (Intelligence artificielle et prevision du risque d'avalanche),

d'avalanche, Giraud, G., Neige et avalanches, May 1987, No.43, p.45-52, In French. 5 refs.

Avalanche forecasting, Avalanche formation, Countermeasures, Damage.

42-131

Consideration of avalanches in risk assessment plans La prise en compte des avalanches dans les P.E.R., Besson, L., et al. Neige et avalanches, May 1987, No 43, p. 53-56, in Prench. Marie, R.

Avalanche formation, Snow mechanics, Snow density, Protection, Safety.

42.132

New touristic units, mountain committees and ava-lanches. [Les U.T.N., les comités de massif et les

sanciase. Les U.I.N., les comites de massir et les avalanches, Crecy, L. de, Neige et avalanches, May 1987, No.43, p.57-62, In French. Avalanches, Mountains, Organizations, Prevention, Safety.

42-133

Avalanche cartography course for our foreign friends. [Un stage cartographie d'avalanches pour nos amis

etrangers<sub>1</sub>, etrangers<sub>1</sub>, Valla, F., Neige et avalanches, May 1987, No.43, p.63-64, In French.

Avalanche tracks, Mapping, Charts, Avalanche formation.

Spectral signatures of soil, snow and sea ice as observed by passive microwave and thermal infrared

Schmugge, T., International Colloquium Spectral Signatures of Objects in Remote Sensing, 2nd, Bordeaux, France, Sep. 12-16, 1983. Proceedings, Les Colloques de l'INRA, No.23, Paris, Institut national de la

requess de l'INRA, NO.23, Paris, institut national de la recherche agronomique, 1984, p.749-762, With French summary. 20 refs. Ice spectroscopy, Saow electrical properties, Soil wa-ter, Remote sensing, Sea ice, Microwaves, Infrared spectroscopy, Brines, Snow water content, Dielectric properties.

42-135

On the surging potential of polar ice streams. Antarctic surges—a clear and present danger?. Radok, U., U.S. Department of Energy. Report, July 1987, DOE/ER/60197-H1, 62p., Refs. p.58-60. Ice sheets, Glacier surges,

Models.

Antarctic ice streams typically move hundreds of meters in a year. An investigation was carried out to determine whether polar ice streams, like some mountain glaciers, can accelerate their motion from time to time by one or two orders of magnitude in the span of a few years, with appreciable effects on global sea level. Mass gains and losses of the antarctic ice sheet as a whole closely balance one another. The working hypothesis that they do so exactly was used to construct three-dimensional steady-state fields of ice velocity and temperature in broad agreement with the as yet very scant observational record for the ice sheet. Next a numerical model which links the sliding motion of the ice to the energy dissipated by the friction between the ice and the underlying rock, was used to simulate the time-dependent behavior of 8 ice streams representing the full range of antarctic conditions. In contrast to the realistic alternation between fast advances and stagnating retreats which the model had produced for some mountain glaciers known to surge, the modeled ice streams instead went from steady to irregular continuous fast sliding when the prescribed ice de-formability was reduced and /or the implied ubirotation by frictional heating was increased. Substantial rapid advances did tional heating was increased. Substantial rapid advances did not develop, except as transient phases in two experiments. Possible reasons for the results obtained are presented and discussed. (Auth.)

Modeling and diagrams of gap zones with surface dispersal of supercooled fogs. Khvorost'ianov, V.I., Soviet meteorology and hydrolo-

gy, 1986, No.3, p.23-30, Translated from Meteorologiia i gidrologiia. 15 refs. Supercooled fog, Fog dispersal, Mathematical mod-

Dispersion and structure of ice-forming serosols from

compounds with a low AgI content.
Beliaev, S.P., et al, Soviet meteorology and hydrology,
1986, No.3, p.31-35, Translated from Meteorologia i gidrologiia. 8 refs. Smoke generators, Silver fodide, Ice formation,

Determining moisture reserves in the snow cover, soil

Determining mosture reserves in the snow cover, sou and air by cosmic ray neartons.
Avdiushin, S.I., et al, Soviet meteorology and hydrologia, 1986, No.3, p.43-47, Translated from Meteorologia i gidrologia. 9 refs.
Snow water equivalent, Water reserves, Soil water, Huddity, Messuring instruments.

Mineralization of the snow cover.

Mineralization of the snow cover. Fedoseeva, V.I., et al. Soviet meteorology and hydrology, 1986, No.4, p.59-62, Translated from Meteorologiia i gidrologiia. 15 refs. Makarov, V.N., Fedoseev, N.F. Snow cover distribution, Snow impurities, S

position, Minerals, Snow depth, Migration, Salinity, Air pollution, Soil pollution.

Calculation and prediction of rafted ice thickness in mavigable regions of the northwestern Caspian sea. Bukharitsin, P.I., Soviet meteorology and hydrology, 1986, No.4, p.69-74, Translated from Meteorologia i

gidrologiis. 10 refs. Sea ice distribution, Ice cover thickness, Drift, Pressure ridges, Ice pileup, Ice navigation, Ice forecasting, Ice reporting, USSR—Caspian Sea.

Annular blade for snow shear tests.

Samollov, R.S., Soviet meteorology and hydrology, 1986, No.4, p.89-93, Translated from Meteorologia i

gidrologiia. 11 refs. Snow physics, Shear strength, Test equipment, Snow samplers.

Adjustment of air pressure to sea level in winter in

mountain regions of Siberia.

Arkhangel'skii, V.L., Soviet meteorology and hydrology, 1986, No.5, p.99-102, Translated from Meteorology.

giia i gidrologiia. 17 refs. Atmospheric pressure, Sea level, Mountains, Topo-graphic effects, Meteorological data.

Calculation of evaporation from lakes in swamps of

the northern area of western Siberia.

Novikov, S.M., et al, Soviet meteorology and hydrology, 1986, No.6, p.64-68, Translated from Meteorology. giia i gidrologiia. 10 refs. Moskvina, G.I.

Lakes, Swamps, Permafrost beneath lakes, Surface temperature, Surface waters, Evaporation.

Battle against frost by dynamic action on the surface air layer. Vol'vach, V.V., et al, Soviet meteorology and hydrolo-

gy, 1986, No.7, p.89-95, Translated from Meteorologiia i gidrologiia. 13 refs. Mamaev, E.V., Matukhno, V.N.

Air temperature, Frost protection, Turbulent bound-ary layer, Heat transfer, Soil air interface, Hoarfrost, Frostbite, Soil temperature, Turbulent exchange, Countermeasures, Surface temperature.

42-145

rmstion conditions of snow avalanches in the area

of the Novokuznetsk-Abakan railroad. Chubenko, A.G., Soviet meteorology and hydrology, 1986, No.7, p.104-106, Translated from Meteorologiia i gidrologija. 5 refs.

Avalanche formation, Snow cover distribution, Snow depth, Snow cover stability, Wet snow, Avalanche triggering.

Asynchronous relationships between temperature anomalies of the North Atlantic and Arctic. Krasovskii, IU.P., Soviet meteorology and hydrology, 1986, No. 9, p.40-46, Translated from Meteorologiia i gidrologiia. 5 refs.

gidrologiia. 5 refs. Oceanographic surveys, Ocean currents, Air water in-teractions, Heat transfer, Water temperature.

42-147

42-147
Estimate of cloud resources for their dispersion by cooling and crystallizing reagents over the southwestern European USSR.
Belova, L.K., et al, Soviet meteorology and hydrology, 1986, No.9, p.75-78, Translated from Meteorologia i gidrologia. 5 refs.

gidrologila. 5 refs. Volokitina, L.A., Litvinov, I.V. Weather modification, Cloud dissipation, Cloud seed-ing, Nucleating agents, Ico crystal nuclei.

42-148 Laws of distribution of glaze and wind loads on serial

transmission lines.
Golikov, B.F., Soviet meteorology and hydrology, 1986, No.9, p.79-83, Translated from Meteorologia i

gidrologiia. 2 refs.

Power line icing, Ice accretion, Ice loads, Wind (meteorology), Statistical analysis.

42-149 Parameters of microelement flow with surface water in small river besins of the permafrost-taign zone. Makhon'ko, K.P., et al, Soviet meteorology and hydrology, 1986, No.11, p.71-77, Translated from Meteorologia i gidrologila. 5 refs. Vertinskii, IU.K.

Snowmelt, Forest soils, Microelement content, Water chemistry, Migration, River beains, Chemical composition, Permafrost distribution, Permafrost depth, Taiga.

42-150

Evaporation and radiation regime of raised marshes of

western Siberia.

Moskvin, IU.P., Soviet meteorology and hydrology,
1986, No.11, p.78-81, Translated from Meteorologia

i gidrologiia. 14 reis. Swamps, Permafrost distribution, Permafrost depth, Surface temperature, Radiation balance, Evapora-tion, Solar radiation.

42-151

Altitude variation of relative ice-forming activity of

Antitude variation of relative ice-to-saing scrivity of natural service.

Berezinskif, N.A., et al, Soviet meteorology and hydrology, 1986, No.12, p.86-89, Translated from Meteorologiia i gidrologiia. 9 refs.

Stepanov, G.V., Khorguani, V.G.
Cloud physics, Cloud desipation, Aerosols, Ice formation, Nucleating agents.

42-152

Some features of a corona discharge from the surface

of a melting hailstone. Grigor'ev, A.I., Soviet meteorology and hydrology, 1987, No.1, p.57-63, Translated from Meteorologia i gidrologiia. 20 refs. Hailstones, Water films, Hailstone electrification, Electric corona

42-153

Mathematical model of the transformation of lateral inflow and its use for calculating inflow into reservoirs of Siberian hydroelectric plants.

Zhorov, V.A., Soviet meteorology and hydrology, 1987, No.1, p.76-82, Translated from Meteorologia i

gidrologiis. 11 refs. Mathematical models, Reservoirs, Water flow, Electric power, Permafrost beneath lakes.

42-154

Simulation model for high-frequency under-ice reverberation.

Beraton.

Bishop, G.C., et al, Acoustical Society of America.

Journal, July 1987, 82(1), p.275-286, 57 refs.

Ellison, W.T., Meliberg, L.E.

Subglacial observations, Ice bottom surface, Under-

water acoustics. Ice cover effect.

42-155

Study of reflection and refraction of waves at the in-Study of resistons and restriction of waves at the in-terface of water and perous sea Ice. Yew, C.H., et al, Acoustical Society of America. Journal, July 1987, 82(1), p.342-353, 18 refs.

Weng, X. Subglacial observations, Ice bottom surface, Ice cover

effect. Underwater acoustics.

42-156

ARAMIS remote sensing system.

Turner, J., British Antarctic Survey. Bulletin, Aug. 1987, No.76, p.75-85, 5 refs.

Meteorology, Ice, Remote sensing, Computer ap-

plications, Antarctica.

An account is given of the ARAMIS (Antarctic Research in Applied Meteorology, Imaging and Sounding) remote sensing system which has recently been installed in the foc and Climate Division of the British Antarctic Survey. Details of the hardware are provided along with information on the applications software available to the users. Current meteorological remote

plications. Antarctica.

sing research being carried out on the system is outlined and sible applications for other disciplines are described.

42-157

Comparison between wet and dry oxidation methods for total nitrogen analysis of antarctic peat samples. Christie, P., British Antarctic Survey. Bulletin, Aug. 1987, No.76, p.87-90, 9 refs. Mosess, Peat, Plant ecology, Nutriant cycle, Signy

Mosses Island.

Bassac.

Between 1969 and 1981 an intensive study of ecceystem processes in two contrasting bryophyte communities on Signy I.,
South Orkney Is., was undertaken by numerous biologists.
The two study sites were a semi-ombrogenous, relatively dry
and well-drained moss turf community and a soligenous poorlydrained moss carpet community. During an 18-month study
of the nitrosen dynamics of these sites core samples were coldrained mose carpet community. During an 1s-month study of the nitrogen dynamics of these sites core samples were collected at monthly intervals. The core collected from Sep. 1978 to Mar. 1979 were oven dried, and ground subsamples were analyzed and wet digestion followed by colorimetry. Organic carbon (C) was also determined using dry combustion. This paper compares the accuracy and precision of the two methods of analysis for total N content of peat. (Auth.)

Overcoming the impossible: hydro-mechanization under severe conditions of Siberia. Preodolenie nevozmochnogo: gidromekhanizatsiia v ekstremainykh usloviiakh Sibiri, Okun'kova, T.V., Transportnoe stroitel'stvo, June 1987, No.6, p.26-28, in Russian.

Roads, Railroads, Continuous permafrost, Paludifica-tion, Dredging, Construction equipment, Dams, Em-bankments, Hydraulic structures, Foundations.

Improving the technology of frozen ground excava-tion by the alit-blasting method. [Sovershenstvova-nie tekhnologii shchelevzryvnogo rykhleniia merzlykh

gruntovi, IUrko, A.A., Transportnoe stroitel'stvo, July 1987, No.7, p.5-6, In Russian. 1 ref. Earthwork, Prozen ground, Blasting, Explosives, Analysis (mathematics).

Computerized design of borehole-blasting excavation. Avtomatizirovannoe proektirovanie burovzryvnykh

rabot, Meerson, V.I., et al, Transportnoe stroitel'stvo, July 1987, No.7, p.6-7, In Russian. Brodova, O.E. Earthwork, Permafrost, Blasting, Excavation, Prozen rock strength, Research projects, Computer applications

Psculiarities of using electrometric techniques in studying dama. Osobennosti elektrometricheskogo obsledovanis nasypei,, Prigoda, V.I.A., Transportnoe stroitel'stvo, July 1987, No.7, p.7-9, In Russian. 2 refs. Embankments, Soil strength, Roedbeds, Earth dams, Electrical measurement, Poundations, Peet, Railroads, Organic soils, Loads (forces), Settlement (structual). Poculiarities of using electrometric techniques in

(structual).

Pilework-free supports for river channels. [Ruslovye Pyshko, L.V., Transportnoe stroitel'stvo, July 1987, No.7, p.17-19, In Russian.

Roads, Bridges, Supports, Earthquakes, Ice loads, Ice cover thickness, Permafrost beneath structures, Con-crete structures, Piers, Reinforced concretes, Prost

42-163

Far North: peculiarities of mooring construction (Krainii Sever: Osobennosti stroitel siva prichalov), Sokolov, V.V., et al, Transportnoe stroitel sivo, July 1987, No.7, p.22-23, In Russian. Gerasimova, E.I., Sokolov, A.V., Braginskii, A.M.

Steel structures, Concrete structures, Moorings, Reinforced concretes, Winter concreting, Sea ice distribution, Ice cover thickness, Embankments, Rock fills, Earth fills, Ice (construction material), Northern Sea Route, Petroleum industry.

Chemical admixtures for structural lightweight aggregate concrete. [Khimicheskie dobavki dlia keramzitobetonaj,

Fedorov, V.A., Transportnoe stroitel'stvo, July 1987, No.7, p.26-27, In Russian. Lightweight concretes, Concrete admixtures, Air entrainment, Frost resistance, Concrete structures.

Rapid method of determining frost resistance of stone. (Uskorennyi sposob opredeleniia morozos-tolkosti kamennyih materialov),

Tsvetkov, V.S., et al, Transportnoe stroitel'stvo, July 1987, No.7, p.27-28, In Russian. Tishkin-Kurdenkov, V.F., Nesterova, L.P. Construction materials, Masonry, Gravel, Frost re-

Arctic: the Canadian approach. [Arktika: kanadskil podkhody.

Arikainen, A., Morskoi flot, 1987, No.6, p.34-36, In Russian.

Ice navigation. Ships, Icebreakers, Transportation.

Make the permafrost an ally. ¿Vziat' v sojuzniki

vechnulu merziotu, Ivantsov, O.M., Stroitel'stvo truboprovodov, June 1987, No.6, p.12-16, In Russian.

Continuous permafrost, Gas pipelines, Permafrost control. USSR—Yamai Peninsula.

42-168

Resistance of pressure-contact welds to brittle failure.

Soprotivliaemost' khrupkomu razrusheniju solinenii vypolnennykh kontaktnoi svarkoi, edinemi vypoinemyka kontaktoli svarkolj, Makarenko, V.D., et al, Stroitel'stvo truboprovodov, July 1987, No.7, p.25-29, In Russian. 4 refs. Izvekov, IU.G., Shatilo, S.P. Pipelines, Welding, Joints (junctions), Brittleness, Frost resistance, Steel structures.

42-169
Preliminary engineering work on oil fields of the Central Ob' River area. [Inzhenernaia podgotovka territorii pri obustroistve neftianykh mestorozhdenii Srednego Priob'ia, Eakhind, S.A., Stroitel'stvo truboprovodov, July 1987, No.7, p.36-37, In Russian.
Petroleum industry, Earthwork, Roads, Embankments, Foundations, Permafrost beneath structures,

42,170

Ecotopologic characteristics of mendow communities in flood plains of the lower Ob' River. Ekotopologi-cheskaia kharakteristika lugovykh soobshchestv cheskaia kharakteristika lugovykh

chesana knarakteristika lugovykn sociosachest poliny nizov'ev Obi, Gafurov, F.G., et al, *Ekologiia*, May-June 1987, No.3, p.73-75, In Russian. 5 refs. Skulkin, I.M.

Skutani, 1:101.

Floodplains, Permafrost beneath rivers, Permafrost depth, Cryogenic soils, Soil composition, Plant scology, Ecosystems, Water level.

Estimating the resistance of natural cryolithozone en-vironments to industrial activities. Otsenka ustor-chivosti prirodnoi sredy raionov kriolitozony k tekh-

nogennym vozdejstvijam, Stashenko, A.I., *Geograficheskoe obshchestvo SSSR. Izvestija*, July-Aug. 1987, 119(4), p.301-306, In Rus-

sian. 8 refs.

Permafrost distribution, Permafrost structure, lenses, Ice wedges, Frozen rock temperature, Heat flux. Permafrost thermal properties. Deformation. Human factors.

42-172

Ice adhesion to road pavements and ways of decreasing it. [Adgeziia l'da k dorozhnym pokrytiiam i puti

ee umen'sheniiaj, Korolev, I.V., et al. Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovania. Izvestiia vys-shikh uchebnykh zavedenii. Stroitel'stvo i arkhitek-tura, 1987, No.6, p.93-96, In Russian. 4 refs.

Kasymov, A.K.
Pavementa, Chemical ice prevention, Winter mainte-nance, Bituminous concretes, Icing, Friction, Ice adhesion. Countermeasures.

Field tests of rippers with stepped cutting tools. [Ekspluatationnye ispytaniia rykhlitelia a rabochim organom stupenchatogo tipa, Khmara, L.A., et al, Russia. Ministerstvo vysshego i

srednego spetsial'nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Stroitel'stvo i arkhitek-tura, 1987, No.6, p.104-107, In Russian. Shatov, S.V.

Earthwork, Excavation, Construction equipment, Frozen ground strength.

Mathematical model of the continuous process of heating concrete mixtures in conveying pipes equipped with spiral electrodes. (Matematicheskoe opisanie protsessa nepreryvnogo nagreva betonnot smesi v transportirujushchet trube s vintovymi elek-

amesi v transportrinusisienei riude s vintovymi eter trodami, Pshonkin, N.G., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovanila. Izvestilis vys-shikh uchebnykh zavedenih. Stroitel'stvo i arkhitek-tura, 1987, No.6, p.117-119, In Russian. 2 refs. Wiator concreting, Concrete heating, Transportation,

Concrete placing.

1affuence of the land surface on climate. [Rol' poverkhnosti sushi v formirovanii klimata], Krenke, A.N., ed, Materialy meteorologicheskikh issledovani, 1986, No.10, 124p, In Russian. For selected papers see 41-176 through 41-179. Refs. pass-

Savina, S.S., ed.

Cavilla, S.S., ed.

Evaporation, Wind factors, Atmospheric circulation, Topographic effects, Heat balance, Hydrothermal processes, Glaciation, Frost penetration, Landscape types, Remote sensing, Taiga, Paleoclimatology, Analysis (mathematics), Steppes, Paleoccology, Swamps, Erosion.

Interrelation between atmospheric circulation, relief and glaciation in northeastern USSR in the past and present, according to glaciological and hydrodynamic calculations. [Vzaimosviaz' tsirkuliatsii atmosfery, rel'efa i oledeneniia na severo-vostoke SSSR v nastoiashchem i proshlom soglasno gliatsiologicheskim i

tolasachem i prositioni science i gidrodinamicheskim raschetam, Krenke, A.N., et al, Materialy meteorologicheskikh issledovanh, 1986, No.10, p.7-17, In Russian. 14 refs.

Mikhallov, A.IU.

Atmospheric circulation, Topographic effects, Glacia-tion, Paleoclimatology, Paleoecology, Erosion, Wind factors, Hydrothermal processes.

Relations between the evaporation from forest and swamp-meadow geosystems in southern Tyumen' Re-gion. [Sootnosheniia mezhdu ispareniem lesnykh i bolotno-lugovykh geosistem v juzhnol chasti Tiumen-

skoi oblasti, Abdullaev, A.A., Materialy meteorologicheskikh is-sledovanii, 1986, No.10, p.83-87, In Russian. 15 refs. Taiga, Steppes, Evaporation, Heat balance, Seasonal freeze thaw, Soil freezing, Frost penetration.

42-17N

Methods of calculating dynamics of thermal regime of soil in winter. [Metodika rascheta dinamiki termicheskogo rezhima pochvy v zimnii period], Gusev, E.M., et al, Materialy meteorologicheskikh issiedovanii, 1986, No.10, p.87-100, In Russian. 16

IAsinskii, S.V Soils, Freeze thaw cycles, Heat balance, Soil profiles, Landscape types, Analysis (mathematics).

Estimating the evaporation from forest and paluded lands of western Siberia from remote sensing data. Otsenka isparenija lesnykh i zabolochennykh land-shaftov Zapadnoj Sibiri na osnove distantsjonnogo ek-

Anan'ev, I.P., Materialy meteorologicheskikh is-sledovanii, 1986, No.10, p.109-115, In Russian. 10

Forest land, Paludification, Evaporation, Remote sensing, Analysis (mathematics).

Ocean drilling details steps to an icy world. Kerr, R.A., Science, May 22, 1987, Vol.236, p.912-

Ice volume, Paleoecology, Ice formation, Paleo-climatology, Glaciation, Ice sheets, Glacial deposits, Ice rafting, Antarctica—Weddell Sea.

oard analyses of sediment cores, collected by the deepdrilling ship Resolution from the bottom of the Weddell Sea, orming smp resolution from the bottom or the Weddell Sea, appear to support the theory that Antarctica was unglaciated before 40 m.y.a. This evidence, which runs counter to suggestions by some researchers who claim major ice sheets covered Antarctica earlier than 40 m.y.r., is discussed along with a review of snatarctic morphological and climatological changes

Study of the inhomogeneous deformation in a glacier 

nelish summary.

Wang, Z. Glacier ice, Ice deformation, Shear strain, Statistical analysis.

42-182

Glacier variations in Himalayas and Karakorum. Röthlisberger, F., et al, Journal of glaciology and geo-cryology, 1986, 8(4), p. 333-342, 30 refs. For another version see 40-1856., In Chinese with English summary. Gevh. M.A

Geji, M.A. Glacier oscillation, Radiosctive age determination, Possils, Moraines, Himalaya Mountains, Kashmir— Karakoram Mountains.

42.183

Some periglacial phenomena in north-western Europe.

Wang, J., et al, Journal of glaciology and geocryology, 1986, 8(4), p.345-356, 19 refs.. In Chinese with Eng-

1960, 6(4), p. 343-336, 19 fets., in Chinese with Eng-lish summary. Derbyshire, E. Periglacial processes, Glaciation, Permafrost, Sedi-ments, Ice wedges, Pleistocene, Grain size, Eolian soils.

42-184

Frozen ground in the Altay Mountains of China. Tong, B., et al, Journal of glaciology and geocryology, 1986, 8(4), p.357-364, 10 refs., In Chinese with English summary.

nn summary.
Li, S., Zhang, T.
Permafrost distribution, Active layer, Frozen ground,
Glaciation, Mountains, Climatic factors, Permafrost
thickness, Permafrost thermal properties, China—
Altay Mountains.

42-185

Uniaxial compressive strength of frozen silt under constant deformation rates.
Zhu, Y., Journal of glaciology and geocryology, 1986, 8(4), p.365-380, 9 refs., In Chinese with Eng-

ish summary.

nd strength, Compressive properties, Frozen gro Stress strain diagrams, Density (mass/volume), Temperature effects. Tests. Deformation.

Dry-snow avalanche in China.

Wang, Y., Journal of glaciology and geocryology, 1986, 8(4), p.381-387, 4 refs.. In Chinese with Eng-

Avaianche mechanics, Avaianche formation, Snow water content, Snow depth, Temperature effects, Snowfall, Air temperature.

42-187

Study on the geneses of some Quaternary diamictons

in Luojie Mt. area, Sichuan. He, Y., Journal of glaciology and geocryology, 1986, 8(4), p.389-396, 4 refs., In Chinese with English summary.

iish summary. Quaternary deposits, Geomorphology, Sediments, Geology, Grain size, Statistical analysis, China—Luolie Mountain.

42.188

Particle-size features and sedimental environment of rartice-size seatters and sediments in the north of the gold-containing sandy sediments in the north of the Daxinanlia Ridge. Zhang, B., Journal of glaciology and geocryology, 1986, 8(4), p.397-402, 4 refs., In Chinese with Eng-

lish summary

Glacial deposits, Grain size, Sediments, Glaciation, Metals, Dispersions, China—Daxinanlin Ridge.

Preliminary analyses of the release causes for wet-snow avalanches in the Kunas Valley. Tianshan Mountains.

Zhang, Z., Journal of glaciology and geocryology, 1986, 8(4), p.403-408, In Chinese with English sum-

Avalanche formation, Wet snow, Avalanche forecast-ing, Temperature gradients, Air temperature, Snow temperature, Snow water content, China—Kunas Valley.

42-190

Permafrost found on Maxian Mountains near Lanzhou.

Li, S., Journal of glaciology and geocryology, 1986, 8(4), p.409-410, 3 refs., In Chinese. Permafrost distribution, Permafrost depth, Mountains, Climatic factors, China—Maxian Mountains.

ion about ice ages in China.

Ding, S., Journal of glaciology and geocryology, 1986, 8(4), p.411-416, in Chinese. Glaciation, Quaternary deposits, Pleistocene, Paleoclimatology, China.

42-192

42-192
Ocean optics 8.
Blizard, M.A., ed, SPIE—The International Society for Optical Engineering. Proceedings, 1986, Vol.637, 373p., Refs., passim. For selected papers see 42-193 through 42-197.
Sea water, Optical properties, Ice optics, Saow optics, Meetings, Albedo, Spectroscopy, Models.

Optical properties of ice and snow in the polar oceans.

Perovich, D.K., et al, SPIE-The International Society for Optical Engineering. Proceedings, 1986, Vol.637, MP 2255, Ocean optics 8. Edited by M.A. Blizard, p.232-041, 38 refs. Maykut, G.A., Grenfell, T.C.

Ice optica, Snow optica, Sea ice, Brines, Albedo, Scattering, Ice spectroscopy, Ice cover effect, Tempera-

tering, Ice spectroscopy, Ice cover effect, Temperature effects.

Optically sea ice is a complex material with an intricate and
highly variable structure which includes brine pockets, air bubbles, brine channels and internal platelet boundaries. Large
variations in the optical properties of the surface layer can occur
on horizontal scales of only a few meters, complicating efforts
to quantify larger scale interactions between shortwave radio tion and the ice-ocean system. Radietwe transfer in sea ice is
dominated at visible wavelengths by scattering rather than absorption. Because scattering in the ice is essentially independent of wavelength, spectral variations in the optical properties
are primarily the result of differences in absorption. Observations show that albedos are particularly sensitive to the presence
of liquid water in the surface layers, the effect being most
pronounced at wavelengths above 600 nm. Albedos and
extinction coefficients in the ice vary inversely with brine
volume, and thus temperature. Below the eutectic point,
precipitation of solid salts causes a sharp increase in scattering
and corresponding increases in albedo and absorption.
Biological activity in natural sea ice often affects light
transmission and absorption, particularly in coastal regions and
in the southern ocean. Phase function measurements indicate
that the scattering distribution in sea ice is only weakly
dependent on wavelength and brine volume.

Optical properties of ice and snow in the polar oceans.

2. Theoretical calculations.

2. Theoretical calculations.

Grenfell, T.C., et al, SPIE—The International Society for Optical Engineering. Proceedings, 1986, Vol.637, MP 2256, Ocean optics 8. Edited by M.A. Blizard, p.242-251, 25 refs.

Perovich, D.K.

Ice optics, Snow optics, See ice, Analysis (mathematics), Albedo, Solar radiation, Ice microstructure, Brines, Temperature effects, Grain size.

Brinse, Temperature effects, Grain size.

Radiative transfer models of sea ice applied to date range from a simple Bouguer-Lambert representation for net downwelling irradiance through 16 stream models which takes into account detailed variations in ice microstructure. Both sea ice and snow are strongly multiple scattering media with single scattering albedos well above 0.9 through the visible and into the near infrared. Parameter studies indicate that the optical properties of sea ice are controlled by the density of brine and vapor inclusions which in general undergo substantial seasonal changes. Melting and brine drainage are the principal causes of these variations. For ice below -5 C, temperature effects are relatively weak uniess the flice'd drops below the eutectic point. The optical properties of snow depend primarily on grain size, the bulk density, and the presence of impurities such as earbon the bulk density, and the presence of impurities such as carbon soot. The theoretical models appear to be able to reproduce observations quite well and have revealed that soot or dust contamination of snow appears to be prevalent even in the

42-195

In-situ measurements of the optical properties of Arctic sea ice.

tic sea fce.

Gibert, G.D., et al, SPIE—The International Society for Optical Engineering. Proceedings, 1986, Vol.637, Ocean optics 8. Edited by M.A. Blizard, p.252-263, 15 refs.
Buntzen, R.R.

Ice optics, Sea ice, Ice cores, Subglacial observations, Ice crystal structure, Albedo, Ice cover effect, Models, Temperature distribution, Attenuation.

42-196

Optical characterisation of sea ice structure using polarized light techniques.

Gow, A.J., SPIE—The International Society for Opti-

cal Engineering. Proceedings, 1986, Vol.637, MP 2257, Ocean optics 8. Edited by M.A. Blizard, p.264-271, 11 refs.

Ice optics, Recrystallization, Ice structure, Sea ice, Polarization (waves), Ice crystal structure, Brines, Ice crystal size, Light transmission, Reflection, Ice salinity, Ice temperature.

salisity, Ice temperature.
Optical properties of see ice depend to a greater or lesser extent on its crystalline properties and on the size, shape, and distribution of brine inclusions systematically trapped in the ice crystals. The use of polarized light techniques was demonstrated to examine the internal structure of sea ice. Using both naturally occurring and laboratory simulated sea ice we show how the crystalline and salinity components originate including discussion of the mechanisms by which first-year ice desalinates and recrystallizes into multi-year ice subhiting optical properties significantly different from those of first-year ice.

Coastal Zone Color Imagery of phytoplankton pig-meni distribution in Icelandic waters.

Clark, D.K., et al, SPIE-The International Society for Optical Engineering. Proceedings, 1986, Vol.637, Ocean optics 8. Edited by M.A. Blizard, p.350-357, 13 refs.

Maynard, N.G.

Plankton, Ice edge, Sea water, Marine biology, Opti-cal properties, Seasonal variations, Iceland.

Alaska Coastal Data Collection Program: 1983 program plan, 21 July 1982 [and] data report, Nos. 2 and 3.

Alaska. Department of Transportation and Public Facilities, Anchorage, Alaska, U.S. Army Engineer District, Dec. 1984, 3 pieces, Refs. passim. U.S. Army Engineer District, Alaska. Wind velocity, Ocean waves, Meteorological data,

Wind velocity, Ocean waves, Meteorological data, Weather stations, Research projects, Statistical anal-ysis, Shores, United States—Alaska.

42-199

Chemical composition of fresh snow on Mount Ever-

Jenkins, M.D., et al, Journal of geophysical research, Sep. 20, 1987, 92(D9), p.10,999-11,002, 4 refs. Drever, J.I., Reider, R.G., Buchanan, T. Saow composition Chemical analysis, Dust, Everest,

42-200

Drascheriella giacialis gen.nov., sp. nov. (Copepoda, Harpacticoida) from antarctic sea ica. Dahms, H.-U., et al, *Polar biology*, 1987, 7(6), p.329-337, 12 refs.

337, 12 refs.
Dieckmann, G.S.
Marine biology, Sea ice, Antarctica—Weddell Sea.
The diagnosis of a new genus Druschariella belonging to the family Tiabidae and description of a new species Drescheriella glacialla sp. nov. are presented. Based on character differentiation of copepodite appendages it is suggested that Drescheriella gen. nov. is the apomorphic sister group of Tiabe. Live specimens of all developmental instars were found in the lower 20 cm of sea ice cores indicating that reproduction and development occur within the ice. The new species was the only harpacticoid inhabiting sea ice of the eastern Weddell Sea in varying abundance. (Auth.)

42-201

Frozen peat soils as foundations of structures. (Merzlye torfinnye grunty kak convaniis sooruzhenii), Roman, L.T., Novosibirsk, Nauka, 1987, 222p., In Russian with sbridged English table of contents enclosed. Refs. p.210-220.
Organic soils, Peat, Soil freezing, Soil structure, Soil physics, Soil strength, Freeze thaw cycles, Soil mechanics, Foundations, Buildings, Permafrost thermal properties, Active layer, Dynamic loads, Rheology, Deformation. Frozen nest soils as foundations of structures, Mer-

92-202 Parameters affecting the kinetic friction of ice. Akkok, M., et al. Journal of tribology, July 1987, 199(3), MP 2238, p.522-561, Includes discussion by K. Itagaki and authors' closure. 19 refs. Ettles, C.M.M., Calabrese, S.J., Itagaki, K. Ice friction, Ice solid interface, Temperature effects.

Canadian Arctic tide measurement techniques and re-

Tait, B.J., et al, International hydrographic review, July 1986, 63(2), p.111-131, 28 refs. Grant, S.T., St.-Jacques, D., Stephenson, F. Tides, Tidal currents, Subglacial observations, Cana-da—Northwest Territories—Arctic Archipelago.

42-204

Simple analysis for the blowup phenomenon of inclas-

Simple Many to the subspace of the members in compression. Vielsack, P., Journal of applied mechanics, June 1987, 54(2), p.459-460, 3 refs.
Pressure ridges, Cracking (fracturing), Ice mechan-

Numerical simulation of frost damage to brickwork. Pande, G.N., et al, British Ceramic, May-June 1987, 86(3), p.71-74, 10 refs. Mahdi, A.A.K. Bricks, Frost action.

42-206

Patterns of air temperature and accumulation of snow in subalpine heathlands and grasslands on the Bogong High Plains, Victoria. Williams, R.J., Australian journal of ecology, June 1987, 12(2), p.153-163, 30 refs. Snow accumulation, Temperature effects, Micro-climatology, Air temperature, Australia—Darg Pla-

42-207

Effects of temperature on recrystallization in polycrystalline ice.

Martino, M., et al, Sciences des aliments, 1987, 7(1), p.147-166, With French summary. 35 refs.

Zaritzky, N.

Ice crystal growth, Recrystallization.

42-208

High toughness ERW pipes for arctic use. Shimomura, T., et al, Nippon Kokan technical report, May 1987, No.49, p.19-28, 6 refs. Pipes (tubes), Steels.

42-209

Methods of controlling seasonal soil freezing in Transbalkal. ¡Metody upravleniia sezonnym promer-zaniem gruntov v Zabalkal'ej,

Zaniem gruntov v Zabasza e, Zhelezniak, I.I., et al., Novosibirsk, Nauks, 1987, 126p., In Russian with English table of contents en-closed. Refs. p.119-124. Sarkisian, R.M.

Sarkisian, R.M.
Soil freezing, Soil composition, Cryogenic structures,
Hydrothermal processes, Freeze thaw cycles, Cryogenic textures, Freet here, Freet penetration, Freeze
ground temp. "rec. Freeze ground strength, Freet
protection, E and variations.

42-210

Proceedings of the 43rd annual Eastern Snow Conference, Hanover, NH, June 5 and 6, 1986. Eastern Snow Conference, 1987, 243p., Refs. passim.

For individual papers see 42-211 through 42-238. Snow surveys, Ice surveys, Snowmelt, Ice composition, Snow impurities, Water chemistry, Ice physics, Cloud seeding, Meetings.

42-211

Studies of snowcover-permafrost relationships at Schefferville.

Granberg, H.B., et al, Eastern Snow Conference, 43rd, 1986. 1987, p. 1-5, 30 refs.

Permafrost discription, Snow cover effect, Heat bal-

ance, Snow stratigraphy, Snow temperature, Solar radiation, Interfaces, Equipment, Canada—Quebec— Schefferville

42.212

Snowpack grain size stratification at Schefferville. Granberg, H.B., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.6-10, 4 refs. Wener, R.

Snow strattgraphy, Grain size, Particle size distribu-tion, Snow cover, Interfaces, Canada—Quebec— Schefferville.

42-213

Real time streamflow forecasting using a snowmelt-index model and time series analysis techniques. LaChance, J.C., et al, Eastern Snow Conference, 43rd, 1986, 1987, p. 11-23, 12 refs.

Stream flow, Snowmelt, Time factor, Forecasting, Models, Air temperature, Snow density, Flow rate, Indexes (ratios).

42-214

Optical snow precipitation gauge. Koh, G., et al, MP 2259, Eastern Snow Conference, 43rd, 1986, 1987, p.26-31, 8 refs.

Lacombe, J. Lacomoc, J. Snowfall, Precipitation gages, Snow optics, Measuring instruments, Distribution.

The most common quantitative measurement of falling snow is the precipitation rate. The time resolution of conventional me-

chanical snow gauges is poor, and their accuracy in measuring light snowfall is severely limited. An optical device designed to give an accurate instantaneous measurement of rain rate has been modified to operate in falling snow. Snow rates are in-

ferred from statistical averages of intensity fluctuations caused by snow particles as they fall through a beam of light. Test re-sults snow that the optical device is extremely sensitive to light snowfall and may be a significant improvement over mechanical techniques to measure snow precipitation rates.

Distribution of snow cover as influenced by landscape units in southwestern Ontario.

Schroeter, H.O., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.32-44, 9 refn. Whiteley, H.R.

Snow cover distribution, Landscape types, Topographic features, Snow depth, Snow density, Snow surveys, Snow accumulation.

Comparative fluxes of strong-acid anions in melting snowpacks and surface waters during spring melt in a

boreal forest. Bédard, Y., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.45-54, 20 refs.

Jones, H.G.

Meltwater, Water chemistry, Snowmelt, Ground water, Seasonal variations, Ions, Watersheds.

Discharge measurement during river ice break-up. Prowse, T.D., et al. Eastern Snow Conference, 43rd, 1986, 1987, p.55-69, 29 refs. Anderson, J.C., Smith, R.L.

River flow, Drift, Ice mechanics, River ice, Ice break up, Monitors, Aerial surveys, Drainage, Ice floos.

Analysis of 112 years of ice conditions observed on the Ohio River at Cincinnati. Daly, S.F., et al, Eastern Snow Conference, 43rd, 1987, 1987, p.70-79, 10 refs.

Bilello, M.A

River ice, Ice conditions, Hydrology, Watersheds, Statistical analysis, Degree days, Freezing, Dams, Locks (waterways), United States—Ohio River.

Locks (waterways), United States—Ohlo River. Daily ice conditions observed on the Ohio River at Cincinnati for the winters of 1874-75 through 1983-86 were analyzed. The amount of ice on the river, except during particularly cold winters, has decreased since 1900. The decline has been especially significant starting around 1930. Investigation of the severity of each winter, using the number of freezing degree-days as an index, revealed no systematic temperature treads over the 112 years of record. Associations between number of days with river ice and concurrent accumulated freezing degree-days over 10- or 11-winter increments were investigated. The results showed that between the winters of 1934-35 and 1963-84 considerably more freezing degree-days were required to produce ice, but the trend has reversed slightly since then. This decreasing trend in observed ice has occurred during a period quee toe, but the trend has reversed slightly since then. This decreasing trend in observed ice has occurred during a period of basin development, as indicated by a sample population, the construction of large locks and dams, and an increase in navigation tonnage on the river. The increase in heated discharge into the river corresponding with basin development and the construction of large locks and dams have probably had the most significant impacts.

Chemical, physical and structural characteristics of estuarine ice in Great Bay, New Hampshire: results of a two-year pilot study.

Meese, D.A., Eastern Snow Conference, 43rd, 1986,

1987, p.80-93, 19 refs.

Les physics, Ice composition, Ice structure, Chemical analysis, Sea ice, Estuaries, Ice formation, Ice cores, Stringraphy, Brimes, United States—New Hamp-shire—Great Bay.

42-220

49-220
Realliency and sensitivity of downkill skiing in Ontario to climatic change.
Harrison, R., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.94-105, 22 refs.
Ice strength, Ice models, Climatic factors, Snow cover effect, Models, Skis, Precipitation (meteorology), Temperature effects.

42-221

Snow as an instrument of pedagogy and self-actualization. Kurtakko, A., et al. Eastern Snow Conference, 43rd.

1986, 1987, p.106-110, 14 refs. Lilberg, J.

Snow (construction material), Ice (construction material), Education.

42-222

Snowmaking techniques in the ski industry. Barthold, S., Eastern Snow Conference, 43rd, 1986, 1987, p.111-122, 4 refs.
Artificial snow, Hest transfer, Ice nuclei, Skis, Dis-

persions, Air water interactions, Equipment.

Observations on the roles of snow and ice on the chemistry of an arctic lake.

Allan, C., Eastern Snow Conference, 43rd, 1986, 1987, p.123-138, 33 refs.

Lake water, Meltwater, Water chemistry, Snowmelt, Runoff, Lake ice, Ice surface, Drainage, Ice melting.

42-224
Field and modelling investigations of acid shock from snowmelt at Guelph.
Patala, C.V., et al, Bastern Snow Conference, 43rd, 1986, 1987, p.139-152, 15 refs.
Whiteley, H.R.
Snowmelt, Weter chemistry, Meltwater, Snow impurities, Runoff, Mathematical models.

42-225

Effects of snowmelt on runoff coefficients in rural and urhan watersheds. Brown, R.G., Eastern Snow Conference, 43rd, 1986,

Processing the Control of the Contro

42-226

Strong responses of certain cloud types to cloud seeding for snowpack management.
Howell, W.E., Eastern Snow Conference, 43rd, 1986, 1987, p.158-162, 1 ref.

Cloud seeding, Snowfall, Cloud physics, Snow cover, Temperature effects, Weather modification.

Alcohol calorimetry for measuring the liquid water

Alcohol calorimetry for measuring the liquid water fraction of snow. Fisk, D.J., MP 2261, Eastern Snow Conference, 43rd, 1936, 1937, p.163-166, 2 refs. Snow water content, Temperature measurement, Snow ice interface, Unifrozen water content, Calorim-eters, Latent heat, Ice volume, Specific heat, Measur-

ing instruments.
Equipment and procedure have been devised for measuring the liquid water fice ratio of snow. The measurement is based on the temperature depression observed on dissolving a 25 g snow sample at 0 C in 80 g methanol at 0 C. The masses of the sample and alcohol are held constant, and the best of solution of 25 water in 80 g methanol at zero deg is constant, so the only variable is the water/ice ratio in the sample. The solution process occurs quickly enough that it is essentially sidabatic. The latent heat of halon of up to 8.3 g ice is supplied by the heat of solution of the water in the slotchol. The heat of fusion of any ice above 8.3 g is supplied by a decrease in the solution temperature. Since the total latent heat of fusion varies linearly with ice content, and the solution specific heat is virtually constant, the final solution temperature size varies linearly with sample ice content.

42-228

Intercomparison of snow cover liquid water measure-ment techniques.

Boyne, H.S., et al, MP 2262, Eastern Snow Conference, 43rd, 1986, 1987, p.167-172, 8 refs. Fisk, D.J.

Snow water content, Snow cover, Unfrozen water content, Temperature measurement, Meltwater, Tests.

Tests.

The amount and distribution of liquid water is important for assessing the mechanical strength, meltwater generation and meltwater transmission in snow cover. It also has a profound effect on the performance of active and passive remote sensing systems operating the microwave and millimeter wave region of the electromagnetic spectrum. Recently, an alcohol calorimeter method of measuring liquid water has been reported which is simpler than the freezing calorimeter. It is of interest to intercompare the two methods to show equivalence and to assess the errors of each. The intercomparison was made in a laboratory cold room with homogeneous snow having a mass liquid water content from 0% to 15%. The intercomparison show that the two methods are equivalent and that the experimental errors associated with the measurements are consistent with what is expected from an error analysis of each method.

42-229

Patterns of net radiation over urban snowpacks. Xu, F., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.173-184, 18 refs.

Runoff forecasting, Snowmelt, Solar radiation, Heat balance, Snow accumulation, Snow hydrology, Cloud cover, Snow surface, Snow water equivalent.

42-230

Snowpack dry deposition of sulfur: a four-day chre

DeWalle, D.R., et al, Eastern Snow Conference, 43rd,

1986, 1987, p. 185-189, 5 refs.
Halverson, H.G., Sharpe, W.E.
Snow impurities, Chemical analysis, Mass balance,
Blowing snow, Wind factors, Snow water equivalent.

Preliminary results of a study on snow and ground thermal regimes in the Schefferville area, northern

thermal regimes in the Scientifful and a state of the Conference, 43rd, 1986, 1987, p.190-197, 7 refs.
Granberg, H.B. Snow thermal properties, Soil temperature, Tundra, Forest land, Geothermy, Thermal regime, Snow depth, Temperature distribution, Time factor. 42-232

Variations in net radiation over snow at a boreal foret edge. Nadeau, C.A., et al. Eastern Snow Conference, 43rd,

1986, 1987, p.198-203, 2 refs. Granberg, H.B. Snow cover distribution, Solar radiation, Forest canopy, Albedo, Thermal radiation, Radiometers.

42-233

Tavastigation of woodland snow thermal regime in the Schafferville area, northern Quabec. Desrochers, D.T., et al. Eastern Snow Conference, 43rd, 1986, 1987, p.204-211, 12 refs.

43rd, 1950, 1907, p.—.
Granberg, H.B.
Snow thermal properties, Snow depth, Forest canopy,
Snow temperature, Thermal regime, Temperature
measurement, Seasonal variations, Snowmelt.

Spectral measurements of solar radiation in anow. Kulkarni, A.V., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.212-216, 6 refs.

1960, 1767, P.216-210, 9-121. Granberg, H.B. Snow optics, Solar radiation, Spectra, Attenuation, Radiometers, Computer applications, Snow cover.

42-235

Comparison of winter cover components for a subarc-tic lake and postlands. Kingabury, C.M., Eastern Snow Conference, 43rd, 1986, 1987, p.217-221, 11 refs. Lake ica, Peat, Snow cover, Hoarfrost, Ice cover, Winter, Snow ice interface. 42-236

Relationships between glacier termines melt pro-cesses and climatic conditions, Boundary Glacier, Alberta.

Sloan, V.F., Bastern Snow Conference, 43rd, 1986, 1987, p.222-227, 7 refs.
Glacier malting, Climatic factors, Glacier oscillation, Glacier ablattoa, Canada—Alberta—Boundary Glacier ablattoa, Canada—Alberta—Boundary Glac

cier.

Spatial distributions of maltwater in an ice covered lake.

Allan, C., Eastern Snow Conference, 43rd, 1986, 1987.

p.228-232, 11 refs. Meltwater, Icebound lakes, Snowmelt, Runofff, Lake ice, Lake water, Luminescence.

42-238

36230

Illustrations of effects of ice in the distribution of major ions ins lakes.

major ions ins lakes. Adams, P., Eastern Snow Conference, 43rd, 1986, 1987, p.233-236, 12 refs. Lake water, Lake ice, Ions, Ice formation, Water chemistry, Ice composition, Snow cover, Limnology.

42-239 Twenty-this rd Soviet Antarctic Expedition. Se studies, 1977-1978. ¡Dvadtsat' tret'ia sovetskaia antarkticheskaia ekspeditsiia. Sezonnye isaledovaniia

1977/78 83, Sovetskais antarkticheskais ekspeditsiis. Sovetskais antarkticheskais ekspeditsiis. Trudy, 1986, No.80, 171p., in Russian. Refs. passim. For individual pers see 42-240 through 42-243 or A-36235, B-36236, F-36229, F-36231 through F-36233, I-36234 and J-26320.

Serdiukov, V.I., ed. Botnikov, V.N., ed.

Seculary, v.1., ed., Bounkoy, v.N., ed., Polar regions, Research projects, Expeditions. This report on the 1977-1978 Soviet Antartic Expedition provides, in Pt.1, three chapters which describe the main activities, including the organization and the scientific observations, of the expedition. Pt.2 consists of 8 individual papers giving the scientific results of various projects. 42-240

Tee con-litious during the voyage of Mikhail Somor in the Balleny ice massif area. [Ledovyc usloviia plava-niia NES Mikhail Somov v Ballenskom ledianom mas-

sivėj.
Botnikov, V.N., Sovetskais antarkticheskais ekspeditsiis. Trudy, 1986, No.80, p.115-121, In Russian.
Sea ice distribution, Ice edge, Ice navigation, Polar regions, Antarctica—Leningradskays Station.
Ice conditions found along the route of the ship Mikhail Somor in Feb.-Mar. 1978 are described. A chart showing the massif

ice edge on Feb. 10 is discussed; the ice distribution on the eastern side of the massif made navigation very unfluorable on that date. Ice conditions in the years preceding 1978 are considered and, based on that analysis, a recommendation is made concerning the most suitable time for the arrival and unloading of ships at Leningradskays Station, which is between Feb. 15 and Mar. 15.

Navigability of the Amgueurs type ships in the Antarctic during 1977-1978. ¿Nekotorye osobennosti plavanija sudna tipe d/e Amguems v l'dakh Antarktiki

v 1977/78 g., v 1977/78 g., Volnov, G.N., et al, Sovetskale antarkticheskale ek-speditzilia. Trudy, 1986, No.80, p.130-132, In Rus-sian. 1 ref.

sian. 1 ref.

Kuznetsov, I.M.

Ice navigation, I.ce conditions, Sea ice.

The navigation speed of ships of different types, in different toe conditions, is discussed. A review of the data collected on the ship Kaptas Kondrat'ev is presented, which shows that the ship covered (in summer 1977-1978) 2370 miles in 299 hr., at an average speed of 7.92 knots. The ship's average speed, miles, and navigation time in waters with an increasing degree of toe concentration, at 4 different levels, are shown in a table.

42-242

e2-242 Ice conditions in Weddell See in the spring and summer of 1977-1978. (Ledovye usloviis v more Ueddella v vesenne-letnii period 1977/78 g), Kunnetsov, I.M., et al, Sovetakaia antarkticheekaia ekspeditalia. Trudy, 1986, No.80, p.133-138, in Russian.

Num. Volnov, G.N. Ice conditions, Ice navigation, Ice edge, See ice distri-bution, Polynyas, Antarctica—Weddell See.

hution. Pelymyns, Anteretics—Weddell See. Mild ice conditions in the spring and summer of 1977-1978, recorded by the ISZ Meteor and the Kapitan Kondrai'er navigating in the Weddell See, are discussed. An illustration shows the maximal northern position of ice, measured in Aug, at 50-578, with the ice edge between 56 and 608. Ice conditions between Jan. 8 and Feb. 28, 1978, are also illustrated. The mild conditions, which sillowed navigation in the Weddell See even during the mouth of Max. are stributed to the blowing of katabatic winds during ice formation and creating polynyas all along the const.

42-243
Unlosting operations at Dranhaaya Base in 19771978. ¡Usloviia vygruzki v ralone bazy Druzhnot v
1977/78 g;
Kuznetsov, I.M., et a!, Sovetakais antarkticheskais ekspeditaiis. Trudy, 1986, No.80, p.139-142, In Rus-

Volnov, G.N.
Unloading, Ice conditions, Ice navigation, Antarctics
—Weddell Sec.

The conditions at Druxhnaya Base on Jan. 7-8 and Feb. 25, 1978 are described and illustrated. It is concluded, from data collected by helicopter and ship, that see operations in the Druxhnaya Base area in 1978 were significantly reduced during the ice formation period. However, navigation in the Weddell Sea was not so impaired.

42-244 Adjustable nevigation systems. (Korrektiruemye navigatsionnye sistemy), Koshitiakov, V.N., ed, Kiev, Institut matematiki AN USSR, 1986, 116p., in Russian. For selected papers see 42-245 and 42-246.
Ice navigatios, Icebreakers, Ice breaking, Nautical instruments, Gyrecompass.

Deviations of a single-rotor, adjustable gyrecompass with two horizon-indicating devices, during fercing of ice. rO deviatailakh odnorotornogo korrektiruemogo girokompasa s dvumia indikatorami gorizonta v rez-

girokompasa s dvumia indikatorami gorizonta v rez-hime fornirovanila i'dova, Vasilenko, V.P., Korrektirusmye navigatzionnye siste-my (Adjustable navigation systems) edited by V.N. Koshliakov, Kiev, institut matematiki AN USSR, 1986, p.13-18, In Russiau. 3 refs. Ice mavigation, Icebreakors, Ice breaking, Nautical instruments, Gyrecompass.

42-246
Deviations of a single-rotor, adjustable gyrocompass with one horizon-indicating device, during forcing of lee, 70 deviatsiiakh odnorotornogo korrekturumogo girokompass a odnim indikatorom gorizonta v rezhime

girokompasa a odnim indikatorom gorizonta v reznime fornirovania i'dov, Polishchuk, A.N., Korrektiruemye navigatsionnye selemeny (Adjustable navigation systems) edited by V.N. Koshitakov, Kiev, Institut matematiki AN USSR, 1986, p.74-85, In Russian. 3 refs. Icobreakers, Ico navigatiou, Ico breaking, Nautical instruments, Gyrocompass.

42-247
Geomagnitic investigations in eastern USSR, [Geomagnithys issledovaniis na vostoke SSSR),
Kravchinskii, A.I.A., ed, Magadan, 1986, 164p., In
Russian. For selected paper see 42-248. 2 refs.
Lin'kova, T.I., ed.
Geocryclogy, Sediments, Frost penetratios, Freeze
thaw cycles, Magnetic surveys, Magnetic properties.

42-248

Influence of cryogenic processes on magnetization of deposits. (Vilianie merziotnykh protessov na namagnichennost' otlozhenit-

nichennost' otlozheniij, Miniuk, P.S., Geomagnitnye issledovaniia na vostoke Minute, F.S., Cromagnitus insteadorium in votations as votations and season USSR) edited by A.I.A. Kravchinskif and T.I. Lin kova, Magadan, 1986, p.21-31, in Russian. 2 reft. Sediments, Lecustrine deposits, Seade, Soil water, Frest penetration, Freeze thaw cycles, ice volume, Hydrothermal processes, Magantic properties.

42-249
Relation between the degree of evercoeling and peculiarities of water structure. (Svizz' temperatury perockhalzhdeniis a cobennostiani struktury vody), Maliarenko, V.V., et al, Akademiis nauk SSSR. Doklady, 1987, 294(3), p.637-639, in Russian. Kul'skif, L.A.
Supercooling, Water temperature, Water structure, Melecular structure, Phase transformations, Thermodynamics.

42-250
Dynamics of free boundary fluids. (Dinamika zhid-kosti so svobodnymi granitsami),
Monakhov, V.N., ed, Akademiia nauk SSSR. Sibirakoe otdelenie. Institut gidrodinamiki. Dinamika sploahnot sredy, 1986, Vol.76, 171p., In Russian. Por selected papers see 42-251 through 42-253.
Stefan problem, Heat transfer.

42-251

Existence of a classical solution of mutivariate one-phase Stafan problem for arbitrary time intervals. Sushchestvovanie klassicheskogo resheniia mnogo-mernoi odnofaznoi zadachi Stafana na proizvol'nom promezhutke vremeni, Anisiutin, B.M., Akademiia nauk SSSR. Sibirakoe ot-

delenie. Institut gidrodinamiki. Dinamika sploab-ndi aredy, 1986, Vol.76, p.3-18, In Russian. 11 refs. Stefan problem, Heat transfer, Free boundary prob-

Self-modeling solution of the crystallization of a bi-nary alloy. (Avtomodel'noe reahenie zadachi o kris-tallizatsii binarnogo splava), Gets, I.G., Akademia nauk SSSR. Sibirakoe otdele-

nie. Institut gidrodinamiki. Dinamika spioahnol arady, 1986, Vol.76, p.74-89, In Russian. 1 ref. Selutions, Phase transformations, Stefan problem, Metals.

42-253

Sistan problem for a system of equations of viscous heat conducting gas. ¿Zadacha Stefana dis sistemy uravnenii viakkogo teploprovodnogo gaza, Kulagina, N.A., Akademiis nauk SSSR. Sibirakoe ot-

delenie. Institut gidrodinamiki. Dinamika splosh-ndi sredy, 1986, Vol.76, p.101-110, In Russian. 2

Stefan problem, Gases, Heat transfer.

Meteorological observations about R/V Prof. W. Besnard during the 1st and 2nd Brazilian autorotic

espeditions.
Junqueira Villela, R., et al, Academia Brazileira de Ciencias. Anais, 1986, 58(1-Suppl.), p.205-218, 8 refa.

Pesta, M.

Snow, Icebergs, Clouds (meteorology).

Snow, Icebergs, Clouds (meteorology). Results of surface meteorological observations made aboard R/V Prof. W. Beenard during the 1st and 2nd Brazilian antarctic expeditions are reported. The attreme and mean values, and frequencies of several elements observed south of 60 S are presented and discussed. More adverse conditions, such as strong minds, snow, rain and fog, were observed in the first phase of the last expedition (Pan. E to 19, 1983) and in the second phase of the 2nd expedition (Pan. E to 19, 1983) and in the second phase of the 2nd expedition (Pan. B to 19, 1984). Fewer elobergs were seen in the 2nd expedition than in the 1st. The cold, low-level inertial jet stream sround the northeastern attempting of the Antarctic Peninsula, originating in the Weddell Sea appeared to be related to some of the colder temperatures observed from the ship. (Auth. mod.)

42-255

42-255
Solar heating and its influence on mixing in ice-covered lakes.
Matthews, P.C., et al, Freshwater biology, Aug. 1987, 18(1), p. 135-149, 33 refs.
Heaney, S.I.
Icebound lakes, Ice cover effect, Transmissivity, Temperature distribution.

42-239 Behaviour of oil in freezing situations. Wilson, D.G., et al, Spill technology newsletter, Sep. 1936, 11(3), p.87-100, 6 refs. Mackay, D. Oil spills, Ice formation, Impurities.

Further studies of helicopter rotor ice accretion and

Gent, R.W., et al, Vertica, 1987, 11(3), p.473-492, 17

Markiewicz, R.H., Cansdale, J.T. Aircraft icing, Helicopters, Propellers.

42.252

Surface waves of large amplitude beneath an elastic sheet. Pt. 1. High-order series solution. Forbes, L.K., Journal of fluid mechanics, Aug. 1986, Vol.169, p.409-428, 20 refs. Floating ice, Drift, Water waves.

42-259

e4-139 Waves due to a steadily moving source on a floating ice plate. Pt. 2. Schulkes, R.M.S.M., et al, Journal of fluid mechanics, July 1987, Vol. 180, p.297-318, 14 refs. Hosking, R.J., Sneyd, A.D. Floating ice, Drift, Water waves.

manuwave seismic exploration. [Mnogovolnovye seismicheakie isaledovaniis, Puzyrev, N.N., ed, Novosibirsk, Nauka, 1987, 214p., In Russian. Por selected paper see 42-261. 7 refs. Seismic surveys, Swamps, Continuous permafreet, Sporadic permafreet, Wave propagation, Seismic velocity.

42-261

Experience in using multiwave seismic exploration methods in the Shirotnee Priob's. (Opyt ispol'-zovaniia mnogovolnovo'i seismorazvedki v Shirotnom

zovania innegovodnosta prioblej. Vedernikov, G.V., et al, Mnogovolnovye seismicheskie isaledovaniia (Multiwave seismic exploration) edited by N.N. Puzyrev, Novosibirsk, Nauka, 1987, p.154-158, in Russian.

7 refs.

Continuous permafreet, 158, In Russian. 7 refs.
Seismic surveys, Swamps, Continuous permafrost,
Sporadic permafrost.

42-262
Combined remote-control monitoring of lakes.
Kompleksnyi distantsionnyi monitoring ozer,
Kondrat'ev, K.I.A., ed, Leningrad, Nauka, 1987, 288p., For selected papers see 42-263 and 42-

Asriai surveys, Ramote sensing, Lake ice, Ice physics, Ice optics, Ice melting, See ice, Snow physics, Mea-suring instruments.

42-263

Spectral optical characteristics of melting ice covers on Lake Onega and the White Sea. (Spektral'nye opticheskie kharakteristiki taiushchego ledianogo pokrova (na primere Onezhakogo ozera i Belogo moria), Kondrat'ev, K.IA., et al, Komplekanyi distantsionnyi Kondrat'ev, K.I.A., et al., Kompleksnyl distantionnyl monitoring ozer (Combined remote-control monitor-ing of lakes) edited by K.I.A. Kondrat'ev, Leningrad, Nauka, 1987, p.211-217, in Russian. 15 refs. Aerial surveys, Lake ice, Ice physics, Ice optics, Ice melting, See ice, Measuring instruments, Remote sensing.

42-264

42-264
Characteristics of the melting Sevan Lake ice cover, reestablished from its radiation field in the sitra-high frequency range. (Kharakteristiki taiushchego ledianogo pokrova vostanovlennye po ego poliu izlucheniia v SVCh-diapazone (na primere oz. Sevan), Kondrat'ev, K.I.A., et al, Komplekanyi distantionnyi monitoring ozer (Combined remote-control monitoring of lakes) edited by K.I.A. Kondrat'ev, Leningrad, Nauka, 1987, p.217-224, in Russian. 9 refs. Vlasov, V.P., Melent'ev, V.V. Lake ica, Ice physica, Ice melting, Ice dating, Ice cover thickness, Aerial surveys, Microwaves, Infrared radiation, Unfrozen water content, Pack ice, Snow cover distribution.

Blockemistry of humns and nitrogen in soils of the Kola Peninsula. Biokhimija gumusa i azota pochv

Kol'akogo poluostrova, Pereverzev, V.N., Leningrad, Nauka, 1987, 304p., In Russian with abridged English table of contents en-

Russian with sortiged Engine table of contents en-closed. Refs. p.284-301. Cryogenic soils, Organic soils, Peat, Soil composi-tion, Soil chemistry, Nutrient cycle, Tundra, Forest tundra, Taiga, Alpine landscapes.

42-200
INQUA Till Symposium, Finland 1985.
INQUA Till Symposium, Oulu, Finland, Aug. 24-25,
INQUA Till Symposium, Oulu, Finland, Aug. 24-25,
1987. No.3. 1940. Refa. pss 1. For selected papers INQUA 1111 Symposium, Ouin, Finnand, Aug. 44-27, 1985, Finnand. Geological Survey. Special pager, 1987, No. 3, 194p, Refs. pag. 1. For selected papers see 42-267 through 42-27. Kujanauu, R., ed. Saarnistu, M., ed. Glacial deposits, Moraines, Glacier flow, Sediments, Landforms, Meetings, Finland.

Remodelling and reworking as causes of error in dis-tinguishing between glacial and non-glacial deposits and landforms.

Carraro, F., Finland. Geological Survey. Special paper, 1987, No.3, INQUA Till Symposium, Finland 1985, edited by R. Kujansuu and M. Saarnisto, p.39-

Glacial deposits, Landforms, Origin, Accuracy, Quaternary deposits, Mountains, Italy—Alps.

42-208
Application of radar, electrical resistivity, and selsmic coundince in the study of morainic landforms in mic soundings in the study of morainic la northern Finland.

Sutinen, R., Finland. Geological Survey. Special paper, 1987, No.3, INQUA Till Symposium, Finland 1985, edited by R. Kujansuu and M. Saamisto, p.65-

7.), 17 FCH. Moraines, Quaternary deposits, Glacial deposits, Landforms, Radar echoes, Electrical resistivity, Seismic refraction, Magnetic surveys, Sediments, Ice mechanics, Fluiand.

42-269

Micromorphology of glacial sediments as a tool in

Anteronorphology of glacian seathwests in a tool in distinguishing genetic varieties of till. Van der Meer, J.J.M., Finland. Geological Survey, Special paper, 1987, No.3, INQUA Till Symposium, Finland 1985, edited by R. Kujansuu and M. Saarnisto,

p.77-89, 28 refs. Glacial deposits, Microstructure, Origin, Quaternary deposits, Sediments.

4.7.170
Laurentide Ice Sheet and long-distance transport.
Prest, V.K., et al. Finland. Geological Survey. Special paper, 1987, No.3, INQUA Till Symposium, Finland 1985, edited by R. Kujansuu and M. Saarnisto, p.91-101, 33 refs.
Nielsen, E.

Glacial geology, Ice sheets, Ice mechanics, Pleisto-cene, Glacial flow, Paleoclimatology, Glaciation,

Debris transport mechanisms at active alpine glacier margins: Alaskan case studies. Evenson, E.B., et al, Finland. Geological Survey. Special paper, 1987, No.3, INQUA Till Symposium, Finland 1985, edited by R. Kujansuu and M. Saarnisto,

Finland 1985, edited by R. Kujansuu and M. Saarnisto, p.111-136, 22 refs. Clinch, J.M. Glacial deposits, Sediment transport, Moraines, Ice edge, Ice rafting, United States—Alaska—Maclarea Glacier.

42-272

Influence of ice discharge of alpine valley glaciers. Husen, D. van, Finland. Geological Survey. Special paper, 1987, No. 3, INOUA Till Symposium, Finland 1985, edited by R. Kujansuu and M. Saarnisto, p.137-

Glacier flow, Glaciation, Glacial hydrology, Drainage, Mountaina. Paleoclimatology.

Assessment of acoustical technology for seabed geo-physical investigations in Arctic regions of permanent ses ice cover.

sea ice cover. Lewis, J.F., EOR project No.87-01, Dartmouth, Nova Scotis, Earth and Ocean Research Ltd., May 22, 1987, 154p. + appends., Refs. p.151-154.

1999. + appends, Reis. p. 191-199. Sea ice distribution, Ice physics, Ice acoustics, Ice morphology, Geophysical surveys, Models, Ice cover thickness, Acoustic measurement.

Parament icing detector—final report.
Goldstein, N., et al, MP 2263, Contract No.DACA33-86-G-0014, Burlington, MA, Spectral Sciences, Inc., Jan. 1987, 26p. + append., Prepared for USA CREEL. 8 refs.

CRREL. 6 1918. Richtameter, S.C. Road icing, Pavements, Ice detection, Ice formation, Measuring instruments, Design, Safety, Experimen-tation, Noise (sound).

AP-17: Progress report on Bertelsen Research and Develop-ment of an air cushion crawler all-terrain vehicle. Bertelsen, W.R., Canadian aeronautics and space jour-nal, June 1987, 33(2), p.71-75, 8 reft. All terrain vehicles, Air cushion vehicles, Velocity.

12-219 Ice crystal production by mountain surfaces. Rogers, D.C., et al, *Journal of climate and applied* meteorology, Sep. 1987, 26(9), p.1152-1168, 43 refs. Vali. G.

yan, O. Ice crystals, Supercooled clouds, Mountains, United States—Wyoming—Elk Mountain.

42-277
Possible application of bacterial condensation freeing to artificial rainfull enhancement.
Levin, Z., et al, Journal of climatology and applied
meteorology, Sep. 1987, 26(9), p. 1188-1197, 20 refs.
Yankofsky, S.A., Pardes, D., Magal, N.
Organic nuclei, Condensation nuclei, Ice nuclei, Bacteria, Artificial precipitation.

42-278
Satellite-derived maps of snow cover frequency for
the Northern Hemisphere.
Dewey, K.F., Journal of climatology and applied
meteorology, Sep. 1937, 26(9), p.1210-1229, 22 refs.
Snow cover distribution, Mapping, Speceborne pho-

42-279

Airphoto interpretation and the Canadian landers Mollard, J.D., et al., Ottawaj, Canada, Dept. of En-ergy, Mines and Resources, 1983, 415p. Janes, J.R.

Landscape types, Photointerpretation, Glaciers, P matrost, Morainee, Mape, Aerial surveys, Topograp ic features, Drainage, Remote sensing, Canada.

Evaluation of the stability of gas hydrates in north

Amanta, A., et al, Cold regions science and technology, Aug. 1987, 14(2), p.107-119, 39 refu. Godbole, S.P., Ostermann, R.D., Collett, T.S. Permafrost thermal properties, Hyarates, Geothermy, Surface temperature, Permafrost depth, Pressure, Chemical analysis, Natural gas, Accuracy.

42-281

Pressure and temperature effects in Röthlisberger channels. Shoemaker, E.M., Cold regions science and technolo-

Snoemaker, E.-H., Cold regions science and technology, Aug. 1987, 14(2), p.121-127, 14 refs.
Subglacial drainage, Melting points, Channels (waterways), Pressure, Temperature offects, Ice melting, Models, Analysis (mathematics).

42-232 Influence of heat extraction rate in freezing soils. Konrad, J.M., Cold regions science and technology, Aug. 1987, 14(2), p.129-137, 12 refs. Soil freezing, Frost heaves, Heat transfer, Heat recovery, Soil water, Water content, Tests.

Fracture toughness of some wood-ice composites. Nixon, W.A., et al, Cold regions science and technology, Aug. 1987, 14(2), p.139-145, 10 refs. Smith, R.A. Ice composition, Wood, Ice cracks, Ice strength, Ice solld interface, Fracturing, Tests.

43-1344
Effect of cooling rate on freezing of a saturated soil. Horiguchi, K., Cold regions science and technology, Aug. 1987, 14(2), p. 147-153, 11 refs.
Soil freezing, Cooling rate, Heat transfer, Saturation, Analysis (mathematics), Prozen ground physics, Ground ice.

42.285

Very conductive layer below the permafrost of Sey-mour and Robertson Islands in the eastern Antarctic

Fennania.
Fournier, H.G., et al, Cold regions science and technology, Aug. 1987, 14(2), p.155-161, 25 refs.
Corte, A.E., Gasco, J.C., Moyano, C.E.
Permatrost physics, Permatrost depth, Magnetic resonance, Electrical resistivity, Sounding, Electromagnetic prospecting, Permatrost thickness, Meseuring Instruments, Antarctics—Antarctic Penissuls.

The interpretation of magnetotelluric (M-T) sounding curves over Seymour and Robertson islands in the Antarctic Peninsula implies a very conductive layer below the permation. The curves are analyzed above the period of 0.1 s. and account is taken of the resistive permations layer. This very conductive layer is here composed of 16 m at 0.6 ohm-m, respectively. (Auth.)

alinity and growth rate of ice formed by sea spray. Makkonen, L., Cold regions science and technology, Aug. 1987, 14(2), p. 163-171, 30 refs.
Ice growth, Sea spray, Ice salinity, Offshore structures, Ice water interface, Models, Icing, Dendritic

Sabsea permatrost in Norton Sound, Alaska.
Osterkamp, T.E., et al, Cold regions science and technology, Aug. 1987, 14(2), p.173-180, 18 refs.
Harrison, W.D., Hopkins, D.M.

Subsea permafrost, Permafrost thermal properties, Permafrost distribution, Ocean bottom, Soil tempera-ture, Geothermy, Ground thawing, United States— Alaska—Norton Sound.

Exothermic cutting of frozen materials.

Garfield, D.E., et al, Cold regions science and technology, Aug. 1987, 14(2), MP 2264, p.181-183, 2 refs. Haynes, F.D.

Haynes, F.D.

Ice cutting, Ground thawing, Ice melting, Gravel, Frozen ground, Sands, Equipment, Heat sources.

A commercially available cutting torch which uses consumable steel cutting rods was evaluated for cutting ice, and forces and, gravel, and silt. This relatively simple, lightweight torch was envisioned to have potential applications for producing shallow small-diameter holes in frozen ground for anchors, grounding rods, guy wire stakes, etc. Specific energies for cuting the frozen materials compared reasonably well with other thermal processes, but as expected, were much higher (i.e. less efficient) than mechanical cutting processes. Major advantages of the torch include portability, short set-up time, and its ability to melt a variety of materials.

Simple-shear box experiments with floating ice rub-

Urroz, G.B., et al, Cold regions science and technology, Aug. 1987, 14(2), p.185-199, 10 refs. Ettema, R.

Ploating ice, Shear strength, Ice strength, Experimentation, Ice poroalty, Stresses, Shear rate.

sally driven changes in the optical properties of

Buckley, R.G., et al, Cold regions science and technology, Aug. 1987, 14(2), p.201-204, 8 refs.
Trodahl, H.J.

See ics, Ice optics, Ice temperature, Ice composition, Ice salinity, Backscattering, Thermal effects, Impurities, Light scattering, Air temperature, Antarctica—

Optical backscattering measurements on first year sea ice in McMurdo Sound have revealed dramatic changes in optical behavior occurring following an air temperature rise from 15 C to -5 C. Ice temperature and salinity profiles, measured during the optical experiments, have identified the source of the change as a rapid drainage of surface brine. (Auth.)

Light transmission in sea ics.
Trodahl, H.J., et al, New Zealand antarctic record,
1987, 7(3), p.20-22, 1 ref.
Buckley, R.G.
Sea ics, Ics optics, Antarctics—McMurdo Sound.

Sea ice, Ice optics, Antarctics—McMardo Sound. The scattering and absorption of sunlight falling on the sea ice cover, which every winter doubles the effective area of the antarctic continent, sexers a strong influence over the weather of the Southern Hemisphere and controls the growth of micorbial communities in the water column and within the ice itself. To develop a understanding of the interaction of light with sea ice, a program was begun to perform in situ measurements of the diffusive transport of light in first year sea ice on McMurdo Sound. The past two seasons have seen the completion of the first phase of this study. Knowledge gained from these first phase measurements is briefly outlined. (Auth.)

On the flooding of Vanda Station.

Chinn, T.J.H., et al, New Zealand antarctic record, 1987, 7(3), p.23-31, 10 refs.

McSaveney, M.J.
Lake water, Ablation, River flow, Antarctica—Onyx

MCSaveney, M. Lake water, Ablation, River flow, Antarctica—Onyx River, Antarctica—Vanda, Lake.

During the 18-year period 1959-1987, Lake Vanda has risen in two steps separated by a 10-year interval of equilibrium from 1971 to 1981. As the lake rises, its area increases, and flow olume lost to ablation also increases. A mean ablation balanced inflow from the Onyx River. Vanda Station now is only 4.42 m shove lake level and flooding appears inevisable. The period of time left before the Station is flooded may be predicted from predictions of lake rises, mean annual shalion loss and the area of the lake. Linear extrapolations of the rises over the past 18 and 10 years, (which take no account of the accelerating increase in rises) suggest that the Station will be flooded in 16 and 18 years, respectively. However, an extrapolation of the seccelerating increase over the past 10 years suggests a 23% probability that the Station will be flooded in 2.5 years, during the 1989-90 summer season. The cause of the rise is the only significant inflow into Lake Vanda, the glacier melwater fed Onyx River, whose annual discharge has systematically increased by nearly an order of magnitude over the last 10 years. (Auth.)

42-203

42-293

42-193.

Hydrogeological and engineering-geological prob-lems of Central Asia. [Gidrogeologicheskie i inz-henerno-geologicheskie problemy Srederief Azii), Maviianov, G.A., ed, Tashkent, FAN, 1985, 132p., In Russian. For selected papers see 42-294 and 42-295.

Refs. passim.

Mudflows, Ground ice, Ice lenses, Classifications, Slope processes, Periglacial processes, Meltwater, Glacial hydrology, Glacial erosion, Glacial deposits, Moraines, Composition, Mechanical properties.

Changes in mudflow activity under conditions of recent glacier regression. [Izmenenie selevol aktivnosti

v usloviiakh sovremennof regressii oledeneniia, Abdullaev, Sh.Kh., et al, Gidrogeologicheskie i inz-henerno-geologicheskie problemy Srednef Azii (Hy-

henemo-geologicheskie problemy Srednei Azii (Hydrogeological and engineering-geological problems of Central Asia) edited by G.A. Mavlianov, Tashkent, FAN, 1985, p. 105-108, in Russian. Kostenko, N.P., Se'mova I.B. Mudflows, Ground ice, Periglacial processes, Meltwater, Ice leases, Glactic' hydrology, Glacial erosioa, Classifications, Glacial deposits, Composition, Snow cover effect, Mechanical properties.

Recent problems of engineering-geological investiga-tions and mudflow classifications from the viewpoint

tions and mudflow classifications from the viewpoint of O.K. Lange, Sovremennye voprosy inzhenemogeologicheskikh issledovanii i klassifikatsii selef v aspekte idet O.K. Lange, Pushkarenko, V.P., Gidrogeologicheskie i inzhenemogeologicheskie problemy Srednet Azii (Hydrogeological and engineering-geological problems of Central Asia) edited by G.A. Mavlianov, Tashkent, FAN, 1985, p.108-114, in Russian. 7 refs. Mudflows, Glacial hydrology, Classifications, Slope processes, Engineering geology.

42-296
Biological resources of the Arctic and the Antarctic, Biologicheskie resursy Arktiki i Antarktiki, Skarlato, O.A., ed, Moscow, Nauka, 1987, 447p., In Russian. For individual papers see 42-297 and 42-298, or B-36275 through B-36284. Refs. passim. Alekseev, A.P., ed, Liubimova, T.G., ed. Polar regions, Shorea, Climatic changes, Ice conditions, Sea ice distribution, Land ice, Ice surface, Albedo, Biogeography, Ecology, Biomass, Coastal toporasable features, Ocean currents. Arctic Ocean. graphic features, Ocean currents, Arctic Ocean.

graphic resulting, Ocean Currents, Arctic Ocean.
On the basis of the last several years' research conducted by members of various Soviet institutes, this book presents a compendium of articles dealing with the biology and related meteorology and oceanography of the Arctic and Antarctic. The review-type articles contain a wealth of references to both Soviet and non-Soviet literature.

Climatic fluctuations in the North-European Basin. (Kolebaniia klimata Severo-Evropeiskogo basseina), Dement'ev, A.A., et al, Biologicheskie resursy Arktiki i Antarktiki (Biological resources of the Arctic and the 1 Aniarkus (Biological resources of the Arctic and the Aniarctic) edited by O.A. Skarlato, A.P. Alekseev and T.G. Liubimova, Moscow, Nauka, 1987, p.9-15, In Russian. 6 refs.
Orlov, N.P.
Polar regions, Shores, Climatic changes, Ice condi-

tions, Sea ice distribution, Land ice, Ice surface, Al-bedo, Biogeography, Ecology, Biomass, Arctic Ocean.

42-298

42-298
Hydrologic and ice conditions in the shelf zone of Arctic seas. [Gidrologicheskie i ledovye usloviia shelfovof zony arkticheskikh morely, Baskakov, G.A., et al. Biologicheskie resursy Arktiki i Antarktiki (Biological resources of the Arctic and the Antarctic) edited by O.A. Skariato, A.P. Alekseev and T.G. Liubimova, Moscow, Nauka, 1987, p.15-48, In Russian. 25 refs.

Russian. 25 rein. Ice shelves, Ice cover strength, Shores, Ice formation, Land ice, Ice deterioration, Ice accretion, Sea ice dis-tribution, Coastal topographic features, Ocean cur-rents, Drift, Bottom Ice, Bottom topography, Ice cover thickness, Ice structure.

43-299
Detection and classification of ice.
Lewis, E.O., et al, Letchworth, England, Research
Studies Press Ltd., 1987, 325p., Refs. p.291-303.
Currie, B.W., Haykin, S.
DLC GB.L48 1987

Ice detection, Ice navigation, Ice physics, Classifica-tions, Radar, Meteorological data, Glacier ice, Back-scattering, Equipment, Design.

42-300
Physical basis of ice sheet modelling.
Waddington, E.D., ed, International Association of Hydrological Sciences. Publication, 1987, No.170, 384p., Proceedings of an international symposium held during the 19th Ceneral Assembly of the International Union of Geodesy and Geophysics at Vancouver, B.C., Canada, 9-22 Aug. 1987. Refs. passim. For selected papers see 42-301 through 42-332.
Walder, J.S., ed.

Ice sheets, Ice models, Ice physics, Meetings, Mass transfer, Heat transfer, Climatic factors, Rheology, Subglacial drainage, Paleoclimatology.

Ice sheet models—an overview.

Ice sheet models—an overview.

Meier, M.F., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium con; the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.1-4, 6 refs., With French summary.

Ice sheets, Ice models, Ice mechanics, Rheology, Ice physics, Environments, Thermodynamics, Boundary reline nerollems.

value problems.

Is the creep of ice really independent of the third deviatoric stress invariant.

deviatoric stress invariant.
Baker, R.W., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium pon; the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.7-16, 21 refs., With French summary. Ice creep, Shear stress, Ice deformation, Compressive properties, Rheology, Analysis (mathematics), Strains.

42-303

Crystalline fabric of polar ice sheets inferred from seismic anisotropy.

Blankenship, D.D., et al, International Association of

Biankensnip, D.D., et al, International Association Hydrological Sciences. Publication, 1987, No.170, International Symposium forn the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.17-28, 25 refs., With French summary. Bentley, C.R.

mary.

Ice mechanics, Ice crystal structure, Ice sheets, Ice temperature, Seismic surveys, Ice models, Ice cores, Analysis (mathematics), Antarctics—Dome C.

In the future, an important parameter for modelling the dynamics of polar ice sheets will be the crystalline fabric of the constituent ice mass. Compressional (P) waves reflected at wide angles from the base of an ice sheet can be used to obtain a good approximation of both the mean fabric and mean temperature of that ice sheet. Seismic observations made in the vicinity of Dome C in Bast Antarctics show that the ice sheet there is transversely isotropic with a vertical sais of symmetry. Assuming the crystals c-axes are distributed evenly within a vertical cance of apex angle I, the limiting fabric structures at Dome C are (a) half isotropic ice and half anisotropic ice with I=29 deg. On the basis of c-axis distributions measured in ice cores from other locations, the most reasonable structure at Dome C is one containing one-third isotropic ice and two-thirds anisotropic ice with I=20 deg (corresponding to a total thickness of 3414 m). The seismically estimated mean temperature of the ice sheet (below the firm) is -38 C. (Auth.)

42-304
Constitutive properties of ice at Dye 3, Greenland.
Dahl-Jensen, D., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium ron; the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.31-43, 31 refs., With French summary. Gundestrup, N.S.

Ice sheets, Ice mechanics, Ice creep, Shear strain, Rheology, Boreholes, Paleoclimatology, Ice deformation. Flow rate.

42-305

42-305
Enhanced flow of Wisconsin ice related to solid conductivity through strain history and recrystallization. Fisher, D.A., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium gong the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.45-51, 12 refs., With French summary. Ice mechanics, Recrystallization, Ice creep, Strains, Impurities, Ice cores, Boreholes, Volcanoes, Rheology, Oxygen isotopes, Paleoclimatology.

42-306
Mechanical behavior of anisotropic polar ice.
Pimienta, P., et al, International Association of Hydrological Sciences. Publication, 1987, No. 170, Internalogical Sciences. Publication, 1987, No.170, Interna-tional Symposium (on) the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.57-66, 28 refs., With French summary. Duval, P., Lipenkov, V.I.A.

Lipenkov, V.I.A.

Logical Resolution, Viscosity, Ice sheets, Ice creep, Compressive properties, Tests, Flow rate, An-terctics—Vostok Station.

tarctics—Vestok Station.

Uniaxial and biaxial compression tests on ice samples of the Vostok ice core (Antarctica) were carried out in order to study the flow behavior of anisotropic ice with c-axes in a vertical plane. Values of the rheological parameters involved in power law creep are given. It is deduced that the viscosity of Vostok ice for the thinning of annual layers is very high. The results are compared with those obtained with ices with a single maximum fabric. Borehole tilling measurements were analyzed by taking into account the anisotropic power law creep. The possibility of a linear viscosity at low stresses is also considered. Regardless of the value of the exponent of the flow law, dialocation glide appears to be at the origin of the typical fabrics of polar ice. (Auth.)

42-307

Flow velocity profiles and accumulation rates from mechanical tests on ice core samples. Shoji, H., et al, International Association of Hydrolog-

Shoji, H., et al., international Association of Psychological Sciences. Publication, 1987, No.170, International Symposium from the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.67-77, 15 refs., With French summary. Langway, C.C., Jr. Glacier flow, Ice mechanics, Strains, Stresses, Com-

pressive properties, Ice cores, Velocity, Tests, Snow accumulation, Paleoclimatology.

Continuous till deformation beneath ice sheets.

Alley, R.B., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, Internalogical Sciences. Publication, 1987, No.170, Interna-tional Symposium ronj the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.81-91, 47 refs., With French summary. Blankenship, D.D., Rooney, S.T., Bentley, C.R. Glacier flow, Ice sheets, Sediments, Subglacial obser-vations, Sediment transport, Glacial geology, Subgla-cial drainage, Deformation, Water pressure. Bither advance of a glacier over unconsolidated sediments or

cial drainage, Deformation, Water pressure. Either advance of a glacier over unconsolidated sediments or water-pressure fluctuations in unconsolidated subglacial sediments can trigger sediment deformation and changes in glacior flow and glacier-margin position without further climatic forcing. However, for a wet-based glacier beneath which bedrock erosion balances till transport by continuous subglacial deformation, internal instabilities are less likely and glacier changes that record climatic forcings are more likely. The evidence is presented here that the West Antarctic ice sheet is a modern example of such continuous till deformation, and that other ice sheets includings the Laurentide ice sheet and the tens similar sets. stample of such continuous in determation, and that other ice sheets, including the Laurentide ice sheet, may have been similar. An ice sheet with continuous till deformation will leave a more regular sedimentary record than one with discontinuous deformation, so careful glacial-geologial studies should allow distinction of these cases for former ice sheets. (Auth.)

42,300

Anomalous heat flow and temperatures associated with subglacial water flow.

with subglacial water flow. Echelmeyer, K., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium (on) the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.33-104, 10 refs., With French summary. Subglacial drainage, Water flow, Heat transfer, Sediments, Temperature effects, Sediments, Ice melting, Ice sheets, Ice temperature, Analysis (mathematics), Glacial deposits. Glacial deposits.

Coupling between water pressure and basal sliding in a linked-cavity hydraulic system.

a liaked-cavity hydraulic system.

Humphrey, N.F., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium (on) the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p. 105-119, 21 refs., With French summary. Ice mechanics, Water flow, Glacter beds, Basal sliding, Streese, Glacter flow, Subjacial caves, Water pressure, Velocity, Mathematical models.

42.311

Zonal arrangement of thermal regimes of Pleistocen ice sheets as indicated by field data from Poland. Liszkowski, J., International Association of Hydrolog-Lizzkowski, J., International Association of Hydrological Sciences. Publication, 1987, No. 170, International Symposium con, the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.121-130, 16 refs., With French summary. Ice sheets, Thermal regime, Paleoclimatology, Ice conditions, Glacier flow, Glaciation, Pleistocene, Moralmes, Poland.

Sliding of cold ice sheets.

Lliboutry, L., International Association of Hydrologi-cal Sciences. Publication, 1987, No.170, Internationcal Sciences. Publication, 1987, No. 170, international Symposium con the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p. 131-143, 38 refs., With French summary. Ice mechanics, Basal sliding, Ice sheets, Glacial erosion, Rheology, Glacier beds, Ice temperature, Moralses, Analysis (mathematics).

Effects of glacial erosion on the flow of ice sheets and

Mazo, V.L., International Association of Hydrological Sciences. Publication, 1937, No.170, International Association of Les Sheet Modern and March 1938, 193 Sciences. Publication, 1987, No.170, International Symposium ron the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.145-152, 19 refs., With French summary. Glacier flow, Glacial erosion, Ice sheets, Glacier beds, Geomorphology, Ice mechanics, Mathematical models, Rheology.

Fit of ice motion models to observations from Variegated Glacier, Alaska. Raymond, C.F., et al, International Association of Hy-

Raymond, C.F., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium con the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.153-166, 40 refs., With French summary. Harrison, W.D.

Ration, W.D.
Glacier flow, Ice mechanics, Ice creep, Models, Rheology, Sliding, Shear stress, Velocity, United States—Alaska—Variegated Glacier.

Wind pumping: a potentially significant heat source

in ice sheets.

Clarke, G.K.C., et al, International Association of Hy-Clarke, G.K.C., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium 7001, the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.169-180, 6 refs., With French summary. Fisher, D.A., Waddington, E.D. Ice sheets, At flow, Heat sources, Ice thermal properties, Atmospheric pressure, Fira, Friction, Permeability, Temperature distribution, Analysis (mathematics).

42-316

42-316

Reconstructing mass-balance profiles from climate for an Arctic ica cap.

Hanson, B., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium con the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.181-189, 16 refs., With French summary. Glacier mass balance, Ice sheets, Temperature effects, Slope orientation, Climatic factors, Models.

42-317

Effect of crevasses on the solar heating of a glacier aurface.

Pfeffer, W.T., et al, International Association of Hy-Prenter, W., et al. International Association of right defological Sciences. Publication, 1987, No.170, In-ternational Symposium ron; the Physical Basis of Ice Stephen Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.191-205, 17 refs., With French summary.

Bretherton, C.S.
Glacier flow, Glacier surfaces, Solar radiation, Crevasees, Heat transfer, Mass transfer, Mathematical

42-318

Time dependent boundary conditions for calculation of temperature fields in ice sheets. Ritz, C., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium on the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.207-216, 21 refs., With French summary.

ings. Edited by E.D. Waddington and J.S. Walder, p. 207-216, 21 refs., With French summary. Ice temperature, Ice sheets, Ice growth, Boundary value problems, Surface temperature, Ice cover thickness, Time factor, Velocity.

42.319

ermal heat flux beneath ice shoets.

Waddington, E.D., International Association of Hydrological Sciences. Publication, 1987, No.170, Inarological Sciences. Fublication, 1987, No.170, international Symposium pon the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.217-226, 41 refs., With French summary. Ice sheets, Heet flux, Subglacial observations, Geothermy, Melting points, Ice temperature, Models, Mass balance, Surface temperature, Ice mechanics. 42-320

Role of large-scale ice sheets in climatic history. Role of large-scale ice aheets in climatic history. Flohn, H., International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium pon the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.231-241, Refs. p.239-241., With French summary. Ice sheets, Ice cover effect, Climatic changes, Atmospheric composition, Paleoclimatology, History, Ice formation, Glaciation.

formation, Glaciation.

The climatic history of the earth contains two periods of some 10,000,000 years length during which a continent in polar latitudes was partly or totally glaciated, while the opposite hemisphere was easentially ice-free. The present glaciation of Antarctics started about 38 Ma BP, preceding those of the northern continents by more than 30 MA. The climatogenetic role of this hemispheric asymmetry is outlined, as well as the role of variations in the composition of the atmosphere. Together with the varying land-sea distribution in polar latitudes, the latter primarily control the climatic history of the planet Earth (Auth.) (Auth.)

42-321

Glacial isostasy and the Ice Age cycle.

Peltier, W.R., et al, International Association of Hy-drological Sciences. Publication, 1987, No.170, In-Sneet Modelings. Edited by E.D. Waddington and J.S. Walder, p.247-260, 18 refs., With French summary. Hyde, W.T. Glaciation, Isostasy, Ice volume, Climatic changes, Ice age theory, Pleistocene, Oxygen isotopes, Drill core analysis, Sediments.

42.372

Simple simulation of ice-atmosphere-ocean-land cou-

pling in climatic models. Schneider, S.H., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, Indrological Sciences. Publication, 1987, No.170, in-ternational Symposium pon the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.261-264, 13 refs., With French summary. Thompson, S.L., Muszynski, I. Ice cover effect, Climatic changes, Interfaces, Ice air laterface, Ice water interface, Models, Ice solid inter-

42-323

Ice sheet elevation changes from isotope profiles Grootes, P.M., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium ron; the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987.
Proceedings. Edited by E.D. Waddington and J.S. Walder, p.269-281, 33 refs., With French summary. Stuiver, M.

Stuter, M.
Ice cover thickness, Climatic changes, Ice sheets, Ice cores, Oxygen isotopes, Drill core analysis, Ice melting, Glacier flow, Rheology, Antarctica—Dome C. ing, Glacier flow, Rheology, Antarctics—Dome C. The contributions of climate, ice sheet thinning, and ice flow the total change in delts (delta(18) Or deltaD) observed in antarctic cores can be estimated by assuming (a) a uniform, climate-related delta change for Antarctica, based on the central East Antarctic Dome C core, and (b) different time constants for the three contributions. This approach, previously developed for the Rose Ice Shelf delta(18)D profile at 1-9, is applied to the Law Dome and D-10 profiles. By identity Law Dome was an independent dome during the last glacial period, because the surface deviation on Law Dome at which ice at the glacial-interglacial transition in core BHF originated decreased by about 530 m acrose the transition. Similarly about 1300 m of surface elevation lowering of the origin of ice across the glacial-interglacial transition is shown by the isotopic record in core D-10. core D-10.

42-324

Derivation of paleoelevations from total air content of

two deep Greenland Ice cores. Herron, S.L., et al, International Association of Hy Herron, S.L., et al. International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium forth the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.283-295, 32 refs., With French summary.

waner, p.263-295, 32 rets., with French summary. Langway, C.C., Jr. Ice cores, Ice cover thickness, Bubbles, Ice tempera-ture, Paleoclimatology, Atmospheric pressure, Freeze thaw cycles, Greenland.

42-325

Use of trace constituents to test flow models for ice

Use of trace constituents to the sheets and ice caps.
Rech, N., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium ron, the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987.
Proceedings. Edited by E.D. Waddington and J.S. Walder, p.299-310, 24 refs. With French summary. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.299-310, 24 refs., With French summary. Hammer, C.U., Thomsen, H.H., Fisher, D.A. Ice cree, Ice sheets, Glacier flow, Impurities, Tests, Oxygen isotopes, Ice surface, Variations, Ice cores, Models.

42-326

Constraints on models in the Ross Embayment, Antarctica.

Bentley, C.R., International Association of Hydrologi-Bentley, C.R., International Association of Hydrologi-cal Sciences. Publication, 1987, No.170, Internation-al Symposium ron; the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Pro-ceedings. Edited by E.D. Waddington and J.S. Wald-er, p.313-322, 30 refs., With French summary. Ice sheets, Ice mechanics, Glacier flow, Rheology, Land ice, Floating ice, Glacier beds, Gravity, Math-smatical models, Deformation, Viscosity, Antarctica — Ross Ice Shelf

Ross Ice Shelf.

Ross Ice Shelf.

Numerical modelling of ice flow and evolution in the West Antarctic Ross Embsyment system must treat a variety of physical characteristics that differ markedly through the system. Gravitational driving forces on the inland ice are belanced largely by the bed drag, but on the ice shelf and in the lower reaches of the ice streams, side drag appears to be dominant. The glacial system responds to applied forces in several ways. Bed deformation probably dominates under active ice streams, and may occur elsewhere under the inland ice, although to a lesser extent. Substantial uncertainties remain about the effective viscosity of a deforming subglacial layer. On the ice shelf Coulomb failure may provide a good model for differential motion across highly crevassed, boundary shear zones. Both the ice shelf and the grounded "ice plain, situated at the transition between ice stream and ice shelf, are characterized by longitudinal and/or transverse spreading. A goal of modelling should be to reproduce the strikingly transient behavior of the Ross ice streams, principally the stagnation of ice stream C some two centuries ago and the apparently rapid present-day expansion of ice stream B. (Auth.)

42.327

42-37
Force balance of Rutford Ice Stream, Antarctica.
Frolich, R.M., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium (ron the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987.
Proceedings. Edited by E.D. Waddington and J.S. Walder, p. 323-331, 15 refs., With French summary. Mantripp, D.R., Vaughan, D.G., Doake, C.S.M.
Glacier flow, Ice mechanics, Shear stress, Ice sheets, Climatic changes, Ice cover thickness, Strains, Velocity, Flow rate, Ice shelves, Gravity, Antarctica—Ellsworth Mountains. Elisworth Mountains

—Elisyorth Mountains.

Data are presented along a 60 km survey network on Rutford los Stream, Antarctica. The network follows closely a stream-line and is situated above the grounding line. Measurements of velocity, strain rate, surface elevation and ice thickness allow a preliminary interpretation of the flow regime. A prominent feature is a rise in the bed of 500 m, over which the ice must flow. The surface expression of this step is seen in Landast astillite images as a surface knoll whose shape emphasizes that the flow must be considered using a full three dimensional analysis. Vertical shear stress gradients appear to be important within about 20 km of the knoll. (Auth.)

42-328
Geological evidence to constrain modelling of the
Late Pleistocene Rhonegletscher (Switzerland).
Haeberli, W., et al. International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium 1981, the Physical Basis of Ice
Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987.
Proceedings. Edited by E.D. Waddington and J.S.
Walder, p.333-346, Refs. p.343-346., With French

Glacial geology, Geomorphology, Glacier ablation, Models, Paleoclimatology, Pleistocene, Glaciers, Switzerland.

42-329

42-329
Late Quaternary deglaciation of the Amundson Sea: implications for ice sheet modelling.
Kellogg, T.B., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium ron; the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.349-357, 18 refs., With French summary. Kellogg, D.E.
Ice sheets, Sea ice distribution, Glacier oscillation, Quaternary deposits, Paleoecology, Models, Grounded Ice, Ice scoring, Ice shelves, Drill core analysis, Antarctica—Amundsen Sea.

Antarctics—Amundeen Sea.

Pield observations and micropaleontological and sedimentological study of the previously unatudied Amundeen Sea continental shelf suggest the following preliminary conclusions bearing on glaciological modelling of the West Antarctic ice Sheet: (a) the outer continental shelf is relatively shallow (360-460 m) with low relief, in contrast to the inner shelf where deep (> 500 m), possibly glacially scoured, troughs occur. Troughs may represent former ice-steram channels. (b) Pine Island Bay cores are composed of silly mod with rare ice-rafted detritus (IRD) and microfossils, suggesting former ice-shelf cover consistent with observed rapid calving-margin recession of Pine Island Glacier. (c) Elsewhere, a thin (<15 cm) sandy mud overlies compact diamicton. In the eastern margin area this upper layer may result from the establishment of the Amundeen Sea polynys <3000 years ago. (d) Grounded ice apparently advanced to the continental shelf margin, perhaps during the late Wisconsin, and grounded or shelf ice probably occupied the Amundeen Sea until recently. (Auth.)

Observations at the edge of the Greenland ice sheet: boundary condition implications for modellers. Knight, P.G., International Association of Hydrologi-cal Sciences. Publication, 1987, No.170, Internationcal Sciences. Publication, 1987, No. 170, International Symposium con the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p. 359-366, 14 refs., With French summary. Ice structure, Ice sheets, Ice edge, Isotope analysis, Glacier flow, Strains, Glacial deposits, Subglacial observations, Basal sliding, Greenland.

42-331

Development, dynamics, and dissipation of a late Wis-consin ice mass over northern New England, USA. Lowell, T.V., et al 'International Association of Hy-drological Science Publication, 1987, No.170, Inrunication, 1987, No.170, International Symposium (on the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.367-375, Il refs., With French summary.

Proceedings. Ented by E.D. Waddington and J.S. Walder, p.367-375, 11 refs., With French summary Calkin, P.E. Ice sheets, Ice mechanica, Landforms, Glaciation Glacier flow, Glacial deposits, Rheology, Paleoclimatology, Glacial geology, United States—New

42-332 Problem oms of testing ice sheet models: a British case study.

rayne, A.J., et al, International Association of Hydrological Sciences. Publication, 1987, No.170, International Symposium (on) the Physical Basis of Ice Sheet Modelling, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by E.D. Waddington and J.S. Walder, p.377-380, 4 refs., With French summary. Sugden, D.E. Ice sheets, Ice models, Models, Tests.

42-333

Maintenance of reinforced concrete bridges, rin-Maintenance of relatorced concrete bridges. [In-standhaltung von Stahl- und Spannbetonbrücken], Ruffert, G., Strassen- und Tiefbau, June 1987, 41(6), p.5-10, In German with English aummary, p.3. Bridges, Reinforced concretes, Winter maintenance, Chemical ice prevantion, Corrosion, Mortara, Road maintenance, Pollution.

Disturbance and recovery of arctic Alaskan tundra

terrain.
Walker, D.A., et al, U.S. Army Cold Regions Research
and Engineering Laboratory, July 1987, CR 87-11,
63p., ADA-184 442, Refs. p. 52-62.
Cate, D., Brown, J., Racine, C.
Tandra, Revegetation, Human factors, Land reclamation, Environmental impact, Pipelines, Permafrost,
Roads, United States—Alaska.

tion, Eavironmental impact, Pipelines, Permafrost, Roads, Usited States—Alaska.

This document is a summary of over a decade of CRRELmanaged vascerb regarding disturbance and recovery in northern Alaska. Much of this research was sponsored by the U.S.
Coclogical Survey's National Petroleum Reserve—Alaska exploration program and the Department of Energy's environmental research program, although numerous other agencies
and members of the oil industry have also made contributions
to several of the university participants. This work comes at
a time of major transition in the focus of northern Alaskan
environmental research from single-impact studies to analysis
of cumulative impacts. Thus, it summarizes studies of anthropogenic disturbances in northern Alaska and discusses the
immediate need for new methods to approach the problems of
revegetation, restoration and cumulative impacts of terrain underisin by permafrost. This heritage of research comes from
many research sites in northern Alaska, including Cape
Thompson, the Seward Peninsula, Barrow, Fish Creek,
Oumalik, East Oumalik, Frudhoe Bay, the Arctic National
Wildlife Refuge and along the trans-Alaska pipeline. The
impacts that are discussed include bladed trails, off-road vehicle
trails, winter trails, ice roads, gravel peda and roads, borrow pits,
roadside impoundments, road dust, hydrocarbon spills and
seawater spills.

42-335

42-335

Large scale effects of seasonal snow cover.

International Symposium con Large Scale Effects of
Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22,
1987. International Association of Hydrological
Sciences. Publication, 1987, No.166, 425p., With
French summaries. Refs. passim. For individual papers see 42-336 through 42-370.

Goodison, B.E., ed, Barry, R.G., ed, Dozier, J., ed.
Snow cover effect, Snow water sequivalent, Snow
cover distribution, Rusoff, Climatic changes, Atmospheric circulation, Snowmelt, Meetings, Snow optics.

42.336

arge-scale effects of seasonal snow cover.

Large-scale effects of seasonal snow cover. Waish, J.E., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium con Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug., 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.3-14, 18 refs., With French summary. Snow cover effect, Atmospheric circulation, Snow cover distribution, Models, Climatic changes.

Saw cover as an indicator of climate change.
Robinson, D.A., International Association of Hydrological Sciences. Publication, 1987, No. 166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987.
Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.15-25, 21 refs., With French sum-

Snow cover effect, Climatic changes, Snow cover dis-tribution, Remote sensing, Snow depth.

42.338

Snow cover-atmospheric interactions.

Dewey, K.F., International Association of Hydrologi-cal Sciences. Publication, 1987, No.166, Internationcal sciences. Publication, 1947, No.106, international Symposium (on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.O. Barry and J. Dozier, p.27-42, 16 refs., With French summary. Snow air interface, Snow cover effect, Snow cover distribution, Temperature effects, Seasonal varia-

Parameterization of snow albedo for climate models. Marshall, S.E., et al, International Association of Hy-Marsaul, S.E., et al, International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium ron; Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.43-50, 4 refs., With French summary. Warren, S.G.

Nation, S.O. Snow cover effect, Albedo, Atmospheric circulation, Climatic changes, Snow optics, Snow depth, Models, Grain size, Sunlight, Snow impurities.

Seasonal variation of Eurosian snow cover and its

Seasonal variation of Eurasian snow cover and its impact on the Indian summer monsoon. Bhanu Kumar, O.S.R.U., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on, Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.51-60, 19 refs., With French

Snow cover distribution, Snow cover effect, Wind (meteorology), Remote sensing, Seasonal variations, Rain.

42-341

Statistical studies of the atmospheric circulation of

Statistical states of the antispaseric circumstude to the Northern Hemisphere, hydroclimatic regimes in China and Antarctic ice-anow cover. Peng, G., et al., International Association of Hydrological Sciences. Publication, 1987, No. 166, International al Symposium ron Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.61-72, 12 refs., With French summary. Domrös, M.

Ice cover effect, Snow cover effect, Meteorology, Runoff, Sea ice, Atmospheric circulation, Statistical analysis, Indexes (ratios), Antarctica.

analysis, Indexes (ratios), Antarctica.

On the basis of 10-year monthly and long-term annual data, the connections of different indices of the atmospheric circulation of the Northern Hemisphere and some hydrocilinatic regimes in China with the Antarctic ice-anow indices are discussed, using correlation, regression, stepwise regression, power-spectral and cross-spectral analyses. The results show that there are close correlations between some meteorological conditions of the Northern Hemisphere and the Antarctic ice-anow cover, in particular, between the Northwestern Pacific subtropic high or the annual run-off of Yellow River at Sammenais station and the ice-snow indices. The strongest correlations often appear with some time lags of the meteorological and hydrological conditions behind the ice-snow variations. The usefulness of these connections for hydroclimatic forecasting is considered. (Auth. mod.)

42-342

42-342
Interactions between the snow cover and the atmospheric circulations in the Northern Hemisphere.
Morinaga, Y., et al. International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium (on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.73-78, 10 refs., With French summary. Yasunari, T.

Snow cover effect, Atmospheric circulation, Snow cover distribution, Snow air interface, Remote sens-

42-343

42-343
Temporal and spatial variations of the snow cover in the Swiss Alps.
Lang, H., et al, International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium con Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.79-92, 9 refs., With French summary.

mary. Rohrer, M.

Snow cover distribution, Snow depth, Snow water equivalent, Climatic factors, Mountains, Time factor, Snowfall, Switzerland-Alps.

Sessonal mow resources and their fluctuations in

China.

Li, P., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium con Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.93-104, 11 refs., With French summary. Snowfall, Snow accumulation, Snow density, Snow depth, Seasonal variations, Snow cover distribution, China.

42-345

42-345
Importance and effects of seasonal snow cover.
Martinec, J., International Association of Hydrological Sciences. Publication, 1987, No. 166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozler, p.107-120, 28 refs., With French sum-

Snow water equivalent, Snow cover distribution, Snow depth, Snowmelt, Runoff, Seasonal variations, Snow loads, Remote sensing, Models.

42-346

Large scale effects of seasonal snow cover and tempersture increase on runoff.

ature increase on ranoff.

Rango, A., et al, International Association of Hydrological Sciences. Publication, 1987, No. 166, International Symposium ron; Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987.

Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.121-127, 7 refs., With French summary. Martinec, J.

Runoff, Snowmelt, Snow cover effect, Temperature effects, Seasonal variations, Mountains.

Estimates of possible variations of snowmelt-runoff

characteristics on climatic changes. Kuchment, L.S., et al, International Association of Hy-Auchment, L.S., et al. International Association of right deflogical Sciences. Publication, 1987, No.166, In-ternational Symposium pon Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.129-138, 3 refs., With French

mmary. summary.
Motovilov, IU.G., Muzylev, E.L., Nazarov, N.A.
Runoff, Snowmelt, Climatic changes, Snow hydrology, Mathematical models, Human factors, Topographic features, Temperature effects, Seasonal variations.

Method for indexing the variability of alpine seasonal

snow over large areas.
Fitzharris, B.B., International Association of Hydro-Pittharris, B.B., International Association of Hydro-logical Sciences. Publication, 1987, No. 166, Interna-tional Symposium ron; Large Scale Effects of Sea-sonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.139-150, 17 refs., With French sum-

mary. Snow cover distribution, Snow accumulation, Snow-full, Mountains, Seasonal variations, Weather sta-tions, Indexes (ratios), New Zealand.

42.140

Modelling large scale effects of snow cover.

Nosciling surjecture to salow cover.

Pipes, A., et al, International Association of Hydrological Sciences. Publication, 1987, No. 166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987.

Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.151-160, 7 refs., With French sumand J mary. Quick, M.C.

Snow cover effect, Weather modification, Floods, Snowmelt, Heat balance, Stream flow, Watersheds,

Snowmelt-runoff simulation model of a central Chile Andean basin with relevant orographic effects. Peña, H., et al, International Association of Hydrologi-

rena, rt., et al, international Association of Hydrologi-cal Sciences. Publication, 1987, No. 166, Internation-al Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Pro-ceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.161-172, 5 refs., With French summary. Nazarala, B.

Runoff, Snowmelt, Snow cover distribution, Hydrography, Ice melting, Models, Computer applications, Meltwater, Snow accumulation, Chile—Andes.

42-351 Utility of computer-processed NOAA imagery for snow cover mapping and streamflow simulation in Alharts

Berra.
Ferner, S., et al, International Association of Hydrological Sciences. Publication, 1987, No. 166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.173-185, 16 refs., With French sum Sutherland I

Mapping, Snow cover distribution, Stream flow, Computer applications, Snowmelt, Mountains, Snow water equivalent, Remote sensing, Models, Canada—

42.352

Snow cover area (SCA) is the main factor in forecasting snowmelt runoff from major river basins.
Ramamoorthi, A.S., International Association of Hy-

drological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.187-198, 4 refs., With French summary.

Snow cover distribution, Runoff forecasting, Snowmelt, Saow water equivalent, Precipitation (meteorology), Temperature effects, Snow depth, Mountains, Remote sensing, Seasonal variations, Sta-tistical analysis, India.

42-353

Modelling of snowmelt distribution for the estimation of basin-wide snowmelt using snow covered area. Koike, T., et al, International Association of Hydrolog-Kolke, T., et al, International Association of Hydrological Sciences. Publication, 1987, No. 166, International Symposium con Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p. 199-212, 5 refs., With French sum-

Takahashi, Y., Yoshino, S. Snow cover distribution, Snowmelt, Remote sensing, Models, Slope orientation, Forest canopy, Japan—

42-354

Operational airborne measurements of snow water equivalent and soil moisture using terrestrial gamma equivalent and soil moistury and radiation in the United States.

Carroll, T.R., International Association of Hydrological Sciences. Publication, 1987, No.166, Internation cal Sciences. Publication, 1987, No. 106, international Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, R.C., Aug. 9-22, 1987. Proceedings. Edited by B.E., Jodison, R.G. Barry and J. Dozier, p.213-223, 9 refs., With French aummary, Sow water equivalent, Sell water, Airborne radar, Gamma irradiatios, Flood forecasting, Water supply, Accuracy.

42-355

Determination of water equivalent of snow and the forecast of snowmelt runoff by means of isotopes in Turkey.

Ertan, I., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B. C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.225-239, 10 ress., With French sum-

mary.

Flood forecasting, Snow water equivalent, Runoff, Snowmelt, Snow depth, Snow hydrology, Isotope analysis, Gamma irradiation, Seasonal variations,

42-356 Modelling the effects of agrotechnical measures on

Motovilov, IU.G., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.241-251, 9 refs., With French sumтагу.

off, Snowmelt, Water erosion, Snow temperature, Soil temperature, Hydrothermal processes, Seasonal variations, Mathematical models, Temperature ef42.357

The same of the variability of snow cover thickness on the intensity of water yield and duration of spring flood on a small river.

flood on a small river.

Dobroumov, B.M., et al, International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium 100, Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.253-263, 16 refs., With French Shukhobodskiř. A R.

Snow depth, Meltwater, Floods, River flow, Runoff forecasting, Snowmelt, Snow water equivalent, Snow cover distribution.

42.358

Simple snowpack structure model and its application

Dexter, L., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.265-275, 13 refa., With French sum-

Snow cover structure, Snow morphology, Metamorphism (snow), Time factor, Mountains, Models, Design, Temperature gradients, Computer applications.

42-339
Remote sensing of snow.
Rott, H., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Sessonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.279-290, Refs. p.287-290. With French summary.

Smow cover distribution, Remote sensing, Microwaves, Snow optics, Climate, Snow water equivalent, Mapping, Runoff forecasting, Snowmelt, Spec-

42-360

Discussion of the accuracy of NOAA satellite-derived global seasonal snow cover measurements.

Wiesnet, D.R., et al, International Association of Hydronesters, and the seasonal snow cover measurements.

drological Sciences. Publication, 1987, No.166, Inarological Sciences. Fuolication, 1961, No.100, in-ternational Symposium pon Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.291-304, 11 refs., With French nary.

Ropelewski, C.F., Kukla, G.J., Robinson, D.A. Saow cover distribution, Remote sensing, Snow depth, Snow water equivalent, Snowfall, Climatology, Charts, Accuracy, Reflectivity.

Remote sensing of snow characteristics in the southern Sierra Nevada.

Dozier, J., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.305-314, 21 refs., With French sum-

Saow cover distribution, Remote sensing, Mountains, Albedo, Mapping, Spectra, Grain size, Reflectivity.

42-362

Analysis of interangual variations of snow melt on Arctic sea ice mapped from meteorological satellite

Robinson, D.A., et al, International Association of Hy Robinson, D.A., et al, international Association of rydrological Sciences. Publication, 1987, No.166, International Symposium fon Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.315-327, Refs. p.325-327., With Exactly Suprement.

Barry and J. Doziet, Phys. With French summary.
Scharfen, G., Barry, R.G., Kukla, G.
Snowmelt, Sea ice, Remote sensing, Ice surface, Albedo, Snow ice interface, Air temperature, Ice cover

42-363
Snow melt on sea ice surfaces as determined from passive microwave satellite data.
Anderson, M.R., International Association of Hydrological Sciences. Publication, 1987, No. 166, International Symposium (on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987.
Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.329-342, 13 refs., With French sum-

Snowmelt, Ice surface, Remote sensing, See ice, Microwaves, Diurnal variations, Arctic Ocean.

Estimating snowpack parameters in the Colorado River basin.

Chang, A.T.C., et al, International Association of Hy-Chang, A.I.C., et al., international Association of ray-drological Sciences. Publication, 1987, No.166, In-ternational Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.343-352, 11 refs., With French summary.

Summary.

Snow cover distribution, River basins, Snowmelt, Runoff, Remote sensing, Watersbeds, Mountains, Grain size, Flooding, Snow depth, Snow water equivalent, Microwaves, Snow density, United States— Colorado River.

42.365

Snow cover parameter retrieval from various data sources in the Federal Republic of Germany. Schweiger, A.J., et al, International Association of Hy-drological Sciences. Publication, 1987, No. 166, In-

ternational Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.353-364, 13 refs., With French

Armstrong, R., Barry, R.G.
Snow cover distribution, Snow depth, Snow water
equivalent, Remote sensing, Microwaves, Mapping.

42-366
Global snow cover and the Earth's rotation.

Global snow cover and the Earn's Fortations. Proster, J.L., et al, International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.365-374, 13 refs., With French summary.

Snow cover effect, Remote sensing, Ice conditions, Snow loads, Earth rotation, Snow depth, Radiometry, Volume, Microwaves, Snow accumulation.

42-367

Integration of digital terrain models into ground based snow and runoff measurement.

based snow and runoff measurement.
Whiting, J., et al, International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium con, Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987.
Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.375-387, 3 refs., With French sum-Kiss, J.

Snow cover distribution, Runoff, Snow water equiva-lent, Models, Watersheds, Aerisl surveys, Snowmelt, Topographic features, Computer applications, Snow

42.368
Classification model for spatial estimation of snow-pack variables from satellite data.
Gunderson, R.W., et al. International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium [on] Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.389-401, 14 refs., With French

Summary.
Cheng, H.L., Bowles, D.S., Riley, J.P.
Snow cover distribution, Remote sensing, Runoff forecasting, Snowmelt, Snow depth, Snow water equivalent, Accuracy, Temperature effects, Albedo, Snow water content, Mathematical models.

42-369
Distribution of snow extent and depth in Alaska as determined from Nimbus-7 SMMR maps (1982-83).
Hall, D.K., et al, International Association of Hydro-Distribution 1987, No.166, Internalogical Sciences. Publication, 1987, No.166, International Symposium (on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Proceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.403-413, 22 refs., With French sum-

Chang, A.T.C., Foster, J.L.
Snow cover distribution, Snow depth, Remote sensing, Microwaves, Radiometry, Maps, Grain size, Snow density, United States—Alaska.

42-370

Bidirectional reflectance of snow at 500-600 nm.
Steffen, K., International Association of Hydrological Steffen, K., International Association of Hydrological Sciences. Publication, 1987, No.166, International Symposium on Large Scale Effects of Seasonal Snow Cover, Vancouver, B.C., Aug. 9-22, 1987. Poceedings. Edited by B.E. Goodison, R.G. Barry and J. Dozier, p.415-425, 11 refs., With French sum-

mary.
Snow optics, Reflectivity, Snow structure, Solar radiation, Measuring instruments, Aerosols, Back-scattering.

Dynamics of control system of the main power plant of a river (cebreaker, Dinamika sistemy upraylenija

GEU rechnogo ledokola, Kurakin, V.N., Sudostroenie, Aug. 1987, No.8, p.27-29, In Russian. 3 refs.

Icebreakers, River ice, Electric power.

Analysis of sterntube operation of icebreakers and icebreaking cargo vessels. Analiz opyta raboty deïd-vudnykh ustroïstv ledokolov i ledokol'no-transportnykh sudov<sub>1</sub>, Grigor'ev, A.K., Sudostroenie, Aug. 1987, No.8, p.41-

43, In Russian. 4 refs.

Icebreakers, Ships, Ice breaking, Transportation

Recent state and problems of preparing permafrost bases of power-producing objects. (Sovremennoe sostoianie i problemy podgotovki vechnomerzlykh osnovanii sooruzhenii energeticheskikh ob"ektovi. Fedoseev, V.I., Energeticheskoe stroitel'stvo, July 1987, No.7, p.11-13, in Russian.

Foundations, Permafrost bases, Hydrothermal pro-cesses, Settlement (structural), Industrial buildings, Permafrost benesth structures, Concrete structures, Deformations, Electric power, Permafrost hydrology.

42-574
Construction of groat curtains in perennially frozen rocks with preliminary thawing. Sooruzhenic tsementationnykh zaves v vechnomerzlykh skal'nykh porodakh s predvaritel'nym ottaivaniem;
Chernobaeva, A.V., Energeticheskoe stroitel'stvo, July 1987, No.7, p.14-15, in Russixn.

Prozen rocks, Fracture zones, Thawing, Permeability, Active layer, Permafrost hydrology.

42-373
Hepatics of Wrangel Island. (K flore pechenochnykh mkhov ostrova Vrangelis),
Zhukova, A.L., Botanicheskü zhurnal, July 1987,
72(7), p.901-903, In Russian. 7 refs.
Mosses, Plant ecology, Plant physiology, Arctic land-scapes, Vegetation, Ecosystems.

Partial analysis of vascular plant flora in the south-Partial analysis of vascular plant flora in the south-ern-tundra subzone of Taymyr Peninsula. (Opyt analiza partsial'nykh flor sosudistykh rastenil v pod zone iuzhnykh tundr Tatmyra, Zanokha, L.L., Botanicheskh zhurnal, July 1987, 72(7), p.925-932, in Russian. 17 refs. Tundra, Plant ecology, Vegetation, Plant physiology,

Arctic landscapes.

Ultrasonic attenuation in lithium lodate at low temperature. [Pogloshchenie ul'trazvuka v iodate litiia

pri nizkikh temperaturakh,
Abramovich, A.A., et al, Akademiia nauk SSSR.
Doklady, 1987, 293(4), p.834-835, In Russian. 5 refs.
Nedbal, A.I., Salakhiidinov, F., Shutilov, V.A. Ultrasonic tests, Semiconductors (materials), Low temperature tests, Sound transmission, Attenuation, Acoustics. Low temperature research.

42-378

Physiological and ecological correlates of temporally

Physiological and ecological correlates of temporally limited resources in the polar regions.

Hamner, W.M., Comparative physiology: life in water and on land. Edited by P. Dejours, L. Bolis, C.R. Taylor, and E.R. Weibel. Pidia research series, Vol.9, Padova, Liviana Press, 1987, p.447-457, Refs. p.455-

Ecology, Biomass, Acclimatization, Plankton, Polar regions, Sen ice.

regions, Sea ice.

The short pulse of primary production in polar regions is followed by a disproportionately long period when energy is unavailable. Phyletically diverse animals that depend on seasonally available resources have converged on a limited number of physiological, morphological, and behavioral adaptations to this cycle. Topographic and oceanographic features of each polar region have astrongly influenced specific adaptations to polar climates. (Auth.)

Packground to the Soviet glaciological studies from the Saliut-6 orbital space station.

the Saint-6 orbital space station.
Williams, R.S., Polar geography and geology,
Jan.-Mar. 1987, 11(1), p.1-11, 24 refs.
Research projects, Surveys, Spaceborne photography, Remote sensing, Monitors, Glaciers, Ice sheets.

Glaciological studies and experiments from the Sali-

Gisciological studies and experiments from the Salutt-6 orbital space station.

Denisov, L.V., et al, Polar geography and geology,
Jan.-Mar. 1987, 11(1), p.12-24, Translated from its
stedovanie Zemli iz Kosmosa Vol.2, No.1, 1980. 2 refs.

Spaceborne photography, Photointerpretation, Remote sensing, Mountain glacters, Snow surveys, Glacial hydrology.

Glacioclimatic conditions in the European Arctic in

Gischodmant the Late Holocene. Surova, T.G., et al, Polar geography and geology, Jan.-Mar. 1987, 11(1), p.50-57, For Russian original

Troitskii, L.S., Skobeeva, E.I., Punning, IA.-M.K. Paleoecology, Glaciation, Climatic changes.

Rates of accumulation on Late-Pleistocene glaciers in the eastern half of the USSR.

the eastern half of the USSR. Grosval'd, M.G., et al., Polar geography and geology, Jan.-Mar. 1987, 11(1), p.58-68, For Russian original sec 41-1638. 17 refs. Glebova, L.N., Mikhailov, A.IU., Shamin, P.A. Glacier allimentation, Glacier ablation, Paleoclimatology, Charta, Alpine glaciation.

42-33
Estimation of the volume of sea ice in the Arctic Ocean taking pressure ridges into account.
Mironov, E.U., Polar geography and geology,
Jan.-Mar. 1987, 11(1), p.69-75, For Russian original sec 41-1640. 12 refs.

Drift, Ice volume, Pressure ridges, Ice cover thickness. Seasonal variations. Sea ice distribution.

Possible routes of transport of atmospheric pollution into the Arctic and patterns of accumulation in snow

Krasovskaia, T.M., Polar geography and geology, Jan.-Mar. 1987, 11(1), p.76-80, For Russian original

Sant-wai: 1907, 11(1), p.70-00, FO Russian Original sec 41-1645. 10 refs.

Atmospheric circulation, Maps, Air pollution, Human factors, Tundra, Soil pollution, USSR—Taymyr Peninsula.

Mechanical properties of the lubricant boundary lay-

Deriagin, B.V., Soviet journal of friction and wear, 1986, 7(5), p.1-6, Translated from Trenie i iznos. 20

Boundary layer, Ice, Sliding, Lubricants, Friction, Mathematical models.

Effect of moisture and low temperatures on the prop-

ertles of polymeric and composite materials.

Starzhenetskais, T.A., et al, Mechanics of composite materials, Nov. Dec. 1986 (Pub. May 87), 22(6), p.772-775, Translated from Mekhanika kompozitnykh

p.//2-//3, Fransated from Mekhanka kompozithykn materialov. 3 refs. Cherskif, I.N. Polymers, Plastics, Cold weather performance, Frost resistance, Low temperature research.

42-387
Kinetics of hydrolysis of p-nitophenyl scetate in frozen suspensions of silical gel.
Sergiev, G.V., et al, Kinetics and catalysis,
Nov.-Dec. 1986 (Pub. June 87), 27(No.6, pt.2),
p.1281-1283, Translated from Kinetika i kataliz.

Sergiev, B.M., Konstantinova, N.R.
Low temperature research, Brines, Freezing, Unifrozen water content, Solids, Dispersions.

42.388

Late winter primary production and becterial production in sea ice and seawater west of the Antarctic Peninsula.

tion in see ics and seawater west of the Antarctic Paninsula.

Kottmeier, S.T., et al, Marine ecology progress series, Mar. 1987, 36(3), p.287-298, 71 refs.

Sullivan, C.W.

Bacteria, Blomass, See ice, Microbiology, Antarctica —Antarctic Paninsula.

The southern ocean is believed to be unproductive during winter due principally to low irradiance. On the 1985 Wintercruise of the R/V Polar Duise, considerable microbial biomass and rates of primary production and bacterial production were found in see lee up to 179 m thick. Microbial activity associated with see ice was equal to that found in several meters of underlying seawater. Downwelling irradiance was adequate for net production near the surface of ice-free water and in see ice. Approximately 40% of the newly flaced carbon incorporated by ice microalises was salemilated into protein, suggesting that net growth was taking place without nutrient limitation. It is proposed that annual estimates of primary production should be revised upward by as much as 25% to account for this unexpected productivity during late winter in the southern ocean. In addition, see ice should be viewed as a concentrated source of microalgal carbon for grazers such as trill during late winter when phytoplankton in the water column are scarce. In situ observations suggest that see ice may also serve as an important nursery ground for larval krill during this time of year. It is concluded that both the quantity of see ice associated production and seasonal timing of this production are important factors in antarctic trophodynamics. (Auth.)

42-389

42-389

Argo-scale volcano-ground ice interactions on Mars. Squyres, S.W., et al, *Icarus*, June 1987, 70(3), p.385-408, 45 refs. Wilhelms, D.E., Moosman, A.C. Extraterrestrial ice, Ground ice, Mars (planet).

Great salt debate. Better roads, June 1987, 57(6), .30-35.

p.30-35. Salting, Road icing, Ice control, Cost analysis.

42-391

Winter maintenance planning and practice. Better roads, June 1987, 57(6), p.38-42.
Winter maintenance, Bridges.

42.302

Patching at low temperatures. Better roads, June 1987, 57(6), p.44-46.
Winter concreting, Road maintenance.

Pros and cons of insulating boards. Better roads, June 1987, 57(6), p.48-49. Pavaments, Insulation, Road icing, Frost protection.

42-394

Load-sensing hydraulics cut truck fuel use in snow removal. Better roads, June 1987, 57(6), p.50-52. Winter maintenance, Snow removal, Cost analysis.

Northern Hemisphere ice sheets and planetary waves: a strong feedback mechanism. Lindeman, M., et al, Journal of climatology, Mar.-Apr. 1987, 7(2), p.109-117, 28 refs.

Glacier mass balance, Ice sheets, Ice age theory, At-mospheric circulation, Ice air interface.

42-396

Oerlemans, J.

Energy balance in the coastal environment of James Bay and Hudson Bay during the growing season. Rouse, W.R., et al. Journal of climatology, Mar.-Apr. 1987, 7(2), p.165-179, 12 refs. Hardill, S.G., Lafleur, P. Shores, Microclimatology, Permafrost, Plant physically of the property of the control of the con

42-397

Snow cover data management: the role of WDC-A for

Glaciology.

Barry, R.G., et al, Hydrological sciences journal,
Sep. 1987, 32(3), p.281-295, With French summary. 38 refs

Armstrong, R.L.

Snow surveys, Snow cover distribution, Data processing, Mapping, Glaciology.

Headwall retreat of ground-ice slumps, Banks Island, Northwest Territories.

Lewkowicz, A. G., Canadian journal of earth sciences, June 1987, 24(6), p.1077-1085, With French summary. 20 reft.
Ground ice, Abiation, Canada—Northwest Territories—Banks Island.

42-399

Some mechanical aspects of pingo growth and failure, western Arctic coast, Canada. Mackay, J.R., Canadian journal of earth sciences, June 1987, 24(6), p.1108-1119, With French summary. 53 refs. Pingos, Ground ice.

42-400
Recent glacier advances in the Premier Range, British Columbia.
Luckman, B.H., et al, Canadian journal of earth aciences, June 1987, 24(6), p.1149-1161, With French aummary. 36 refs.
Harding, K.A., Hamilton, J.P.
Glacier oscillation, Climatic changes, Canada—British Columbia—Premier Range.

42-401
Characteristics and mass distribution of extraterrestrial dust from the Greenland ice cap.
Maurette, M., et al, Nature, Aug. 20, 1987, 328(6132), p.699-702, 21 refs.
Jéhanno, C., Robin, E., Hammer, C.
Counic dust, Dust, Ice sheets, Ice melting, Green-

Satellite altimeter measurements of the sooid in sea ice zones. Laxon, S.W.,

ice zones.

Laxon, S.W., et al. Advances in space research,
1986, 6(9), p.99-102, 11 refs.

Rapley, C.G.

Rader, C.G.

Radar schoes, Radar tracking, Mapping.

The Seasat radar altimeter provided surface height measurements to a precision better than 10 cm over the open ocean. ments to a precision better than 10 cm over the open ocean. The data have been used to produce maps of the ocean goold which reveal details of sub-aurface topography such as sea mounts, ocean trenches and mid-ocean ridges. In areas of the ocean covered by sea ics, however, the quasi-specular ice returns which occurred were incorrectly handled by the on-board processor. This resulted in a significant decrease in the precision of the surface height estimates. Consequently, researchers have generally eliminated data from regions where sea ice is suspected to have been present, including large areas of the antarctic ocean. A technique is described for significantly improving the height measurements over such areas permitting the mapping of the geoid in these regions. (Auth. mod.)

Temperature field of isolated buried pipeline. [Temperaturnoe pole izolirovannogo truboprovoda zaloz-

peratumoe pole izoirovannogo iruooprovota zaioz-hennogo v grunt, Sander, A.A., et al, Russia. Ministerstvo vysshego i srednego spetial'nogo obrazovaniia. Izvestiis vys-shikh uchebnykh zavedenii. Stroitel'stvo i arkhitek-tura, 1987. No.4, p.86-91, In Russian. 3 refa. Klimov, A.M.

Mathematical models, Underground pipelines, Ther-mal insulation. Soil temperature. Heat transfer.

Mathematical model of cutting ice with end-milling

cutters. (Matematicheskaia model' processa frezerovaniia l'da kontsevol frezol), Khudiskov, V.N., et al, Russia. Ministerstvo vyzshego i srednego spetsial'nogo obrazovaniia. Izvestiia vyzshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1987, No.4, p.113-115, In Russian. 3 refs. Kulisakov.

Ice cutting, Mathematical models, Ice cover thickness. Equipment.

42-405

Optimizing the compositions of chemical admixtures and hydrothermal treatment regime for producing concrete items. (Optimizatilis asstavov khimicheskikh dobavok i rezhimov teplovlazhnostnoi obrabotki pri izgotovlenii betonnykh izdeliš, Orushko, I.M., et al., Russia. Ministerstvo vysshego

Grushko, I.M., et al, Russia. Ministersivo vysahego i sucinego spestial'nogo obrazovania. Izvestiis vysshikh uchebnykh zavedenih. Stroitel'stvo i arkhitektura, 1987, No.4, p.134-137, In Russian. 6 refa. Lishanskii, B.A., Vedenskii, V.N., Puzyreva, N.P. Prefabrication, Concretes, Concrete admixtures, Concrete curing, Concrete hardening, Concrete strength, Frost resistance.

Transformation of feldspars in the sandy podsol pro-file of aorthern tsiga. (Ouenka preobrazovaniia pole-vykh shpatov v profile peschanogo podzola severnol

talgi, Shoba, S.A., et al, Moscow. Universitet. Vestnik. Seriia 17 Pochvovedenie, Apr.-June 1987, No.2, p.3-Seria 17 Pocavovecenie, Apr.-June 1987, No.2, p 9, In Russian with English summary. 7 refs. Ivanov, V.V., Komissarov, E.S., Gol'eva, A.A. Forest soils, Taign, Cryogenic soils, Soil profiles.

Mineralogy of clays in soils of forest tundra and northern taigs, Kols Peninsula. (Mineralogiia ilistogo veshchestva pochv lesotundry i severnor taigi

Kol'skog poluostrova, Gradusov, B.P., et al, Moscow. Universitet. Vest-nik. Seriis 17 Pochvovedenie, Apr.-June 1987, No.2, p.9-17, In Russian with English summary. 13

Umaevakaja I.S.

Cryogenic solls, Tundra, Forest tundra, Taiga, Clay minerals, Mineralogy.

Effect of cultivation on thixotropic properties of tun-dra soils. ¡Vliianie sel'skokhozialstvennogo osvoeniia izmenenie tiksotropnykh svojstv

na izmensine pochy, Manucharov, A.S., et al, Moscow. Universitet Vestnik. Seriis 17 Pochvovedenie, June-July 1987 No.3, p.42-47, In Russian with English summary.

Abrukova, V.V. Tundra, Cryogenic soils, Thixotropy, Soil structure, Congulation.

42-409

Pleistocene history of mountain forests and perigla-cial landscapes in southern East Siberia and Mon-golia. (Istoriia gornykh lesov i problema perigliatsia!) nykh landshaftov pleistotsena na iuge Vostochnoï Sibi-

nyan langanativo pietikotsena na luge vostocanol Sior-ri v Mongolli, Malaeva, E.M., Moscow. Universitet. Vestnik. Seriia 5 Geografiia, July-Aug. 1987, No.4, p.58-65, In Russian. 27 refs.

prest land, Mountain soils, Periglacial processes, Landscape types, Vegetation.

Mathematical modeling of the origin and forecasts of dangerous phenomena in nival-glacial belta. [Matematicakoe modelirovanie vozniknoveniis i prognoz opasnykh isvlenii nival'no-gliatsial'nogo pois-

Bozhinskii, A.N., Moscow. Universitet. Vestnik. Seriis 5 Geografiis, July-Aug. 1987, No.4, p.65-70, In Russian. 7 refs.

Slope processes, Mathematical models, Glaciers, Periglacial processes, Avalanches, Glacier surges, Nivation, Saow cover distribution, Forecasting, Alpine landscapes.

Role of glacial mudflows in the formation of Pleistoceme deposits of the southern shores of Lake Baykal.

¡Znachenie sele! v formirovanii otlozhenii ple!stot-

¿Chachemie seier v formirovami odoznemi pietstoi-sena iuzhnogo poberezh'ia Batkale, danye resursy, Ivanovakli, L.N., Geografiia i prirodnye resursy, July-Sep. 1985, No.3, p.35-42, In Russian. 12 refs. Glacial lakes, Ice dams, Moraines, Mudflows, Glacial

Structure and functioning of microbiocenoses in soils of south-taign facies of Priirtysh'e. (Struktura i funktsionirovanie mikrobiotsenozov v pochvakh iuzhno-ta-

sionirovanie mikrosiousenozov v pochvaku luznno-ta-ezhnykh fatali Priirtysh'ias, Antonenko, A.M., Geografiia i prirodnye resursy, Oct.-Dec. 1985, No.4, p.51-55, In Russian. 8 refs. Taiga, Cryogaule solla, Freeze thaw cycles, Soil com-position, Soil microbiology.

Hydroclimatic impact on increment and revegetation of stands in bog-moss pine forests of Priirtysh'e. ¿Vliianie gidroklimaticheskikh uslovii na prirost i vozobnovlenie drevostoev sfagnovykh sosniakov Priir-

tyah'ia, Kuz'menko, E.I., et al, Geografiia i prirodnye resursy, Oct.-Dec. 1985, No.4, p.56-61, In Russian. 22 refs. Poliuahkin, IU.V.

Porest solls, Seasonal freeze thaw, Taigs, Paludifica-tion, Land reclamation, Drainage.

Geographic analysis of flore in the Upper Chara Basin (Stanovoye Uplands), Geograficheskii analiz flory Verkhnecharskoi kotloviny (Stanovoye na-

flory Verameumann.

gor'e),
Garashchenko, A.V., Geografile i prirodnye resursy,
Oct.-Dec. 1985, No.4, p.61-70, In Russian. 24 refs.
Alpine tundra, Alpine landscapes, Deserta, Bald
peaks, Vegetation, Classifications.

42-415

Paragenetic sequence of rock streams and other genetic types of loose deposits. Paragenez kurumov s drugimi geneticheskimi tipami rykhlykh otlozhenly, Govorushko, S.M., Geografiis i prirodnye resursy, Oct.-Dec. 1985, No.4, p.70-77, In Russian. 23 refs. Rock streams, Solifluction, Moraines, Rock glaciers.

Role of snow cover in the formation of thermal regime noise of slow over in the formation of the regime of soils in Alpine tundres of the Verkhnyaya Kolyma Basia. (Rol' snezhnogo pokrova v formirovanii termicheskogo rezhima pochvy gornykh tundr basselna

cheekogo rezhima pochvy gornykh tundr basseina verkhnef kolymy, Alfimov, A.V., Geografiia i prirodnye resursy, Oct.-Dec. 1985, No.4, p.77-84, ln Russian. 8 refs. Alpias tundra, Cryogenic soils, Thermal regime, Snow cover effect.

Practical use of ice and snow for the national economy. Problemy ispol'zovaniia l'da i snega v praktike narodnogo khozialistvaj,

Alekseev, V.R., Geografiia i prirodnye resursy, Oct.-i)ec. 1985, No.4, p.182-185, In Russian. Ice physics, Ice (construction material), Snow physics, Snow (construction material), Economic analysis, Glaciology.

42.418

Strength of polymer fibrous composites under influence of cold climate factors.

Bulmanis, V.N., et al, International Symposium on

Composite Materials and Structures, Beijing, China, June 10-13, 1986. Proceedings, Lancaster, PA, Technomic Publishing Co., 1986, p.451-457, 4 refs.

Urzhumtsev, IU.S. DLC TA418.9.C6.1595 1986

Polymers, Cold weather performance, Static loads, Cold stress, Dumage, Mathematical models, Temperature effects.

42-419

Experimental correlation study on tensile failure pro-cesses and acoustic emission of GFRP law nate under temperature environments.
Fujii, T., et al, International Symposium on Composite

Full, 1, et al, international symposium on Composition Materials and Structures, Beijing, China, June 10-13, 1986. Proceedings, Lancaster, PA, Technomic Publishing Co., 1986, p.919-924, 5 refs.

DLC TA418.9.C6.1595 1986

Construction materials, Tensile properties, Acoustic measurement, Fiber optics, Tests, Temperature variations, Damage, Detection.

42-420

Low temperature tensile tests of glass-reinforced plastics.
Mentl, V., International Symposium on Composite

Materials and Structures, Beijing, China, June 10-13, 1986. Proceedings, Lancaster, PA, Technomic Publishing Co., 1986, p.961-965.
DLC TA418.9.C6.1595 1986

Plastics, Tensile properties, Low temperature tests, Fracturing, Construction materials.

Computer simulation for the analysis of radar echo-sounding of polar ice sheets. Sivaprasad, K., et al, *IEEE transactions on geoscience* 

and remote sensing, Sep. 1987, GE-25(5), p.564-569, 23 refs. Petrin, M.F.

Ice sheets, Radio echo soundings, Computer applica-tions, Models.

The goal of the work presented here is to model the time-domain reflected radar returns from polar ice sheets so that greater information can be gained from those returns. The re-sults obtained by modeling the ice sheets as lossless and mul-tilayered medis are shown to be consistent with the measured results. They also provide insights into the mechanisms affect-ing the radar returns. In particular, the simulations suggest that the internal reflections in the polar ice sheet are due more that the internal reflections in the polar ice sheet are due more to the variation in layer-to-layer permittivity rather than the conductivity. In addition, the best qualitative agreement between the simulations and the observed data was found when the permittivity variations in each layer were varied randomly about the mean dielectric constant of the ice sheet. Radar sounding scope traces of antarctic ice are shown and compared to the derived model. (Auth. mod.)

Sea (ce tracking by nested correlations.
Fily, M., et al, IEEE transactions on geoscience and remote sensing, Sep. 1987, GE-25(5), p.570-580, 18 refa.

Sea ice, Radar echoes, Remote sensing, Beaufort Sea.

Acid pulses from snowmelt at acidic Cone Pond. New Hampshire.

Hampshire.
Baird, S.F., et al, Water, air, and soil pollution, July 1987, 34(3), p.325-338, 31 refs.
Buso, D.C., Hornbeck, J.W.
Saowmeit, Saow impurities, Meltwater, Water chem-

istry, Chemical properties.

43-424
The street in the presence of glaza. Phenomena, skid resistance and prediction. (La route en présence de vergias. Phénomènes, adhérence, prévisions), Livet, J., Revue générale des routes et des strodromes, Mar. 1987, No.639, p.72-82, In French with English,

German and Spanish summaries.
Glaze, Road icing, Ice forecasting, Skid resistance,
Monitors, Meteorological factors.

42-425
Meteorology and winter trafficability. [Météorologie et viabilité hivernale],
Roussel, J.-J., Revue générale des routes et des aérodromes, Peb. 1987, No.638, p.47-56, In French with
English, German and Spanish summaries. 3 refs. Road icing, Meteorological factors, Trafficability, Winter maintenance.

Effect of solar radiation reflected from snow on solar

Nakahara, K., et al, Oyo Buturi, Dec. 1986, 55(12), p.1182-1189, In Japanese with English summary. 9

Yui, N., Kataoka, S. Solar radiation, Electric power, Snow optics, Reflec-

42-427

Near-inertial current oscillations in the vicinity of the Bering Sea marginal ice zone.

Lagerloef, G.S.E., et al, Journal of geophysical research, Oct. 15, 1987, 92(C11), p.11,789-11,802, 28

refs Muench, R.D.

Ocean currents, Sea ice, Ice edge, Ice cover effect, Bering Sea.

Geology of oil and gas deposits in the Siberian plat-form. (Geologiia mestorozhdenii nefti i gaza Sibirskoi

torms. (Cocologia mestoroznocim netti 1 gaza Sibirskoi platformy), Mel'nikov, N.V., ed, Novosibirsk, 1984, 118p., In Rus-sian. For selected paper see 42-429. 9 refs. Grebeniuk, V.V., ed. DLC TN870.5.G394

Geologic structures, Permafrost distribution, Natural

Hydrogeological conditions of the Srednetyungskoe gas-condensate deposit. Gidrogeologicheskie us-loviis Srednetiungskogo gazokondensatnogo mes-

iovia Srednetungskogo gazokondensatnogo mes-torozhdeniia, Surnin, A.I., Geologiis mestorozhdenii nefti i gasa Sibirskof platformy (Geology of oil and gas deposits in the Siberian platform) edited by N.V. Mel'nikov and V.V. Grebeniuk, Novosibirsk, 1984, p.104-115, In Russian. 9 refs

DLC TN870.5.G394

Permafrost distribution, Geologic structures, Profiles. Natural gas.

Morphostructures of the central type in the Far East. (Morfostruktury tsentral'nogo tipa Dal'nego Vos-

tokaj, Kulakov, A.P., ed, Vladivostok, 1984, 124p., In Russian. For selected paper see 42-431. Tashchi, S.M., ed.

DLC QE613.5.S65M67

Mining, Mountains, Geomorphology, Tectonics, Fracture zones, Glacial hydrology, Naleds.

Naled plains and placer formation processes in north-

reace plains and placer formation processes in north-ern Priokhot'e. [Nalednye poliany i process ros-sypeobrazovanila na severo-zapade Priokhot'ia, Shamraf, E.I., Morfostruktury tsentral'nogo tipa Dal'-nego Vosiloka (Morphostructures of the central type in the Far East) edited by A.P. Kulakov and S.M. Tash-chi, Vladivostok, 1984, p.99-107, In Russian. 12 refs. DLC QE613.5.S65M67 Placer mining, Fracture zones, Naleds, Mountains.

42-432

Factors important to the development of frost heave susceptibility criteria for coarse-grained soils. Vinson, T.S., et al, Transportation research record, 1986, No.1089, p.124-131, 16 refs. Ahmad, F., Rieke, R.

Frost heave, Frost resistance, Soil structure, Grain size, Tests, Analysis (mathematics).

42.411

Control of frost penetration in road shoulders with

Insulation boards.

Kubo, H., et al, Transportation research record, 1986, No.1089, p.132-137, 7 refs.

Frost penetration, Roads, Thermal insulation, Frost heave, Frost protection, Damage, Countermeasures, Design, Rosins.

Determination of the critical thaw-weakened period in asphalt pavement structures. McBane, J.A., et al., Transportation research record, 1986, No.1089, p.138-146, 4 refs.

Hanek, G.

Thaw weakening, Roads, Bitumens, Pavements, Soil temperature, Freezing points, Measuring instru-

42-435

Frost action predictive techniques: an overview of re-

Frost section productive techniques: an overview of research results.

Johnson, T.C., et al, Transportation research record,
1986, No.1089, MP 2267, p.147-161, 30 refs.

Berg, R.L., DiMillio, A.

Frost action. Frost heave, Thaw weakening, Frost resistance, Freeze thaw tests, Soil freezing, Tests, Freeze thaw cycles, Models.

Preseze thaw cycles, Models.

A 6-year research program has materially advanced the state of knowledge regarding frost heave and thaw weakening affecting roads and airfield pavements. The investigations included development and performance of laboratory tests, development of computer models, testing and data collection at field pavement test sites, and validation of the laboratory procedures and computer models against field data. Specific advances include development of a new freezing test to assess the frost susceptibility of soil; development and validation of a mathematical model serving to predict frost heave and thaw consolidation; development of a laboratory test procedure to determine the resilient modulus of frozen, thawed, and recovering granular soils; and opment of a laboratory test procedure to determine the resultent modulus of frozen, thawed, and recovering granular soils, and conceptualization and testing of a technique for combining the frost heave and thaw consolidation model, the laboratory resili-ent modulus test, and a pavement response model to predict the nonlinear resilient modulus of granular soils and base course materials as variables in time and space.

A2-430.

Local melting of ice cover by thermal side effluent.

Sarraf, S., et al, Journal of cold regions engineering.

Sep. 1987, 1(3), p.105-121, 11 refs.

Al-Saleh, W.

River ice, Ice melting, Icebound rivers.

Pasquarell, G.C., et al, Journal of cold regions engineering, Sep. 1987, 1(3), p.122-132, 13 refs.
Shen, H.T. Hydraulic analysis for ice-covered channel networks.

Ice cover effect, Water flow, Channels (waterways).

42-438

Design/construction considerations for subarctic wastewater plant.

Damron, F.J., Journal of cold regions engineering,

Sep. 1987, 1(3), p.133-144.

Waste treatment. Water treatment, Industrial buildings.

Signal level degradation due to snow accretion on a

Shimba, M., et al, Electronics letters, July 2, 1987, 23(14), p.739-741, 2 refs.
Sato, T., Koike, H., Sato, K.
Snow cover effect, Radomes, Attenuation, Radio

Antarctic automatic weather station data for the calendar year 1986. Sievers, M.F., et al. Madison, University of Wisconsin.

1987, 268p.
Weidner, G.A., Stearns, C.R.
Westher observations, Weather stations, Measuring instruments, Data transmission.

instruments, Data transmission.

The automatic weather station (AWS) networks provide surface weather observations for specific meteorological experiments on the antarctic continent. At three-hourly intervals the AWS measures sir temperature, wind speed and direction at nominal heights of 3 m, and air pressure at the electronics enclosure, usually at a height of 1.5 m above the surface. In addition, some AWS units measure the vertical sir temperature difference between 3 and 0.5 m above the surface and relative humidity at 3 m above the surface are remainal since anow accumulates after installation. Data transmitted by since anow accumulate after installation. Data transmitted by the AWS are received and stored by the ARGOS data collection system on the NOAA series of polar orbiting satellites. ARGOS data are retransmitted by the satellite and are received and processed to scientific unit by a local user terminal at McMurdo. Tables and figures give information about individual studies, their locations, and the principal investigators with affiliation. AWS data are presented as monthly summaries and as daily raw data readings. The report concludes with descriptions of instrument calibration procedures for each element measured and brief reports about each AWS. (Auth. mod.) mod.)

42-441

Umderwater technical work. Technology and mechanization. Podvodno-tekhnicheskie raboty. Tekhnologiia i sredstva mekhanizataii, Gol din, E.R., Moscow, Transport, 1987, 200p. (Per-

Colonia, E.K., Moscow, Fransport, 1987, 200p. (Fertinent p. 163-184), in Russian with sbridged English table of contents enclosed. 37 refs.
Underwater ice, Subglacial observations, Hydraulic structures, Earthwork, Hydraulic jets, Diving, Excavation, Cold weather construction.

42-442

42-442
Freezing and warming of ground with the sid of cooling devices. ¿Zamorazhivanie i nagrev grunta a pomoshch'iu okhlazhdaiushchikh ustroisty,
Vasil'ev, L.L., et al, Minak, Nauka i tekhnika, 1986, 192p., In Russian with English table of contents enclosed. 198 refs.
Vaaz, S.L.
Cold weather construction, Cryogenic soils, Swampa, Frozen ground, Thermopiles, Soil water, Phase transformations, Buildings, Roads, Foundations, Artificial freezing, Cold weather tests, Design, Computer applications. plications

42-443

Utilization of explosion energy in meliorative con-

Utilization of explosion energy in meliorative construction, (Ispo) zovanie energii vzryva v meliorativnom stroitel stvej, Kraveta, V.G., et al, Moscow, Nedra, 1987, 208p., In Russian. 50 refs.
Luchko, I.A. Mikhaliuk, A.V.
Soli physics. Soli mechanics, Cohesion, Soli water, Saturation, Soil compaction, Foundations, Settleman (structural). Thiortowy Explosion afformatics. ment (structural), Thixotropy, Explosion effects.

42-444

Piles in permafrost. Heydinger, A.G., Journal of cold regions engineering, June 1987, 1(2), p.59-75, 32 refs. Piles, Pile load tests, Permafrost.

47-445

Thawing frozen ground: field trials and analysis. Oswell, J.M., et al, Journal of cold regions engineering, June 1987, 1(2), p. /6-88, 3 refs.

Graham, M.D.

Ground thawing, Artificial thawing, Heating.

42-446

Ice transport by wind, wave, and currents. Wake, A., et al, Journal of cold regions engineering, June 1987, 1(2), p.89-103, 22 refs.

Poon, Y.K., Crissman, R. Ice floes, Drift, Wind factors, Water waves, Ocean currents.

42-447

Regional characteristics of snow cover in the mountain region of central Japan.

main region of central sapan.

Watanabe, O., et al, Journal of earth sciences Nagoya
University, Dec. 1986, Vol.34, p.67-108, 8 refs.

Snow cover structure, Snowfall, Snowflakes, Snow cover distribution, Japan.

42-448

Changes in mass balance, velocity, and surface profile along a flow line on Barnes Ice Cap, 1970-1984. Hooke, R.L., et al, Canadian journal of earth sciences, Aug. 1987, 24(8), p.1550-1561, With French sum-28 refs.

Glacier mass balance, Glacier flow, Ice sheets, Canada—Northwest Territories—Baffin Island.

42-449

High-strength cast concretes. [Effektivnye litye

betonyj, Dvorkin, L.I., et al. L'vov. Vyshcha ahkola, 1986. 143p., In Russian with abridged English table of con-tents enclosed. 69 refs. Kizima, V.P.

Concrete structures, Concrete aggregates, Concrete freezing, Cements, Concrete strength, Concrete hard-ening, Frost resistance, Concrete admixtures.

42-450

Magneto-elastic converters in nava<sup>1</sup> automation. (Magnitouprugie preobrazovateli v sudovoĭ avtoma-

Tiken, Zhadobin, N.E., Leningrad, Sudostroenie, 1985, 95p. (Pertinent p.3-9, 87-89), In Russian with abridged English table of contents enclosed. 57 refs. Ships, Ice navigation, Ice pressure, Ice loads, Measuring instruments.

Construction and operation of railroad tracks. [Ustroistvo i ekspluatatsiia puti],
Amelin, S.V., et al, Moscow, Transport, 1986, 238p.
(Pertinent p. 217-230). In Russian with abridged English table of contents enclosed.

Railroads, Subgrades, Railroad tracks, Cold weather operation, Ice prevention, Winter maintenance, Snowdrifts, Snow removal, Equipment.

42-452

Snow-sheds and solar screens for permafrost protection.
Esch, D.C., Alaska. Dept. of Transportation and

Public Facilities. Research notes, July 1987, 7(1), 2p. Permafrost preservation, Permafrost thermal proper-ties, Snow cover effect, Permafrost beneath roads, Freeze thaw cycles, Solar radiation, Slope orienta-tion, Frozen ground settling, Embankments, Counter-

42-453

Evidence of a partially grounded Pleistocene ice sheet in Hudson Strait.

Woodworth-Lynas, C.M.T., Newfoundland and Lab-rador Quaternary Association (NLGUA). Newslet-ter, July 1986, No.7, Memorial University of Newfoundland. Centre for Cold Ocean Resources Engineering. C-Core information publication, 86-F, 4p., 4

Ice mechanics, Ice sheets, Marine deposits, Pleisto-cene, Topographic features, Marine geology, Glacis-tion, Sediment transport, Canada—Hudson Strait.

42-454

Seabed investigations on Newfoundland's continental shelf.

saen.
Segall, M.P., et al, Newfoundland journal of geological education. Jan. 1986, 9(1), Memorial University of Newfoundland. Centre for Cold Ocean Resources Engineering. C-Core information publication, 86-C, p.41-48, 2 refs. Christian, A.D.

Marine geology, Marine deposits, Ocean bottom, Remote sensing, Acoustic measuring instruments, Canada—Newfoundland.

42-455

Geotechnical properties of two deep sea marine soils from Labrador Sea area.

Morin, P., et al, Memorial University of Newfoundland. Centre for Cold Ocean Resources Engineering.

C-Core publication, 86-24, Canadian Conference on Marine Geotechnical Engineering, 3rd, St-John's, Newfoundland, June 11-13, 1986. Proceedings, [1986], 21p., 21 refs. Dawe, C.R.

Marine geology, Marine deposits, Scanning electron microscopy, Ocean bottom, Drill core analysis, Shear strength, X ray analysis, Canada—Labrador.

42-456

Columbia Glacier in 1986: 800 meter retreat. Krimmel, R.M., U.S. Geological Survey. Open-file report, 1987, 87-207, 7p., 11 refs. Glacier oscillation, Glacier flow, Seasonal variations,

Velocity, Calving, United States-Alaska-Columbia Glacier.

42-457

Bureau of Land Management (BLM) cadastral survey monument tests for freeze thaw conditions. Link, E., Anchorage, Alaska, U.S. Bureau of Land Management, [1987], 35p., Unpublished manuscript.

Preeze thaw cycles, Structures, Frost heave, Con-struction materials, Tests, Damage.

42-459

Electro-expulsive aircraft deicing system.
Haslim, L.A., et al, U.S. National Aeronautics and
Space Administration, Ames Research Center, Tech
brief, ARC-11613, [1986], 32p.

Lee. R.D.

Aircraft icing, Ice prevention, Electric heating, Ice removal, Helicopters.

42-459

Superstructure ice accretion guidance for Alaskan wa-

Feit, D., U.S. National Weather Service. Technical procedures bulletin, Dec. 1986, No.366, 3p. + graphs,

Ship icing, Ice accretion, Superstructures, Icing rate, Safety, Wind velocity, Sea water freezing, Seasonal variations, Air temperature, Water temperature

Digital data base of lakes on the North Slope, Alaska. Walker, K.-M., et al, U.S. Geological Survey. Water-Resources Investigations report, 1986, No.86-4143, 13n.

York, J., Murphy, D., Sloan, C.E.

Lake ice, Lakes, ice cover thickness, Ice conditions, Remote sensing, Permafrost distribution, Water reserves, Computer applications, Data processing, United States—Alaska—North Slope.

42-461

Quantity and quality of urban runoff from the Chester

Creek basin, Anchorage, Alaska.
Brabets, T.P., U.S. Geological Survey. Water-Resources Investigations report, 1987, No.86-4312, 58p.,

Runoff forecasting, Stream flow, Snowmelt, Surface waters, Water chemistry, Water pollution, Rain, Suspended sediments, United States—Alanka—Chester Creek.

42-462

rost resistance of F-concrete. Vesikari, E., Finland. Technical Research Centre. Research report, Apr. 1987, No.474, 35p., 4 refs. Concrete freezing, Frost resistance, Freeze thaw tests, Concrete strength, Microstructure, Salinity, Porosity, Cracking (fracturing), Corrosion, Compressive properties.

42.463

Pactors affecting water migration in frozen soils. Xu, X., et al, U.S. Army Cold Regions Research and Engineering Laboratory, July 1987, CR 87-09, 16p., ADA-184 796, 20 refs. Oliphant, J.L., Tice, A.R.

Soll water migration, Unfrozen water content, Frozen ground physics, Tests, Nuclear magnetic resonance, Temperature gradients, Water chemistry, Density (mass/volume), Temperature effects.

Density (mass/volume), Temperature effects.
Soil-water potential was measured on three soils and influencing factors, including water content, soil texture, dry density and temperature, were investigated. The soil-water potential in unsaturated, unfrozen soils decreases with decreasing soil water content and soil dispersion, and increases with increasing temperature and dry density. Unfrozen water contents were determined by pulsed nuclear magnetic resonance and three factors thought to affect the unfrozen water content at a given temperature were investigated. Of these three factors, only increasing the salt concentration caused a large change in the unfrozen water versus temperature curves. Water migration in an unsaturated frozen soil (Morin clay) was determined in the sait concentration caused a large change in the unfrozen water versus temperature curves. Water migration in an unsaturated frozen soil (Morin clay) was determined in horizontally closed soil columns under linear temperature gradients. The flux of water migration was calculated from the water distribution curves before and after testing. The flux is directly proportional to the temperature gradient and inversely proportional to the square root of the test duration, and decreases with decreasing temperature and soil dry density.

Proceedings, 5th International Congress, Interna-tional Association of Engineering Geology, 20-25 October 1986, Buenos Aires.

International Congress of the International Association of Engineering Geology, 5th, Buenos Aires, Oct. 20-25, 1986, Rotterdam, A.A. Balkema, 1986, 4 vols., With French summaries. Refs. passim. For selected papers see 42-465 through 42-470. Engineering geology, Frozen ground physics, Freeze thaw cycles, Geomorphology, Meetings.

In-edts observations on an expansive clay subjected to freezing and thawing.

Wagner, J.F., et al, International Congress of the International Association of Engineering Geology, 5th, Buenos Aires, Oct. 20-25, 1986. Proceedings, Rot-terdam, A.A. Balkema, 1986, p.763-768, 13 refs., With French summary.

Czurda, K.A.

Procze thaw cycles, Clays, Ice leases, Frost heave, Frost penetration, Soil water migration, Geocryology, Tests.

42-466

Analysis of the damage of the structure caused by the freezing and thawing of the subsoil.

Li, Y., et al, International Congress of the International Association of Engineering Geology, 5th, Buenos Aires, Oct. 20-25, 1986. Proceedings, Rotterdam, A.A. Balkems, 1986, p.923-929, 5 refs., With French summary. Bao. Y.

Freeze thaw cycles, Frozen ground settling, Founda-tions, Buildings, Damage, Compressive properties, Cold storage, Settlement (structural), Temperature effects.

42-467 Shear strength of sands during increasing pore pres-

Kaczyński, R.R., International Congress of the International Association of Engineering Geology, 5th, Buenos Aires, Oct. 20-25, 1986. Proceedings, Rotterdam, A.A. Balkema, 1986, p.981-989, With French summary.

Frozen ground strength, Shear strength, Water pressure, Soil water, Sands, Microstructure, Shafts (excavations), Linings, Friction.

42-468

Characteristic parameters of interest to the effects of the hydroelectric development of the Spanish glacier

Sáenz Ridruejo, C., et al, International Congress of the International Association of Engineering Geology, 5th, Buenos Aires, Oct. 20-25, 1986. Proceedings, Rotterdam, A.A. Balkema, 1986, p.1207-1215, 11 refs., With French summary. refs., With Fre Gil Sauri, M.A.

Glacial lakes, Geomorphology, Electric power, Glaci-

ology, Spain.

42-469

Damage of ice cone and ice dome to railway construc-tion and its prevention and treatment. Zheng, Q., International Congress of the International Association of Engineering Geology, 5th, Buenos Aires, Oct. 20-25, 1986. Proceedings, Rotterdam, A.A. Balkema, 1986, p.1559-1565, 6 refs., With French summary.

Railroad equipment, Ice formation, Freeze thaw cycles, Ice prevention, Permatrost beneath roads, Ice removal, Damage, Structures, Soil water, Engineering.

42-470

Engineering geology of high-erect power transmission lines in China and modern computing technique. Di, Z., et al, International Congress of the International

al Association of Engineering Geology, 5th, Buenos Aires, Oct. 20-25, 1986. Proceedings, Rotterdam, A.A. Balkema, 1986, p.1567-1572, With French sum-Mary.

Engineering geology, Transmission lines, Frozen ground strength, Sands, Karst, Loess, Computer applications, China.

Fast glacier flow: ice streams, surging, and tidewater

glaciers.
Clarke, G.K.C., Journal of geophysical research,
Aug. 10, 1987, 92(B9), p.8835-8841, 59 refs.
Glacier flow, Glacier mass balance, Glacier surges, Greenland, Antarctica.

Greenland, Antarctica.

An overview is presented of fast flowing glaciers, showing many of the variations that have been noted among different glacier types. Glaciers and ice streams of Greenland and Antarctica serve as examples in the discussions. Jakobshava Glacier in Greenland is the world's fastest moving glacier at 8,360 m/yr. Rutford lee Stream and Ice Stream B in West Antarctica flow at rates of 400 and 827 m/yr, respectively. Discussions ensue as to how fast glaciers should flow, and the causes of fast flow and sources of instability.

42-472

Antarctic ice streams: a review.

Bentley, C.R., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8843-8858, 69 refs.

Ice sheets, Glacier flow, Ice creep, Ice models, Antarctica—Ross Ice Shelf.

An ice stream is a part of an inland ice sheet that flows rapidly through the surrounding ice. The "Ross ice stream, which he West Anarctic inland ice into the Ross ice Shelf, are distinct in character, differing even from other ice streams in the marine ice sheet of West Antarctica. Their surface clevation profiles are low, their bed slopes are low and smooth, and their driving stresses diminish monotonically downglacier. In transverse profile they are broader in relation to ice thickness and exhibit shallower subglacial troughs, than other ice streams. Many models for the fast sliding of glaciers have been applied to the Ross ice streams; most have included in some form a reduction in basal drag resulting from a lesser have been applied to the Ross ice streams; most have included in some form a reduction in basal drag resulting from lesser effective than glaciostatic pressure at the bed. The recent discovery of a very small effective pressure beneath one ice stream consequently has led to some gross errors in the velocities predicted by the models. The difficulty may be resolved if it is true, as recent experiments suggest, that ice stream B, and by extrapolation other Ross ice streams as well, slide on a deforming bed that absorbs most or all of the differential motion between the ice and the bedrock. (Auth.)

Morphology of Ice Streams A, B, and C, West Antarctica, and their environs.

Shabtaie, S., et al. Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8865-8883, 37 refs. Whillans, I.M., Bentley, C.R.

Glacier ice, Ice structure, Echo sounding, Mapping, Antarctica—West Antarctica.

Antarctica—West Antarctica.

Althorne radar soundings of the ice sheet aurface made in 19841985 together with elevations measured by oversnow traverses
between 1957 and 1964 have been used to produce a surface
levation map of Ice Streams A, B, and C and much of the
region around them. The surfaces of active Ice Streams A and
B exhibit a longitudinal ridge-trough topography of uncertain
origin. Prominent surface valleys are associated with most of
their marginal shear zones. There is a deep subglacial trough
beneath the grid northeastern side of Ice Stream A that connects to the subglacial trough beneath Reedy Glacier. Between Ice Streams B1 and B2, the tributaries of Ice Stream B,
there is a complex zone containing several regions of undistween Ice Streams B1 and B2, the tributaries of Ice Stream B, there is a complex zone containing several regions of undisturbed ice separated by bands of disturbed ice, which suggest that "rafts" of ice are being incorporated into the ice streams. Inactive Ice Stream C differs from the two active streams in surficial and basal characteristics. No elongated ridges and troughs are observed; instead, the ice stream surface exhibits several terraces, including some maxima and minima in elevation. Radar sounding reveals streas where basal echoes are strong and steady, indicating subglacial water, alternating with areas of weaker echoes with short fading lengths. (Auth. mod.)

Ice dynamics at the mouth of Ice Stream B, Antarctice.

tica. Bindschadler, R.A., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8885-8894, 39 refs. Stephenson, S.N., MacAyeal, D.R., Shabtaie, S. Ice sheet, Glacier flow, Ice mechanics, Glacier mass balance, Antarctica—West Antarctica.

basance, Antarcustance vor a field data collected at the mouth of Ice Stream B show that the flow dynamics of this region are distinctly different than either the major portion of the lice stream upstream or the los shelf downstream. Surface slopes in this region are as low as ice shelf surface slopes, yet with the exception of patches of ice which may be floating, the ice is grounded. Basal shear stress is negligible. The surface is generally crevasse-free. Features amiliar to ice rises are observed upstream of the grounding line. The flow is laterally extensive and longitudinally compressive, but there are large local variations of the strain rate from the regional trends. The boundary between the two major tribuses to lee Stream B is characterized by a band of strain rates much smaller than average. Detailed measurements at the downstream B network confirm that there is a strong correlation between surface topography and strain rates. The strain

adwinstream is network continuin that there is a strong correction between surface topography and strain rates. The strain rates indicate that the undulating topography is locally general. A velocity profile across the crevased northern mergin shows that the decrease of velocity toward the edge is nearly linear. A calculation of ice stream discharge at this location agrees closely with two rather rough estimates of balance than a third estimate. (Auth. mod.)

Tensile strength of frozen silt.

Zhu, Y., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Aug. 1987, CR 87-15, 23p., ADA-185 483, 8 refs.

Carbee, D.L.

Frozen ground strength, Tensile properties, Soil physics, Strains, Sediments, Unfrozen water content.

Constant strain-rate tension tests were conducted on remolded

Constant strain-rate tension tests were conducted on remolded saturated frozor Fairbanks silt at various temperatures, strain rates, and densities. It was found that the critical strain rate of the ductile-britist transition is not temperature-dependent at temperatures down to -5 C, but varies with density. The transition occurs at a strain rate of 0.01/s for medium-density silt and 0.003/s for low-density silt. The peak tensile strength decreases considerably with decreasing strain rate for ductile faiture, but it decreases slightly with increasing strain rate for brittle fracture. The failure strain remains almost constant at temperatures lower than about -2 C, but it veries with density and strain rate at -5 C. The initial tangent modulus is independent of strain rate and increases with decreasing temperature and density.

42-476

Till beneath Ice Stream B. 1. Properties derived from seismic travel times.

trom seismic travel times.

Blankenship, D.D., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8903-8911, 29 refs.

Bentley, C.R., Rooney, S.T., Alley, R.B., Casheets, Marine geology, Subglacial observations, Sediments, Seismic reflection, Antarctica—West An-

Seismic experiments conducted on Ice Stream B, part of the marine ice sheet of West Antarctica, show a meters-thick layer immediately beneath the 1000-m-thick ice. A seismic experiment consisting of wide-angle reflection profiling along a line parallel to ice stream flow was conducted to determine the properties of this layer. Inversion of seismic travel times yields a compressional wave speed of less than 1700 m/s and a shear wave speed ismiply that the material in the layer is highly porous and is asturated with water at a high pore pressure. Based on wave speeds im other saturated, unconsolidated sediments, it is suggested that a porosity substantially greater than 0.32, probably around 0.4, and an excess of overburden pressure over pore pressure only 50 kPa (0.5 bar) characterize the layer at this location. (Auth.) Seismic experiments conducted on Ice Stream B. part of the

42-477

Till beneath Ice Stream B. 2. Structure and continuity.

tissury, Rooney, S.T., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8913-8920, 18 refs. Blankenship, D.D., Alley, R.B., Bentley, C.R. Ice sheets, Subplacial observations, Sediments, Seis-

mic reflection, Antarctica—West Antarctics.

During the 1984-1985 antarctic field season, 8.3 km of high-During the 1934-1985 antarctic field season, 8.3 km of high-resolution sessime reflection data were collected in order to image a thin till layer beneath Ice Stream B. West Antarctica. Two parallel seismic reflection lines were oriented transverse to ice flow. These data show that the till layer varies in thickness but is continuous over almost the entire length of the profiles with an average thickness of 6.5 m. The upper surface of the till layer is smooth, but the lower boundary is fluted parallel to flow. These till-filled flutes are as much as 13 m deep and 1000 m across. Nowhere on the profiles can any feature be dis-cerned to penetrate more than a few meters into the ice from the bed. Reflection events from lithfied sediments of un-known type are observed to be truncated by the till in an angular unconformity. (Auth.)

42-478

Till beneath Ice Stream B. 3. Till deformation: evi-

In Deserta IC 2 Stream B. 3. Ill deformation: evidence and implications.
Alley, R.B., et al. Journal of geophysical research,
Aug. 10, 1987, 92(B9), p.8921-8929, 58 refs.
Blankenship, D.D., Bentley, C.R., Rooney, S.T.
Icc sheets, Subglacdal observations, Sediments, Glacier flow, Antarctica.—West Antarctica.

Coer 160W, Antarctica—versa Antarctica
Most of the velocity of ice stream B near the Upstream B cusp
(UpB), West Antarctica, appears to arise from deformation of
a seismically detected, subglacial till layer that averages 6 m
thick. Available evidence indicates that the entire thickness of
this till layer is deforming and is eroding subjacent bedrock into
flutes parallel to ice flow and hundreds of meters across. The flutes parallel to ice flow and hundreds of meters across. The resulting till flux beneath UBB is equivalent to an average crosson rate of about 0.4 mm/yr in the catchment area and suggests that till deltas tens of kilometers long have been deposited at the grounding line during the Holocene. Such deltas should be characterized by partial ice-till decoupling across a water film and by a small ice-air surface slope. (Auth.)

Till beneath Ice Stream B. 4. A coupled ice-till flow

Alley, R.B., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8931-8940, 32 refs. Blankenship, D.D., Rooney, S.T., Bentley, C.R. Ice sheets, Sediments, Flow rate, Models, Antarctica

-West Anterctics.

—West Antarctics.

A nonsteady model of an ice stream flowing on deforming till shows that the system responds rapidly and in a stable manner to reasonable marginal perturbations. For the model one-dimensional flow and continuity of ice and till are required; linear viscous till theology and balance between the driving stress for ice flow and the resistive stress at the bed are assumed. This allows coupled equations to be written for the time rate of change of the ice thickness and the till thickness in terms of these thicknesses and the till viscosity. An analytic, stresdy state solution for ice stream B shows that till viscosity decreases alwayl downstream, probably in response to decreasing effectively downstream, and the stream of state solution for ice atream B shows that till viscosity decreases slowly downstream, probably in response to decreasing effective pressure downstream. Nonsteady numerical experiments with fixed ice thicknesses at the ends show that a marginal perturbation causes a wave of adjustment to travel the length of the ice stream in about 50 years, with a new steady state in about 200 years. Changes in till thickness tend to moderate perturbations in the ice and thus stabilize the system. (Auth.)

42-480

Use of a new finite element continuity model to study the transient behavior of Ice Stream C and causes of

its present low velocity.

Fastook, J.L., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8941-8949, 10 refs.

Ice sheets, Flow rate, Models, Subglacial observa-tions, Antarctica—West Antarctica.

The finite element technique is used to solve the continuity equation for two modeling experiments which investigate the

response of ice Stream C to changes in the boundary conditions. By comparison of the results of these experiments it is possible to delineate the mechanism responsible for the anomalously low observed velocity. These experiments are (1) the sudden capture of a major portion of lee Stream C's eatchment area by neighboring lee Stream B and (2) the sudden removal of a salding bed condition along a major portion of lee Stream C. The results of these experiments favor the second scenario over The first as being responsible for the present state of ice Stream C and suggest that the sliding condition on ice Stream C disappeared approximately 2000 years ago. (Auth.) 42-481

Glaciological studies on Rutford Ice Stream, Antarctire.

Doske, C.S.M., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p. 9951-8960, 21 refs. Ice sheets, Flow rate, Basal sliding, Glacier mass bal-

ance, Antarctics-Rutford Ice Stream, Antarctics-Ronne Ice Shelf.

Ronne Ice Shelf.

Rutford Ice Stream drains part of the West Antarctic ice sheet into Ronne Ice Shelf. Much of the drainage basin has a bed well below see level and could undergo substantial change if a climatic warming were to cause sustained thirning of Ronne Ice Shelf. Snow accumulation data suggest that an accumulation rate of 0.51 mg/sq m/yr is required for balance. Velocities at 5 sites have been calculated using doppler satellite position measurements. When the velocities are combined with cross-sectional areas of the ice atream measured by radio echo sounding, mass flux figures show that drag at the sidewalls and on the harmonic decrease downstream toward the grounding line. ing, mass flux figures show that drag at the sidewalls and on the base must decrease downstream toward the grounding line. The increasing influence of buoyancy forces on ice attemm motion is also shown by the steady rise in the ratio of bedrock depth to ice thickness going downstream along the network. Below the grounding line that was found to cross the middle part of the earlier network is a zone stretching for a further 100 km where it can now be shown that the ice stream is intermitently grounded. In these grounded areas the glacier bed is raised with respect to the surrounding seabed and forms extensible features. Surface elevations over the grounded areas are features. Surface elevations over the grounded areas are than 30 m above those needed for hydrostatic equilibrium. like features (Auth.)

42-482

Columbia Glacier, Alaska: changes in velocity 1977-1986.

Krimmel, R.M., et al, *Journal of geophysical research*, Aug. 10, 1987, 92(B9), p.8961-8968, 9 refs. Vaughn, B.H.

Glacier oscillation, Glacier flow, United States Alaska—Columbia Glacier.

42-483

Analysis of time series of glacier speed: Columbia Glacier, Alaska.

Walters, R.A., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8969-8975, 13 refs.

Dunlap, W.W.
Tides, Glacier oscillation, Glacier flow, Diurnal variations, United States—Alaska—Columbia Glacier.

Gravity anomaly at a Pleistocene lake bed in NW Alaska interpreted by analogy with Greenland's Lake Taserssauq and its floating ice tongue. Barnes, D.F., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8976-8984, 38 refs.

Gravity anomalies, Glacial lakes.

42-485

Rapid soft bed sliding of the Puget giacial lobe. Brown, N.E., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8985-8997, 59 refs. Hallet, B., Booth, D.B.

Glacier flow, Glacial hydrology, Basal sliding.

Sliding phenomena in a steep section of Balmorngletscher, Switzerland.

gletscher, Switzerrand. Röthlisberger, H., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.8999-9014, 17 refs. Ice structure, Avalanches, Basal sliding, Switzerland -Balmorngletscher.

42-487

Observations on the distribution and characteristics of potholes on surging glaciers.

Sturm, M., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.9015-9022, 9 refs. Glacier surfaces, Glacier surges, Glacial hydrology. 42-488

Subglacial till: a physical framework for its properties and processes.

Clarke, G.K.C., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.9023-9036, 50 refs. Glacial deposits, Glacial hydrology, Glacier mass balance, Subglacial observations.

42-489

Propagation of a glacier surge into stagnant ice. Propagation of a giacter surge into stagnant rec. Raymond, C., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.9037-9049, 8 refs. Johannesson, T., Pfeffer, T., Sharp, M. Glacier surges, Basai sliding, Glacier flow, Ice deformation, United States—Alaska—Variegated Glacier. 42-490

Meier, M.F., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.9051-9058, 29 refs.

Glacier flow, Glacier surges, Calving, Glacial hydrology, United States—Alaska—Columbia Glacier.

42-491 Sediment deformation beneath electors: rhoology and

Section of the consequences.

Boulton, G.S., et al, Journal of geophysical research,
Aug. 10, 1987, 92(B9), p.9059-9082, 27 refs.

Hindmarsh, R.C.A.

dmarsh, R.C.A. Subgiacial observations, Sediments, Glacial hydrology, Basal sliding, Iceland—Breidamerkurjökull.

Glacier surge mechanism based on linked cavity configuration of the basal water conduit system. Kamb, B., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.9083-9100, 35 refs. Glacier surges, Subglactal drainage, Glacial hydrology, United States—Alaska—Variegated Glacier.

42-493
Realistic, yet simple bottom boundary conditions for glaciers and ice sheets.
Liboutry, L., Journal of geophysical research, Aug. 10, 1987, 92(B9), p. 9101-9109, 34 refs. Boundary value problems, Glacier beds, Ice sheets, Glacier flow, Rheology.

42-494

Theory of glacier surges.
Fowler, A.C., Journal of geophysical research, Aug.
10, 1987, 92(B9), p.9111-9120, 50 refs.
Glacier flow, Glacier surges, Models, Basal sliding.

42-495

How do glaciers surge? A review.

Raymond, C.F., Journal of geophysical research,
Aug. 10, 1987, 92(B9), p.9121-9134, 75 refs.

Glacier flow, Glacier surges, Basal silding, Glacial hydrology, Water pressure.

42-496

Polar basal melting on Mars. Chifford, S.M., Journal of geophysical research, Aug. 10, 1987, 92(B9), p.9135-9152, 121 refs. Ice sheets, Ice melting, Mass balance, Mars (planet).

42-497 Snow load effect on the Earth's rotation and gravita-tional field, 1979-1985.

Chao, B.F., et al, Journal of geophysical research, Aug. 10, 1987, 92(B9), p.9415-9455, 32 refs. Gravity, Snow loads, Earth rotation.

Gravity, Snow loads, Earth rotation.

A global, monthly anow depth data set has been generated from the Nimbus? a satellite observations using passive microwave remote-sensing techniques. In this paper? Years of data, 1979-1985, are analyzed to compute the snow load effects on the earth's rotation and low-degree zonal gravitational field. A uniform sea level decrease has been assumed in order to conserve water mass. The resultant time series show dominant essannal cycles. The excitation power of the Chandler wobble due to the snow load is estimated to be about 25 dB less than the power needed to maintain the observed Chandler wobble. The auperior quality of the satellite data over conventional data equired by ground observations and modeling is demonstrated. The role of atmospheric water and the problems arising from the lack of snow load observations over the antarctic and Greenland ice sheets are also discussed. (Auth. mod.)

Radiative cooling and frost formation on surfaces with different thermal emittance: theoretical analysis and

practical experience. Hamberg, I., et al, Applied optics, June 1, 1987, 26(11), p.2131-2136, 15 refs. Radiant cooling, Hoarrost, Frost forecasting, Thermal insulation, Protective coatings.

42-499 Thermal regime of peatlands in subarctic eastern Canada.

Moore, T.R., Canadian journal of earth sciences, July 1987, 24(7), p. 1352-1359, With French summary. 33 refs.

Peat, Soil temperature, Snow cover effect.

42-500

Heat pump for subzero climates using vacuum freezing process.

tag process.
Koren, A., Israel, National Council for Research and Development, N.C.R.D., 86-7, Bi-National Israeli-Norwegian Symposium on Refrigeration Engineering, Tel-Aviv, Jan. 19-22, 1986. Proceedings, Jerusalem, 1987, p.117-126, 3 refs.
Veryner Tearlier, Papers, President Heat Tearsing.

Vacuum freezing, Pumps, Desalting, Heat transmission, Sea water, Refrigeration, Ice water interface.

42-501

Heat pump package at the "Gulifaks B" oil production platform—the first heat pump installation at the tion platform—the first heat pump installation at the Norwegian shelf.

Notwegian shell. Lunde, H., Israel, National Council for Research and Development, N.C.R.D., 86-7, Bi-National Israeli-Norwegian Symposium on Refrigeration Engineering, Tel-Aviv, Jan. 19-22, 1986. Proceedings, Jerusalem, 1987, p.159-172.

Pumps, Heating, Offshore structures, Oil wells, Re-frigeration, Equipment.

94-302
Proceedings of the Alaskan Gas Utilization Workshop, Fairbanka, AK, June 30-July 2, 1987.
Alaskan Gas Utilization Workshop, Fairbanks, Alaska, June 30-July 2, 1987, Sep. 1987, 118p., 24 refs.
Gas production, Natural resources, Petroleum industry, Logistics, Pipelines, Meetings, Hydrates, United States. States-Alaska.

42-503

Investigation into the effects of ice and snow accumu-

lation on drumskin radome antennas. Young, P.M., et al, International Conference on Antennas and Propagation, ICAP 87, 5th, Mar. 30-Apr. 2, 1987. Proceedings, Pt.1, London, Institution of Electrical Engineers, 1987, p.141-144, 5 refs. Stuckey, R.L

Radomes, Antennas, Ice accretion, Ice removal, Ice prevention, Snow accumulation, Ice cover effect, Radio communication, Models, Snow cover effect, Snow removal.

42-504

Detection of objects buried in snow using microwave

Detection of objects buried in snow using microwave holography.

Sakamoto, Y., et al, International Conference on An-tennss and Propagation, ICAP 87, 5th, Mar. 30-Apr. 2, 1987. Proceedings, Pt.2, London, Institution of Electrical Engineers, 1987, p. 364-367, 3 refs. Tajiri, K., Sawai, T., Aoki, Y.

Holography, Snow cover effect, Detection, Mi-crowaves, Avalanches, Buildings.

Current and future offshore activities in Canada Hnatiuk, J., Journal of petroleum technology, June 1987, 39(6), p.717-723, 14 refs. For another version see 38-3237.

Offshore structures, Artificial islands, Marine transportation, Ice cover thickness, Ice conditions, Sea ice, Caissons, Hydrocarbons, Offshore drilling, Canada. 42-506

Weibull-distributed radar clutter reflected from sea ice.

Ogawa, H., et al, Institution of electronics, information and communication engineers. Transactions, Feb. 1987, E70(2), p.116-120, 28 refs.
Radar echoes, Sea ice distribution, Data processing.

42-507

Performance of thermoplastic stripping in Alaska. Woodward-Clyde Consultants, Alaska. Dept. of Transportation and Public Facilities. Report, Sep. 1982, FHWA-AK-RD-83-22, 35p. + appenda., 8 refs. Plastics, Markers, Road maintenance, Snow removal, Winter maintenance, Chemical ice prevention, Freeze thaw cycles, Damage.

42,508

Air duct systems for roadway stabilization over permafrost areas.

Zarling, J.P., et al, Alaska. Dept. of Transportation and Public Facilities. Report, Mar. 1984, FHWA-AK-RD-84-10, 37p. + appends., 8 refs. For another version see 38-1365.

Connor, B., Goering, D.J.
Permafrost beneath roads, Permafrost preservation, Ducts, Heat transfer, Slope stability, Soil stabiliza-tion, Thermal regime, Culverts, Design criteria, Models

42-509

Solar assisted culvert thawing device, Phase 2.
Zarling, J.P., et al, Alaska. Dept. of Transportation and Public Facilities. Report, May 1983,
AK-RD-83-36, 27p., 8 refs. For Phase 1 see 38-2781. Murray, D.H. Culverts, Ice formation, Solar radiation, Artificial thawing, Ice melting, Roads, Pumps, Design.

42,510

coatings for aircraft in cold weather conditions Lakio-Haapio, M., Metal finishing, July 1987, 85(7), p.41-44, 2 refs.
Cold weather operation, Winter maintenance, Protective coatings, Damage, Airplanes.

Spitsbergen—mining coal within the Arctic circle. Brugmans, P.J., Mining magazine, June 1987, 156(6), p.479-487.

Mining, Dust control, Ventilation, Permafrost.

42-512

Infrared system detects condensation, icing conditions. Stefanides, E.J., Design news, Mar. 9, 1987, 43(5),

p.110-112. Ice prevention, Monitors.

42-513

Research and development on large-diameter line pipe for arctic usage. Terasaki, F., et al, Sumitomo search, Nov. 1986,

No.33, p.72-85, 27 refs.

Hashimoto, T., Komizo, Y. Pipes (tubes), Welding, Steels,

42-514

Water or ice in the Martian regolith? Clues from rampart craters seen at very high resolution. Mouginis-Mark, P.J., *Icarus*, Aug. 1987, 71(2), p.268-286, 41 refs.

Mars (planet), Extraterrestrial ice.

42,515

Interannual variability of Mare' south polar cap. James, P.B., et al, *Icarus*, Aug. 1987, 71(2), p.298-305,

Malolepszy, K.M., Martin, L.J. Mars (planet), Extraterrestrial ice.

Martian north polar cap and circumpolar clouds: 1975-1980 telescopic observations. James, P.B., et al, *Icarus*, Aug. 1987, 71(2), p.306-312, 12 refs.

ierce, M., Martin, L.J.

Mars (planet), Extraterrestrial ice.

42-517

nical modeling of a planetary wave mechanism for a Martian polar warming. Barnes, J.R., et al, *Icarus*, Aug. 1987, 71(2), p.313-334,

Hollingsworth, J.L.

Air temperature, Scratosphere, Atmospheric circulation, Mars (planet).

42.518

White paint for highway thaw settlement control. Reckard, M.K., Alaska. Dept. of Transportation and Public Facilities. Report, Mar. 1985, FHWA-AK-RD-85-16, 35p., 12 refs.

Protective coatings, Frozen ground settling, Perma-frost beneath roads, Frost heave, Settlement (structural), Permafrost thermal properties, Road (cing, Ground thawing, Skid resistance.

42-519

Ceramic insulation; final report.

Rezek, J.F., Alaska. Dept. of Transportation and Public Facilities. Report, June 1983,

AK-RD-82-24, 24p., 2 refs.
Thermal insulation, Thermal conductivity, Chemical analysis, Coatings, Analysis (mathematics).

42-820

Life cycle costing of paved Alaskan highways—user

Life cycle cosing of paved Alaskan nighways—aser manual, Vol.2.

Saraf, C., et al, Alaska. Dept. of Transportation and Public Facilities. Report, June 1982, AK-RD-83-6, 31p. + appenda., 6 refa.

Chuang, J., Rubinstein, J.

Frozen ground settling, Ground thaving, Permatrost

trunus setting, Ground thaving, Permafrost thermal properties, Freeze thav cycles, Design, Con-struction materials, Cost analysis, Computer pro-grams, Analysis (mathematics), Settlement (structur-al).

42-521

Design report—building freezing alarm systems. Strandberg, J.S., Alaska. Dept. of Transportation and Public Facilities. Report, Aug. 1982, AK-RD-83-10, 31p. + appends., 5 refs. Freezing, Warning systems, Monitors, Buildings, Freezing points, Design, Electric equipment, Cost

analysis. 42-522

Maintenance monitoring for remote public facilities. Tiedemann, J.B., et al, Alaska. Dept. of Transportation and Public Facilities. Report, Oct. 1981, AK-RD-82-11, 15p., 2 refs.

Jurick, R.W. Monitors, Buildings, Freezing, Warning systems, Air-ports, Roads, Maintenance.

42-523

Corrosion of steel in calcium-magnesium-acetate (CMA) deicer.

Venkatesh, E.S., et al, Alaska. Dept. of Transportation and Public Facilities. Report, Jan. 1985, AK-RD-85-27, 29p., 16 refs.

Kutterer, S.
Chemical ice prevention, Corrosion, Steels, Road icing, Salting, Chemical composition, Temperature effects, Tests.

42-524

42-524
Behavior of plastic sand confinement grids.
Coetzee, N.F., Alaska. Dept. of Transportation and Public Facilities. Report, Jan. 1986,
AK-RD-87-07, 33p., 13 refs.
Soil stabilization, Sands, Cellular plastics, Pavements, Frozen ground, Bearing strength, Soil aggregates, Elastic properties, Loads (forces), Stresses. 42-525

42-525
Second Spanish Symposium on Antarctic Studies, Madrid, July 13-15, 1987. Proceedings. ¡Actas del segundo Symposium Español de Estudios Antárticos, Madrid, 13 al 15 de julio de 1987.
Castellví, J., ed, Madrid, Consejo Superior de Investigaciones Científicas, 1987, 447p., in Spanish with English summaries. Refs. passim. For individual papers see 42-526 through 42-528 or A-36390, B-36361, B-36363, B-36378 through B-36382, B-36384 through B-36388, F-36371, F-36392, G-36391, H-36389, I-36367 through I-36369, J-36365 through J-36360, J-36373, L-36374 and M-36377.

Sea ice, Expeditions, Glacier ice, Icebergs, Subglacial

This is a collection of papers, presented at the 2nd symposium on Spaniah antarctic activities, reporting results of investigaon Spanish antarctic sctivities, reporting results of investigations conducted in the Antarctic by Spanish scientists during Nov. 1986-Jan. 1987. The papers are representative of the wide variety of interests focusing on Antarctics biological, oceanographic, geological, atmospheric, and geophysical, as well as political and economic.

42-526 Antartic' 86 Expedition. Scientific results. [Expedición Antartic' 86. Resultados científicos].

pedición Antartic 86. Resultados científicos, Ballester, A., et al, Actas del segundo Symposium Español de Estudios Antárticos. (Spaniah Symposium on Antarctic Studies, 2nd, Madrid, July 13-15, 1987. Proceedings.) Edited by J. Castellvi, Madrid, Consejo Superior de Investigaciones Científicas, 1987, p.1-20, 8 refs., In Spanish with English summary. Rovirs, J., Castellvi, J., Juliá, A. Ica composition, Ica cover effect, Polar regiona, Antarctica—South Shetland Islands.

tarctica—South Shetland Islands.

The Antarctic 86 Spanish expedition (Nov. 23, 1986-Jan. 10, 1987) originated in the port of Vigo on board the R/V Proc. Siedleck: Automatic-sequential (on line) analysis of temperature, salinity, nitrates, nitrites, allicates and chlorophyll was made, without any interruption, from Canary is to Admiralty Bay (South Shetland Ia) on sea water sampled from -4 m depth. Results are presented in numerous charts and tables. It is suggested that the chemical composition of sea water particular to that area is influenced by such factors as the sea ice cover and the submerged volcanic rocks. (Auth. mod.)

42-527 Method for predicting subglacial drainage and its prospects with antarctic subpolar glaciers. (Método de predicción del drenaje subglaciar, sus perspectivas

en los glaciares subpolares de la Antártida; Braso, A., Actas del segundo Symposium Español de Estudios Antárticos. (Spanish Symposium on An-tarctic Studies, 2nd, Madrid, July 13-15, 1987. Proceedings.) Edited by J. Castellvi, Madrid, Consejo Superior de Investigaciones Científicas, 1987, p.173-183, 13 refs., In Spanish with English summary. lacial drainage, Karst, Polar regions.

Investigations carried out during Aug-Sep. 1985 on Werenski-old Glacier, Svalbard, with the object of testing the prediction method of the principal directions of drainage in karst under arctic fee and evaluate the methods applicability to antarctic fice, are reported. It is concluded that the method in question gives the directional probability of subglacial drainage with a degree of accuracy greater than 98% obtained in Kolmogorov's test, and that it is applicable to marine, subpolar glaciers, such as exist in great numbers on the periphery of Antarctica.

42-528

42-528
Resources potential of antarctic icebergs.
Wadhams, P., Actas del segundo Symposium Español de Estudios Antárticos. (Spanish Symposium on Antarctic Studies, 2nd, Madrid, July 13-15, 1987. Proceedings.) Edited by J. Castellyf, Madrid, Consejo Superior de Investigaciones Cientificas, 1987, p.425-447, With Spanish summary. Refs. p.443-4-Icebergs, Iceberg towing, Ice shelves, Drift.

The suggestion that antarctic tabular iceb rgs can be towed to Southern Hemisphere desert locations at I used as a source of

fresh water and electric power is discussed. The history of this idea is reviewed, as are the physical properties of leebergs which affect their potential for towing; the methods that would be used for detection, propulsion, protection and processing; and the ICETEC technique which would extract power as well as fresh water. It is concluded that the idea may be feasible, but that many proflems remain to be solved. (Auth. mod.)

42-529

All-Union conference on the strength of materials and structures at low temperatures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 1. (Tezisy dokladov, Chast' I1.

Vsesoluznaja konferentsija po prochnosti materialov i konstruktsiä pri nizkikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986, Kiev, IPP AN USSR, 1986, 67p., In Russin. For selected summaries see 42-530 through

Earthwork, Excavation, Equipment, Steel structures, Pipelines, Low temperature tests, Construction materials, Frost resistance, Brittleness.

42-530

Studying anisotropy of fracture resistance at low tem-

Studying anisotropy of fracture resistance at low temperatures. Issledovanie anizotropii treshchinostofkosti pri ponizhennykh temperaturakh, D'iakov, M.M., et al, Vessoiuznaia konferentsiia po prochnosti materialov i konstruktali pri nizkikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low temperatures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 1), Kiev, IPP AN USSR, 1986, p.40, In Russian. Kamalov, V.Z., Andreikin, A.E.

Earthwork, Excavation, Equipment, Steel structures, Frost resistance, Construction materials, Low tem-

42-531

Estimating strength of pipeline steels at low temperatures. ¡Otsenka prochnosti trubnykh stale! pri nizkikh temperaturakh<sub>j</sub>, Erofeev, V.V., et al, Vsesoiuznaia konferentsiia po

prochnosti materialov i konstruktsil pri nizkikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low tempera-tures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 1), Kiev, IPP AN USSR, 1986, p.42-43, In Rus-

Shakhmatov, M.V., Ostsemin, A.A. Pipes (tubes), Steel structures, Joints (junctions), Welding, Brittleness.

42-532

64-534 Criteria of steel failure and resistance to fracturing in main pipelines, in the 77-293 K temperature range. Kriterii razrusheniia i treshchinostofkost' stalef magistral'nykh truboprovodov v intervale temperatur

magistral'nykh truboprovodov v intervale temperatur 77-293 KJ.
Krasovskii, A.I.A., et al, Vessoiuznaia konferentsiis po prochnosti materialov i konstruktali pri nizklikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (Ali-Union conference on the strength of materials and structures at low temperatures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 1), Kiev, IPP AN USSR, 1986, p.5.1, In Russian.
Pipes (tabes), Steel structures, Frost resistance, Brittleness.

All-Union conference on the strength of materials and structures at low temperature, Jad, Zhitomir, Sep. 16-18, 1986. Summaries, Part 2. (Tezisy dokladov, Clast' II<sub>3</sub>, Vsesoluznaia konferentsiis po prochnosti materialov i

konstruktsii pri nizkikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986, Kiev, IPP AN USSR, 1986, 74p., In For selected summaries see 42-534 through 42-539.

42-539.
Cold stress, Construction materials, Steels, Joints (junctions), Welding, Construction equipment, Cold weather performance, Frost action, Permafrost beneath structures, Tests, Fracturing, Mechanical properties, Laboratory techniques.

42-534
Deformation and strength of 12KH18N10T steel and its welded joints under combined stresses, at normal and low temperatures. [Deformirovanie i prochnost statil 12KH18N10T ie svarnykh seedinenü pri slozhnom napriazhennom sostoianii v usloviiakh normal'-

nom napriaznennom sostojani v uslovijakn normar-nykh i nizkikh temperatura, Lamashevskii, V.P., Vsesojuznaja konferentsija po prochnosti materialov i konstruktili pri nizkikh tem-peraturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low tempera-tures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 2), Kiev, IPP AN USSR, 1986, p.3-4, In Russian. Pipes (tubes), Welding, Joints (junctions), Steels, Prost action, Mechanical properties.

Effect of cold climate on the bearing strength and service life of machines and structures. (O vilianii nizkikh klimaticheskikh temperatur na nesushchuiu nizkikh kimaticheskikh temperatur na nesushchuiu sposobnost' i dolgovechnost' mashin i sooruzheniij, Larionov, V.P., Vassoiuznaia konferentsiia po prochnosti materialov i konstruktsii pri nizkikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low temperaturals. strength of materials and structures at low tempera-tures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 2), Kiev, IPP AN USSR, 1986, p.4-5, In Russian. Frost resistance, Construction equipment, Construc-tion materials, Frost action.

42.536

Mechanical properties of carbon-nickel steels at low temperatures. Mekhanicheskie svoistva uglerodis-tykh nikelevykh staleľ pri nizkikh temperaturakh, Perkas, M.D., et al, Vsesoluznaia konferentsiia po Perkas, M.D., et al, Vsesoiuznais konferentsiia po prochnosti materialov i konstruktsii pri nizkikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low temperatures, 2nd Zhitomir, Sep. 16-18, 1986. Summaries, Part 2), Kiev, IPP AN USSR, 1986, p.29, In Russian Alekseeva, L.E., L'vov, IU.B., Maloletnev, A.I.A. Steels, Steel structures, Mechanical properties, Low temperature tests.

Increasing the resistance of T-joints to cold fracturing when welding in freezing weather. Puti povysheniia soprotivliaemosti obrazovaniiu kholodnykh treshchin tavrovykh soedinenii pri svarke v zimnee vremiaj, Savvinov, I.T., Vsesoiuznaia konferentsiia po proch-Savvinov, I.T., Vsesoiuznaia konferentsiia po proch-nosti materialov i konstruktsi pri nizkikh tem-peraturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low tempera-tures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 2), Kiev, IPP AN USSR, 1986, p.36, In Russian. Steel stractures, Welding, Joints (junctions), Cold stress, Fracturing.

42.538

Low-cycle endurance tests of materials and welded high-strength steel structures in cold climates. [Malotsiklovais prochnost' materialov i elementov svarnykh konstruktsil iz vysokoprochnykh stalel pri

avarnyth konstruktsil iz vysokoprochnykh stalel pri nizkikh klimaticheskikh temperaturakh, Khanukhov, Kh.M., et al, Vsesoluznaia konferentsiia po prochnosti materialov i konstruktsil pri nizkikh temperaturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low temperaturakh. auc surengun or materiais and structures at low temperatures, 2nd, Zhitomir, Sep. 16-18, 1986. Summaries, Part 2), Kiev, IPP AN USSR, 1986, p.52, In Russian. Steel structures, Welding, Joints (junctions), Construction materials, Low temperature tests, Laboratory techniques.

42.539

Fatigue resistance of steel and welded joints, allowing for mining and transportation conditions in the Far North. (Soprotivlenie ustalosti stale! i ikh svarnykh soedinenii a uchetom uslovii ekspluatatsii gornodobyvajushchel i transportnol tekhniki v ralonakh

Kraĭnego Severa<sub>1</sub>, Shul'ginov, B.S., Vaesoiuznaia konferentsiia po proch-Shul'ginov, B.S., Vsesoiuznaia konferentsiia po proch-nosti materialov i konstruktsi pri nizkikh tem-peraturakh, 2nd, Zhitomir, Sep. 16-18, 1986. Tezisy dokladov, Chast' I (All-Union conference on the strength of materials and structures at low tempera-tures, 2nd, Zhitomir, Sep. 16-18, 1986. Summarica Part 2), Kiev, IPP AN USSR, 1986, p.58, In Russian. Steels, Brittleness, Equipment, Test equipment, Low temperature tests, Londs (forces), Steel structures, Periodic variations.

Estimating engineering-geological conditions for cal-culating roadbed stability in areas of clayey soils. rOb otsenke inzhenerno-geologicheskikh uslovil v tseliakh proektirovaniia ustorchivosti zemlianogo polotna v rajonakh rasprostraneniia glinistykh grun-

tovj, Dubnov, IU.D., et al. Sovershenstvovanie sredstv i metodov izyskanii zheleznykh dorog (Improving the means and methods of research for railroad construction) edited by IU.D. Dubnov and M.A. Baranov, Moscow, Transport, 1986, p.28-37, In Russian. Gorelik, A.M.

Roadbeds, Organic soils, Slope processes, Peat, Sliding, Clay soils, Ground water, Roads, Design, Deformation, Slope orientation.

Forecasting the danger of naled formation for engineering purposes. [Prognozirovanic nalednot opasnosti dlia inzhenernykh tselet],

Lugovol, P.N., Sovershenstvovanie sredstv i metodov izyskanii zheleznykh dorog (Improving the means and izyskanii zneieznykh dorog (Improving the means and methods of research for railroad construction) edited by IU.D. Dubnov and M.A. Baranov, Moscow, Trans-port, 1986, p.72-78, In Russian. 5 refs. Forecasting, Mathematical models, Naleds, Engi-neering geology, Formation.

42-542

Homogeneous formation of crystalline nuclei in strongly supercooled liquid. (Gomogennoe obrazovanie kristallicheskikh zarodyshei v sil'no pereokhlazhdennoï zhidkostij, Ignat'ev, O.M., Fizika tverdogo tela, 1977, Vol.7, p.69-52, In Russian. 3 refs.
Supercooling, Frozen Ilquids, Homogeneous nucleation, Crystal growth, Mathematical models.

Ways of accelerating the working process of a snowplow. [Puti intensifikatsii rabochego protsessa pluzh-

Rudney, V.K., et al., Gornye, stroitel'nye, dorozhnye i meliorativnye mashiny, 1986, Vol.39, p.18-23, In Rus-

Bondarev, P.V. Snow removal, Road maintenance, Construction, Taiga, Snow depth, Roads.

Ice-forming activity of organic crystalline hydrates. L'doobrazuiushchaia aktivnost' organicheskikh kris-

t Goodfazumanensia aktivnost organieneskikh kris-tallogidratov, Chesha, I.I., et al, *Fizika aerodispersnykh sistem*, 1982, Vol.24 34-37, In Russian. 5 refs. Cloud physics. Jrganie nuclei, Ice nuclei, Cloud seed-ing, Weather modification.

Calculating the size of critical nucleus in supercooled water serosols. (Raschet velichiny kriticheskogo zarodysha v pereokhlazhdennykh vodnykl aerozoliakh<sub>1</sub>, D'iachenko, A.M., Fizika serodispersnykh sistem, 1984, Vol.26, p.24-28, In Russian. 3 refs. Nucleation, Crystal growth, Interfaces, Supercooling, Water, Aerosols.

Studying the effect of surface active substances on temperature threshold of water crystallization. [Issledovanie vliianiia poverkhnostno-aktivnykh vesh-chestv (PAV) na temperaturnyi porog kristallizatsii

vody, Chesha, I.I., et al, Fizika aerodispersnykh sistem, 1985, Vol.27, p.14-20, In Russian. Kolomiets, K.A., Kharchenko, E.V. Surfactants, Ice formation, Nucleation, Cold chambers, Ice auclei, Crystal growth, Water, Aerosols, Ad-

Reliability of existing estimates of frozen soil compressibility at thawing. O dostovernosti sushchest-vuiushchikh otsenok szhimaemosti mnogoletnemerzlykh gruntov pri ottaivanii, Khrustalev, L.N., et al, *Inzhenernaia geologiia*, July-Aug. 1987, No.4, p.86-90, In Russian. 6 refs. Vodolazkin, V.M.

Permafrost physics, Active layer, Compressive properties, Foundations, Permafrost beneath structures.

42-548

ratanematical models of the reliability of power line structures. (Matematicheskie modeli nadezhnosti konstruktsil vozdushnykh limit elektroperedachi), Kinash, B.M., Elektricheskie seti i sistemy, 1986, Vol.22, p.89-95, In Russian. 2 refs.
Power line icing, Ice loads, Wind velocity, Mathematical models. Mathematical models of the reliability of power line ematical models.

42-549

Analyzing the performance regimes of NTMI-10-66 voltage transformers during direct-current melting of ice. ¡Analiz rezhimov raboty transformatorov na-priazheniia tipa NTMI-10-66 pri plavke gololeda postpriazienna tipa visiki odannym tokom, Zhuk, IU.V., Elektricheskie seti i sistemy, 1986, Vol.22, p.116-119, In Russian. 3 refs.

Power line icing, Ice prevention, Electric heating.

42-550

New method for calculating frost heave including solute effects.
Cary, J.W., Water resources research, Aug. 1987, 23(8), p.1620-1624, 17 refs.

Frost heave, Soll water migration, Heat transfer, Soll freezing, Water chemistry, Soil temperature, Heat flux, Measurement, Surface temperature, Ice lenses.

42,551

Coupled thermomechanical response of an axisymmetric cold ice sheet. Hutter, K., et al, Water resources research, July 1987, 23(7), p.1327-1339, 21 refs.
Yakowitz, S., Szidarovszky, F.

Ice sheets, Thermodynamic properties, Ice models, Mathematical models, Surface temperature, Ice tem-perature, Ice mechanics, Stresses, Temperature dis-

Variation of the activity of ice nuclei upon exposure to ammonium ion and iodine. Reischel, M.T., Tellus, Sep. 1987, 39B(4), p.363-373, 48 refs. Ice nuclei, Ions, Water vapor, Liquid phases, Thermodynamics, Chemical analysis, Experimentation.

Chemically resolved submicrometric size distribution and external mixing of the Arctic haze aerosols. Heintzenberg, J., et al, Tellus, Sep. 1987, 39B(4), p.374-382, 20 refs. Covert, D.S.

Aerosols, Haze, Particle size distribution, Hygro-scopicity, Light scattering, Mass transfer, Micros-

Statistics of ice thickness, Queen Elizabeth Islands, NWT: 1978 seismic data. Wetzel, V.F., Arctic Petroleum Operators Associa-tion, Calgary, Alta. Report, Jan. 1981, APOA No.174-1V2, 126p. Ice cover thickness, Seismic surveys, Statistical analysis, Canada—Northwest Territories—Queen Eliza-beth Islands.

42-555

Ice thickness profiles from seismic record: 1978 data. Wetzel, V.F., Arctic Petroleum Operators Associa-tion, Calgary, Alta. Report, Jan. 1981, APOA tion, Calgary, Alta. Report, Jan. 1981, APOA No.174-1V3, 24p. + tbls. Ice cover thickness, Seismic surveys, Profiles, Accuracy, Computer applications.

Deflection testing and its application to pavement rehabilitation in Alaska.

McHattie, R.L., Alaska. Dept. of Transportation and Public Facilities. Report, Jan. 1985, FHWA-AK-RD-85-15, 42p. + appends., 17 refs. Pavements, Flexural strength, Loads (forces), Roads Bearing strength, Deformation, Design, United States—Alaska.

Thermal erosion of cut slopes in ice-rich soil. Mageau, D.W., et al, Alaska. Dept. of Transportation and Public Facilities. Report, Apr. 1984, FHWA-AK-RD-85-02, 54p. + appends., 22 refs. Rooney, J.W.
Erosion, Slope stability, Permafrost thermal properties, Ground ice, Settlement (structural), Rheology, Shear strength, Ground thawing, Tests. 42.558

74-330 Pavement problems in Alaska versus asphalt grad-

Henry, J.W., Alaska. Dept. of Transportation and Public Facilities. Report, June 1981, FHWA-AK-RD-82-8, 30p., 4 refs. Pavements, Bitumens, Construction materials, Bear-

ing strength, Viscosity, Aggregates, Cement admix-

42.550

Permafrost prethawing by surface modification: final

Esch. D.C., Alaska. Dept. of Transportation and Esch, D.C., Alaska. Dept. of Transportation and Public Facilities. Report, Dec. 1982, FHWA-AK-RD-83-23, 40p. + append., 16 refs. Ground thawing, Embankments, Settlement (struc-tural), Permafrost physics, Solar radiatios, Surface properties, Vegetation factors, Temperature effects, Wind velocity, Thaw depth.

42.840

42-500 Antarctic cornucopia. Campbell, P., Nature, Oct. 1, 1987, 329(6138), p.387. Research projects, Ice cores, Climate, Antarctica— Vostok Station

Remarks are made on the benefits to be derived from collabora-Remarks are made on the benefits to be derived from consistora-tion between nations in antarctic research. The sample is cited of the important climatic results obtained from the French-Soviet drilling project conducted at Vostok Station be-tween 1980-1985.

42-561

Ice core links CO2 to climate.

Sundquist, E.T., Nature, Oct. 1, 1987, 329(6138), p.389-390, 10 refs.

Research projects, Ice cores, Climate, Antarctica Vostok Station.

Vostok Statios.

Results of CO2 data obtained during a joint French-Soviet ice core drilling project at Vostok Station as an indicator of climate change are reviewed and commented on. The 2083 m continuous core was obtained during the years 1980-1985 and contained measurements of O-18 and deuterium throughout its length. It is concluded that the global climate system and carbon cycle are intensely interactive.

42.562

94-302
Vostok ice core: a continuous isotope temperature record over the last climatic cycle (160,000 years).
Jouzel, J., et al. Nature, Oct. 1, 1987, 329(6138),
p.403-408, 50 refs.
Ice cores, Climatic changes, Isotopes, Ice composition, Antarctica—Vostok Station.

tion, Antarctica—Vostok Station.
In the context of scarce documentation of historical continental climates, the 2,083-m ice core recovered by the Soviet Antarctic Expeditions at Vostok is of fundamental importance because it fully covers the last glacial-interglacial cycle, back to the ice age that preceded the last interglacial (160 kgr BP) and has because this lundisturbed by flow conditions. It allows access to age that preceded the list there just a long styr Hr) and has been essentially undisturbed by flow conditions. It allows access to many climatic and climate-related parameters. Presented here are continuous data for deuterium throughout the core. The focus first is on the interpretation of this profile in terms of focus into its on the interpretation of that profile in terms of temperature and then this continuous record is examined in the frequency and time domains. The ice record is compared with the oceanic record, with a special emphasis on the last Interglacial Period. For the first time an ice core reveals the large 100kyr glacial-interglacial cycle and concentration of variance the Earth's orbit tilt and precession frequencies. (Auth.)

42.563

Vostok ice core provides 160,000-year record of atmospheric CO2.

spheric C.J.
Barnola, J.M., et al, Nature, S.,
329(6138), p.408-414, 43 refs.
Raynaud, D., Korotkevich, E.S., Lorius, C.
Ice cores, Climatic changes, Carbon dioxide, Atmospheric composition, Antarctica—Vostok Station.
Direct evidence of past atmospheric CO2 changes has been extended to the past 160,000 years from the Vostok ice core.

These changes are most notably an inherent phenomenon of the control of the past of the p These changes are most notably an inherent phenomenon or change between glacial and interglacial periods. Besides the major 100,000-year cycle, the CO2 record seems to exhibit cyclic change with a period of some 21,000 years. (Auth.)

Vostok ice core: climatic response to CO2 and orbital forcing changes over the last climatic cycle. Genthon, C., et al, Nature, Oct. 1, 1987, 329(6138), p.414-418, 55 refs. Ice cores, Climatic changes, Atmospheric composition, Carbon dioxide, Antarctics—Vostok Station.

tion, Carbon dioxide, Antarctica—Vostok Station. Vostok climate and CO2 records sugaset that CO2 changes have had an important climatic role during the late Pleistocene in amplifying the relati ely weak orbital forcing. The existence of the 100-kyr cycle and the synchronism between Northern and Southern Hemisphere climates may have their origin in the large glacial-interglacial CO2 changes. (Auth.)

42-565

Tensile reinforcement of road embankments on poly-gonal ground by seotextiles or related materials: (a-

terim report.

Kinney, T.C., Alaska. Dept. of Transportation and Public Facilities. Report, 1 FHWA-AK-RD-86-29, 25p., 5 refs. Mar

Embankments, Tensile properties, Polygonal topog-raphy. Construction materials. Roads. Computer pro-14. Tests. Design criteria. Patterned ground. Ice 42.866

42-366

Effects of salts on road embankment stability under freezing and thawing conditions: final report. kinney, T.C., et al., Alaska. Dept. of Transportation and Public Facilities. Report, Dec. 1986,

FHWA-AK-RD-87-09, 34p.

Reckard M Frost heave, Embankments, Freeze thaw cycles, Soli stabilization, Salting, Roeds, Tests, Temperature effects, Thaw weakening. 42-567

42-567
Air cashion vehicles: any potential for Canada?.
Laframboise, J.E., Canadian aeronautics and space journal, Sep. 1987, 33(3), p.155-157.
Lea navigation, Air cashion vehicles, Icebreakers, De-

sign. Bearing strength, Transportation, Canada, 42.568

Tactical bridging during winter: 1986 Korean bridging exercise.

Coutermarsh, B.A., U.S. Army Cold Regions Research and Engineering Laboratory, July 1987, SR 87-13, 23p., ADB-114 800, 11 refs.

2.3p., ADB-114 800, 11 refs.

Le cutting, River crossings, Ice blasting, Military operations, Bridges, Explosives, Ice control, Winter. Deployment alternatives for the U.S. Ribbon bridge are discussed assuming an ice sheet is present at the crossing size. Ice blasting time and effectiveness with several explosives readily available to the Army are presented. A 1986 Korean winter bridging exercise is detailed where an ice sheet was blasted using C4 explosives in a grid pattern. Ice rubble consolidation was attempted using the Bridge Erection Boat, after which the launch of a bridge bay section was rice. It is shown that ice rubble hinders boat operations and retrieval of the bay sections. 42.560

Oxygen conditions in two prairie pothole lakes during

Oxygen consultors in two prairie potatole lakes string wister ice cover.

Baird, D.J., et al, Canadian journal of fisheries and aquatic sciences, May 1987, 44(5), p.1092-1095, With French summary. 12 refs.

Gates, T.E., Davies, R.W.

Lake water, Oxygen, Lake ice, Ice cover effect, See-sonal variations, Ice conditions, Canada—Alberta— Calgary.

42-570

Characteristic spectral signatures of Arctic noise-generating mechanisms.
Oard, V.T., Monterey, CA, Naval Postgraduate School, June 1987, 174p., M.S. thesis. Refs. p.161-

Sound waves, Noise (sound), Ice cracks, Si interface, Spectra, Cracking (fracturing), Wind fac-tors, Particle size distribution, Pressure ridges. Seis-47-871

Field research on Axel Heiberg Island, N.W.T., Cana-

Adams, P., ed, Schefferville, P.Q., McGill University, Centre for Northern Studies and Research, 1987,

Centre for Northern Studies and Research, 1987, 207p, Refs. passim. For selected papers see 42-572 through 42-574. Glaciology, Bibliographies, Permafrost, Hydrology, Meteorology, Lake water, Canada—Northwest Teritories—Axel Heiberg Island.

42-572

Axel Heiberg Island bibliography.

Axei Heiberg Island bibliography.
Ommanney, C.S.L., Field research on Axel Heiberg
Island, N.W.T., Canada. Edited by P. Adams, Schefferville, P.Q., McGill University, Centre for Northern
Studies and Research, 1987, p.5-55.
Glacology, Permafrost, Bibliographies, Meteorology, Canada—Northwest Territories—Axel Heiberg
Island.

42-573 Colour Lake, Axel Heiberg Island, N.W.T., a natural-

Colour Lake, Axel melouring assume, poort.
ly scid, High Arctic, lake—data report.
Allan, C., et al, Field research on Axel Heiberg Island,
Belied by P. Adams, Schefferville,

N.W.T., Canada. Edited by P. Adams, Schefferville, P.Q., McGill University, Centre for Northern Studies and Research, 1987, p.67-189, Refs. passim. Lake water, Water chemistry, Lake ice, Hydrology, Ice coeditions, Temperature distribution, Statistical analysis, Canada—Northwest Territories—Colour Lake

42-574

Ground temperature data collected for northern

Young, S., et al, Field research on Axel Heiberg Island, N.W.T., Canada. Edited by P. Adams S. L. Young, S., et al, Field research on Aler Reiberg Island, N.W.T., Canada. Edited by P. Adams, Schefferville, P.Q., McGill University, Centre for Northern Studies and Research, 1987, p.195-207, 8 refs.

Judge, A. Judge, A.
Permafroet thermal properties, Soil temperature,
Permafroet thickness, Permafroet distribution, Surface temperature, Air temperature, Mapping, Canada
—Northwest Territories.

42-876

Effect of partial and clearcutting on streamflow at Deadhorse Creek, Colorado.

Troendle, C.A., et al, Journal of hydrology, Mar. 15, 1987, 90(1-2), p.145-157, 18 refs.

Water retention, Snow retention, Snow water equivelent. Forestry.

42-576

Icing and de-icing on a downscale model in ONERA SIMA wind tunnel.

Guffond, D., et al, Recherche aérospatiale, 1987, No.2, p.23-32, English edition. 6 refs.

Accept icing. Helicopters, Propellers, Laboratory techniques

42-577 Global distribution and migration of subsurface ice on

Fanale, F.P., et al, Icarus, July 1986, 67(1), p.1-18, 36

Salvaii, J.R., Zent, A.P., Postawko, S.E. Extraterrestrial ice, Mars (planet), Ground ice.

Distribution and state of H2O in the high-latitude shallow subsurface of Mars.
Zent, A.P., et al, Icarus, July 1986, 67(1), p.19-36, 38

Fanale, F.P., Salvail, J.R., Postawko, S.E. Extraterrestrial ica. Mara (nianet). Soll water migra-

42-579

Mars: a water-rich planet?. Carr, M.H., *Icarus*, Nov. 1986, 68(2), p. 187-216, Refs.

Extraterrestrial ice, Mars (planet), Ground ice.

Early thermal profiles and lithospheric strength of Ganymeds from extensional tectonic features.
Golombek, M.P., et al, *Icarus*, Nov. 1986, 68(2), p.252-265, 47 refs.
Banerdt. W.R. Early thermal profiles and lithospheric strength of anerdt, W.B

Extraterrestrial ice, Ground ice.

42.581

Thermal segregation of water ice on the Galilean sa-Spencer, J.R., Icarus, Feb. 1987, 69(2), p.297-313, 49

Extraterrestrial ice. Ground ice.

42-582

Statistics of ice thickness, Queen Elizabeth Islands, NWT: 1979 seismic data.

NWT: 1979 seismic data.
Wetzel, V., Arctic Petroleum Operators Association,
Calgary, Alta. Report, Jan. 1981, APOA
No.174-1V4, 148p.
Ice conditions, Ice cover thickness, Sea ice, Seismic
surveys, Statistical analysis, Canada—Northwest
Territories—Queen Elizabeth Islands.

Ice thickness profiles from seismic record: 1979 data. Ice talckness profiles from seismic recore; 1974 data. Wetzel, V., Arctic Petroleum Operators Association, Calgary, Alta. Report, Jan. 1981, APOA No. 174-1V5, 24p. + tables. Ice cover thickness, See ice, Seismic surveys, Ice conditions, Frofiles, Computer applications, Winter, Accuracy, Canada—Northwest Territories—Queen

curacy, Canada-Elizabeth Islands.

42.584

54-584
Statistics of ice thickness, Queen Elizabeth Islands, NWT: 1980 seismic data.
Wetzel, V., Arctic Petroleum Operators Association, Calgary, Alta. Report, Jan. 1981, APOA No.174-1V6, 82p.

No.174-170, 22.
Seiamic surveys, Ice cover thickness, Sea ice, Ice conditions, Statistical analysis, Canada—Northwest Territories—Queen Elizabeth Islands.

42-039
1990/81 ice rubble model tests.
Wards, R.D., Arctic Petroleum Operators Association,
Calgary, Alta. Report, July 1984, AFOA
No.177-1, 169p. + appends.
Ice cover thickness, Ice models, Pressure ridges, Ice
pileup, Photography.

42-586

41-336 flow conditioners in a closed-loop tunnel. Newton, J.E., U.S. National Aeronautics and Space Administration. Technical memorandum, June 1987, NASA-TM-89824, 11p., N87-23591, M.S. the-

sis. 4 refs.

Icing, Wind tunnels, Flow rate, Heat transfer, Spray freezing, Ice formation, Hourtrost, Temperature ef-

Sensitivity studies with a mass balance model including temperature profile calculations inside the glacier.

Greuell, W., et al. Zeitschrift für Gletscherkunde und Glazialgeologie, 1986, 22(2), p.101-124, With German summary. 25 refs.

Oerlemans, J.

Glacier mass balance, Glacier heat balance, Ice mod-els, Glacier ablation, Mountain glaciers, Phase trans-formations, Temperature effects, Ice temperature, Computer applications.

42-588

Correlation between selected climatic elements and the mass belance of Alpine and Scandinavian glaciers. ¿Die korrelation verschiedener Klimaelemente mit dem Massenhaushalt alpiner und akandinavischer

Oletscher, Ottniher, R., et al, Zeitschrift für Gletscherkunde und Glazialgeologie, 1986, 22(2), p.125-147, in German with English aummary. 33 refs. Widlewski, D.

Glacier mass balance, Climatic factors, Seasonal variations, Humidity, Mountain glaciers.

Upper limit of glaciers, surface temperature and glaciation of the slopes of Himalaya Mountains at 5,000-8,800 m. [Die Obergrenze der Gletscherhohenstufe—Oberflächentemperaturen und Vergleischerung der Himalayaflanken von 5000-8800 mj, Kuhle, M., Zeitschrift für Gletscherkunde und Glazial-

Kuhic, M., Zeitschrift für Gleischerkunde und Glazai-geologie, 1986, 22(2), p.149-162, In German with English summary. 18 refs. Glacier surfaces, Mountain glaciers, Glaciation, Snow accumulation, Slopes, Surface temperature, Metam-orphism (snow), Altitude, Himalaya Mountains.

42.590

Explanatory remarks on maps of Gurgler Ferner, 1981. Begleitworte zur Karte des Gurgler Ferners

1981, Patzelt, G., Zeitschrift für Gletscherkunde und Glazialgeologie, 1986, 22(2), p.163-170, In German benginh summary. 9 refs.
Glecter mass balance, Ice volume, Ice cover thickness,

Mountain glaciers, Altitude, Austria-Gurgler Fern-

42-591

Reflections on the Late Wurm glaciation of the Höl-lengebirge, northern Calcareous Alps/Upper Austria. (Überlegungen zur spätglazialen Vergletscherung des Höllengebirges, Nördliche Kalkalpen/Oberöster-

Höllengebriges, robustie rauserierich,
Dollinger, F., Zeitschrift für Gletscherkunde und Glezialgeologie, 1986, 22(2), p.171-184, In German with
English summary. 30 refs.
Gleciation, Snow line, Glacier oscillation, Paleoclimatology, Moraines, Altitude, Mountain glaciers,
Austria—Alps.

94-971
Pollow-up measurements in the Pasterze area (Glockner Group) in 1985, ¡Nachmessungen im Bereich der Pasterze (Glocknergruppe) im Jahre 1985, Wakonigs, H., Zeitschrift für Gletscherkunde und Glazialgeologie, 1986, 22(2), p.185-190, in German. Glacier mass balance, Snow cover distribution, Cloud cover, Wind factors.

42-593

Glaciers of the Austrian Alps, 1984/85. Integrated Glaciers of the Austrian Alps, 1984/85. Integrated report on glacier measurements of the Austrian Alpine Society in 1985. Die Gletscher der Österreichischen Alpen 1984/85. Sammelbericht über die Gletschermessungen des Österreichischen Alpenvereins im Jahre 1985., Patzelt, G., Zeitschnif für Gletscherkunde und Glazialgeologie, 1986, 22(2), p.191-205, In German. Glacier surveys, Glacier flow, Snow accumulation, Austria—Alps.

42-594

Glacial deformation environment in the subsiding zone with special reference to the Kleszczów tectonic

graben.

Brodzikowski, K., Quaternary studies in Poland,
1985, No.6, p.5-22, Refs. p.20-22.
Glacial geology, Sediments, Tectonics, Periglacial
processes, Quaternary deposits.

Pleistocene glaciogenic sediments of the watermorinic facies.

ic races.

Morawski, W., Quaternary studies in Poland, 1985, No.6, p.99-116, Refs. p.113-116.
Glacial deposits, Pjeistocene, Sediments, Soil structure, Quaternary deposits, Moraines.

Steady wave-drift of modeled ice floss. Harms, V.W., Journal of waterway, port, coastal and ocean engineering, Nov. 1987, 113(6), p.606-622, 13

Ice floes, Drift, Ocean waves, Ice mechanics, Ice models, Analysis (mathematics), Tests.

Mobile Bjerrum defects: a criterion for ice-like crystal growth.

tal growth. Wooldridge, P.J., et al, Journal of chemical physics, Oct. 1, 1987, 87(7), p.4126-4131, 28 refs. Richardson, H.H., Devlin, J.P. Ice crystal growth, Low temperature tests, Phase transformations, Molecular structure, Hydrogen bonds, Defecta, Clathrates, Solutions, Spectra.

42-598
Water management bulletin, No.1. [Biulleten' po vodnomu khoziałstvu, No.1, Soveshchanie rukovoditelet vodokhoziałstvennykh or-ganov stran-chlenov SEV, Moscow, Council for Natural Economic Assistance, 1986, 85p., In Russian. For

Kabanov, V.I., ed, Mrost, A.IU., ed.
Ice jams, Icebound rivers, Ice breakup, Ice floss, Ice

42-337 Ice breakup on the rivers of Poland. [Razrushenic l'da na rekakh PNR3, Borovski, K., Biulleten' po vodnomu khozialstvu, 1986, No.1, p.26-28, In Russian.

Icebound rivers, River ice, Ice breakup, Ice floes, Ice jams, Ice forecasting.

42,600

42-000
Artificial upbuilding of ice on small rivers. [lakusat-vennoe namorazhivanie na malykh rekakh, Achapitov, V.N., Avtomobil'nye dorogi, Sep. 1986, No.9, p.26, In Russian. Ice roads, Snow roads, Artificial ice, Ice crossings,

Icebound rivers, Ice cover thickness, Bearing strength.

Roadbed construction in freezing weather. [Vozvedenie zemlianogo polotna zimoli, Migliachenko, V.P., Avtomobil'nye dorogi, Aug. 1986, No.11, p.12-13, In Russian. Roadbeds, Permafrost beneath structures, Earthwork, Artificial thawing, Frost protection.

New surfactants for increasing water- and frost-resist-New surfactants for increasing water- and frost-resistance of bituminous concretes. [Novye PAV dispovaheniis vodo- i morozostotkosti asfal'tobetona; Shemonaeva, D.S., et al, Avtomobil'nye dorogi, Aug. 1986, No.11, p.18-19, in Russian. 2 refs. Gokhman, L.M., Pankov, D.M., Latysheva, L.M. Concrete pavements, Bituminous concretes, Concrete admixtures, Concrete strength, Frost resistance, Roads, Waterproofing, Construction materials.

42-603

Bituminous concrete pavements with anti-icing properties. [Asfal'tobetonnoe pokrytie s protivogololed-

ernes. (Attai tobetonnoe pokryte s protivogiolec-nymi svolstvami). Korolev, I.V., et al. Avtomobil'nye dorogi, Jan. 1987, No.1, p.15-16, In Russian. 3 refs. Kasymov, A.K., I'lin, A.S., Tolpinskii, S.A. Roed icing, Pavements, Bituminous concretes, Con-crete admirtures, Ice preventios.

42-604 Ways of lowering energy consumption of frozen ground excavation. Puti anizheniia energoemkosti

razrabotki merzlykh gruntovi, Migliachenko, V.P., Avtomobil'nye dorogi, Mar. 1987, No.3, p.21, In Russian.

Frost protection, Construction equipment, Cold weather construction, Earthwork, Hydraulic struc-tures, Roads, Frozen ground, Excavation.

42-605 Crack formation in pileworks during winter concreting. ¡Obrazovanie treshchin v svalnykh rostverkakh

sig. Corazovanie tresnetni v svainyan rostverkaki pri zimnem betonirovanii, Kosterin, E.V., Beton i zhelezoboton, Sep. 1986, No.9, p.27-29, In Russian. 3 refs. Winter concreting, Ples, Concrete structures, Con-crete freezing, Frost action.

42-606

Dynamics of the thermo-stressed state of structures during winter concreting. [Dinamika termonapriazhennogo sostoianiia konstruktaii pri zimnem

betonirovanii, Krasnovskii, B.M., Beton i zhelezobeton, Dec. 1986, No.12, p.18-20, In Russian.

Concrete structures, Winter concreting, Concrete freezing, Cooling rate, Thermal stresses, Mathemati-cal models.

42-607 Critical strength of concretes at the moment of freezing. [Kriticheskaia prochnost' betonov k momemtu

zamorazhivaniis, Krylov, B.A., et al, Beton i zhelezobeton, Apr. 1987, No.4, p.27-28, In Russian. 3 refs. Eroshkin, V.N.

Winter concreting, Concrete caring, Concrete freezing, Concrete strength, Building codes, Concrete aggregates, Tests. 42-608

Improving the compensation factor for controlling frost resistance of concrete. Sovershenstvovanie kompensatsionnogo faktora pri kontrole morozostolkosti betonaj,

tolkost betons; Krasnyi, I.M., Beton i zhelezobeton, Feb. 1987, No.2, p.36-37, In Russian. 5 refs. Capillary lee, Concrete freezing, Prefabrication, Air entraiament, Frost resistance, Concrete admixtures, Porous materials, Saturation, Ice formation, Ice pres-

42-609

Frost resistance of pavement concretes with S-3 admixture at lowered content of cement. [Morozos-tolkost' dorozhnykh betonov s dobavkol S-3 pri snizhennom soderzhanii tsementa<sub>1</sub>, Shelnin, A.M., et al, *Beton i zhelezobeton*, Jan. 1987, No.1, p.24-26, In Russian. 4 refs. IAkobson, M.IA.

Pavements, Concrete freezing, Concrete admixtures, Frost resistance, Cements, Roads. 42-610

Radar backscattering by large, spongy ice oblate spheroids. spacrous.
Longtin, D.R., et al, Journal of atmospheric and oceanic technology, Sep. 1987, 4(3), p.355-358, 21 refs.
Bohren, C.F., Battan, L.J.
Radar echces, Backscattering, Ice structure.

42-611

Pressurized icing tunnel for graupel, hall and second-

rressurized circu tunnel for grappe, nait and secondary raindrop production.

List, R., et al., Journal of atmospheric and oceanic technology, Sep. 1987, 4(3), p. 454-463, 32 refs.

Lesins, G.B., García-García, F., McDonald, D.B.

Wind tunnels, Snow pellets, Artificial hallstones,

Laboratories, Raindrope.

42-612

42-612
Zero Base II analysis.
Day, C.F., et al, RMC Research Corporation. Report, June 1973, UR-213, 62 leaves, variously paged.
Sweeney, R., Towles, W.T.
Ice ranways, Logistics, Research projects, Cargo, Cold weather construction, Antarctica.

This report presents the results of Task M under contract NSF-C681. It assesses the impact that an ice runway located near the Dufek Massif would have on antarctic support operations. The analysis has been completed in two stages. The first, or

core analysis, examines the alternative uses of the Dufek ice runway to support the proposed Dufek Drilling Project and Pole and Siple Station resupply. The second stage of the analysis takes into account the other natarctic research programs and so assesses attractive alternatives identified in the core analysis in the context of overall natarctic operations. The core analysis samines some 22 alternative uses of the Dufek ice runway ranging from the major base for supporting Pole and Siple to an LC-130 base for supporting only the drilling project. The results of the analysis and the utility of the planning model are discussed. Details of the methods used, cost and planning factors spitled, and the basic calculations are contained in 3 apostness. decussed. Details of the metrodused, cost and planning inc-tors applied, and the basic calculations are contained in 3 appen-dizes: Appendix A includes the core analysis, Appendix B de-fines the support requirements for the Durk keer naway itself, and Appendix C completes the second stage or overall program analysis. (Auth.)

42-613

12-13. Its forces on Hans Island.
Danielewicz, B.W., et al, Arctic Petroleum Operators
Association, Calgary, Alta. Report, Mar. 1981,
APOA No.180-2, 59p. + appends., 10 refs. Metge, M.

Ice pressure, Offshore landforms, Ice soi Ice loads, See ice, Ice floes, Ice cracks. sure, Offshore landforms, Ice solid interface,

42-414

Preliminary assessment of seismic sources and seis-micity of the Cauadian Beaufort Sea and preliminary evaluation of potential behavior of sand islands during earthquakes.

Woodward-Clyde Consultants, Arctic Petroleum Oprestors Association, Calgary, Alta. Report, Nov. 1980, APOA No.179-1, 65p., 21 refs. Artificial islands, Earthquakes, Sands, Seismic surveys, Offshore structures, Beaufort Sea.

42-415

Model experiments of ice forces associated with ridge building.
Abdelnour, R., et al, Arctic Petroleum Operators As-

Abdelnour, R., et al, Arctic Petroleum Operators Association, Calgary, Alta. Report, Jan. 8, 1982, APOA No.178-1, var.p., 22 refs. Daly, M., Steele, M. Ice everride, Ice pressure, Pressure ridges, Offshore structures, Ice solid interface, Ice loads, Impact strength, Ice mechanics, Mathematical models, Artificial islands.

42-616

42-610
Stressos in icebergs—will the pressuremeter work.
Shields, D.H., et al, Memorial University of Newfoundland. Centre for Cold Ocean Resources Engineering, C-CORE publication, No.56-27, [1986], 16p., Presented at the 39th Canadian Geotechnical Society Conference, Montreal, P.Q., August 1986. 10 refs

Ladanyi, B., Murat, J.R., Clark, J.I. Icoberg towing, Ice pressure, Ice mechanics, Offshore structures, Drift, Stresses, Measuring instruments.

42-617

Local concrete-steel bond behavior at low tempera-

ture.
Shih, T.S., et al, Journal of structural engineering,
Nov. 1987, 113(11), p.2278-2289, 7 refs.
Lee, G.C., Chang, K.C.
Reinforced concretes, Low temperature tests, Concrete strength, Streeses, Temperature variations,
Steels, Adhesion, Loads (forces), Compressive prop-

Anisotropic power-law viscosity: a theoretical calculation relevant for some polar ices. (Viscosité selon une loi puissance anisotrope: calcul théorique appro-

me to pursuine amourtope: carcu theorique appro-prié à certaines glaces polaires, Lilboutry, L., Académie des sciences, Paris. Comptes rendus hebdomsdaires des séances. Série 2, Nov. 28, 1983, 297(11), p.787-790, in French with English summary. 13 refs. summary. 13 refs. Ice creep, Viscosity, Grain size, Rheology, Ice phy-

Azetic ambient noise in the Beaufort Sea: seasonal space and time scales.

Lewis, J.K., et al. Acoustical Society of America.

Journal, Sep. 1987, 82(3), p.988-997, 9 refs.

Denner, W.W.

Noise (sound), Underwater acoustics, Subglacial ob-

42-620

Acoustic properties of ice edge noise in the Greenland

Nea. T.C., et al, Acoustical Society of America. Journal, Sep. 1987, 82(3), p.1034-1038, 9 refs. Giellis, G.R., Votaw, C.W., Dischok, O.I. Noise (sound), Underwater acoustics, Ice edge.

42-621 Marine transportation and research in Alaska's iceinfected waters.

Sweet, L., et al, Northern engineer, 1985, 17(4), p.14-20, 7 refs. Voelker, R., Seibold, F.

Ice navigation, Ice reporting, Shipe, Remote sensing.

Report on the Third Chinese Conference on Perma frost: China expands research on frozen ground. Péwé, T.L., Northern engineer, 1986, 18(2-3), p.4-8, 9

ermafrost, Meetings, China

Northwest Territories, Canada: buried water and sewer service connections in perma Cheema, S., Northern engineer, 1986, 18(2-3), p.18-Water pipelines, Sewage disposal

Subarctic Alaska: design improvements for mine ac-

Johansen, N.I., et al, Northern engineer, 1986, 18(2-3), p.46-50, 8 refs.
Lozano, N.

Roadbeds, Drains, Culverts, Monitors.

Thule Air Base, Greenland: foundations on perma-Mangus, A.R., Northern engineer, 1986, 18(2-3),

.51-57, 4 refs lations, Permafrost preservation, Piles, Gravel,

Ventilation

Facies model for temperate continental glaciers. Ashley, G.M., Journal of geological education, Sep. 1987, 35(4), p.208-216, 39 refs. eits, Pleistocene, Quaternary deposits.

Tags, push-bosts and barges for Siberia. [Buksiry, tolkachi i barshi dila Sibiri, Grinbaum, A.F., et al. Sudostroenie, Sep. 1987, No.9, p.6-10, In Russian. 3 refs. Lobastov, V.P., Sergeev, I.V. Ports, Ships, Ice anvigantion, Design.

Ice protection of the rudder-propeller system of a harbor tug. (Protivoledovaia zashchita vintorulevogo kompleksa portovogo buksiraj, Krapivin, K.K., Sudostroenie, Sep. 1987, No.9, p.16-

17. In Russian Ports, Ships, Ice navigation, Propellers, Ice pressure, Ice floor, Impact.

Efficient working tools for ramming down foundation pits and frozen ground excavation. Effektivnye rabochie organy dia vytrambovyvaniia kotlovanov i

rathche organy dua vystantovy, any rykleniia merzlykh gruntovy, Sokolenko, L.A., Mekhanizatsiia stroitel'stva, Aug. 1987, No.8, p.16-17, In Russian. 3 refs. Earthwork, Foundations, Soil compaction, Frozen

Machines, equipment, instruments. [Mashiny, oborudovanie, instrument, Volkova, A.E., Mekhanizatsiis stroitel'stva, Aug. 1987, No.8, p.24-27, ln Russian. Construction equipment, Cranes (hoists), Drills, Snow removal, Earthwork, Concrete placing, Cold

weather construction.

42-631

Air cushion platforms. [Platformy na vozdushnoï podushkej, Panteleev, M., et al, Morskot flot, 1987, No.9, p.44-46, In Russian.

Ports. Air cushion vehicles, Amphibious vehicles, Marine transportation.

Transferrable and self-propelled equipment used in northern mine shafts. (Perenosnoe i samokhodnoe oborudovanie ekspluatiruemoe na shakhtakh Severa), Kivileva, N.M., et al, Bezopasnost' truda v promys. lennosti, Feb. 1987, No.2, p.36, In Russian.

Sherstov, V.A.
Placer mining, Mine shafts, Roofs, Supports, Drills,
Borcholes, Blasting, Continuous permafroet.

Standards for designing underground storages for oil, petroleum products and liquefied gases. (O normakh proektirovaniia podzemnykh khranilishch nefti, nefteproduktov i szhizhennykh gazov, Sessin, I.V., et al, Biulleten stroitel'nol tekhniki, Jan. 1987, No.1, p.13-14, In Russian.

Underground storage, Artificial freezing, Petroleum products, Permafrost control, Liquefied gases, Crude oil, Building codes, Permafrost beneath structure

Washout of frozen ground. [Razmyvaemost' mer-

zlykh gruntov<sub>j</sub>,
Taypin, V.Sh., et al, Transportnoe stroitel'stvo, Sep. Tsypin, V.Sh., et al, Transportnoe str 1987, No.9, p.6, In Russian. 4 refs. IUrovskii, B.L.

Roads, Permafrost thermal properties, Bridges, Froz-en fines, Permafrost beneath structures, Water ero-sion, Thermal effects.

Investigation of the interannual variability of water and ica circulation of the Arctic Basin using a diagnos-

Beliakov, L.N., et al, Problems of the Arctic and the Collection of articles, 1986, Vol.58, p.54-Antarctic. 66, For Russian original see 38-4065. 21 refs. Volkov, V.A., Gazova, L.A., Ponomarev, V.I. Sea ice distribution, Drift, Atmospheric circulation, Boundary layer, Wind velocity, Wind direction.

42-636

Vertical distribution of wind velocity and direction in the boundary lays. of the atmosphere over the Arctic

Tsigel'nitakil, I.I., Problems of the Arctic and the Antarctic. Collection of articles, 1986, Vol.38, p.62-72, For Russian original see 38-4066. 8 refs. See ice distribution, Drift, Atmospheric circulation, Boundary layer, Wind velocity, Wind direction.

Formation, structure and morphometric characteris-tics of a young ice hummock ridge. Komarovskii, V.A., Problems of the Arctic and the

Antarctic. Collections of articles, 1986, Vol.58, p.112-116, For Russian original see 38-4067. 7 refs. Sea ice distribution, Pack ice, Pressure ridges, Young ice, Ice navigation, Ice reporting, Drift stations, Fast

42-638

Microclimate of living quarters of the GOSKOMGI-DROMET polar stations.

Gorbonosova, N.B., et al, Problems of the Arctic and the Antarctic. Collection of articles, 1986, Vol.58, p.135-140, For Russian original see 38-4068. 9 refs. Teshebaev, Sh.B.

Weather stations, Residential buildings, Micro-climatology, Construction materials, Ventilation, Air temperature, Humidity.

42-639

Slope dynamics in the Ossola region, central Alps of Slope synamics in the Ossola region, central Alps of morthern Italy. [La dynamique des versants dans l'Ossola (Italie du Nord, Alpes centrales)], Pech, P., Revue de géographie alpine, 1986, Vol. 74, p.355-371, In French with English summary. 11 refs. Geocryology, Slope stability, Geomorphology, Frost action, Snow cover effect, Rain, Periglacial processes, Vela.

Italy-Alps. 42-640

Nevado El Ruiz eruption of Nov. 13, 1985; originality of the phreatic-magnetic and Plinian eruptive dynamism in an equatorial ice cap. [L'éruption du 13 novembre 1985 au Nevado El Ruiz; l'originalité du dynamisme éruptif phréato-magmatique et plinien sur upuamana erupur pareato-magmanque et plinien aur une calotte glaciaire aux latitudes équatoriales, Thouret, J.C., Revue de géographie alpine, 1986, Vol.74, p.373-391, In French. 15 refs. Glacial geology, Volcanoes, Glacier flow, Geomor-phology, Sediments, Colombia—Nevado El Ruiz.

42-641 Deglaciation of the site of Lac des Bèches, Ecrins Range. A palynological and glacio-morphological study, La deglaciation du site du lac des Bèches (Massif des Ecrins). Etude pollenanslytique et

glacio-morphologique, Cotteaux, M., et al, Revue de géographie alpine, 1987, 75(1), p.63-77, In French with English sum-mary. 9 refs.

Edouard, J.L.

Glaciation, Geomorphology, Palynology, Cirque gla-ciers, Rock glaciers, Lakes, Paleoclimatology, Mountains, Glacier oscillation, Age determination, France

1. Influence of climate change and climatic variability on the hydrologic regime and water resources. International Symposium ron; the Influence of Climate Change and Climatic Variability on the Hymate Change and Climatic Variability on the Hydrologic Regime and Water Resources, Vancouver, B.C., Aug. 9-22, 1987, International Association of Hydrological Sciences. Publication, 1987, No.168, 640p., With French summaries. Refs. passim. For selected papers see 42-643 through 42-652. Solomon, S.I., ed, Beran, M., ed, Hogg, W., ed. Hydrology, Climatic changes, Glaciology, Water reserves, Precipitation (meteorology), Rusoff, Meetings, Carbon dioxide, Paleoclimatology.

Analysis of the variation trend of the annual ranoff on the northern slope of Oilian Shan. Lai, Z., International Association of Hydrological

Lai, Z., International Association of Hydrological Sciences. Publication, 1987, No. 168, Influence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p.27-36, 5 refs. Runoff, Climatic changes, Hydrology, Precipitation (metoorology), Mountains, Seasonal variations, Temperature distribution, Altitude, China—Qilian Mountains.

Evaluation of runoff changes in the Labe River basin by simulating the precipitation-runoff process. Buchtele, J., et al, International Association of Hydro-Buchtele, J., et al, International Association of Influence Sciences. Publication, 1987, No.168, Influence of Climate Change and Uniter Variability on Editation of Climate Change and Water Resources. Editation of Change and Water Resources. the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p.63-75, 3 refs.

Zemlicka, M. Runoff, Climatic changes, Hydrology, Water reserves, Precipitation (meteorology), Snowmelt, Statistical analysis, Rain, Seasonal variations, Czecho-

Climatic fluctuations and runoff from electorized Al-

Climatic Hischardons and Funoti from gincerized Apples basins.
Collins, D.N., International Association of Hydrological Sciences. Publication, 1987, No. 168, Influence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p. 77-89, 10 refs. Climatic changes, Glacial hydrology, Hydrology, Alphes glacisticos, Runoff, Glacial rivers, Precipitation (metsorology), Mountains, Switzerland—Alps.

42-646
Paleohydrologic studies using proxy data and observations.

Valuebecher, H.J., International Association of Hydro-logical Sciences. Publication, 1987, No.168, Influ-ence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p. 111-121.

53 res. Carbon dioxide, Climatic changes, Hydrology, Paleo-climatology, Precipitation (meteorology), Soil water, Glacial hydrology, Glacier surveys.

Lake ice formation and breakup as an indicator of climate change: potential for monitoring using remote sensing techniques.

senting techniques.

Maslanik, J.A., et al, International Association of Hydrological Sciences. Publication, 1987, No.168, Influence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p.153-161, 10 refs.

10 ren.
Barry, R.G.
Lake Ice, Climatic changes, Hydrology, Ice forms
tion, Ice breakup, Remote sensing, Freezenp, Models
Seasonal variations, Photointerpretation, Finland.

Mass balance of North Cascade Glaciers and climatic

implications.
Pelto, M.S., International Association of Hydrological Pelto, M.S., International Association of Hydrological Sciences. Publication, 1987, No.168, Influence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources. Edited by S.1. Solomon, M. Beran and W. Hogg, p. 163-171, 12 refs. Climatic changes, Glacier mass balance, Runoff, Hydrology, Glacial hydrology, Temperature effects, Meliwater, Seasonal variations, Statistical analysis, United States—Washington—Caecade Range.

Long water balance time series in the upper basins of four important rivers in Europe—indicators for cli-matic changes?.

Schilder, B., International Association of Hydrologischauer, B., International Association of Hydrologi-cal Sciences. Publication, 1987, No. 168, Influence of Climate Change and Climatic Variability on the Hy-drologic Regime and Water Resources. Edited by S.I. Solomon, M. Berna and W. Hogg, p. 209-219, 8 refs. Water balance, Climatic changes, Hydrology, Glacial hydrology, Pracipitation (meteorology), Runoff, Synoptic meteorology, Statistical analysis, River ba-

Is the largest North American sub-arctic sand dune disappearing.

disappearing,
Whiting, J., et al, International Association of Hydrological Sciences. Publication, 1987, No.168, Influence of Climate Change and Climatic Variability on
the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p.339-353,

Wheaton, E Sands, Climatic changes, Hydrology, Glacial lakes, Eolian soils, Remote sensing, Meltwater, Ground wa-

42-651
Glacial and hydrological regime under climatic influences in the Urumqi River, northwest China.
Yao, T., International Association of Hydrological Sciences. Publication, 1987, No.168, Influence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p.367-377, 12 refs. Climatic changes, Glacial hydrology, Hydrology, Glaciar Ivers, Glacier mass belance, Water balance, Glacier mass belance, Water balance, Glarder on the Company of the Company Urumqi River.

Primary study of the relationship between glacial mass balance and climate in the Qilian Mountain tak-

mass behance and climate in the Ulinan Mountain tailing "July First" Glacier as an example. Xie, Z., et al, International Association of Hydrological Sciences. Publication, 1987, No.168, Influence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources. Edited by S.I. Solomon, M. Beran and W. Hogg, p.379-388, 6 refs.

Liu, C. Climatic changes, Glacier mass balance, Hydrology, Glacier melting, Glacial hydrology, Mountains, Tem-perature effects, Glacier oscillation, China—Quilian Mountain.

Mechanical law of anisotropic rock ice during stationary regime. ¡Lois du comportement mécanique d'une roche glace anisotrope en régime stationnaire,, Andermann I., France. Centre national de la recher-

Andermann, I., France. Centre national de la recherche scientifique. Laboratoire de glaciologie et de géophysique de l'environnement, 1982, No.405, 92p., In French. Ph.D. thesis. Refs. p.90-92.
Ice crystal structurs, I.ce plasticity, Ice deformation, Ice creep, Anisotropy, Ice models, Tensile stress. The stated purpose of this study was to determine the relationship between the rate of deformation and the stress deviator in ice with rotational orthotropic symmetry. The plastic behavior of an isotropic monocrystal is compared to that of a polycrystal. A method is described which permits to establish the power of the 3rd invariant of the stress deviator. The experimental setup is described and the mathematical derivations are given.

Design and construction of large-panel roofs. [Prock-tirovanie i stroitel'stvo krupnopanel'nykh krysh], Shtein, I.I., Leningrad, Stroiizdat, 1987, 175p., In Rus-sian with abridged English table of contents enclosed.

Heat loss, Large panel buildings, Roofs, Ventilation, Psnels, Design, Environmental impact, Temperature, Humidity, Climatic factors.

Structural concrete and reinforced concrete. [Beton

i zhelezobeton v stroitel'stvej, Mikhaĭlov, K.V., et al, Moscow, Stroĭizdat, 1987, 103p., In Russian with abridged English table of contents enclosed. 13 refs. Volkov, IU.S.

oncrete structures, Industrial buildings, Residential buildings, Reinforced concretes, Cements, Concrete admixtures, Prefabrication.

Roadbed construction for the Baykal-Amur mainline. Sooruzhenie zemlianogo polotna Balkalo-Amurskol

magistralij, Chernavskii, V.P., et al, Moscow, Transport, 1987, 160p., In Russian with abridged English table of con-

tents enclosed.

Tsvelodub, B.I., Taïts, V.G.
Roadbeds, Earthwork, Permafrost beneath structures, Discontinuous permafrost, Cold weather construction, Embankments, Slope protection, Baykal Amur railroad.

47.687

Durability of concrete; fracture mechanical aspects. Bache, H.H., Nordic concrete research, 1985, No.4, p.7-25, 5 refs.

Concrete durability. Front action Practuring Management

Concrete durability, Frost action, Fracturing, Mechanical properties, Tensile properties, Crack prepagation, Brittleness, Electrical properties. 42-658

Brittleness and strength of reinforcing steel bars nader high loading rate at lowered temperatures. Hyvonen, T., Nordic concrete research, 1985, No.4, p.81-88, 3 refs.

p.81-88, 3 reis. Low temperature tests, Steels, Loads (forces), Brittleness, Fracturing, Tensile properties.

42-659

Brittleness of reinforced concrete structures under arctic conditions

arche conditions. Kivekäs, L., et al, Nordic concrete research, 1985, No.4, MP 2272, p.111-121, 5 refs. For another ver-sion see 41-213 (CR 86-02). Korhonen, C.

Reinforced concretes, Concrete strength, Low temperature tests, Loads (forces), Brittleness, Concrete structures, Impact strength.

The behavior of reinforced and unreinforced concrete beams was studied under impact load at low temperatures, and the results were compared with the behavior of reinforcing steel in resuls were compared with the behavior of reinforcing steel in the Charpy-V impact-tests. Transition temperatures as high as -30 C were obtained in the Charpy-V test whereas at tempera-tures as low as -63 C no brittle failure occurred in the concrete beams, even in those beams where the rebars were intentionally notched. The impact strength of unreinforced concrete in-creased considerably at lower temperatures.

42.660

43-000 Long-term durability of concrete. Rasmussen, T.H., Nordic concrete research, 1985, No.4, p.159-178, 7 refs. Concrete durability, Concrete strength, Freeze thaw

cycles, Concrete freezing, Compressive properties, Concrete admixtures.

42.661

Sea-ice influence on Arctic coastal retreat.

Ses-lee influence on Arctic coastal retreet.
Reimnitz, E., et al, Specialty Conference on Advances in Understanding of Coastal Sediment Processes, New Orleans, LA, May 12-14, 1987. Proceedings. Coastal sediments '87, edited by N.C. Kraus, New York, American Society of Civil Engineers, 1987, p.1578-1591, Refs. p.1588-1591.
Barnes, P.W.
Shoreline modification, Ice cover effect, Shore erostes. See level. They

sion, Sea ice, Ice conditions, Pack ice, Sea level, Thaw weakening, Settlement (structural).

42-662

42-662
Subsystem for meteorological, actinometric and accological observations in the polar regions. (Podsistems meteorologicheskikh, aktinometricheskikh, actioopicheskikh nabudemi v poliarnykh ratonakh, Koptev, A.P., et al, Leningrad. Arkticheski i antarkticheski naucho-issledovatel'ski institut. Trudy, 1986, Vol.403, p.7-25, in Russian. 24 refs. Kazakova, N.N., Gil'chenko, N.G. Meteorology, Data processing, Data transmission, Drift stations, Polar regions.
Subsystems designed for observations in the polar regions methods of measurements, and instrumentation are described. Guidelines toward greater data reliability, and further improvements on measuring systems and equipment, are provided. Illustrations of the systems are included.

Method for measuring air temperature and evaluation of its reliability. [Metod izmereniia temperatury voz-

ot in remainty. (Metod Lizerenia temperatury voz-dukha i otsenka ego pogreshnosti, Gil'chenko, N.G. Leningrad. Arkticheskii antarkti-cheskii nauchno-issledovatel'skii institut. Trudy, 1986, Vol.403, p.26-34, In Russian. 15 refs.

Meteorology, Drift stations, Data processing, Weather forecasting.

er forecasting. Studies on the reliability of a method used in measuring air temperature at antarctic stations are discussed. The limit of allowable error in this method is determined to be 1.0°C. It is shown that the method under discussion meets the need of providing the correct meteorological information indispensable for operational meteorological forecasts.

Actinometric data processing and prospects of its development on ES computers. (Obrabotka aktinometrichesko' informatsii i perspektivy ee razvitiis na EVM

ES<sub>3</sub>,
Alekseeva, R.P., et al, Leningrad. Arkticheskli i antarkticheskli nauchno-isaledovateľskli institut.
Trudy, 1986, Vol.403, p.79-91, In Russian. 5 refs.

Dubovtseva, V.V. Meteorology, Drift stations, Solar radiation, Data processing, Computer programs.

A step-by-step procedure of actinometric data processing in polar regions is discussed, including automatic and semisuto-matic methods of data gathering, a critical computerized analysis of the data and an objective evaluation of the functioning of the station's operator and of the quality of the actinometric information obtained.

42-665

Algorithm for processing and control of hourly data in meteorological surveys. [Algoritm obrabotki i kon-trolia ezhechasnykh dannykh meteorologicheskikh

trolla ezneumyan nabitudenii, Balabanov, V.S., Leningrad. Arkticheskli i antarkti-cheskli nachno-isaledovatel'skli institut. Trudy, 1986, Vol.403, p.92-98, In Russian. 2 refs. Meteorology, Drift stations, Computer programs,

Data processing.

A flowchart is presented of a program for the processing and control of meteorological information, with detailed analysis of the following blocks: preliminary preparation of data processed, introduction into the computer, control of syntax and logic, control of sectional and systematic errors, and printing of er-

42-666

Flowchart for processing and control of meteorological information from Soviet antarctic and North Pole drift stations. (Blok-skhema obrabotki i kontrolis meteorologicheskol informatsii sovetskikh antarkticheskikh i dreifujushchikh stantail Severnyl polius, Balabanov, V.S., et al, Leningrad. Arkticheskii i an-tarkticheskii nauchno-issiedovatel'skii institut. Trudy, 1986, Vol.403, p.99-106, In Russian. 9 refs. Rechnov, A.A. Meteorology, Drift stations, Data processing.

A flowchart is presented for automated processing and control of metorological data, which deals with methods used in polar regions. The chart is based on the correlation of metorological data obtained at Soviet antarctic research stations, and the North Pole drift stations, and classifies accidental and systematic errors testing different data control methods.

42-667

Ico-information automation system for research vessels in the southern ocean based on the SM-4 computer. [Aviomatizirovannaia ledovo-informatsionnaia sistema dlia nauchno-operativnogo obespecheniia sudokhodstva v IUzhnom okeane (na baze EVM SM-

Romanov, A.A., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-isaledovatel'akii institut. Trudy, 1986, Vol.403, p.186-199, In Russian. 9 refs.

Sea ice, Mapping, Ice edge, Data processing, Fast ice, Polar regions.

Total regions.

The principles of a system handling ice data, developed for the SM-4 computer, are discussed. The data, such as the location of drifting ice and the edge of fast ice, and of ice of different compaction, are also used in the compilation of maps of the ice regime in the southern ocean for 1956-1981.

42-668

Understanding ice dynamics.
Allison, 1. Australian natural history, Summer 1986-87, 2(3), p.110-111.
Ice sheets, Sea ice, Antarctica.

Ab rief stetch is given of the massive ice cover over the land and sea areas of the antarctic region. The winter cover nearly doubles the size of the Continent as 20 million sq km of sea ice encapsulate the land mass. The impact of the ice is noted and methods of extracting data from it are mentioned.

Floating giants

Hamley, T., Australian natural history, Summer 1986-87, 22(3), p.112-115.
Icebergs, Distribution, Antarctics.

Birth of iceberga calving from the ice shelves and glaciers of Antarctics is briefly recounted along with historical perceptions of and experiences with icebergs as objects of terror, disaster, and enchantment. Distribution, erosion, melting, rollowers, and eventual reduction to drops of freshwater mixing with sea

flaheries, ice as a fresh water source, minerals, tourism, and research. Major roadblocks hindering the realization of some of these possibilities include the uncertainty of the annual stocks of krill and fish (in the case of flaheries development), and the 2,500 m thick ice sheet atop possible mineral deposits. A reinforced plastic wrapper about icebergs may be a possible alternative to towing. Other considerations include the need for the tive to towing. Other considerations include the need for careful use of the fragile antarctic environment and the effect of human activities on Antarctica.

42-671
Photosynthesis and cell division by antarctic microal-gae: comparison of benthic, planktonic and ice algae. Rivkin, R.B., et al. Journal of phycology, June 1987, 23(2), p.223-229, 52 refs.
Fut, M.

Photosynthesis, Sen ice, Algae, Plankton, Cryobiolo-

IT adiance-dependent rates of photosynthesis and cell division of 6 species of microalgae isolated from the benthos, plankton and see ice microbial community in McMurdo Sound were compared. Microalgae isolated from different photo environments had distinct photosynthetic and growth characteristics. The slope of the light-limited portion of the P-I relationship was up to 50 times greater for the benthic algae than for either the ice or planktonic algae suggesting that benthic algae used the low irradiances more efficiently for carbon uptake. Cell division was dependent on the incubation tradiance for all but one microalga examined. The dependence of division rates on irradiance was however much smaller than for carbon uptake suggesting that cell division buffers the influence of short term variations of irradiance on cellular metabolism. (Auth.)

Winter crossing using ribbon bridges. Wait, M.R., Military engineer, Aug. 1987, 79(516),

p.450-451. Bridges, Ice control, Ice cutting,

42-673

Military snow removal problems.

Minsk, L.D., Military engineer, Aug. 1987, 79(516),
MP 2268, p.452-453.

Snow removal, Military operation.

42-674

Bit design improves augers. Sellmann, P.V., et al, Military engineer, Aug. 1987, 79(316), MP 2269, p.453-454. Brockett, B.E.

Angers, Prozen ground.

42-675

Ground freezing controls hazardous waste. Iskandar, I.K., Military engineer, Aug. 1987, 79(516), MP 2270, p.453-456. Soil freezing, Artificial freezing, Waste disposal.

Optimizing the methods of winter concreting. [Optimizatsiia metodov zimnego betonirovaniia, Golovnev, S.G., Leningrad, Strolizdat, 1983, 233p., In Russian with abridged English table of contents en-closed. 40 refs.

Winter concreting, Concrete placing, Concrete hard-ening, Concrete freezing, Concrete aggregates, Co-ments, Concrete curing, Concrete strength.

Improving the strength and durability of concrete. Improving the strength and durability of concrete. Povyshenie prochnost it synosityosti betona, Grushko, I.M., et al, Kar'kov, Vyshcha shkola, 1986, 149p. (pertinent p.51-92), in Russian with abridged English table of contents enclosed. 80 refs. Il'in, A.G., Chikhladze, E.D.

crete strength, Concrete freezing, Preeze thaw cycles. Tests.

Description and evaluation of the Alaska pavement rating procedure. McHattie, R.L., Alaska. Dept. of Transportation and

Public Facilities. Report, Feb. 1982, FHWA-AK-RD-82-15, 56p. + appends., 10 refs. Pavements, Bituminous concretes, Read maintenance, Surface roughness, Patigue (materials), Cracking (fracturing), Damage, United States—Alaska.

42-679
Frost jacking forces on H and pipe piles embedded in

water are described.

42-670

Formulating the future.

Quilty, F., Australian natural history, Summer 1986-87, 22(3), p.116-118.

Economic development, Research projects, Antarctics.

The possibilities for extracting antarctic natural resources are outlined. Major considerations include the development of Frost penetration.

42-680

Environmental review of summer construction of gravel islands: Sag Delta No.7 and No.8, Stefanson

Sound, Alaska.

Evans, C.C., et al, Anchorage, Arctic Environmental
Information and Data Center, Mar. 1980, 83p. + ap-

pends., 21p. of refs. AEIDC, QH541.5A7A51 I54

Subsea permafrost, Artificial Islands, Ice conditions, Sediments, Gravel, Sea ice, Marine biology, Stability, Environmental impact, United States—Alaska—Ste-

42-681 Environmental studies of the proposed Terror Lake hydroelectric project, Kodiak Island, Alaska: in-stream flow studies.

Wilson, W.J., et al, Anchorage, Oct. 1986, 197p., Refs. p.157-159. Alaska, University, Arctic Environmental Informa-

Alibon and Data Center.
AEIDC, QH541.5 R5 A4A82
River basins, Lakes, Stream flow, Environmental protection, Electric power, Ecology, Hydrography, Witersheds, Human factors, United States—Alaska-

42.682

Assessment of environmental effects of construction of the Terror Lake hydroelectric facility, Kodiak Island, Alaska. Wilson, W.J., et al, Anchorage, Nov. 1979, 334p.,

Refs. p.281-303.

Underwood, L.S., Alaska. University. Arctic Envi-ronmental Information and Data Center. AEIDC QH541.5 R5 A4A8

Stream flow, Lakes, Ecology, Snowfall, Electric pow-er, Environmental impact, Hydrology, Climate, Geo-morphology, United States—Alaska—Kodiak Island.

42-683

Geology of the Antarctic.

Georgy of the Antarcuc. Ivanov, V., et al, Science in the USSR, Mar.-Apr. 1987, No.2, p.100-111. Grikurov, G., Masolov, V. Ice absets, Continental drift, Antarctica.

An outline of the history of Soviet geological studies in the Antarctic is presented, and the theory that Antarctics is likely to actively disintegrate, under the action of a system of transcontinents infa, into major blocks gradually submerging into the ocean is discussed. Diagrams of geological and geophysical studies, of the antarctic ice cover and of the rift zones in Antarctics, are included.

42-684
Calculations of freezing and thawing beneath buildings on permafrost. Raschety ottaivaniia i promer-zaniia v osnovaniiakh zdanii na mnogoletnemerzlykh

gruntakh,
Demchenko, R.IA., Yakutak, 1986, 89p., In Russian
with English table of contents enclosed. Refs. p.84-

Permafrost bases, Concrete structures, Foundations, Buildings, Active layer, Freeze thaw cycles, Design.

Glaciology of mountainous regions (anow cover, glaciers and avalanches). ¡Gliatsiologiia gornykh oblas-

ciers and svanances). Constitution gui a gornykn obias-tel (anezhnyl pokrov, ledniki i lavinyl), Konovalov, V.G., ed, Sredneaziatskii regional'nyi nauchno-isaledovatel'skii institut. Trudy, 1987, Vol.123, 137p., In Russian. For individual papers sec 42-686 through 42-702. Refs. passim. Snow covar distribution, Snow cover stability, Blast-

ing, Snow surveys, Avalanche engineering, Snow water equivalent, Rock glaciers, Glacier ice, Ice volume, Ice surveys, Alpine landscapes.

Variability of characteristics of a stable snow cover in ountains of Central Asia. [Izmenchivost' kharak teristik ustošchivogo snezhnogo pokrova v gorakh

teristic usocimvogo snezinogo pokrova v goraki Srednet Azili, Arkhipova, O.M., et al, Stedneaziatskih regional'nyi nauchno-isaledovatel'skih institut. Trudy, 1987, Vol.123, p.3-12, In Russian. 7 refs. Getker, M.I., Tsarev, B.K. Saow cover distribation, Snow cover stability, Snow

depth, Snow surveys, Alpine landscapes.

Regularities governing vertical distribution of snow reserves during winter periods in the mountains of Kazakhstan. [Zakonomernosti vertikal'nogo raspredeleniia snegozapasov v techenie zimnego perioda

predetemia anegozapasov v tecnenie zimego perioda v gornykh rašonakh Kazakhstana,; Kolesnikov, E.I., et al, Sredneaziatskii regional'ny'i nauchno-istledovatel'skii institut. Trudy, 1987, Vol. 123, p. 12-21, In Russian. 5 refs.
Podstrechnyl, A.N.

Mountains, Snow cover distribution, Snow depth, Snow density, Snow water equivalent, Water re-

42-688

Methods of forecasting river runoff in Central Asia resulting from snow-glacier alimentation. (Metody prognoza stoka rek Srednei Azii s lednikovo-snego-

vym pitaniem<sub>j</sub>, Konovalov, V.G., *Sredneaziatskii regional'nyi nauch*no-isaledovatel'skit institut. Trudy, 1987, Vol.123, p.22-32, In Russian. 4 refs. Glacier ablation, Snow water equivalent, Glacial rivers, Rusoff, Alpine landscapes.

42-689

Characteristics of external mass transfer on the Pamir fire plateau below Communism Peak. (Kharakteristika vneshnego massoobmena Pamirskogo firnovogo plato pod pikom Kommunizmaj, Diurgerov, M.B., Sredneaziatskii regional'nyi nauch-Diurgerov, M.B., Sredneszistskii regionsi nyi naucino-issledovatel'skii institut. Trudy, 1987, Vol.123, p.33-41, In Russian. 5 refs. Mountain glaciers, Fira, Glacier alimentation, Snow accumulation, Ablation, Glacier mass balance, Metamorphism (snow).

One more method of calculating total area of glaciers from limited orographic and climatic data. Eshche odin metod rascheta chisla i summarnoi ploshchadi lednikov po ogranichennoj oroklimaticheskoj infor-

Glazyrin, G.E., et al, Sredneaziatskii regional'nyi nauchno-issledovatel'skii institut. Trudy. 1987, Vol.123, p.41-45, in Russian. 7 refs. Pershukova, M.M.

River basins, Glaciation, Mountain glaciers, Glacier

42.601

Glacial surges and their possible effect on activation of earthquakes. [Pul'satsiis lednikov i vozmozhnoe ee

vilianie na aktivizatsiiu zemletriasenii, Freifel'd, V.IA., Sredneaziatskii regional'nyi nauchno-isaledovatel'skii institut. Trudy, 1987, Vol.123, p.46-54, In Russian. 9 refs. Earthquakes, Avalanches, Glacier surges

Hydrographic structure of glaciers and its relation to the type of glaciation. Gidrograficheskaia struktura lednikov i es sviaz's tipom oledeneniis, Sokolov, L.N., Srednesziatskir regional nyi nauchno-isaledovatel'ski institut. Trudy, 1987, Vol.123, p.54-58, In Russian. 6 refs. mins, Hydrography, Mountain glaciers, Glacial hydrology.

42.601

Ice reserves in the Dzhungarskiy Alatau glaciers. (Zapasy l'da v lednikakh Dzhungarskogo Alatau), Cherkasov, P.A., Sredneaziatskii regional nyi nauch-no-issiedovatel akii institut. Trudy, 1987, Vol.123, p.58-65, in Russian. 8 refs.
Ice volume, Mountain glaciers, Alpine landscapes,
Glacier ice.

42-694

Water regime in the body of a glacier. [Rezhim vody

water regions v tele lednika, Akbarov, A.A., Sredneaziatskii regional'nyi nauchno-issiedovatel'skii institut. Trudy, 1987, Vol. 123, p.65-72, In Russian. 7 refs. Glacier ice, Glacial hydrology, Glacial rivers, Runoff.

42-695

Relation of air temperature in the glaciation zone to Relation of air temperature in the glaciation zone to glacio-geomorphological parameters of glaciers in Central Asia. [Sviaz' temperatury vozdukha v gliatsial'nol zone s gliatsiogeomorfologicheskimi parametrami lednikov Srednel Aziij, Volkova, M.V., et al, Sredneaziatskii regional'nyl nauchno-issledovatel'skii institut. Trudy, 1987, Vol. 123 - 27 82 I.e. Pusice I.i.

Vol.123, p.72-83, In Russian. 11 refs. Tikhanovskaia, A.A., Kharitonov, G.G. Glacler (ce, Solar radiation, Hydrothermal processe Air temperature, Glacler ablation.

42-696

Reconstruction of morphometric characteristics of Abramev Glacier. Opyt rekonstruktsii morfometri-cheskikh kharakteristik ledn. Abramova, Bassin, N.S., et al, Srednesziatsků regional'nyi nauch no-issledovatel'skii institut. Trudy, 1987, p.84-93, In Russian. 11 refs. amnianskil, G.M.

Mountain glaciers, Glacier ice, Radar echoes, Ice surveys, Glacier flow, Velocity.

New data on the retreat of some Alay glaciers. (Novye dannye o sokrashchenii nekotorykh lednikov Alaia) Amas, Krelter, A.A., et al, Sredneaziatskii regional'nyi nauchno-issledovatel'skii institut. Trudy, 1987, Vol.123, p.34-99, In Russian. 9 refs. Bassin, N.S., Zharkinbekov, M., Petrov, M.A. Mountain glaciers, Glacier surveys, Glacier oscillation. Glacier melting.

42.698

Rock glacier formation in upper reaches of the Shak-himardansay River. Obrazovanie kamennogo gletchera v verkhov iakh reki Shakhimardansai, gletchera v verknov iakn reki Shaknimardansaij, Petrov, M.A., Sredneaziatskih regional'nyi nauchno-iasledovatel'akli institut. Trudy, 1987, Vol.123, p.100-102, In Russian. 3 refs. Rock glaciers, Slope processes, Glacial eroslon, Moraines. Avalanches

42-699

Snow avalanches in mountain-forest areas of Tien Shan exemplified by some river basins. (Snezhnye laviny gomo-lesnykh raionov Tian'-Shania (na priaveny gomo-issayat ration viant-sianta (na primere nekotorykh rechnykh basselnov), Moskalev, IU.D., et al, Sredneaziatski regional'nyi nauchno-isaledovatel'skii inatitut. Trudy, 1987, Vol.123, p.102-110, In Russian. 7 refs.

Popov, B.B. ropov, B.B. Mountains, Forests, Slope processes, Avalanche for-mation, Avalanche erosion.

Using blasting techniques in collapsing and stabilizing snow cover on slopes. (Obrushenie i zakreplenie anega na sklonakh vzryvami), Moskalev, IU.D., et al, Sredneaziatskii regional'nyi

nauchno-issledovateľ skli institut. Trudy, 1987 Vol.123, p.111-117, In Russian. 7 refs.

Snow depth, Slope processes, Snow stabilization, Blasting, Snow accumulation, Snow cover distribu-

42-701

Daily forecasts of wet-snow avalanches in western Tien-Shan. ¡Metodika sutochnogo prognoza mok-rykh lavin v usloviiakh Zapadnogo Tian'-Shania, Kharitonov, G.G., Sredneaziatskii regional'nyi nauchno-issledovateľsků institut. Trudy, 1987, Vol.123, p.118-126, in Russian. 5 refs. Avalanche forecasting, Wet snow, Avalanche formation, Avalanche triggering.

42-702

Statistical evaluation of the coefficient of resistance to avalanche movement. 10 statisticheskoi otsenke koeffitsienta soprotivleniia dvizheniiu lavinj, Roemieina soprouvienia ovizienini isvinj, Kanaev, L.A., Sredneaziatskii regional'nji nauchno-issiedovatel'skii institut. Trudy, 1987, Vol.123, p.126-130, In Russian. 6 refs. Avelando mechanica, Statisticai analysis.

42-703
Physical and technical problems of northern Transbalkal. [Piziko-tekhnicheskie problemy severa Zabat-

kal'iaj, Narkeliun, L.F., ed, Novosibirsk, Nauka, 1987, 136p., For selected papers see 42-704 through

Narkenun, For selected papers — 42-712. Refs. passim.
Permafrost beneath structures, Construction material construction equipment, Cold weather Construction equipment, Cold weather Construction equipment, Cold weather Cons als, Wastes, Construction equipment, Cold weather performance, Buildings, Foundations, Concrete strucperformance, Buildings, Foundations, Concrete struc-tures, Reinforced concretes, Lightweight concretes, Winter concreting.

Technical severity of weather in Udokan and assess-Technical severity of weather in Udokan and assessment of its effect on equipment performance. Technicheskala zhestokost' pogody Udokana i uchet ee vliianiia na proizvoditel'nost' oborudovaniis, Podsokhin, E.L., et al, Fiziko-tekhnicheskie problemy severa Zabatkal'ia (Physical and technical problems of northern Tranabaikal) edited by L.F. Narkeliun, Novosibirsk, Nauka, 1987, p.42-49, In Russian. 7 refa

Pal'chikova, O.A. Quarries, Mining, Climatic factors, Machinery, Equipment, Cold weather operation, Winter mainte-

Studying seasonal cycles in the performance of drilling rigs in quarries under severe climatic conditions. [Issledovanie sezonnol tsiklichnosti v rabote burovykh stankov na kar'erakh s surovymi klimaticheskimi

Bashlaev, I.I., Fiziko-tekhnicheskie problemy severa Basniaev, I.I., Fiziko-teknnicheskie problemy severa Zabatkalia (Physical and technical problems of north-ern Transbaikal) edited by L.F. Narkeliun, Novosi-birsk, Nauks, 1987, p.49-55, In Russian. 4 refs. Mining, Rock excavation, Permatrost, Drilling, Boreholes, Cold weather performance.

42-706

Tectonic and cryogenic disturbances of locations of the Udokan Mining-Metallurgical Combine. Tektonicheskaia i kriogennaia narushennost' uchastkov territorii Udokanskogo GOKa, Borovikov, A.M., et al, Piziko-tekhnicheskie problemy severa Zabalkal'ia (Physical and technical problems of northern Transbalkal) edited by L.F. Narkeliun, Novosibirsk, Nauka, 1987, p.69-74, In Russian. 3 Mining, Permafrost structure, Geocryology, Geology, Tectonics.

Natural conditions of the development of exogenous geological processes in the area of the Udokan deposit. ¡Prirodnye usloviia razvitiia ekzogennykh geologi-cheskikh protsessov v raione Udokanskogo mestorozhdeniia<sub>1</sub>, Laperdin, V.K., Fiziko-tekhnicheskie problemy severa

Laperum, V.K., Fiziko-tekhnicheskie problemy severa Zabatkal'ia (Physical and technical problems of northern Transbaikal) edited by L.F. Narkeliun, Novosibirsk, Nauka, 1987, p.75-83, In Russian. 4 refs. Cold weather construction, Mining, Permafrost distribution, Geologic processes, Geocryology, Baykal Amur rafiroad.

42-708

New porous aggregate for construction in northern Transbatkal. (Novy! poristy! zapolnite!' dlia stroi-te!'stva na severe Zabatkal'ia;, Golovachev, G.K., et al, Fiziko-tekhnicheskie problemy severa Zabalkal'ia (Physical and technical prob-lems of northern Transbaikal) edited by L.F. Narkeli-un, Novosibirsk, Nauka, 1987, p.99-105, In Russian. Imetinov, N.B., Kon IU.M., Sedin, A.F.

Cements, Construction materials, Wastes, Frost resistance, Lightweight concretes, Permafrost beneath structures, Concrete aggregates, Gravel, Ash.

42-709

Strength of sand-concrete during hardening after early freezing. (Prochnost' peskobetona pri tverdenii posle rannego zamorazhivaniia, Tabolin, V.S., Fiziko-tekhnicheskie problemy severa Tabolini, V.S., Pitak-tekninceskie problems severa Zabaikalia (Physical and technical problems of north-ern Transbaikal) edited by L.F. Narkeliun, Novosi-birak, Nauka, 1987, p. 105-112, in Russian. 4 refs. Winter concreting, Concrete aggregates, Sanda, Ce-ments, Concrete freezing, Concrete strength, Frost resistance, Tests, Freeze thaw cycles.

42-710

Economic efficiency of using sand-concrete under severe climatic conditions. [Ekonomicheskaia effek-

severe cumanic conductors. Jaconomicnessaia eriestivnost' primeneniia peskobetona dlia surovykh klimaticheskikh uslovij,
Tabolin, V.S., Fiziko-tekhnicheskie problemy severa Zabalkal'ia (Physical and technical problems of northern Transbaikal) edited by L.F. Narkeliun, Novosibirak, Nauka, 1987, p. 112-115, In Russian. Concretes, Cements, Concrete aggregates, Sands, Winter concreting, Concrete strength, Prost resist-

Economics of foundation construction on frozen ground in the Chita region. ¡Ekonomika fundamen-tostroeniia na merzlykh gruntakh v Chitinskoʻi oblas-

tostroemia na merziyan guntana v cimamostriti,
Shekemov, IU.V., et al, Fiziko-tekhnicheskie problemy severa Zabatkal'ia (Physical and technical problems of northern Transbaikal) edited by L.F. Narkeliun, Novosibirsk, Nauka, 1987, p.115-121, in Russian. Elgin, B.B. Zchelezniak, I.I., Ivin, I.A. Economic sanlysis, Concrete structures, Reinforced concretes, Poundations, Permafrost beneath structures, Piles.

42-712

Bearing strength of pile bases in thewing grounds of Central and Eastern Transbalkal. ¡Nesushchain spo-sobnost' osnovanii sval v ottaivaniushchikh gruntakh

sobnost osnovanii svat v ottavaniushchikh grintakh Tsentral'nogo i Vostochnogo Zabatkal'ia, Torgashev, B.B., Fiziko-tekhnicheskie problemy sev-era Zabatkal'ia (Physical and technical problems of northern Transbatkal edited by L.F. Narkeliun, Novosibirsk, Nauka, 1987, p.121-129, In Russian. 7

Winter concreting, Piles, Foundations, Permafrost bases, Permafrost thermal properties, Active layer. 42-713

Iceberg dynamics—project report.
Bruneau, A.A., et al, St. John's, Memorial University
of Newfoundland, 1972, 3 vols.

Dempeter, R.T.
Iceberg towing, Ice mechanics, Loads (forces), Drift,
Ocean currents, Equipment, Wind factors, Design,
Forecasting, Ice volume. 42.714

42-714
Ice forces on Hans Island, 1981.
Danielewicz, B.W., et al, Arctic Petroleum Operators
Association, Calgary, Alta. Report, Dec. 1982,
APOA 181-1, 61p. + appends., 3 refs.
Metge, M.
Ice loads, Offshore structures, Ice floes, Ice pressure,
Drift, Velocity, Offshore landforms, Ice mechanics,
Hydrodynamics. Hydrodynamics.

42-715

Model for retrieving total sea ice concentration from a spaceborne dual-polarized peasive microwave instrument operating near 90 GHz.
Svendsen, E., et al, International journal of remote sensing, Oct. 1987, 8(10), p.1479-1487, 10 refs.
Mätzler, C., Grenfell, T.C.

Sea ice distribution, Remote sensing, Ice conditions, Mathematical models, Microwaves.

42-716

On the contribution of volume scattering to the mi-crowave backscattered signal from wet snow and wet

Schanda, E., International journal of remote sensing, Oct. 1987, 8(10), p.1489-1500, 20 refs. We mow, Soil water, Backscattering, Remote sensing, Radar schoes, Scattering, Snow water content, Analysis (mathematics).

42-717

Pire tests on loose-fill insulation materials.

Kokkala, M., Finland. Technical Research Centre.

Research report, June 1987, No.485, 60p. + append.,

With Finnish summary. 34 refs.

Thermal Insulation, Fires, Construction materials,

Standards.

42-718

Condensation of supersaturated water vapor at low temperatures in a shock tube.

Peters, F., Journal of physical chemistry, May 7, 1987, 91(10), p.2487-2489.

Law temperature tests, Condensation, Water vapor, Supersaturation, Cloud chambers.

42-719 Attraction of the poles. Pritiazhenie poliusov, Koehechkin, B.I., Leningrad, Lenizdat, 1987, 184p., In Russian.

Polar regions, Expeditions, Exploration.

Total regions, Exponentions, Exponentions of the early experiences of the Soviet scientist and explorer A.F. Treshnikov which led to his life-long interest in both polar regions. Details of many expeditions to the Arctic and to Antarctics are presented in subsequent chapters in chronological order, outlining a profile of the man himself by revealing the thoughts and feelings driving him in his pioneering activities.

42-720

On the draughts of some large antarctic icebergs. Jacobs, S., et al, *Iceberg research*, June 1987, No.14, p.3-13, 27 refs.

Barnett, D. Icebergs, Ice shelves, Bottom topography, Antarctica—Filchner Ice Shelf, Antarctica—Larsen Ice Shelf. A preliminary outline of two major events, the calving of Larsen loe Shelf and that of Flichner loe Shelf that occurred in 1986, is presented. Satellite images taken before and after the events, and tracks of the larger underway icebergs relative to the sea floor topography are shown. Past large-iceberg trajectories and some problems related to iceberg sizing are also noted.

Shipboard observations of a giant iceberg near Clarence Island, South Shetlands. Amos, A.F., Icoberg research, June 1987, No.14, p.14-

Icebergs, Antarctics—Clarence Island

This is a preliminary report on observations made of a giant iceberg from R/V Polar Duke on Jan. 9, 10, 11, 1987 near Clarence I. A description of the berg and the circumstances of its location as recorded in hipboard notes in presented. Figures show the cruise track of R/V Polar Duke in the vicinity of the big berg and the location of the leeberg from four separate sightings. (Auth. mod.)

42-722

Geography for resources management. [Geografiia—upravleniiu prirodopol zovaniem,
Preobrazhenskii, V.S., ed, Moscow, 1986, 146p., In
Russian. For selected article see 42-723. 5 refs.

Aleksandrova, T.D., ed. Natural resources, Environmental protection, Human return resources, Eavironmental protection, riaman factors engineering, Economic development, Environ-mental impact, Motor rehicles, Cold weather per-formance, Meteorological factors, Topographic ef-

Methodology of regionalization according to climatic severity, for the operation of motor vehicles. (Metodicheskie osnovy klimaticheskogo [Metodicheskie osnovy klimaticheskogo raionirovaniia dlia tselei ekspluatatsii samokhodnykh mashin,

Krenke, A.N., et al, Geografiia-upravleniiu prirodopol'zovaniem (Geography for resources management) edited by V.S. Preobrazhenskii and T.D. Aleksandrova, Moscow, 1986, p.122-139, In Russian. 5 refs. Potapova, L.S. Motor vehicles, Cold weather performance, Classifi-

cations, Regional planning, Alpine tundra, Meteoro-logical factors, Forest tundra, Topographic effects, Taiga, Polar regions.

Landscape architecture of towns in Siberia and the European part of the North. (Landshaftnaia arkhitektura gorodov Sibiri i Evropeiskogo Severay, Khromov, IU.B., Leningrad, Stroitzdat, 1987, 200p., In Russian with English table of contents enclosed.

Urban planning, Buildings, Roads, Architecture, Design, Landscape types, Taign, Tundra, Forest tundra, Plains, Mountains.

Studies of massive rock properties and geological processes. ¿Izuchenie svoistv massivov porod i geologi-cheskikh protsessov; Sheahenia, N.L., ed, Moscow, Nauka, 1986, 118p., In Russian. For selected papers see 42-726 through 42-

Russian. For selected papers see 42-726 through 42-730. Refs. passim. Zykov, IU.D., ed. Pest, Rheology, Thermokarst, Slope processes, Geo-logic processes, Permafrost distribution, Permafrost hydrology, Naleds, Avalanches, Rosds, Mountains, Deformation, Geocryology, Permafrost structure, Permafrost thermal properties, Swamps.

Using test-hole stamp in studying thawing ground deformation in the Vorkuta area. [lzuchenie deformatsionnykh svojstv ottaivaiushchikh gruntov rajona Vorkuty skvazhinnym shtampom,

B. Vorkuty skyazininym silvaniym salvojsty massivov porod Dukhin, I.E., et al, Izuchenie svojsty massivov porod i geologicheskikh protsessov (Studies of massive rock properties and geological processes) edited by N.L. Sheshenia and IU.D. Zykov, Moscow, Nauka, 1986,

Nikolseva, N.S., Tkacheva, L.A. Ground thawing, Soil profiles, Deformation, Soil physics, Rheology, Boreholes, Tests.

42-727

Regularities governing the development of exogenic geological processes in mountains, (Zakonomernosti razvitiia ekzogennykh geologicheskikh protsessov v gornykh raĭonakhi. Sheshenia, N.L., et al, Izuchenie svolstv massivov

porod i geologicheskikh protessov (Studies of massive rock properties and geological processes) edited by N.L. Sheshenia and IU.D. Zykov, Moscow, Nauks, 1986, p.66-77, In Russian.

Vasil'ev, V.I. Hydrothermal processes, Frost shattering, Land-slides, Solifluction, Frost heave, Mountains, Thermokarst, Naleds, Permafrost distribution, Active lay-

42-728

Geophysical methods of studying frozen rocks in Mongolia. rlzuchenie merzlykh porod MNR geofizi-cheskimi metodamij, Zykov, IU.D., et al, lzuchenie svolstv massivov porod

i geologicheskikh protsessov (Studies of massive rock properties and geological processes) edited by N.L. Sheshenia and IU.D. Zykov, Moscow, Nauka, 1986, p.78-87, In Russian. 4 refs. Krasovskii, A.G., Rozhdestvenskii, N.IU., Chervin-

skais, O.P. Permafrost distribution, Engineering geology, Geo-physical surveys, Acoustics, Electromagnetic pros-pecting, Radioactive isotopes, Frozen ground temper-ature, Soil profiles.

Estimating man-induced factors of avalanche danger when building roads in mountains. (Otsenka tekh-nogennykh faktorov lavinnol opasnosti pri stroitel stve

dorog v gorakhi, Baulina, L.L., Izuchenie svotstv massivov porod i geologicheskikh protessov (Studes of massive rock properties and geological processes) edited by N.L. Sheshenia and IU.D. Zykov, Moscow, Nauka, 1986, p.96-99, In Russian.

Roadbeds, Avalanche formation, Avalanche trigger ing, Avalanche mechanics, Mountains.

Prozen peat bogs of western Siberia. tMerzlye tor-fianiki Zapadnoi Sibiri, Streletakaia, I.D., Izuchenie svoistv massivov porod i geologicheskikh protessov (Studies of massive rock properties and geological processes) edited by N.L. Sheshenia and IU.D. Zykov, Moscow, Nauka, 1986,

p.100-108, in Russian. Swamps, Thermokarst, Sporadic permafrost, Peat, Frost mounds, Mining, Forest tundra, Taiga, Con-struction, Roadbeds, Foundations.

Qui 101

Underwater blasting, ¡Vzryvnye raboty pod vodolj,
Galkin, V.V., et al, Moscow, Nedra, 1987, 232p., In
Russian with abridged English table of contents enclosed. 49 refs.
Gil'manov, R.A., Drogovelko, I.A.

Gormanov, ..., Brigorett, F.A., Lee blasting, Ice cover thickness, Underwater ice, Borehole instruments, Ice drills, Ice breaking, Hydraulic structures, Foundations, Pits (excavations),

42-732
Hydrochemical processes associated with naied formation. (Gidrokhimicheskie protsessy pri naiedeobrazovani);
Ivanov, A.V., Vladivostok, 1983, 108p., In Russian with English table of contents enclosed. 239 refs. Naieds, Ground water, Permafrost hydrology, Glacial hydrology, Land ice, Ice composition, Water chemistry, Phase transformations.

carciac marine navigation and ice dynamics—summary findings.
Weeks, W.F., MP 2274, Arctic marine technology—Airlie House Workshop, Warrenton, VA, Feb. 26-28, 1973. [Proceedings], Washington, D.C., [1973], p.86-99.

p.86-99. Ice navigation, Ice mechanics, Ships, Marine trans-portation, Vehicles, Environmental impact, portation, Meteorology.

Arctic marine commerce study, Vol.1: final report;

Arctic Institute of North America, June 30, 1973, 42p. Offshore structures, Marine transportation, Ports, Pipelines, Environmental impact, International cooperation, Meetings, United States-Alaska.

Arctic marine commerce. Final report. Volume 1. Arctic Institute of North America, Aug. 1973, 305p.

Arctic Institute of North America, Aug. 1973, 3039. (pertinent p. 193-221), 6 refs.

Marine transportation, Offshore structures, Icebrenkers, Ice conditions, Cargo, Economic development, Moorings, Pipelines, Offshore drilling.

42-736

Use of electronic methods for soil investigations. (Användning av elektroniska metoder för markundersökning),

Gersokning,
Rummukainen, A., Sweden. Samarbetsorganisationen för fordon-markforskning. Meddelande, 1987,
No.34, Nordisk konferens terrängtransporter, Strängnäs, May 28-29, 1984 (Northern Conference on OffRoad Transportation). Proceedings, p.72-81, In
Swedish with English summary, p.12. 13 refs. Soil trafficability, Dielectric properties, Frost action, Snow cover effect, Radiometry, Radio waves, Radar echoes.

42-737

Appraisal of a low-cost side-looking airborne radar

Appraisal of a low-cost side-looking airborne radar for Beaufort Sea ice reconnaissance.

Dome Petroleum Ltd., Arctic Petroleum Operators Association, Calgary, Alta. Report, Sep. 1982, APOA 184-1, c 69p., 7 refs.

Ice surveys, Side looking radar, Offshore drilling, Airborne radar, Photography, Cloud cover, Fog, Beaufort

42-738

Beaufort Sen "GEOPOS" study (Geotechnical evaluation of Permafrost on Casings). Beuker, G.H., Arctic Petroleum Operators Association, Calgary, Alta. Report, May 1981, APOA 183-1, 27p. + graphs.

Subsea permafrost, Well casings, Ground thawing, Rheology, Soil creep, Computer applications, Design, Strains, Forecasting, Beaufort Sea.

42-739

Modal dynamics and stabilizer design for galloping

transmission lines.

Biswas, S.K., et al, Electric power systems research,
June 1987, 12(3), p.175-182, 19 refs.
Riaz, H., Ahmed, N.U.

Transmission lines, Power line icing, Wind factors.

Electromagnetic scattering from dielectric bodies of revolution: theoretical and experimental results.

Kishk, A.A., et al, Electromagnetics, 1987, 7(1), p.51-60, 11 refs Antar, Y.M.M., Shafai, L., Allan, L.E.

Radar echoes, Backscattering, Cloud physics, Radio

waves.

42-741 Modeling the runoff of mountain rivers from satellite

information. [Modelirovanie stoka gornykh rek i sputnikovaia informatsiia, Muzylev, E.L., Moscow, Nauka, 1987, 136p., In Russian with abridged English table of contents enclosed.

192 refs. Runoff, Snowmelt, Remote sensing, Spaceborne pho-Autoni, Show melt, Remote standy, Spaceton to pulsa-tography, Stereophotography, Snow water equiva-lent, Snow surveys, Stereomapping, Spacecraft, Al-pine landscapes, Mathematical models, Snow cover distribution, River basins.

42-742

Energy-saving technology for structures of high-strength reinforced concrete with chemical admixstrength relationed concrete with chemical samilar tures. Energosberegaiushchais tekhologiia zhelezobetonnykh konstruktsii iz vysokoprochnogo betona s khimicheskimi dobavkami, Babaev, Sh.T., et al, Moscow, Strolizdat, 1987, 240p., In Russian with abridged English table of contents enclosed. 96 refs.

Komer, A A

Concrete freezing, Reinforced concretes, Concrete admixtures, Concrete aggregates, Wastes, Concrete hardening, Concrete strength, Frost resistance, Pre-

42-743

Geology, hydrogeology and geochemistry of oil and gas of the southern slope of the Anabar anteclise. [Geologia, gidrogeologia i geokhimiis iuzhnogo

sklona Anabarskof anteklizy, Koval'skii, V.V., ed, Yakutsk, SO AN SSSR, 1986, 176p. (pertinent p.68-110), In Russian with abridged English table of contents enclosed. Refs. p.171-174.

Engusn natic of contents enclosed. Refs. p.171-174. Bilanenko, V.A., ed. Petroleum industry, Drilling, Natural gas, Hydrogoology, Permatrost distribution, Permatrost hydrology, Suprapermatrost ground water, Subpermafrost ground water.

42-744

Hydrologic calculations and forecasts. [Gidrologi-

cheskie raschety i prognozy, Skotselias, I.I., ed, Kazakhski regional'nyi nauchno-iasledovatel'skhi institut. Trudy, 1987, Vol.97, 113p., In Russian. For selected papers see 42-745 and 42-

746. Refs. passim.
River basins, Snow cover distribution, Albedo, Snow water equivalent, Snow evaporation, Measuring instruments. Accuracy.

Using albedo in calculating snowmelt from air tem-perature. (Ispol'zovanie al'bedo pri raschete snegotaianiia po temperature vozdukha), Golubtsov, V.V., et al, Kazakhski regional'nyi nauch-

no-issiedovateľsků institut. Trudy, 1987, Vol.97, p.19-24, In Russian. 5 refs. Li, V.I.

River basins, Snow surveys, Snow cover distribution, Albedo, Snow water equivalent, Snowmelt, Alpine landscapes, Mathematical models.

Snow evaporation in northern Kazakhstan. [Ispare-

nie snega v severnom kazakntaran. [15pare-nie snega v severnom kazakntaran.] Zavodchikov, A.B., Kazakhskii regional'nyi nauchno-issledovatel'skii institut. Trudy, 1987, Vol.97, p.102-106, In Russian. 3 refs. Snow evaporation, Measuring instruments, Accuracy, Meteorological factors.

New cartometric determinations of antarctic ice

volume, (Novye kartometricheskie opredeleniia ob''ema l'da Antarktidy,
Berliant, A.M., et al, Moscow. Universitet. Vestnik.
Seriia 5 Geografiia, Jan.-Feb. 1987, No.1, p.34-40, In
Russian. 11 refs.

Scrapinas, B.B., Suctova, I.A. Ice volume, Ice models, Mapping, Ice shelves.

Various methods used in measuring the antarctic ice sheet volume for compilation of maps are evaluated. Pertinent literature is reviewed, and figures and tables are presented for the following: mean values of ice sheet volume, for the continual alone and with the inclusion of ice shelves; ice volume determination, with the assistance of hypographic curves of the ice sheet, the bedrock area shove and below sea level, and of the ice shelves. Pragments of maps showing ice surface features, subglacial topography, and ice thickness are included.

Method for the development of a local climatological model for prediction of slipperiness on roads. Bogren, J., et al, Goteborgs Universitet. Naturgeo-grafiska institutionen. GUNI rapport, 1986, No.20, 54p., 16 refs. Gustavsson, T. Roads, Skid resistance, Weather forecasting, Models,

Climatology, Surface temperature, Air temperature, Temperature effects.

Laboratory testing of three runway snow and ice control agents. Vol.1 Main report.
Comfort, G., Arctec Canada Ltd., FR 1934C, Kanata, Ontario, Mar. 1987, 63p., 6 refs.

Change, Iva. Ice control, Ice removal, Snow removal, Chemical Ice prevention, Skid resistance, Friction, Temperature effects, Tests, Countermeasures.

Sea ice conditions and surface melt in the Arctic for

Sea ice conditions and surface melt in the Arctic for spring 1979 and 1980 SMMR data.
Anderson, M.R., Boulder, University of Colorado, 1987, 129p., University Microfilms order No.8528459, Ph.D. thesis. Refs. p.118-124., For batract see Dissertation abstracts international, Sec. B, Apr. 1986, p.3376-3377.

Ice conditions, Sea ice, Ice melting, Snow surface, Synoptic meteorology, Albedo, Seasonal variations, Remote sensing, Ice edge, Calving.

Plant cold hardiness.

International Seminar ron, Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986, New York, Alan R. Liss, Inc., 1987, 381p., Refs. passim. For selected pa-pers see 42-752 through 42-759. Li, P.H., ed.

Cold tolerance, Plant physiology, Plant tissues, Plants (botany), Frost resistance, Cold weather tests, Acclimatization, Damage, Freezing points.

42-752

Photosynthesis as a key process in plant response to low temperature: alteration during low temperature acclimation and impairment during incipient freeze-

thaw injury.
Steffen, K.L., et al, International Seminar [on] Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Proceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p.67-99, Refs. p.95-99. Palta, J.P.

Plant physiology, Cold tolerance, Photosynthesis, Acclimatization, Freeze thaw tests, Damage, Cold

42.753

Mechanisms of freezing avoidance and freezing toler-

ance in tropical alpine plants.

Beck, E., et al, International Seminar (on) Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Proceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p.155-168, 14

Scheibe, R., Hansen, J. Plant physiology, Cold tolerance, Mountains, Temperature effects, Freezing points.

42-754

92:139
Regional variation in cold hardiness of Sakhalin fir (Ables sachalinensis Mast.) in Hokkaldo, Japan. Eiga, S., et al, Internstional Seminar ron Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Proceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p. 169-182, 15 refs.

Plant physiology, Cold tolerance, Frost resistance, Soil freezing, Climatic factors, Frost penetration, Freezing points, Damage.

Irreversible injury of Korean pine seedlings caused by winter solar radiation.

Da, L.T., et al, International Seminar [on] Plant

Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Proceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p.183-194, 10 refs.

Yue, H.J., Ying, J.D. Plant physiology, Cold tolerance, Solar radiation, Freezing points, Snow cover effect, Cold weather tests, Chlorophylls.

42-756 Mechanisms of winter injury in Korean pine seed-

Nuc, H.J., etal, International Seminar ton Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Proceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p.195-201, 10

Da, L.T., Ying, J.D.
Cold tolerance, Plant physiology, Photosynthesis,
Plants (botany), Damage.

42,757

Damage to conifer seedlings by summer frost and winter drought. Christersson, L., et al, International Seminar con

Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Proceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p.203-210, 13 refs Fircks, H. von. Sihe, Y.

Plant physiology, Frost action, Cold tolerance, Damage, Seasonal variations, Frost resistance. Climatic

Freezing injury in purified plasma membranes from cold acclimated and non-acclimated needles of Pinus sylvestris: is the plasma membrane bound ion-stimu-lated ATPase the primary site of freezing injury. lated AIPsse the primary site of freezing injury. Hellergren, J., et al, international Seminar [on Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Proceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p.211-220, Refs. p.218-220.

Widell, S., Lundborg, T.
Cold tolerance, Acclimatization, Plant physiology,
Damage, Plants (botany), Freezing points, Cold
weather tests, Temperature effects.

42.759

Effect of cold acclimation and freezing injury on electrical impedance of plant tissue.
Stout, D.G., International Seminar [01] Plant Cold

Stout, D.C., International Seminar (on) Plant Cold Hardiness, Shanghai, China, Sep. 4-7, 1986. Pro-ceedings. Plant cold hardiness. Edited by P.H. Li, New York, Alan R. Liss, Inc., 1987, p. 243-258, 21 refs. Plant physiology, Cold tolerance, Acclimatization, Freezing points, Damage, Plant tissues, Freeze thaw

42-760
Merging of theory and practice.
International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986, Homewood, CA, ISSW Workshop Committee, 1987, 248p., Refs. passim. For selected papers see 42-761 through 42-794.
Availanches, Snow surveys, Snow physics, Rescue operations, Accidents, Damage, Countermeasures, Skis, Magneticies.

Avalanche bazard in Kashan Valley, Himalaya Range, Pakistan.

De Scally, F., et al, International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.21-28, 10 refs. Gardner, J.

Avalanche formation, Avalanche tracks, Landform Topographic features, Slope orientation, Snowfall, Mountains, Air temperature, Mapping, Pakistan— Kaghan Valley.

Deterministic model for snowdrift accumulation. Berg, N.H., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.29-36, 30

refs. Snowdrifts, Snow accumulation, Wind velocity, Snowfall, Mathematical models, Topographic fea-

Storage and redistribution of snow upwind of an ava-

Storage and realtribution of show upwing of an avalanche catchment.

Schmidt, R.A., et al, International Snow Science
Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Home-wood, CA, ISSW Workshop Committee, [1987], .37-40, 7 refs.

p.3/--o, Hartman, H. Snow cover distribution, Blowing snow, Avalanche formation, Snow loads, Snow depth, Sublimation, Humidity.

Cornices: their growth, properties and control. McCarty, D., et al, International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.41-45, 4 rets.

Brown, R.L., Montagne, J. Snow coraices, Snow mechanics, Explosives, Avalanche triggering, Meteorological factors, Countermeasures, Wind factors, Mountains.

Simple orographic precipitation model for the Pacific

Simple orographic precipitation model for the Pacific Northwest.

Hayes, P.S., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.46-55, 9 refs. Precipitation (meteorology), Avalanche formation, Topographic effects, Mathematical models, Wind factors, Road maintenance, Weather forecasting, Veloci-

42-766

Augmenting snow by cloud seeding: a tool for manag-

Augmenting show by the control of th

wood, CA, ISSW Workshop Committee, (1987), p. 56-60, 8 refs. Barlow, F.D., Renick, J.H. Snowfall, Cloud seeding, Water supply, Water con-tent, Meltwater, Mountains, Water reserves, Canada Alberta-Rocky Mountains.

42-767

American Association of Avalanche Professionals. American Association of Avalances Professionals. Ferguson, S.A., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, (1987), p.61-63. Avalanches, Organizations, United States.

Electrical measurements of snow wetness in undisturbed snow.

turbed snow.

Bergman, J.A., International Snow Science Workshop,
Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings.

Merging of theory and practice, Homewood, CA,
ISSW Workshop Committee, 1987, p.64-68, 9 refs.

Snow water content, Snow electrical properties, Unfrozen water content, Avalanche formation, Rain, Wet snow, Meltwater.

Aerial blasting: theories and contraptions.

Dombroski, R., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, (1987), p.69-71, 2

Avalanche triggering, Explosives, Countermeasures. Detonation waves.

42-770

Recent developments of snow moisture dielectric devices.

Denoth, A., et al, International Snow Science Workbenoth, A., et al, international show science work-shop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceed-ings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, t1987<sub>1</sub>, p.72-76, 10 refs.

Snow water content, Unfrozen water content, Snow electrical properties, Dielectric properties, Messuring instruments, Tests.

Avalanche defense systems in the starting zone. Lazard, A.J., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.77-78.

Avalanches, Warning systems, Countermeasures,

Protection

Sensor frequency, wave guide orientation and type, and their influence on acoustic emission monitoring of anow pack stability.

Watters, R.J., et al, International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.81-85, 4 refs.

Snow cover stability, Acoustic measurement, Acoustics, Snow creep, Snow loads, Monitors, Snow density, Avalanche formation.

Seasonal snow cover monitoring using FMCW radar. Gubler, H., et al, International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewoo CA, ISSW Workshop Committee, [1987], p.87-97, 4 refs

Weilenmann, P.

Snow stratigraphy, Snow cover distribution, Snow water equivalent, Radar echoes, Avalanche formation, Seasonal variations, Meltwater, Monitors, Snow water content, Spectra.

On the metamorphism, morphology and microstructure of snow.

Perla, R., et al, International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, 1987<sub>3</sub>, p.98-102, 17 refs.

Sommerfeld, R.A.

Metamorphism (snow), Snow morphology, Microstructure, Snow cover structure, Tomperature gradients, Snow crystal growth, Phase transformations.

42-775

ocal transformations to simulate two dimensional

Country transformations to similate two dimensional dendritic crystal growth.

Good, W., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.103-107, 12

refs. Snow crystal growth. Dendritic ice, Ice crystal growth, Computer programs, Models.

Instrumentation of avalanche loads, East Riverside avalanche path, Colorado.

Mears, A.I., International Snow Science Workshop,

Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987, p.108-11]. Avalanche formation, Loads (forces), Avalanche tracks, Impact strength, Strains, Velocity, Countermeasures, Protection.

42-777
Three dimensional dynamic model of turbulent avalanche flow.
Tesche, T.W., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings.
Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, 1987, p.111-137, Refs. p.132-137.

Avalanche mechanics, Avalanche modeling, Turbu-lent flow, Mathematical models, Avalanche tracks, Air entrainment.

42-778
Avalanches of snow from roofs of buildings.
Paine, J., et al, International Snow Science Workshop,
Lake Tahoe, CA, Oct. 22-23, 1986. Proceedings.
Merging of theory and practice, Homewood, CA,
ISSW Workshop Committee, [1987], p.138-142, 2 Bruch I

Avalanche formation, Roofs, Snow mechanics, Buildings, Design, Countermeasures, Protection, Snow accumulation, Analysis (mathematics).

Low cost determination of snow accumulation. Wagner, N.R., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice. Homewood, CA ISSW Workshop Committee, [1987], p.143-145, 2 refs.

Snow depth, Acoustic measurement, Snow accumulation, Measuring instruments, Tests, Snow surface, Snowfall, Snowdrifts.

How ground temperature affects temperature gradi-

ent metamorphism—an empirical study.

Tremper, B., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, r1987, p.146-152, 6

Metamorphism (anow), Soil temperature, Tempera-ture gradients, Avalanche formation, Snow compac-tion, Soil temperature, Seasonal variations, Inter-faces.

42-781

Widespread cycle of unusual avalanche events. Wilson, N.A., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Lake Tahoe, CA, Oct. 22-23, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.153-154. Avalanche formation, Damage, Snow accumulation, Trees (plants), Buildings, Temperature effects, Impact strength, Mountains, Wind factors.

42-782

Alpiae meadows avalanche rescue dog program.
Maddox, J., International Snow Science Workshop,
Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings.
Merging of theory and practice, Homewood, CA,
ISSW Workshop Committee, (1987), p.155-160.
Avalanche formation, Rescue operations, Animals,

Canadian Avalanche Association.

Schaerer, P.A., International Snow Science Workshop. Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.161-163.

Avalanches, Organizations, Safety, Rescue operations. Accidents.

42-784
Frequency choice for avalanche beacons.
Straumfjord, D., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-23, 1936. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.168-171, 7 refs.

Avalanche formation, Rescue operations, Accidents, Detection, Temperature effects.

42-785

dard frequency for avalanche beacons

oing on in Europe.

going on in Europe.
Meier, F., International Snow Science Workshop,
Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings.
Merging of theory and practice, Homewood, CA,
ISSW Workshop Committee, [1987], p.172-176, 8 refs

Avalanche formation, Warning systems, Safety, Equipment, Accidents.

42-786

Relectronic transceivers for locating avalanche vic-tima, an optical strategy for the primary search. Good, W., international Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.177-182, 9

refs.

Detection, Avalanche formation, Accidents, Rescue
operations, Indicating instruments, Safety, Electronic equipment.

42-787

42-787.

Calinook Pass avalanche control program.

Wilbour, C.R., International Snow Science Workshop,
Lake Tahoe, CA, Oct. 22-23, 1986. Proceedings.

Merging of theory and practice, Homewood, CA,
ISSW Workshop Committee, [1987], p.195-200, 1

Avalanche formation, Saow cover structure, Safety, Countermeasures, Seasonal variations, Wet snow, Protection.

42-788

Research and development pertaining to steel wire rope not systems for the prevention of snow ava-lanches.

Thommen, R.A., Jr., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, 1987,

p.201-206, 1 ref.

Avalanche formation, Countermeasures, Structures,

Supports, Design.

42.789 The Swiss "Rutschblock" snow stability evaluation

whitmore D., et al, International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, 198W Workshop Committee, 1987<sub>1</sub>, p.207-209, 6 refs.

Burak, S.A., Malone, J., Davis, R.E. Snow cover stability, Shear properties, Slope stabili-ty, Testa, Loads (forces), Skis.

42-790

\*\*P-79" In-edit strength measurements of the snowpack.
Rosso, R.S., International Snow Science Workshop,
Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings.
Merging of theory and practice, Homewood, CA,
ISSW Workshop Committee, (1987), p.210-215, 12

Avalanche formation, Snow strength, Shear strength, Tensile properties, Tests, Snow depth.

42-791

Growth characteristics of hourfrost with respect to

Growth characteristics of hourrost with respect to avalanche occurrence.

Breyfogle, S.R., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.216-222, 10 refs.

Avalanche formation, Hoarfrost, Ice crystal growth, Air temperature.

42-792

82-192 Spatial and temporal aspects of the snow avalanche hazard, Glacier National Park, Montana, U.S.A. Butler, D.R., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, [1987], p.223-230, 50

Avalanche formation, Accidents, Damage, Statistical analysis, United States—Montana—Glacier Nation-

42-793

42-793
Global anow studies utilizing microwave radiometry.
Foster, J.L., et al, International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, (1987), p.231-233 7 refs.

233, 7 ren.
Hall, D.K., Chang, A.T.C.
Snow hydrology, Radiometry, Remote sensing, Snow
cover distribution, Microwaves, Snow depth.

Experimental analysis in wind profile at the ground layer of stable air and motion state and deposition of snow in the wind drift snow current.

snow in the wind drift snow current. Chi, G., International Snow Science Workshop, Lake Tahoe, CA, Oct. 22-25, 1986. Proceedings. Merg-ins of theory and practice, Homewood, CA, ISSW nance, CA, Oct. 22-25, 1986. Proceedings. Merging of theory and practice, Homewood, CA, ISSW Workshop Committee, (1987), p.234-239, 15 refs. Snowdrifts, Wild velocity, Snow accumulation, Air flow, Seasonal variations, Analysis (mathematics), Shear stress, Topographic features.

Local ice impact pressures measured in summer mul-tiyear ice in the Beaufort Sea (1984). tiyear ice in the Beamfort See (1984).
Daley, C., et al, Transport Canada. Report, Sep.
1986, TP 7924E, 2Op. + appenda., 5 refs.
St. John, J. W., Brown, R., Meyer, J., Glen, I.
Ice pressure, Impact strength, Ice loads, Testa, Design criteria, Icebreakers, Statistical analysis, Beaufort Sea.

Consolidation of local ice impact pressures measured aboard USCGC Polar See (1982-1984). Daley, C., et al, Transport Canada. Report, Sep. 1986, TP 5533E, 50p. + appends., With French sum-

mary. 42 refs.
St. John, J.W., Brown, R., Glen, I.
Ice pressures, Ice loads, Impact strength, Ses Ice, Ice
conditions, Design criteria, Icebreakers, Ships.

conditions, Design criteria, Icebreakers, Ships.
This report presents a consolidation of local pressure measurements made over a 3 year period, on the USCGC Polar Sea, in both Arctic and Antarctic waters. A panel in the bow of the vessel contains instrumentation capable of recording ice pressures during an impact. During the 3 years, 3680 ice impact events have been recorded. The report presents an analysis of the forces and pressures measured and makes recommendations for iceworthy hip design criteria. Five appendices contain detailed information on the data, statistical analysis and design criteria. Five appendices contain detailed information on the data, statistical analysis and design criteria. Five appendices contain detailed information on the data, statistical analysis and design criteria. Five appendices contain detailed information on the data, statistical analysis and design criteria. Five appendices contain design of the pressure stems of foct appears to be influenced by strain rate. Extreme pressures tend to follow a Frechet (Type II) distribution for the most severe forms of ice. Purther collection of ice loads is appropriate, due to the statistical analyse of the phenomens. Investigation of the plastic behavior of icebreaker scantilings is recommended.

42-797
Development of a 69 kV high-pressure gas-filled pipetype cable system for an arctic environment.
Silver, D.A., et al, IEEE transactions on power delivery, Jan. 1986, 1(1), p.41-50, includes discussion and
authors' reply. 6 refs.

authors' reply. 6 refs.
Seman, G.W., Buckweitz, M.D., Walker, J.J.
Power lines, Pipes (tubes), Thermal insulation.

Engine oil low-temperature pumpability: a compari-son of SAE 10W30, 5W30, and 0W30 multigrade en-

gine oils.

May, C.J., et al, Lubrication engineering, July 1987, 43(7), p.557-567, 28 refs.
Habeeb, J.J., White, A.M.
Lubricants, Engines.

Diffusive transport of light in sea ice. Trodahl, H.J., et al, Applied optics, Aug. 1, 1987, 26(15), p.3005-3011, 20 refs. Buckley, R.G., Brown, S. Ice optics, Sea ice, Light transmission, Diffusion.

Field and laboratory investigations on river ice cover and hanging dam formation.
Ruggles, R.W., Potsdam, N.Y., Clarkson University,

Nugles, R.W., Potsdain, N. F., Clarkson University, 1986, 171p., University Microfilms order No.8626414, Ph.D. thesis. 27 refs. For abstract see Dissertation abstracts international, Sec. B, Feb. 1987,

River ice, Ice dams, Ice formation, Ice cover thickness, Flow rate, Ice volume, Velocity, Analysis (mathematics), Channels (waterways).

42-801

Ice atlas, 1984-1985: Ohio River, Allegheny River,

Monongahola River.
Gatto, L.W., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Aug. 1986, SR 86-23,

Daly, S.F., Carey, K.
River ice, Maps, Ice conditions, Ice navigation, United States—Ohio River, United States—Pennsylvania
—Allegheny River, United States—Monongahela

River.

The incomplete property of the Alleger and the Alleger point and adversely affect navigation. The ice maps in this atlas were prepared to document the 1984-85 lee conditions on those reaches of the Ohio, Allegheny and Monongahela Rivers that are included in study areas for the River ice management (RIM) Program, namely river mile 0 to 437 on the Ohio River, mile 0 to 7 on the Allegheny, and mile 0 to 66 on the Monongahela. The maps were prepared from interpretation of vertical serial video imagery taken from a low-flying aircraft. The interpreted ice conditions were classified into 5 units and transferred to base mans by reference to navigation charts and toograrshic maps. conditions were classified into 5 units and transferred to base maps by reference to navigation charts and topographic maps. Fragmented Ice Cover and Ice Floes or Frazil Sluth and Pans were the most common ice units in the lower pools of the Monongahela River and lower Allegheny. Solid Ice Cover and Fragmented Ice Cover were the most common units in the upper pools of the Monongahela. Fragmented Ice Cover and Open Water were the most extensive units in the Emsworth to New Cumberland pools of the Ohio. Open Water and Ice Floes New Cumberland pools of the Ohio; Open Water and ice Flose or Frazil Slush and Pans were the predominant units in the downstream pools. There were frequent cancellations of lights during the 1984-58 winter because of low cloud ceilings. To get more frequent video coverage of ice during the 1983-58 winter, a wider-angle lens on the video camers will be used. This will allow flights at a lower attitude, permitting video coverage even when the ceiling is low.

42-802

Surface disposal experiment of waste drilling fluids, Hoodoo N-52 well Eller Ringnes Island, N.W.T. Initial report: phase one.

French Arctic Consultants, Ltd., Arctic Petroleum

Prench Arcue Consultants, Ltd., Arcue retroieum Operators Association, Calgary, Alts. Report, Mar. 1982, APOA 187-1, 76p., Refs. p.69-71. Waste disposal, Drilling fluids, Permafrost distribution, Eavironmental impact, Soil pollution, Experimentation, Surface properties, Seasonal variations, Ground ice, Canada—Northwest Territories—Ellef Ringnes Island.

42-803

Surface disposal experiment of waste drilling fluids, Hoodoo N-52 well Ellef Ringnes Island, N.W.T. Phase two report French Arctic Consultants, Ltd., Arctic Petroleum

Prenen Arcue Consultans, Ltd., Arcue retroleum Operators Association, Calgary, Alta. Report, Dec. 1982, APOA 187-2, 57p., 14 refs. Waste disposal, Drilling finids, Soil pollution, Environmental impact, Chemical analysis, Experimentation, Deniga, Surface properties, Canada—Northwest Territories—Ellef Ringnes Island.

42-804
Rating unsurfaced roads—a field manual for measuring maintenance problems.
Baton, R.A., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Aug. 1987, SR 87-15, 34p. ADA-185 621. Gerard, S., Cate, D.W.

Road maintenance, Surface roughness, Drainage, Trafficability, Pavements, Manuals. 42-805

Science of snow and ice. Pt.8. rYuki to kori no kaga-

ku: 83, Inoue, M., Snow and road (Yuki to doro), Apr. 1987, No.11, p.7-10, In Japanese.
Roads, Embankments, Snowmelt, Temperature effects, Slope orientation, Sunlight, Wind direction.

42,806

On the 8th 5-Year Plan on Snow and Cold Climate in Tohoku region. [Tohoku chiken no dai 8-ji sekkan 5

kanen keikaku ni tsuite, Endo, I., et al, Snow and road (Yuki to doro), Apr. 1987, No.11, p.23-27, In Japanese.

Ikeda, K. Road maintenance, Snow removal, Winter mainte-nance, Japan—Tohoku.

42-807

Alming at building a prefecture free from snow dam-age: at the beginning of the last year of the present 5-Year Plan on Snow and Cold Climate. (Setsugai no nai kendo zukuri o mezashite: genko sekkan 5 kanen

keikaku no saishunen ni atatte, Land-Use Planning Section, Toyama Prefecture, Snow and road (Yuki to doro), Apr. 1987, No.11, p.28-34, In

Heat pipes, Road maintenance, Hot springs, Snow removal, Snowsheds, Pavements, Snow fences, Water pipes, Japan—Toyama Prefecture.

Winter znow removal system in Asahikawa. Asahikawa-shi: fuyu no josetau taisei; Tamura, T., Snow and road (Yuki to doro), Apr. 1987, No.11, p.35-41, in Japanese. Heet pipes, Road maintenance, Sidewalks, Snow re-moval, Pavements, Water pipes, Wells, Japan—

Acchikawa

42-809

Measures presently in use against highway snow and less. Kosoku doro ni okeru seppyo tajaku no gen-

kyoj, Murakuni, M., Snow and road (Yuki to doro), Apr.

1987, No. 11, p. 42-46, in Japanese. Road icing, Road maintenance, Highway planning, Snow fences

42.610

Snow removal and snow cover distribution in Akita Prefecture. Akita-ken no doro josetsu jokyo to kose-

Prefecture. (Aktia-ken no uoro joseus jokyo to kos-kisesshin no bunpuj, Ito, T., et al, Snow and rosad (Yuki to doro), Apr. 1987, No.11, p.47-51, 4 refs., In Japanese. Umemori, A., Yanagiaswa, T. Snow depth, Snow cover distribution, Rosd maintenance, Snow removal, Japan—Aklia Prefecture.

42.811

Negano-ken Livems Construction Office-snow conquering measures in northern Shinano. [Nagano-ken livama Kensetsu Jimusho—Kitashinano-ii no kokuset-

nyama kensetu Jimuano—Atlaanmanoji no kotuset-su taisaku ni tauitej, Nakamura, A., et al, Snow and road (Yuki to doro), Apr. 1987, No.11, p.68-73, In Japanese. Aburai, H.

Snow removal. Road maintenance, Pavements. Water pipes, Wells.

42.812

Device to melt accumulated snow in front of garages Device to melt accumulated snow in front of garages in Nagsoka New Town. [Nagsoka nyu taon shako mae shosetau shitsetau],
Takizawa, T., Snow and road (Yuki to doro), Apr. 1987, No.11, p.74-76, In Japanese.
Snow melting, Snow removal, Sprinklers, Wells, Japan—Nagsoka.

42-813

Development of a machine for roadside snowbank removal. Rosoku settei shori kikai no kaihatsu. Abe, T., Snow and road (Yuki to doro), Apr. 1987, No. 11, p.77-83, In Japanese. Snow removal, Embankments.

42.814

lems of global glaciation during the Quaternary. Problems of global sistiation during the Quaternary, Danilov, 1.D., Polar geography and geology, Apr.-June 1987, 11(2), p.127-140, Translation of Timiriazevskaia Sel'skokhoziaistvennaia Akademiia. Izvestiia, No. 1: 109-116, 1984.

Pleistocene, Ice cores, Paleoclimatology, Glaciation.

Pleistocene, Ice corea, Paleoclimatology, Glaciation. The validity of earlier attempts at squeezing global Pleistocene glacial events into the mold of the "four glaciation" Alpine model is questioned and additional criticism is made of the recent trend to expand the number of Pleistocene glaciation even further. It is pointed out that ice core data from both Greenland and Antarctics suggest that there has been a progressive global climatic cooling throughout the whole of the late Centocic, provoked by a reduction in size of ocean areas and an increase in the areas and heights of the continents. This cooling trend reached a maximum in the late-Quaternary (30,000 to 20,000 B.P. approximately), which was associated with amarine regression which caused the isolation and severe cooling of the Cimates of the adjacent continents and initiated a limited glaciation. Lee cap formation was on much more restricted scale than has been conventionally proposed for the Pleistocene glaciationa. On the other hand permafrost was very extensive on the North Atlantic and North Pacific also expanded considerably. (Auth.)

42-815

42-815

Study of ice movements in the Arctic Ocean using

Gorbunov, IU.A., et al, Polar geography and geology, Apr.-June 1987, 11(2), p.141-148, For Russian origi-Nail see 41-4202. 15 refs.
Kulakov, I.IU., Losev, S.M.
Sea ice, Drift, Remote sensing, Ocean currents, Drift

stations

42-816

42-310 Some peculiarities of ice movements in the Arctic Basin based on data from FGGE automatic buoys. Losev, S.M., et al, Polar geography and geology, Apr.-June 1987, 11(2), p.149-161, For Russian original see 41-4199. 10 refs. Gorbunov, IU.A., Kulakov, I.IU.

Remote sensing, Sea ice, Drift, Ocean currents, Drift

42-81. Large-scale ice strength tests, 1980/81. Lecourt, E.J., et al, Columbia, MD, ARCTEC, Inc., July 1982, 3 vols. + 5 vols. of appends., Refs. passim. Benze, D.L., Toeneboehn, J.G., Reid, A.H.

Ice strength, Ice pressure, Compressive properties, Sea ice, Ice deformation, Tests, Loads (forces), Computer programs, Measuring instruments, Equipment, Strains, Photography.

42-818

42-818
Some optical properties of blowing snow.
Seagraves, M.A., U.S. Army. Electronics Research and Development Command. Atmospheric Science Laboratory. Report, June 1981, ASL-TR-0091, 40p., Laboratory. Report, Jun ADA-103 268, 162 refs.

ADA-103 208, 102 reis.

Snow optics, Blowing snow, Aerosols, Attenuation, Visibility, Analysis (mathematics), Snow mechanics, Particle size distribution.

41-810

Measurements of radar backscatter from Arctic sea ice in the summer.
Onstott, R.G., et al. Kansas. University. Center for

Research. Remote Sensing Laboratory. Technical report, July 1981, RSL-TR-331-20, 12p. ADA-105 586.

Gogineni, S., Delker, C.V., Moore, R.K.
Sea ice distribution, Ice conditions, Radar echoes,
Backscattering, Ice cover thickness, Pressure ridges, Second veriations

42.020

Use of radar data on precipitation to evaluate cloudeding results.

seeding results.

Koloskov, B.P., et al, Soviet meteorology and hydrology, 1987, No.2, p.13-19, Translated from Meteorology. giis i gidrologiis. 11 refs. Mel'nichuk, IU.V., Shipilov, O.I.

Mer neaux, 10.7., Sinpuov, O.1.
Radar echoes, Artificial nucleation, Artificial precipitation, Cloud seeding, Experimentation, Data processing, Statistical analysis.

Express analysis of satellite radar images of sea ice. Krasiuk, V.S., et al, Soviet meteorology and hydrology, 1987, No.2, p.59-63, Translated from Meteorologia i idrologiia 5 refe

Nazirov, M., Nikitin, P.A., Bukhman, E.V. Radar photography, Sea Ice, Drift, Spaceborne photography, Antarctica—Ross Sea.

tograpsy, Anterotics—Ross Sea.

Methods and possibilities of digital processing of operationally incoming as ellite data are discussed using the radar images of critice in the Ross Sea, obtained from the Kosmon-1500 satelite. The application of interactive processing methods for express analysis increases reliability and decreases ambiguity.

42-822 Characteristics of icing of the western zone of BAM development according to aerial and satellite data. acveropment according to serial and satellite data. Abakumenko, A.E., Soviet meteorology and hydrology, 1987, No.2, p.72-76, Translated from Meteoroloa i gidrologiia. 3 refs.

giia i gidrologua. 3 reis.
Maps, Ice accretion, Ice conditions, Naleds, Water reserves, Mapping, River basins, Topographic effects, Drainage.

42.823

Science of snow and ice: Pt.9. (Yuki to kori no kagaku: 91, Inoue, M., Snow and road (Yuki to doro), July

1987, No.12, p.7-11, In Japanese. Ice physics, Ice friction, Road icing.

42-824

Effects of antifreeze (snow melting agent) in Hokkaldo. ¡Hokkaido ni okeru toketsu boshizai (vuset-

suzai) no koka ni tsuite; Kadoyama, Y., et al, Snow and road (Yuki to doro), July 1987, No.12, p.44-48, In Japanese.

Salting, Tires, Rubber snow friction, Rubber ice friction, Japan—Hokkaido.

Melting of snow using a non-sprinkler type method on Tohoku Throughway. ¡Tohoku Jidoshado no musan-

Sui shosetsuj,
Arski, S., Snow and road (Yuki to doro), July 1987,
No.12, p.49-55, In Japanese.

Concrete pavements, Geothermal thawing, Pavements, Water pipes, Springs (water), Japan—Sakanashi Tunnel.

Policy on studded tires in Miyagi Prefecture. [Miyagi-ken ni okeru spaiku taiya taisaku ni tsuitej, Miyagi Prefecture. Health and Environment Division. Environmental Management Section, Snow and road (Yuki to doro), July 1987, No.12, p.56-59, In

Tires, Japan-Mivagi Prefecture.

42.827

42-827
Development of a self-propelled transport vehicle that disposes snow/water mixture via hose. I lisoshiki yuki-mizu kongo paipu yusoki no kaihatsu, Sai, T., Snow and road (Yuki to doro), July 1987, No. 12, p.60-63, In Japanese.

Sidewalks, Snow removal, Trenching,

A newly developed treaded vehicle (model) that mixes sidewalk snow with water syphoned up from roadside trenches. Run-ning water in trench washes snow away when accumulated snow is thrown into it. Snow/water mixture is returned to the trench via a return hose

47.878

Securing winter transportation for the vitalization of urban activities—the case of Joetsu, Nilgata Prefecture, a model city. (Toshi kino kasseika no tame no toki kotsu kakuho ni tsuite—Niigata-ken Joetsu-shi o moderu to shita baai,

Ho, S., Snow and road (Yuki to doro), July 1987, No.12, p.64-68, 1 ref., In Japanese.

Snow removal, Winter maintenance, Japan—Joetsu.

42.820

Snow countermeasures at Rausu Pass-securing a regional lifeline. ¡Rausu-toge no bosetsu taisaku—chii-ki no seimeisen no kakuho ni mukete,

Kuwajima, T., Snow and road (Yuki to doro), July 1987. No.12. p.69-74. In Japanese.

Transportation, Blowing snow, Snow removal, Snowsheds, Snow fences, Protective vegetation. Japan-Rausu Pass.

42-830

Changes in techniques of snow removal. Shosetsuho no utsuri kawari<sub>1</sub>, Katsuragi, K., Snow and road (Yuki to doro), July

1987, No.12, p.75-77, In Japanese.
Snow removal, Salting, Sprinklers, Pavements, Heat
pipes, Water pipes, Solar radiation, Ground water. pipes, Water pipes, Solar radiation, Ground water. Section 5. Udilization of the space under pavement as solar heat reservoir by heating underground water during summer is proposed as a new technique in the 21st century. By using underground water thus warmed for pavement heating, snow will be more effectively melted and will result in saving of water. Lowering of water table would be prevented at the same time. 42,831

Role of the National Science Foundation in polar re

U.S. National Science Board. Task Committee on NSF's Role in Polar Regions, Washington, D.C., June 1987, 57p., NSB-87-128, Refs. passim.

Research projects, Polar regions, Organizations, Ice

cover See ice.

This report was prepared on the basis of oral presentations and written background information from experts representing various fields of polar research and organizations concerned with such research. Included in the Committee review are scientific needs and opportunities in meteorology and climate, ocean sciences, earth sciences, glaciology, upper atmosphere research and astronomy, biology and ecology, medicine and health, behavioral and social sciences, and engineering. Consideration is given to the impact of international, national, and state policies and interests on the nature and conduct of polar research, as well as to implications of legal, environmental, and industrial concerns for polar science and engineering. Logistic requirements for effective U.S. research programs in the Artic and the Antarctic are examined, as are trends in the financial support of polar research. Differences between the Arctic and the Antarctic influencing the conduct of research in these re-This report was prepared on the basis of oral presentations and and the Antarctic are examined, as are trends in the financial support of polar research. Differences between the Arctic and the Antarctic influencing the conduct of research in these re-gions are examined. Specific recommendations are offered to assist the National Science Foundation in fulfilling its primary responsibility for polar science and to strengthen U.S. research and presence in the polar regions.

42-832

Growth, structure and disintegration of Arctic ice shelves.

Ieffries. M.O., Polar record, Sep. 1987, 23(147), n 631-649 64 refs

Ice shelves, Ice islands, Ice growth, Calving, Arctic Ocean, Canada—Northwest Territories—Ellesmere Island.

42.833

Bioclimatic index of human survival times in the Antarctic

De Freitas, C.R., et al. Polar record, Sep. 1987. 23(147), p.651-659, 30 refs. Symon, L.V. Climatic factors, Cold weather survival.

Climatic factors, Cold weather survival.

An index of human 'survival time outdoors in extreme cold' (STOEC) has been developed, using body-stmosphere energy budget modelling procedures. The index, which is applicable in places like Antarctica where only limited climatological data are available, is based on the calculated rate of fall of core temperature from 37 C to 27 C of a standard inactive healthy subject in full polar clothing. Applied to data from 12 ontarctic stations it indicates relative severity of their mean and extreme climatic conditions. The severest winter conditions become stations it indicates relative severty of item mean and extreme climatic conditions. The severest winter conditions become life-threatening after only about 20 minutes. At most stations in winter, exposure outdoors for more than two hours would be dangerous. Conditions at all coastal stations in summer are

mild enough to allow a normal core temperature to be main-tained. The index has many applications, for example estimat-ing likely survival times of immobilized accident victims and guidelines for duration of work periods outside. (Auth.)

42-834

Markers, Environmental protection.

Markers, Environmental protection.

A protected area marker prototype has been developed by the Australian Antarctic Division from a Canadian reserve boundary marker. The canister is a 125 mm x 400 mm welded (agricultural) aluminium tube section with a 19 mm thick aluminium cap; the stepped lip of the cap is machined to take a 'intifie' nubber sealing ring. The base of the canister is a 10 mm thick aluminium plate, press-fitted and sealed with epoxy glue, and attached to an aluminium scaffold tube (48 mm outside diameter, 39 mm inside) by a threaded one-and-a-quarter inch BSPS mild steel sleeve. The sleeve screws into the battom plate, which has a concave inside floor. Thus any moisture entering the canister drains to the inside of the scaffold section. Guys are attached to 3 lygs on a steel collar boltrd just below the threaded sleeve. The marker is expected to withstand winds in excess of 150 knots. A powdered epoxy anti-corrosion paint is baked onto the canister or the complete marker. A sketch of the marker is included. (Auth.)

42.838

42-835

New health register for Australian National Antarctic Research Expeditions. King, H., Polar record, Sep. 1987, 23(147), p.719-720,

4 refs.

Health, Polar regions, Antarctics.

The aims of the ANARE Health Register are to quantify the occurrence of ill health in satarctic personnel, to compare incidence rates with those of the domestic population, to assess temporal, seasonal and occupational trends, and to identify high-risk groups. At present descriptive, the project will in time provide a data base for generating and testing hypotheses, and for assessing the value of future public health measures. Data are collected in three stages which are described as to what information is collected at which stages and how the data are used and by whom. (Auth. mod.)

Accidents on Australian antarctic expeditions. Lugg, D., et al, *Polar record*, Sep. 1987, 23(147), p.720-725, 9 refs.

p.720-725, 9 refs.
Gormley, P., King, H.
Health, Accidents, Antarctica.
During the period of analysis Australian expeditioners experienced 1301 injury occurrences, of which 1205 (92.6%) are classed as minor trauma, 39 (3.0%) enajor trauma, and 37 (4.4%) environmental. Overall, this amounts to about one injury/expeditioner/year. It is estimated that annual alcohol consumption among ANARE personnel amounts to 16.3 liters/head. Alcohol is implicated in about 7% of all accidents over the period. period.

42-837

Carbon dioxide effects research and assessment pro-

Beatty, N.B., ed, Washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, 546p., DE82-016 633, DOE/CONF-8106214, For selected papers see 42-838 through 42-843 or F-36498, F-36499 and 1-36497.

Workshop on First Detection of Carbon Dioxide Ef-

workshop on First Detection of Caroon Dioxide Effects, Harpers Ferry, W. June 8-10, 1981.
Climatic changes, Carbon dioxide, Snow cover effect, Lee cover effect, Meetings, Solar radiation, Ocean environments, Marine biology.

vironments, Marine biology.

Scientists are agreed that the global mean carbon dioxide concentration in the atmosphere is increasing at the rate of about 1.0 to 1.5 parts per million per year. In order to develop a program on the first detection of the effects of increased CO2 concentration, the best available scientists were engaged to point the way. To accomplish this, a Workshop sponnered by the U.S. Department of Energy was held at the Cliffside Motor Inn, Harpers Perry, West Virginia, June 3-10, 1981. Four areas were examined: the atmosphere, the polar regions, the occasa, and the biosphere. Papers were commissioned for presentation in each of these areas, and other relevant papers were also included. In addition, four panels were set up, one in each of these areas, to discuss the papers and other relevant material. All the papers and the pracel reports are included in this volume. Three are pertinent to Antarctica.

42-838

Report on the Polar Panel.
Fletcher, J.O., et al, Workshop on First Detection of

Carbon Dioxide Effects, Harpers Ferry, WV, June 8-10, 1981. Proceedings. Carbon dioxide effects research and assessment program. Edited by N.B. Beatty, Washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, p.197-205. DOE/-CONF-8106214; DE82-016 633.

Boville, B.W.

Boville, B.W. Climatic changes, Carbon dioxide, Snow cover effect, Ice cover effect, Sea Ice, Solar radiation, Albedo, Mass balance, Detection, Monitors.

Discussions of detection of CO2 effects in the polar regions are presented in 3 phases: monitoring of CO2 concentrations—in

particular the seasonal variation comparisons between the Arctic and the Antarctic, radiative effects of changing CO2, and early indicators of climatic variation. Descriptions of each phase, with a list of recommendations for effective control measures, are offered.

42-839

Snow and ice indicators of possible climatic effects of

increasing atmospheric carbon dioxide. Barry, R.G., Workshop on First Detection of Carbon Dioxide Effects, Harpers Ferry, WV, June 8-10, 1981. Proceedings. Carbon dioxide effects research and as-Proceedings. Caroon dioxide effects research and assessment program. Edited by N.B. Beatty, Washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, p.207-236, DOE/CONF-8106214; DE82-016 633, Refs. p.231-236.

Climatic changes, Snow cover effect, Ice cover effect, Carbon dioxide, Atmospheric composition, Distribu-

tion, Greenland.

Studies of the general problem of possible snow and ice responses to carbon dioxide-induced warming are reviewed; the components of the cryosphere are summarized. Types of CO2 effects on the cryosphere are discussed, and characteristics of snow and ice parameters and factors involved in their variability are shown in a table. On the basis of present knowledge, it is suggested that a CO2-induced warming on the century time scale will have only minor consequences for ice sheets and ground ice or permafrost. Changes in sea lee concentrations, however, may be anticipated on the 10- to 50-year time scale; a possible decreasing trend in antarctic sea ice extent warmans careful monitoring. Recommendations to this effect are included.

42-840

Carbon dioxide in polar climates.
Kukla, G.J., Workshop on First Detection of Carbon
Dioxide Effects, Harpers Ferry, WV, June 8-10, 1981.
Proceedings. Carbon dioxide effects research and asrevectings. Caroon dioxide effects research and assessment program. Edited by N.B. Beatty, Washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, p.237-288, DOE/CONF-8106214; DE82-016 633, Refs. p.280-288. Climatic changes, Carbon dioxide, Snow cover effect, Ice cover effect.

42-841

ics).

Rise of global mean sea level as an indication of climatic change. Etkins, R., et al, Workshop on First Detection of Car-

bon Dioxide Effects, Harpers Ferry, WV, June 8-10, 1981. Proceedings. Carbon dioxide effects research and assessment program. Edited by N.B. Beatty, Washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, p.343-359, DOE/CONF-8106214; DE82-016 633, 20 refs.

Epstein, E.S. Epstein, E.S. Ice melting, Sea level, Climatic changes, Temperature variations, Water temperature, Analysis (mathemat-

Ics),
Rising mean sea level, it is proposed, is a significant indication of global climate change. Calculations indicate that thermal expansion alone cannot explain the observed rise in sea level over the last 40 years, significant discharges of polar ice must be occurring. During the past 40 years more than 50,000 clued kilometers of i've have been discharged and have melted, reducing the surface warming that might observable have occurred by as much as a factor of two. The transfer of meass from the polar regions to a thin spherical shell covering all the oceans should have increased the earth's moment of inertia and correspondingly reduced the speed of rotation by about 1.5 parts in 100 million. This accounts for about three quarters of the observed fractional reduction in the earth's angular velocity since 1940. Monitoring of global mean sea level, occas-aurface temperatures, and the earth's speed of rotation should be complemented by monitoring of the polar ice sheets such as is now possible by satellite altimetry. (Auth. mod.)

Detection of the first ecological effects in polar tundra regions resulting from an increase in an appheric car-bon dioxide concentration; suggestions for research. Miller, P.C., Workshop on First Detection of Carbon Dioxide Effects, Harpers Ferry, WV, June 8-10, 1981. Proceedings. Carbon dioxide effects research and assessment program. Edited by N.B. Beatty, Washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, p.459-502, DOE/CONF-8106214; sessment program. Edited by N.B. Beatty, washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, p.459-502, DOE/CONF-8106214; DE82-016 633, Refs. p.498-502.
Tundra, Permetrost, Carbon dioxide, Climatic changes, Biomass, Detection, Ecosystems, Distribu-

tion, Ecology.

Measurement of climatic changes caused by the in-crease in atmospheric carbon dioxide: the role of the inta.

blota.

Woodwell, G.M., et al, Workshop on First Detection of Carbon Dioxide Effects, Harpers Ferry, WV, June 8-10, 1981. Froceedings. Carbon dioxide effects research and assessment program. Edited by N.B. Beatty, Washington, D.C., U.S. Dept. of Energy, Office of Energy Research, 1981, p.533-540, DOE/-CONF-8106214; DE82-016 633, 14 refs. Houghton, R.A.

Roughton, K.A. Ecology, Climatic changes, Ice cover effect, Sea ice distribution, Air temperature, Water temperature, Sea water, Sea level, Albedo.

Weather modification programme.
WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985, World
Meteorological Organization. Technical document,
1985, WMO/TD-No.53, 2 vols. (685p.), Refs. passim.
For selected papers see 42-845 through 42-894.

Weather modification, Cloud seeding, Ice crystal growth, Cloud physics, Snowfall, Supercooled clouds, Nucleating agents, Meetings, Precipitation (meteorology), Mountains.

42.845

Aggregates: the role of crystal habit.

Rauber, R.M., World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th. Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.17-22, 9 refs. Supercooled clouds, Snowfalls, Snowflakes, Ice crystal formation, Precipitation (meteorology), Ice crystal formation, Ice cr tal structure.

42-846

Growth of snowflakes by riming and aggregation over

warm fronts.

Matsuo, T., et al, World Meteorological Organization.

Technical document, 1985, WMO/TD-No.53, WMO
Scientific Conference on Weather Modification, 4th,
Honolulu, HI, Aug. 12-14, 1985. Proceedings.

Weather modification programme, p.23-28, 5 refs.

Sakakibara, H., Tanaka, T.
Saowilakes, Unfrozen water content, Hoarfrost,
Precipitation (meteorology), Weather forecasting,
Raia, Temperature effects, Particle size distribution.

Ice multiplication conditions in natural clouds. Brenguier, J.L., World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.35-40, 7 refs. Ice crystal growth, Supercooled clouds, Ice anciel, Temperature effects, Profiles, Distribution.

42-848

Examination of selection mechanisms operating dur-

Examination or selection mechanisms operating dirightering precipitation formation.

Lamb, D., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.41-44, 12 refs. Pitter, R.L.

Cloud seeding, Precipitation (meteorology), Solid phases, Ice crystals, Ice formation, Snowfall, Artifi-

cial ice.

42-849

42-849
Trajectoxies of ice crystals through the upper levels of an orographic cloud and resulting calculations of ice mass in the cloud.
Uttal, T., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.45-50, 6 refs. Rauber, R.M., Grant, L.O.

Ice crystal growth, Supercooled clouds, Phase transformations, Weather modification, Mountains, Water

content, Ice crystal structure.

42.850

Distribution of liquid, vapor and ice in the upper levels of an orographic cloud system: total water budget from field observations.

Uttal, T., et al, World Meteorological Organization.
Technical document, 1985, WMO/TD-No.53, WMO
Scientific Conference on Weather Modification, 4th, Scientific Conference on Weather Modification, 4th, Honolutu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.51-54, 3 refs. Grant, L.O., Rauber, R.M. Supercooled clouds, Ice crystals, Water vapor, Unfrozen water content, Distribution, Mountains,

Water supply.

42-851

find tunnel study on the accretional growth of snowflakes: implications for precipitation enhancement.
Rasmussen, R.M., et al., World Meteorological Organi-

Rasmussen, R.M., et al, wal to meta-transporter Systems 2 attion. Technical document, 1985, WMO/TD-No.33, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. W gramme, p.55-60, 11 refs. Lew, J.K.

Lew, J.K. Snowflakes, Snow accumulation, Wind tunnels, Cloud seeding, Precipitation (meteorology), Ice crystal growth, Weather modification.

42-852

Studies of ice crystals for weather modification.

Studies of ics crystals for weather modification.
Wang, A., World Meteorological Organization.
Technical document, 1985, WMO/TD-No.53, WMO
Scientific Conference on Weather Modification, 4th,
Honolulu, HI, Aug. 12-14, 1985. Proceedings.
Weather modification programme, p.61-64, 9 refs.
Weather modification, Nucleating agents, Ice crystal growth, Temperature effects.

42-853

Study of the basic mechanism of cumulonimbus organ ized electrization by affecting their electrical state. Imianitov, I.M., et al, World Meteorological Organization. Technical document, 1985, tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-

1985. Proceedings. Weather modification programme, p.65-70, 10 refs. Stepanenko, V.D., Kartsivadze, A.I., Kachurin, L.G. Cloud physics, Electric charge, Cloud seeding, Ice crystal growth, Weather modification, Precipitation (meteorology), Nucleating agents.

47-854

Precipitation formation in dry ice seeding plumes. Rodi, A.R., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.71-76, 6 refs. Heymsfield, A.J., Prasad, N.

Cloud seeding, Dry ice (trademark), Ice crystal growth, Precipitation (meteorology), Snowflakes, Models, Temperature effects, Carbon dioxide.

42-855

Evolution of hydrometeor size distributions in seeded

Alberts summertime cumulus clouds. Kochtubajda, B., World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Nonclulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.77-80, 4 refs. Cloud seeding, Ice crystal growth, Cloud physics, Precipitation (meteorology), Rain, Nucleating agents, Temperature effects.

42-856

Density variations during soaking of porous accreted ice and implications in hall formation and suppression.

Prodi, F., World Meteorological Organization. Technical document. 1985. WMO/TD-No.53, WMO nical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.85-88, 6 refs. Ice accretion, Hallatone growth, Hall prevention, Porosity, X ray analysis, Ice density, Hallstone structure.

42-857

Study of two hall processes in Bulgaria.

Stuanov, S., et al, World Meteorological Organiza-tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. Weather modification programme, p.89-96, 16 refs.
Hallstone structure, Hall prevention, Radio echo 42-858

Hailstone microphysics researches in China. Li, Z., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Technical document, 1983, WMO/1D-No.33, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.97-102, 1 ref.

Weather moduleation programmer, postation, Shi, W., Zheng, G.
Hailstone growth, Hail prevention, Hailstone structure, Heat balance, Velocity, Temperature effects.

42-859 Models of hailstorms and their application on hail

suppression.
Wang, A., et al, World Meteorological Organization.
Technical document, 1985, WMO/TD-No.53, WMO
Scientific Conference on Weather Modification, 4th,
Honolulu, HI, Aug. 12-14, 1985. Proceedings
Weather modification programme, p.115-120, 21 refs.

Hallstones, Hail prevention, Hail clouds, Cloud seeding, Air flow, Storms, Precipitation (meteorology). 42-860

Seeded precipitation formation in stratiform clouds numerical simulation results.

Bakhanov, V.P., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.135-140.

gramme, p. 135-140. Pirnach, A.M., Manzhara, A.A., Dorman, B.A. Cloud seeding, Ice crystal growth, Cloud physics, Wind factors, Nucleating agents, Supercooled clouds, Models, Precipitation (meteorology).

42-861

Remote sensing and model simulation of microphysi-

cal and physical properties of clouds.

Wu, M.-L.C., et al, World Meteorological Organization. Technical document, 1985, tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. Wes gramme, p.141-145, 15 refs.

gramme, p. 1. Cheng, C.-P.
Cloud physics, Remote sensing, Ice crystal growth,
Solar radiation, Models, Thermodynamics, Tempera-

Simulation of orographic snowfall over the northern Colorado Rockies—a blind simulation experiment. Cotton, W.R., et al, World Meteorological Organiza-

tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-Weather Modification, van, rollicitud, ris, rang. 1985. Proceedings. Weather modification programme, p. 147-148, 3 refs.
Mulvihill, E., Tripoli, G., Rauber, R.
Snowfall, Ice crystals, Cloud seeding, Forecasting, Mountains, Models, Wind velocity.

Role of microwave radiometry in weather modification research.

Heggli, M.F., World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.157-162, 11 refs. Weather modification, Snowfall, Radiometry, Infrared photography, Microwaves, Mountains, Unfrozen water content.

42-864

Ground based optical array probe to investigate the

effects of cloud seeding.

Humphries, J.H., World Meteorological Organization.

Technical document, 1985, WMO/TD-No.53, WMO
Scientific Conference on Weather Modification, 4th, Scientific Conference on weather Modification, 4th, Honolulu, Hl, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.169-174, 8 refs. Cloud seeding, Snowflakes, Nucleating agents, Measuring instruments, Precipitation (meteorology), Water supply, Mountains.

47.865

K(a)-band radar observations of wintertime Sierra

Nevada clouds.

Nevada clouds.

Nalsh, P.A., World Meteorological Organization.
Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.181-184, 6 res. Cloud seeding, Nucleating agents, Radiometry, Ice nuclei, Precipitation (meteorology), Mountains, Mi42-866

Remote automatic system for modification of winter

Remote automatic system for modification of winter orographic clouds.
Hill, G.E., World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.185-188, 12 refs. Cloud seeding, Ice nuclei, Microwaves, Nucleating agents, Weather modification, Mountains, Remote cassing Resignment. nsing. Radiometry.

42-867

Supercooled liquid water concentrations in winter orographic clouds from ground-based ice accretion measurements.

measurements.

Henderson, T.J., World Meteorological Organization.

Technical document, 1985, WMO/TD-No.53, WMO
Scientific Conference on Weather Modification, 4th,
Honolulu, HI, Aug. 12-14, 1985. Proceedings.

Weather modification programme, p.189-194, 18 refs.
Supercooled clouds, Cloud seeding, Ice anclei, Water
content, Ice accretion, Weather modification,
Precipitation (meteorology), Stream flow, Mountains Ice dates tion. tains, Ice detection

42.868

Some classification techniques for irregular snow par-ticles recorded by two-dimensional optical array probes. Holroyd, E.W., III, World Meteorological Organiza

tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. We gramme, p.195-198, 3 refs. Snowflakes, Snowfall, Ice optics, Snow accumulation, Computer applications. Classifications.

42.860

Integrated ground-based storm sampling strategy to assist evaluation of cloud seeding effects. Pitter, R.L., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.205-207, 4 refs.

Cloud seeding, Snow cover, Snowfall, Snowflakes, Ice crystal nuclei, Snow composition, Mountains.

42-870
Research for physical evaluation of the North Dakota cloud modification project.
Smith, P.L., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.209-214, 16 refs. Cloud seeding, Radar schoes, Snow pellets, Weather modification, Hall prevention, Rain.

42-871
Ground seeding for the future of hail suppression?.
Admirst, P., et al, World Meteorological Organization. Technical document, 1985,
WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. W. gramme, p.215-218, 6 refs. Caponigro, R. Cloud seeding, Hail prevention, Ice optics, Ice crystal

growth, Temperature effects.

42-872

Application of slow acting contact-freezing nuclei in ice-phase weather modification.
Fukuta, N., World Meteorological Organization.
Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.219-224, 13 refs. Weather modification, Ice nuclei, Cloud seeding, Nucleating agents, Temperature effects, Analysis (mathematics).

On the effectiveness of artificial seeding from below cumulus cloud base.

DeMott, P.J., et al, World Meteorological Organiza-DeMott, F.J., et al, World Meteorological organiza-tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-

1985. Proceedings. Weather modification programme, p.225-228, 5 refs. Finnegan, W.G., Grant, L.O. Cloud seeding, Ice nuclei, Ice crystals, Nucleating agents, Temperature effects.

Activation and deactivation of silver lodide aerosols in the atmosphere.

Layton, R.G., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on wmo/15-705-7, wmo scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-gramme, Aerosols, 21 refs. Caple, G.

Aerosola, Cloud seeding, Ice crystal nuclei, Nucleating agents, Precipitation (meteorology), Ice struc-

Chemical tracer experiment in the Sierra Nevada for Chemical tracer experiment in the Sierra Nevada for assessing the effects of winter cloud seeding. Warburton, J.A., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.241-244, 5 refs.

Stone, R.H., Marler, B.
Cloud seeding. Weather modification, Precipitation (meteorology), Saow surreys, Aerosols, Nucleating agents, Radar echoes, Mountains, Equipment.

42-876

Nevada/NOAA cooperative weather modification

project.
Warburton, J.A., et al, World Meteorological Organidocument, 1985, zetion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. gramme, p.245-246. Reinking, R.F. Weather modification pro-

er modification, Cloud seeding, Snow composition, Radiometry, Research projects, Nucleating agents, Mountains, Microwaves, Isotope labeling,

Pollowing the path of cloud seeding agents in cumulus clouds with a gaseous tracer; results of aircraft meas-

Stith, J.L., World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.247-250, 9 refs. Cloud seeding, Nucleating agents, Ice nuclei, Unfrozen water coatent, Wind factors. Proceedings.

42-878
On the influence of acoustic vibration on the regime of air motion in the boundary layer of spherical precipitation particle failing.
Xu, H., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Technical document, 1985, WMO/TD-No.53, WMO The Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.263-268, 10 refs.

Wang, S. Vibration, Weather modification, Hall prevention, Explosion effects, Ice nuclei, Sound waves, Snowfall, Acoustics, Cloud seeding, Rain.

New idea of hall suppression and primary results of numerical simulation tests.

Xu, H., et al, World Meteorological Organization Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings Weather modification programme, p.269-272, 3 refs. Wang, S.

Hall prevention, Hallstone growth, Cloud seeding, Nucleating agents.

Ways of increasing the ice-nucleating effectiveness of cloud seeding agents.

Beliaev, S.P., et al, World Meteorological Organiza-

tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14,

Weather Modification, 4th, nonolum, ni, Aug. 12-17, 1985. Proceedings. Weather modification programme, p.273-276, 5 refs. Kim, N.S., Sedunov, IU.S., Volkovitskii, O.A. Cloud seeding, Ice nuclei, Nucleating agents, Supercooled clouds, Aerosols, Mathematical models, Experimentation, Temperature effects.

42-881

Evaluation method of physical efficiency of hallstorm process modification.

Fedchenko, L.M., et al, World Meteorological Organi zation. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-

Weather Modification, van involved modification programme, p.277-279, 4 refs. Kalazhokov, Kh. Kh., Ashabokov, B.A. Weather modification, Hall prevention, Artificial ice, Hall clouds, Storms, Radar echoes, Nucleating agents, Mountains,

Principal basises and principles of hall processes'

Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.281-284, 5 refs. Kartsivadze. A !

Cloud seeding, Weather modification, Hall preven-tion, Ice nuclei, Phase transformations, Radio echoes.

Change of precipitation chemical composition during hail suppress

Gromova, T.N., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. W gramme, p.285-289, 6 refs.

Steehnikov, G.B., Ungerman, T.M.
Cloud seeding, Hail prevention, Air pollution, Nucleating agents, Chemical analysis, Precipitation (meteorology), Rain.

Numerical simulation of the HIPLEX-1 field experi-

ment.
Orville, H.D., et al, World Meteorological Organization. Technical document, 1985,
WMO/TD-No.33, WMO Scientific Conference on
Weather Modification, 4th, Honolulu, HI, Aug. 12-14,
1985. Proceedings. Weather modification programme, p.337-342, 6 refs.
Wu, L.M., Hirsch, J.H.
Cloud seeding, Ice crystal growth, Precipitation
(meteorology), Analysis (mathematics), Water content, Statistical analysis.

Further results on numerical cloud seeding simula-Further results on numbers to the state of stratiform-type clouds.

Orville, H.D., et al. World Meteorological Organization, H.D., et al. World Meteorological Organization, 1985, tion. Technical document, 1983, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.343-346, 7 refs. Hirsch, J.H., Farley, R.D.

Cloud seeding, Unfrozen water content, Freezing, Ice crystal growth, Heat recovery, Analysis (mathemat-ics), Models, Temperature effects.

Numerical simulation of stratus cloud dispersal with

Authorical simulation of strains cloud dispersal with dry ice seeding. Levin, Z., et al, World Meteorological Organization. Technical document, 1985 WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.347-352, 11 refs. Kubitsky, O., Alpert, P.

Cloud seeding, Ice crystal growth, Fog, Dispersions, Nucleating agents, Supercooled clouds, Countermeasures, Analysis (mathematics), Dry ice (trademark).

Comparison of winter orographic storms over the San

Comparison of winter orographic storms over the San Juan and Sierra Mountains.

Marwitz, J.D., World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.375-378, 18 refs. Cloud seeding, Cloud physics, Ice crystal growth, Mountains, Storms, Rain.

Physical basis for augmentation of precipitation in the Sierra Nevada.

Reynolds, D.W., et al, World Meteorological Organixeynosis, J. W., et al., who interesting a few parties of the conference of the conference on the conf

Cloud seeding, Ice crystal growth, Precipitation (meteorology), Cloud physics, Supercooled clouds, Water temperature, Mountains, Nucleating agents,

Precipitation gage network design for effective evaluation of winter orographic cloud seeding in the central Rocky Mountains. Klazura, G.E., et al, World Meteorological Organiza-

tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. Wea gramme, p.397-402, 30 refs. Super, A.B., Medina, J.G.

Cloud seeding, Runoff, Snowfall, Precipitation gages, Weather modification. Winter.

Natural and artificial modification of the cloud caus-

Natural Base at Landson Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.415-416, 2 refs. Snowfall, Weather modification, Cloud seeding,

Convective storm characteristics in the midwest per-tinent to weather modification efforts. Westcott, N., et al, World Meteorological Organiza-

tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on WMO/TD-No.33, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-gramme, p.433-436, 10 refs. Ackerman, B. Weather modification, Cloud physics, Cloud seeding, Precipitation (meteorology), Freezing points.

Results of field experiments on artificial enhancement of precipitation in the Ukraine.

Bulkov, M.V., et al, World Meteorological Organization. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on

w MO/1D-No.33, w MO Scientine Conference of Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-gramme, p.519-523, 6 refs. Precipitation (meteorology), Cloud seeding, Dry Ice (trademark), Weather modification, Nucleating

agents, Winter.

Numerical simulation of the ice phase in cumulonim-bus updrafts by AgI particles released by Soviet rock-

Lacaux, J.P., et al, World Meteorological Organiza-Lacaux, J.F., et al, world Meteorological Organiza-tion. Technical document, 1985, WMO/TD-No.53, WMO Scientific Conference on Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification pro-1985. Proceedings. We gramme, p.559-562, 2 refs. Sarthou, P.

Cloud seeding, Ice crystal growth, Nucleating agents, Wind velocity, Temperature effects, Unfrozen water

Experiment of supercooled fog dispersal at Sarajevo airport and skiing slopes of the 14th winter olympic

Milošević, D., et al, World Meteorological Organiza-Miloberto, D., et al., World mirecological continuous.

Technical document, 1985,
WMO/TD-No.53, WMO Scientific Conference on
Weather Modification, 4th, Honolulu, HI, Aug. 12-14,
1985. Proceedings. Weather modification pro-

Weather Modification, 4th, Honolulu, HI, Aug. 12-14, 1985. Proceedings. Weather modification programme, p.633-638, 7 refs. Bajic, S., Radonjić, Z., Fukuta, N. Supercooled fog, Cloud seeding, Weather modification, Snowfall, Visibility, Dispersions, Countermeasures, Equipment, Wind factors, Temperature effects.

Wintertime characteristics of supercooled liquid water over the Grand Mean of western Colorado. Boe, B.A., et al, Journal of weather modification, 1986, Vol.18, p.102-107, 8 refs. Super, A.B.

Supercooled clouds, Airborne equipment, Cloud physics. Icing rate.

Wintertime supercooled liquid water flux over the Grand Mesa, Colorado.
Thompson, J.R., et al, Journal of weather modification, 1987, Vol.19, p. 92-98, 8 refa.

Supercooled clouds, Airborne equipment, Cloud physics, Icing rate.

42.897

42-37 lee water interface. Karim, O.A., et al, Chemical physics letters, Aug. 7, 1987, 138(6), p.531-534, 21 refs. Haymet, A.D.J.

Ice water interface, Models, Simulation, Ice crystals, Hydrogen bonds, Density (mass/volume), Diffusion.

Non-freezing water in simple salt solutions.
Mayer, E., Chemical physics letters, Aug. 28, 1987,
139(3-4), p.370-374, 34 refs.
Solutions, Salinity, Freezing, Unfrezen water con-

42-899
Chemical differences between rime ice and snow.
Mitchell, D.L., Reno, University of Nevada, 1986, 188p., University Microfilms order No. 1328453, M.S.
thesis. Refs. p.152-157. For abstract see Masters
Abstracts International, Spring 1987, p.104.
Snow composition, Ice composition, Hourfrost, Chemical analysis, Cloud droplets, Snowfall, Aerosols, Supercooled clouds, Ions.

42-900

92-you Digging-and-loading work in quarries. (Vyemochno-pogruzochnye raboty na kar'erakh, Beliakov, IU.I., Moscow, Nedra, 1987, 268p., In Rus-sian with abridged English table of contents enclosed. 50 refs.

Mining, Quarries, Frost penetration, Rock excava-tion, Equipment, Placer mining, Thaw weakening.

10-Be in polar ice: data reflect changes in cosmic ray

flux or polar meteorology.

Lal, D., Geophysical research letters, Aug. 1987, 14(8), p.785-788, 27 refs.

Ice cores, Ice composition, Antarctics-Vostok Sta-

tion.

Expected changes in the global cosmic ray production of Be-10 in the atmosphere are related to changes in solar activity, and consequent variations in its fallout in the polar regions. The global Be-10 production rate is about 20%, higher during periods of very low solar activity, compared to the average solar modulation level observed during the past 3 solar cycles. The stratospheric Be-10 fallout pattern was derived using the fallout stafe for Sr-90 as an analog. This fallout shows an amplitude attenuation by a factor of about three at 70 deg; the higher the latitude, the higher the attenuation. The results have been compared with the long time series available for Be-10 in polar ice in Greenland and in Antarctica, 70-78 deg latitude. It is concluded that the observed variations in Be-10 concentrations in ice cores are primarily due to climatic change, for both shot and long period variations. Thus Be-10 data can be used as a proxy for climate induced meteorological changes in the polar region. (Auth.) region. (Auth.)

42-902

42-902
Baseline acidity of precipitation at the South Pole during the last two millennia.
Cragin, J.H., et al, Geophysical research letters, Aug. 1987, 14(8), MP 2275, p.789-792, 38 refs. Giovinetto, M.B., Gow, A.J.
Ice composition, Firn, Chemical properties, Antarctica—Amundsen-Scott Station.

tica—Amundsen-Scott Station.

Measurements of meltwater pH from annual layers of South Pole fun and ice samples ranging in age from 40 to 2000 years B.P. show that precipitation at this remote site has a higher natural acidity than that expected from atmospheric equilibrium with CO2. The average pH of desersted (CO2-free) samples was 5.64, while air-equilibrated samples averaged 5.37, a pH that is about a factor of two more acidic than the expected background pH of 5.55. The observed "excess" acidity can be accounted for by sulphur and nitrogen cation levels in the samples originating from non-anthropogenic H2SO4 and HNO3. Because of the presence of these naturally occurring acids in South Pole precipitation, a pH of 5.4 is considered a more representative baseline reference pH for acid precipitation studies. (Auth)

Azimuthal dependence in the gravity field induced by recent and past cryospheric forcings.

Yuen, D.A., et al. Geophysical research letters,
Aug. 1987, 14(8), p.812-815, 14 refs.

Gasperini, P., Sabadini, R., Boschi, E.
Ice volume, Gravity, Periodic variations, Antarctics.

100 volume, Gravity, Periodic Variations, Antarcuca-Freemi-day glacia activities and the current variability of the antarctic low volume can cause variations in the long-wave-length gravity field as a consequence of transient viscolestic responses in the mantle. The azimuthal dependence of the secular variations of the gravitational potential is studied. It is secular variations of the gravitational potential is studied. It is found that the non-axisymmetric contributions are more important for recent glacial retrests than for Pleistocene deglaciation. Changes in land-based ice covering Antarctica can be detected by monitoring astellite orbits and their sensitivity to variations in gravitational harmonic for degree I greater than 3. Resonances in satellite orbits may be useful for detecting these azimuthally-dependent gravity signals. (Auth.)

42.904

Coassequences of experimental transient rheology. Sabadini, R., et al, Geophysical research letters, Aug. 1987, 14(8), p.816-819, 15 refs. Smith, B.K., Yuen, D.A. Tectonics, Rheology, Ice sheets, Ice creep, Antarc-

tices.

Recent analyses of transient creep data for lower crustal and upper mantle substances show that the parameters of the Burgers' body rheological model, used up to now by geodynamicists, have much lower ratios of the short-term to long-term viscosities than the laboratory values. These data are used to constrain the viscosity contrast across a 670 km discontinuity. Results show that the previously inferred viscosity variations are now reduced by about a factor of ten in the new transient models. This finding is in agreement with the revised viscosity estimate based on long-weelength geoid anomalies and seismic tomography. It is shown that time-dependent parturbations to the gravity field from recent ice movements in Antarctics are not at all small. (Auth.)

42-905

Optical model for the microwave properties of sea ics. Gloersen, P., et al, U.S. National Aeroasutics and Space Administration. Technical memorandum, Nov. 1981, NASA TM 83865, 25p., N82-17561, 32

Sea ics, Microwaves, Ice electrical properties, Models, Analysis (mathematics).

42-906

Appendices A and B for measurements of radar back-

Appendix A and B for measurements of radar back-scatter from Arctic sea les in the summer. Onstott, R.G., et al, Kansas. University. Center for Research. Remote Sensing Laboratory. Technical memorandum, July 1981, RSL-TM 331-22, 107p. ADA-105 736.

Cogineni, S., Moore, R.K., Delker, C.V. See ice, Radar echoes, Backscattering.

42-907

Sensitivity of a climatologically-driven sea ice model to the ocean flux.

Parkinson, C.L., et al, U.S. National Aeronautics and

Space Administration. Technical memorandum, Jan. 1982, NASA TM 83877, 29p., N82-17799, 8 refs. Good, M.R.

Sea ice distribution, Heat flux, Ice melting, Sea water, Ice bottom surface, Ice cover thickness, Mathematical models, Autorctica—Weddell Ses.

ematical models, Antarctica—Weddell Sea.

A set of ocean-heat-flux sensitivity studies has been performed on a numerical model of see sice covering the Weddell Sea. The model is driven by mean-monthly climatological atmospheric variables; it contains an 3-hour timestep and a 200-km horizontal resolution; and the simulations proceed from Inn. of year I through Feb. of year 2. For each model run, the coean heat flux is uniform in both space and time. In a series of 6 model runs, this flux magnitude has been varied from 0 to 40 W/sq m, with the result that, in these climatologically-driven simulations, a value of 25 W/sq m yields the most realistic sea ice distributions. Ocean heat fluxes below 20 W/sq m do not provide sufficient energy to allow the iex to melt to its aumentime thicknesses and concentrations by the end of the 14-month simulation, whereas ocean heat fluxes of 30 W/sq m and above result is too much ice melt, producing the almost total disappearance of ice in the Weddell Sea by the end of the 14 months. These results, however, are strongly dependent on the atmospheric forcing fields. (Auth.)

42-908

Polycyclic hydrocarbon content in anterctic sea water samples, ¿Estudios del contenido en hidrocar-buros policiclicos en muestras de agua de mares antár-

Ventajas, L., Buenos Aires. Instituto Antartico Argentino. Contribución, 1987, No.333, 15p., In Spanish with English, French and German summaries.

Water pollution, Hydrocarbons, Adsorption, Sea ice. The concentrations of dicyclic, tricyclic and tetracyclic hydrocarbons in samples obtained from the antarctic seas were studied. It is found that there is, proportionally, a high concentration of dicyclic hydrocarbons and the reasons why this happens are discussed; the data obtained are compared with those of samples from contaminated seas, Fuegian petroleum and ice.

Occlusion of polynucleate hydrocarbons in ice. Colusion de hidrocarburos polinucleados por los hielos,

nicios, Ventajas, L., Buenos Aires. Instituto Antártico Argentino. Contribución, 1987, No.334, 9p., In Spanish with English, French and German summaries. 4 refs. Hydrocarbons, Water pollution, Ice composition, Adsorption, Antarctica—Marambio Station, Antarctica—Belgrano II Station.

—Beigrano II STATION.

Studies of the occlusion and adsorption of polynucleate hydrocarbons in ice are considered. Determinations of spectro-fluorometry have been carried out in natractic sea ice and in frozen sea water to which small quantities of crude petroleum were added. Tabulated data obtained at Marambio and Belgrano II stations are presented. (Auth. mod.)

42-910

42-910
Data processing methods for environmental radiophysical studies. (Metody obrabotki dannykh radiofizicheskogo issledovanila okruzhalushchef sredy),
Armand, N.A., et al, Moscow, Nauka, 1987, 270p., In
Russian with abridged English table of contents enclosed. Refs. p.258-266.
Krapivin, V.F., Mkrtchian, F.A.
Asrial surveys, Permafroet distribution, Spacecraft,
Monitors, Measuring instruments, Microwaves,
Radiometry, Computer applications, Hydrology,
Landscape types, Vegetation patterns.

Geochemical specialization of the granitoids in the zone of a deep subsurface fault (eastern Siberia). Trubacheva, E.Sh., Soviet geology and geophysics, 1986, 27(9), p.71-76, Translated from Geologiia i geofizika, 1986. 12 refs.
Rocks, Geochemistry, Minerals.

42-912

Formation and transformation of atmospheric precipitation on underlying surfaces. [Formirovanie i preobrazovanie atmosfernykh osadkov na podstilai-

Litvinov, I.V., Leningrad, Gidrometeoizdat, 1987, 232p., In Russian with abridged English table of con-

Rain, Hoarfrost, Snow, Water vapor, Ice crystal growth, Icing, Glaze.

42-913

42-913
Laboratory studies of the effect of release waves on the breakup of the ice cover in the tellwaters of hydroelectric power plants.

Bolotnikov, G.I., Fluid mechanics. Soviet research, Sep.-Oct. 1982, 11(3), p.83-88, For Russian original sec 37-2301. 5 refs.

Electric power, Hydraulic structures, Icebound lakes, Ice breakup, Models, Laboratory techniques.

Geochemistry of "sexing brines. Low-temperature properties of sodium chloride.

Thurmond, V.L., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Aug. 1987, CR 87-13, 11p., ADA-185 751, 21 refs.

Brass, G.W.

87-13, 11p., ADA-185 /51, 21 reis.
Brass, G. W.
Brinses, Freezing, Geochemistry, Solutions, Low temperature tests, Solutions, Chemical properties, Thermodynamics, Salinity.
Thermodynamic properties of electrolyte solutions change rapidly below 25 C, but these properties are seldom measured over the low temperature rangs (below 0 C), even though some salt solutions can remain unfrozen to -50 C. The heat capacities of concentrated solutions (0.5-6.0 moial) of NaCl-12O were measured from 25 Cto -40 C as part of a study to provide thermodynamic data of salt solutions for use in cold regions chemical spechystical studies. A differential scanning colorimeter was used to measure specific heat capacity from cooling scans as a function of temperature and concentration. The heat capacity data were fit to the equations of Pitzer and coworkers to obtain scitivity and comotic coefficients of NaCl and H2O, respectively, below 0 C. Supercooling of the solutions was encouraged yusing a fast scan rate (10 deg/minute) so that specific heat could be measured to lower temperatures than would be possible if the solutions were allowed to equilibrate with the solid phases. The solubility of ice was calculated and compared to the experimental freezing point of NaCl solutions.

Analysis of snow samples contaminated with chemical

Analyse of the varieties with constraints with Country warfare agents.

Johnsen, B.A., et al, Archives belges de médecine so-ciale, hygiène, médecine du travail et médecine légale, (1984), Supplement, World Congress non New Compounds for Biological and Chemical Warfare:
Toxicological Evaluation. Proceedings, p.22-30, 3

Blanch, J.H. Snow impurities, Pollution, Military operation, Chemical composition.

42-916

42-916
Nickel steels in arctic service.
Schillmoller, C.M., et al, Materials performance,
Oct. 1987, 26(10), p.46-49, 15 refs.
Craig, B.D.
Steels, Weathering, Pipes (tubes), Offshore structures, Welding, Corrosion, Cracking (fracturing).

42.917

Decontamination of nuclear power plant components

by ice-biasting technique.

Kimuro, H., et al, Ishikawajima-Harima engineering review, Mar. 1987, 27(2), p.90-93, In Japanese with English summary.

Hydraulic jets, Ice blasting, Decontamination.

Icebreaking cargo ships.

Kanerva, M., et al, Royal Institution of Naval Architects. Transactions, 1985, Vol.127, p.309-327, With discussion and authors' reply. 16 refs. Lönnberg, B.

Ships, Icebreakers, Ice navigation.

42-919

42-919
Atmospheric icing of structures.
International Workshop ron Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984, Norway. Elektrisitetsforsyningens forskningsinstitut, Trondheim. EFI technical report, June 1987, No.3439, 242p., Refs. passim. For individual papers see 40-3995, 42-920 through 42-942 and 42-944 through 42-951.
Ervik. M. ed.

yes unough very received the levels of the l

42-920

Meteorological data acquisition program for trans-

Meteorological data acquisition program for trans-mission line designers.
Brodie, N.W., et al., Norway. Elektrisitetaforsynin-gens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop (on) Atmospheric Icing of Structures, 2nd, Trond-heim, Norway, June 19-21, 1984. Proceedings. Ed-ited by M. Ervik, p.3-10, 6 refs., Includes discussion. Franklin. D. Franklin, D.E.

Power line icing, Meteorological data, Ice loads, Transmission lines, Remote sensing, Towers, Design, Power line supports.

Earlier Norwegian iceload research. A review of investigations and results.

investigations and resume. Flike, S.M., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop onn Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Editation of the property of the proceedings. ited by M. Ervik, p.11-18, 1 ref., Includes discussion.

Johansen, O.S. Ice loads, Icing, Structures, Ice accretion, Wind direction, Altitude.

42-922

Measurements of iceloads on transmission line routes in Iceland.

Elektrisitetsforsyningens Jonasson, A.B., Norway. Jonasson, A.B., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop ron; Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.19-21, 4 refs., Includes discussions.

Ice loads, Power line icing, Transmission lines, Tests, Wind pressure, Dynamometers, Iceland.

42-923

Mateorological instrumentation for characterizing

Meteorological Instrumentation for characterizing atmospheric Icling.
Bates, R.E., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, MP 2276, International Workshop 1001, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.23-30, 4 refs., Includes discussion. cludes discussion Govoni, J.W.

Icing, Structures, Meteorological factors, Hoarfrost, Glaze, Frost, Measuring instruments, Ice detection.

Glaze, Froat, Measuring instruments, Ice detection. The accumulation of rime and glaze ice on structures depends on meteorological variables such as wind, precipitation rate, air temperature, fog density and atmospheric noisture content. However, highly accurate measurements of meteorological variables during periods of icing (including wer snow) that occur in the coid regional state of the most part unavailable due to instrumentation fullure or geographic remoteness. For the last 5 years, USACRREL has been modifying, testing, and the last 5 years, USACRREL has been modifying, testing, and utilizing state-of-the-art sensors and recording systems for measuring winter environmental conditions. This paper discusses meteorological sensors (including ice detectors) used in adverse cold environments, including the mountainous areas of the northeastern United States. One of the state-of-the-art site-specific sensor packages, the newly developed Environmental instruments Model 200 Dual Processor Meteorological System, has been thoroughly evaluated during periods of adverse weather and icing. The system has no moving parts, but incorporates two static pair heated resistive sensing elements for measuring wind speed and direction, a platinum resistance thermometer for temperature, and a pressure transducer for atmospheric pressure. Results obtained and problem areas encountered using a number of different sensors in adverse weather conditions at both the CRREL snow-field experiment test ities and high elevation winter icing experiment sites are discussed.

42-924
Ice detector measurements compared to meteorological parameters in natural icing conditions.
Tucker, W.B., et al, Norway. Elektrisitetsforsyningens forsknings-institut, Trondheim. EFI technical report, June 1987, No.3439, MP 2277, International Workshop [on] Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.31-37, 18 refs., Included discussion.

Howe, J.B.

Ito detection, Icing, Ice accretion, Structures, Air temperature, Wind velocity, Unfrozen water content, Cloud droplets, Measuring instruments.

temperature, Wind velocity, Untrozea water content, Cloud dropleta, Measuring instruments. Several seasons of icing data have been collected under natural icing conditions on the summit of Mt. Washington, New Hampshire. Two models of the Rosemount Ice Detector were evaluated in the context of providing icing intensity data under various conditions. Average temperature, windspeed, liquid water content and median droplet diameter were also recorded by rotating multicylinders. A measure of icing rate has been calculated from the liquid water content and the wind speed, and has been compared to the ice detector cycling rates. For detectors with long heat-on times, the upper limit (maximum cycling rate) of the detector is easily reached under natural conditions. The detector with long heat-on times also exhibits problems at higher temperatures. At environmental temperatures near freezing, the probe takes considerable time to cool below freezing and begin to again accumulate ice. Thus a maximum cycle rate is reached under these conditions which can be well below the actual icing rate. Under prolonged icing conditions, ice accumulations on the unheated parts of the probe and support structure can interfere with the sirflow past the probe acquired parts of the probe and support structure can interfere with the sirflow past the probe externe conditions, this can result in a complete lack of cycling. The problems associated with application of the ice detector cycling rates as a measure of accretion rates on more complex objects are also discussed. In particular the feet that the cycling rates as a measure of accretion rates on more complex objects are also discussed. In particular, the fact that the collection efficiency is so strongly dependent on the droplet size distribution may limit its usefulness.

Remote sensing of atmospheric icing in Quebec. Félin, B., Norway. Elektrisitetsforsyningens forsknings-institut, Trondheim. EFI technical report, June 1987, No.3439, International Workshop jon Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.39-45, 4 refs., Includes discussion. Ice loads, Power line icing, Ice detection, Remote sensing, Meteorological factors.

Experiences in using meteorological data for rime accumulation calculations in Finland.

Ahti, K., Norway. Elektrisitetsforsyningens forskn-Anti, N., Norway. Elektristictsorsyningens iorskrings-institut, Trondheim. FFI technical report, June 1987, No.3439, International Workshop ron, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.47-48, 3 refs., Includes discussion. Icing, Hoarfrost, Ice accretion, Ice loads, Meteoro-logical data. Statistical analysis.

42-927
Mechanical properties of atmospheric ice.
Druez, J., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop on Atmospheric leing of Structures, 2nd, Trond-heim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.51-56, 10 refs., Includes discus-

Laforte, J.L., Nguyen, D.D.
Icing, Wind tunnels, Ice accretion, Supercooling,
Drops (liquids), Compressive properties, Ice adhesion. Air temperature. 42-928

Preliminary investigation on effect of wind speed fluc-tuations on ice accretions grown on fixed and rotating

tuntions on the secretions grown on mean and communication.

Laforte, J.L., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No. 3439, International Workshop ron Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.57-64, 10 refs., Includes discus-

Phan, L.C., Du, N.D.
Ice accretion, Structures, Wind tunnels, Supercooling, Drops (liquids), Ice adhesion, Hoarfrost, Ice den-42.929

42-929
Role of ice crystals on ice accretion processes.
Gayet, J.F., et al., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop on Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.65-69, 13 refs., Includes discussion.

Bain, M., Soulage, R.G.

Ice accretion, Ice crystals, Aircraft icing, Wind tun-mels, Supercooled clouds, Air temperature, Wind

42-930
Superstructure icing observations on the semisubmersible Ocean Bounty in lower Cook Inlet, Alaska. Nauman, J.W., Norway. Blektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop on Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.71-79, 16 refs., Includes discussion.

Sea spray, Ship icing, Superstructures, Ice accretion, Wind velocity, Offshore structures, Air temperature, Sea water.

42-931

VHL sea spray icing tunnel.
Carstens, T., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop on Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.81-87, 2 refs., Includes discussions sion.

Jörgensen, T.S., Karterud, T., Skaret, O. Icing, Sea spray, Offshore structures, Wind tunnels, Design, Countermeasures, Protection. 42-932

Ice accretion on insulators of high-voltage transmis-

Ice accretion on insulators to insulators to insulators in lines.

Phan, L., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim EFI technical report, June 1987, No.3439, International Workshop ron, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.89-94, 8 refs., Includes discussion

Ice accretion, Power line icing, Transmission lines, Hoarfrost, Ice density, Experimentation. 42-933

Self-shedding of accreted ice from high-speed rotors. seu-saeadung of accreted ice from high-speed rotors. Itagaki, K., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, MP 2278, International Workshop [on] Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.95-100, 18 refs., Includes discussion.

cecangs. Edited by M. Evik, p. 95-100, 18 reis., Includes discussion.

Icing, Propellers, Helicopters, Ice accretion, Supercooled fog, Ice removal, Ice adhesion, Temperature 
effects, Countermeasures, Ice cover thickness, Tensile properties.

Ice accreted on high-speed rotors operating in supercooled fog can be thrown off by centrifugal force, creating severe unbal-

ance and dangerous projectiles. A simple force balance analysis indicates that the strength of accreted ice and its adhesive strength can be obtained by measuring the thickness of the accretion, the location of the separation, the rotor speed and the density. Such an analysis was applied to field and laboratory observations of self-shedding events. The results agree reasonably well with other observations.

Computer modeling of atmospheric ice accretion and aerodynamic loading of transmission lines. Egelhoter, K.Z., et al. Norway. Elektrisitestorsynin-gens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, MP 2279, International Workshop con Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Pro-ceedings. Edited by M. Ervik, p.103-109, 12 refs.,

ceedings. Edited by M. Ervik, p. 103-109, 12 res., Includes discussion.

Ackley, S.F., Lynch, D.R.
Ice accretion, Power line icing, Transmission lines, Wind pressure, Analysis (mathematics), Air flow, Computer applications, Ice forecasting, Models, Supercooling.

Supercooling.

A time-dependent computer model capable of predicting the accretion of rime ice on a wire free to rotate is described. A finite element technique is used to obtain the air velocity fled adjacent to the wire. A local collision efficiency is calculated for several radial sectors of the wire by tracking supercooled water droplets of various sizes until they collide with the wire. The asymmetric buildup of ice causes the wire to rotate, changing the flow fleld around the wire and the rate of ice accretion. The fixite element technique is a very effective method of analyzing this problem because the ice accretion shape is not limited to a simple geometric shape. The drag force is computed as a function of time to investigate the forces acting on the wire during an icing event. Model results are presented including comparisons of icing simulations of wires of various rigidities and lengths.

Approximate method for time-dependent modelling of rime ice accretion.

Gates, E.M., et al, Norway. Elektrisitetsforsyningens Gates, E.M., et al., Norway. Electrisiteisorsyningens fornknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop fon, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.111-116, 12 refs., Includes discretized in the control of the control cussion

Lozowski, E.P., Finstad, K.J. Ice accretion, Hoarfrost, Icing, Models, Time factor, Supercooling, Drops (liquids).

Determination of icing loads from end cable tension. McComber, P., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop 10n Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.117-123, 7 refs., Includes discus-

Ice loads, Power line icing, Tensile properties, Analysis (mathematics), Wind velocity, Temperature ef-

Theoretical solutions of ice accretion on cables. Theoretical solutions of ice accretion on cables. Poots, G., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop 1001, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.125-136, 22 refs., Includes discussion. Ice accretion, Power line icing, Supercooled fog, Wind factors, Mathematical models, Air flow.

Estimating method of snow load on overhead power

Sakamoto, Y., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop report, June 1987, No.359, International workshop con, Atmospheric Icing of Structures, 2nd, Trond-heim, Norway, June 19-21, 1984. Proceedings. Ed-ited by M. Ervik, p.137-140, Includes discussion.

Ishihara, K.
Snow loads, Power line icing, Transmission lines,
Snow accumulation, Wet snow, Wind pressure, Mathemetical models.

42.939

42-939
Icing on offshore structures—atmospheric Icing.
Horjen, I., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report,
June 1987, No.3439, International Workshop pon,
Atmospheric Icing of Structures, 2nd, Trondheim,
Norway, June 19-21, 1984. Proceedings. Edited by
M. Ervik, p.141-155, 17 refs., Includes discussion.
Icing, Offshore structures, Ice accretion, Supercooled
for Beliaform. Temperature offsts. Erecting. Ice fog, Raindrops, Temperature effects, Freezing, Ice density, Analysis (mathematics), Thermodynamics.

Environment Canada's research project in ice and wind load modelling for electrical transmission facili-

Welsh, L.E., et al. Norway. Elektrisitetsforsyningens weisn, L.E., et al., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EPI technical report, June 1987, No.3439, International Workshop conj Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.157-160, 2 refs., Includes discussion.

Power line icing, Ice loads, Wind pressure, Research projects, Ice accretion, Models, Meteorological factors, Computer applications, Canada.

Weather related loads on transmission lines and their

Krishnasamy, S.G., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop non Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.163-167, 2 refs., Includes discus-

Power line icing, Ice loads, Transmission lines, Ice accretion, Dynamic loads, Wind factors, Ice storms.

42-942

Combined loading of ice and wind on guyed towers. Combined loading of ice and wind on guyed towers. Davenport, A.G., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop on, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.169-172, Includes discussion. Icing, Ice loads, Wind pressure, Towers, Structures, Analysis (mathematics), Cables (ropes).

World weather extremes.

Riordan, P., et al, U.S. Army Engineer Topographic Laboratories. Report, Dec. 1985, ETL-0416, 82p., ADA-170 138, 260 refs.

Bounget, F.O., Records (extremes), Snowfall, Weather observations, Meteorological charts, Precipitation (meteorology), Solar radiation, Wind factors, Temperature varia-

Ice- and wind-load measurements on a guyed TV-mast in Finland.

Lehtonen, P., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop onj Atmospheric Icing of Structures, 2nd, Trond-heim, Norway, June 19-21, 1984. Proceedings. Ed-ited by M. Ervik, p.183-187, 1 ref., Includes discussion.

Towers, Ice loads, Wind pressure, Structures, Icing, Air temperature, Vibration, Ice removal.

Development and operation of a galloping conductor test facility.
Egbert, R.I., et al, Norway. Elektrisitetsforsyningens

Egoert, K.I., et al., Norway. Elektrisiteistorsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop conj Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.189-194, 5 refs., Includes discussional control of the processing of the control o

Studer, M.H., Thomann, G.C.
Power line icing, Ice accretion, Transmission lines,
Ice storms, Tests, Stability.

Progress in field research on control of galloping of iced conductors.

leea coaductors.

Haward, D.G., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop on, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.195-203, 27 refs., Includes discussion. CURSION

Power line icing, Ice control, Ice accretion, Stability, Wind factors, Tests, Air flow.

42-947
Questions on filling rates of lattice towers.
Berge, H.J., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop ron; Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.205-206, Includes discussion. Icing, Structures, Ice loads, Towers.

42-y48
Ice accretion and transmission line galloping.
Tunstall, M.J., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop ron; Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.207-210, 4 refs., Includes discussion.

Wind factors, Power line icing, Ice accretion, Transmission lines, Air flow, Stability.

Icing model applied on a planned transmission line. Ervik, M., et al, Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, io.3439, International Workshop ron, Atmospheric 1 ing of Structures, 2nd, Trond-neim, Norway, June 19-21, 1984. Proceedings. Ed-ited by M. Ervik, p.213-221, 6 refs., Includes discus-

Power like icing, Ice models, Transmission lines, Ice loads, Meteorological data, Ice growth, Tests, Computer applications.

42-950

IEC work on icing.

IEC work on Icing. Schjetne, K., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical report, June 1987, No.3439, International Workshop on, Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.223-225, Includes discussion. Ice loads, Power line icing, Wind pressure, Power line supports, Bearing strength, Organizations.

Description of icing cases leading to tower collapse on the 300 kv electric power line Dale-Fana.

Kleppe, L., Norway. Elektrisitetsforsyningens forsknings-institutt, Trondheim. EFI technical re-port, June 1987, No.3439, International Workshop port, June 1987, NO.3439, international Worksnoon, on Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.227-234, Includes discussion. Power line lcing, Power line supports, Ice loads, Ice accretion, Steel structures, Bearing strength, Damage, Meteorological factors.

42-952

Frost mounds at Toolik Lake, Alaska. Hinkel, K.M., et al, *Physical geography*, Apr.-June 1987, Vol.8, p.148-159, 26 refs. Nelson, F.E., Outcalt, S.I.

Permafrost physics, Front mounds, Landforms, Swamps, Active layer, Ice crystals, Seasonal freeze

42-953

Glaciokarst depressions in the Door Peninsula, Wis-

Rosen, C.J., et al, *Physical geography*, Apr.-June 1987, Vol.8, p.160-168, 24 refs.

Day, M.J., Piepenburg, K. Karst, Glacial erosion, Paleoclimatology, Topographic features, United States—Wisconsin—Door Penin-

42-954
Density functional theory of freezing: analysis of crystal density.

1, 1987, 87(9), p.5449-5456, 48 refs. McCoy, J.D., Haymet, A.D.J.

Crystal growth, Preezing, Phase transformations, Density (mass/volume), Liquids, Analysis (math-

42-955

Impact of meteorological events on sediment pro tion and sediment transport in different periglacial areas in northern Scandinavia.

Jonasson, C., et al, Uppsala. Universitet. grafiska institutionen. UNGI rapport, 1987, No.65, Climatological extremes in the mountains, physical background, geomorphological and ecological consequences. Edited by H. Alexandersson and B. Holmgren, p.149-159, Refs. p.157-159.

Perigiacial processes, Slope processes, Sedimenta-tion, Geomorphology, Talus, Sediment transport.

42-956

Slush avalanches in the Abisko Mountains, Sweden initiated by normal or extreme weather conditions?. Nyberg, R., Uppsala. Universitet. Naturgeografisks institutionen. UNGI rapport, 1987, No.65, Climatoinstitutionen. UNGI rapport, 1987, No.05, Climato-logical extremes in the mountains, physical back-ground, geomorphological and ecological conse-quences. Edited by H. Alexandersson and B. Holmgren, p.161-170, 7 refs. Avalanche formation, Snow melting, Slush, Moun-tains, Metorological factors, Temperature varia-tions, Sweden—Abisko Mountains.

Camulative impacts of oil fields on northern Alaskan -decapes

Walker, D.A., et al, Science, Nov. 6, 1987, 138(4828), p.757-761, Numerous refs. Environmental impact, Thermokarst, Flooding, Pe-troleum industry, United States—Alaska—North

Slone.

42-958

Map of erosion-hazardous lands in the nonchernozem zone of the RSFSR.

Makkaveev, N.I., et al, Soviet geography, June 1984, 25(6), p.390-397, For Russian original see 36-3098. 13 refs.

Podsol, Cryogenic soils, Water erosion, Meltwater, Frost action, Freeze thaw cycles, Gullies, Maps, Soil mapping.

42.050

Air pollution in Noril'sk: a Soviet worst case?.
Bond, A.R., Soviet seasranhy, Nov. 1984

Air pollution in Norli'sic a Soviet worst case?. Bond, A.R., Soviet geography, Nov. 1984, 25(9), p.665-680, 31 refs. Wastes, Air pollution, Urban planning, Environmental protection, Maps, Subarctic regions, Residential buildings, Permafrost beneath structures, Industrial buildings. bulldings.

42-960

Periglacial processes and historical geocryology (a review article).

Velichko, A.A., et al, Soviet geography, Dec. 1984, 25(10), p.758-764, Translated from Akademiia nauk SSSR. Izvestiia. Seriia geograficheskaia, 1984, No.2, p.113-119.

Nechaev, V.P. Paleoclimatology, Paleoecology, Periglacial pro-cesses, Geocryology, Permafrost origin, Environmen-tal impact, Permafrost distribution.

42-961

Central Yakutian lowlands: land of climatic extremes,

permafrost and alassy depressions. Koutaniemi, L., Soviet geography, June 1985, 26(6), p.421-436, Refs. p.434-435.

Permafrost origin, Permafrost distribution, Plains, Alassy, Permafrost structure, Ice structure, Human factors, Maps, Meteorological charts.

42-962

Systematic guide on forecasting temperature regime of permafrost (the northern part of West Siberia taken as an example). Metodicheskoe posobie po prognozu temperaturnogo rezhima vechnomerzlykh gruntov (na primere severa Zapadnoi Sibiri), Fel'dman, G.M., Yakutak, Institut Merzlotovedeniia

SO AN SSSR, 1983, p.3-41, In Russian with English

table of contents enclosed. 9 refs.

Manuals, Permafrost thermal properties, Thermal regime, Active layer, Snow depth, Snow density, Maps, Air temperature, Snow cover effect, Vegetation

Calculating the ica-clearing load on offshore structure imposed by a rubble field. Gershunov, E.M., Oil and gas journal, Dec. 16, 1985, 83(50), p.120-121, 2 refs.

Offshore structures, Ice loads, Ice jams, Ice breaking,

42.964

Very slow flows of solids. Basics of modeling in geo-

very slow nows or somes. Besuch of mosening in sec-dynamics and glaciology.
Liboutry, L.A., Dordrecht, The Netherland, Mar-tinus Nijhoff Publishers, 1937, 510p., Refs. passim.
Glaciology, Glacier flow, Ice sheets, Rheology, Soil mechanics, Elastic properties, Plasticity, Viscoelas-ticity, Models, Analysis (mathematics).

Field tests of the ARCAT II in Prudhoe Bay.
Williams, R.E., et al, Alaska Oil and Gas Association,
AOGA No.58, Exxon Production Research Company, Sep. 21, 1983, 49p. Kruk, K.F.

Oil spills, Oil recovery, Ice conditions, Sea ice distri-bution, Countermeasures, Equipment, Ships, Beau-

Problems of Quaternary and Holocene snow line calculations.

Heuberger, H., Paleolimnology of Lake Biwa and the Japanese Pleistocene, No. 10, 1982, Kyoto. Edited by S. Horie. Eighth session of the IGCP, [1982], S. Horie. Eighth p.193-199, 20 refs.

Snow line, Quaternary deposits, Moraines, Paleo climatology, Pleistocene, Mountains, Glaciers.

Detecting underground objects/utilities.

Hironaka, M.C., et al, MP 2281, Workshop ton Pacilitating Technology Advancement in the U.S. Construction Industry, Austin, TX, Oct. 28-29, 1987. Proceedings, [1987], p.36-43, 3 refs.

Underground facilities, Detection, Radar echoes, Measuring instruments, Penetration tests.

Anathelia detectors and ground penetrating radar systems have been field evaluated to determine their effectiveness in locating underground objects and utilities. The hand-held detectors are limited to locating either metallic or nonmetallic (by tectors are limited to locating either metallic or nonmetallic (by radio transmitter) lines and are best suited to tracing such lines. To trace such lines, at least a vague idea of their location must be known or a point of physical access must be available. Ground penetrating radar (GPR), on the other hand, has the capability to detect both metallic and nonmetallic objects without prior knowledge of their presence. However, as presently configured, GPRs have certain deficiencies that resulted in poor performance in field evaluation tests. The best system detected only 60% of the metallic and 36% of the nonmetallic objects that were present in our test site. We therefore have development efforts underway or completed to improve the capabilities of GPRs. These efforts include optimum GPR source signal, high-power focused antenna, and signal processing-image reconstruction software.

Infrared testing for leaks in new roofs.

Korhonen, C., MP 2282, Workshop ron, Facilitating
Technology Advancement in the U.S. Construction Industry, Austin, TX, Oct. 28-29, 1987. Proceedings, 1987, p.49-54, 4 refs. Roofs, Leakage, Infrared recounsissance, Moisture detection, Thermal insulation, Temperature varia-

Newly constructed roofs can develop leaks as soon as they are Newly constructed roofs can develop leaks as soon as they are built, but these leaks may not manifest themselves inside the building until after the warranty has expired. High resolution infrared scanners can be used during the warranty period to locate the wet insulation resulting from these leaks. When combined with detailed visual examination, infrared surveys can help to determine who is responsible for the leak. If the leak is the result of a design or workmanship error, then the building owner is saved the expense of pursuing remedial repairs

Analysis of model tests of pressure ridges failing minst conical structures. Wang, Y.S., Exxon Production Research Company.

Technical report, Nov. 1979, EPR.31PR.79, Alaska Oil and Gas Association, AOGA No.96, 61p., 10 refs. Pressure ridges, Offshore structures, Ice loads, Ice solid interface, Models, Tests, Ice pressure, Impact strength, Analysis (mathematics), Plasticity tests, Elastic properties.

See ice activity and pressure ridge growth in the vicinity of surcharged grounded ice islands UNAK 1 and UNAK 2.

McKay, A.R., Alaska Oil and Gas Association, AOGA, No.12, Institute of Arctic Environmental En-gineering, Nov. 1969, 80p., 2 refs. Pressure ridges, Ice islands, Ice loads, Ice pressure, See Ice, Grounded Ice, Interfaces.

42-971

Economic merit of using polymer-foam for preventing the freezing of ground. (Ekonomicheskaia tselesoo-braznost' ispol'zovaniia polimerno! peny dlia predokh-

ranentia grunta ot promerzania;
Nabatov, A.B., et al, Transportnoe stroitel'stvo,
Aug. 1987, No.3, p.6-8, In Russian.
Karpov, M.B., Druzhinin, S.A.
Soll freezing, Thermal insulation, Cellular plastics, Frost protection.

42-972

Floating, automotive crame for rivers. [Rechnol samokhodnyt plavkram], Kozlov, V.P., Transportmoe stroitel'stvo, Aug. 1987, No.8, p.34-36, in Russian.

Floating structures, Construction equipment, Cranes (hoists), River ice.

Prespects for using local construction materials in western Siberia. Persperktivy ispol'zovaniia mest-nykh stroitel'nykh materialov v Zapadnof Sibiri, Kaahperiuk, P.I., Stroitel'stvo truboprovodov, Aug. 1987, No.7, p.11-13, in Russian. 5 refs. Construction materials, Sands, Gravel, Clays, Perma-

frost distribution, Active layer, Frost penetration, Mining, Quarries, Continuous permafrost, Engineer-ing geology.

42-974

42-974
What types of cooling systems should be built in compressor stations in northern regions. [Kakie sistemy okhlazhdeniia sleduet stroit na kompressornykh stantaliakh v severnykh ratonakh strany?],
Savkin, P.S., Stroitel stvo truboprovodov, Sep. 1987,

No.9, p.25-27, in Russian. Petroleum industry, Natural gas, Gas pipelines, Per-mafrost beneath structures, Thermal stresses, Artifi-cial freezing, Artificial ice, Cooling systems.

New structural-geomorphological map of the bottom of the Arctic Ocean. [Novaia strukturno-geomorfologicheskaia karta dna Severnogo Ledovitogo okea-

naj, Kalinina, L.I., et al, Moscow. Universitet. Vestnik. Seriia 5 Geografiia, Sep.-Oct. 1987, No.5, p.46-52, In Russian. 17 refs.

Leont'ev, O.K., Luk'ianova, S.A., Solov'eva, G.D. Ocean bottom, Geomorphology, Maps, Subglacial ob-servations, Subglacial drainage, Ocean currents, Earth crust, Structural changes.

Delta-forming processes in the Yenisey River estuary influenced by sconomic development measures. Pro-tsessy del'toobrazovaniia v ust'evo'i oblasti Eniseia i

tsessy del'doobrazovania v ust'evol oblasti Enisseia i vilianie na nihk hkozialstvennykh meropriiathj, Korotaev, V.N., et al, Moscow. Universitet. Vestnik. Seriia 5 Geografiia, Sep.-Oct. 1987, No.5, p.72-77, In Russian. 11 refs. Mikhallov, V.N., Sidorchuk, A.IU. Deltas, Estuaries, Hydrology, Permafrost distribution, Meteorological factora, Human factors.

Temperature field of rocks in permafrost areas and

Temperature field of rocks in permatrical areas and the structure of thermal balance (spatial characteristics). [Temperaturnoe pole gornykh porod v oblasti vechnof merzloty i struktura teplovogo balansa, Shopolianskai, N.A., Moscow. Universitet. Vestnik. Seriis 5 Geologiis, Sep.-Oct. 1987, No.5, p.80-86. 1. Punitaris 5.

86, in Russian. 5 refs.
Permatroat thermal properties, Frozen rock temperature, Heat balance, Topographic effects, Slope orientation, Snow cover effect, Soil temperature, Tundra,

42-978

Microelement accumulation by plants at watersheds of the taign-permafrost zone. [Nakoplenie mikroelementov rastenijami na vodorazdelakh merzlotno-

taezhnol zony), Makhon'ko, K.P., et al, *Ekologiia*, July-Aug. 1987, No.4, p.19-24, In Russian. 10 refs. Vertinskii, IU.K., Raspopova, T.G.

Taiga, Microelement content, Plant physiology, Permafrost distribution, Watersheds, Plant ecology,

Shrabbery damage by phyllophagous invertebrates in some tundra ecosystems. Povrezhdenie bespoz-vonochnymi-fillofagami kustarnikov v nekotorykh

voncenymi-molegami succentrator v neadory 21 tundrovy 14 kessistemakh<sub>1</sub>, Vil'chek, O.E., *Ekologiia*, July-Aug. 1987, No.4, p.71-73, In Russian. 7 refs.

Plants (botany), Vegetation patterns, Damage, Forest tundra, Mosses, Forest ecosystems, Tundra, Arctic landscapes.

Operational evaluation of frost resistance of welded steel structures of rebuilt power-industry objects. (Operativnaia otsenka khladostofkosti svarnykh stal'nykh konstruktsil rekonstruiruemykh energoob"ek-

tov, Didenko, V.N., Energeticheskoe stroitel'stvo, Aug. 1987, No.8, p.15-17, In Russian. 4 refs. Steel structures, Jostas (junctions), Welding, Frost action, Brittleness, Frost resistance.

42.981

42-741 Lajection-anchors for fastening power line supports. pln'ektsionnye ankery dlia zakrepieniia opor VL<sub>J</sub>, Lipkind, A.M., Energeticheskoe stroitel'stvo, Aug. 1987, No.8, p.30-32, In Russian. 3 refs. Permafrost distribution, Paludification, Power line supports, Anchors, Grouting, Coments.

Using rod-anchors in construction of 110 ky overhead lines in the Yamburg area. Opyt primeneniia sterz-hnevykh ankerov pri stroitel stve VL 110 kV v raione

IAmburgay, Bulsev. E.L. Pylaev, E.L., et al, Energeticheskoe stroitel'stvo, Aug. 1987, No.8, p.48-49, In Russian. 2 refs. Pavlov, A.M., Korshunov, V.V.

Power line supports, Anchors, Permafrost beneath structures, Continuous permafrost.

42.023

New roofing materials. [Novye krovel'nye materi-

Paranin, V.M., Energeticheskoe stroitel'stvo, Aug. 1987, No.8, p.50-52, In Russian.

Roofs, Construction materials, Industrial buildings, Residential buildings.

Bests for the design of the top of stone-earth dams built in the Far North. Obosnovaniia konstruktsii grebnia kamenno-zemlianykh plotin vozvodimykh v

greona tamento-zemianya piotin vozvodnityan raionakh Krainego Severa, Kuz'mina, S.A., et al, *Energeticheskoe stroitel'stvo*, Aug. 1987, No.8, p.72-74, In Russian. 6 refs. Mukhetdinov, N.A.

Rock fills, Earth dams, Permafrost beneath structures, Design.

42.085

42-985
Autherctic. Committee reports No.11.
Bugsev, V.A., ed, Washington, U.S. National Science
Foundation, 1974, 560p., TT-74-53004, Numerous
refs, passim. For Russian original and abstracts see
78-12313, 78-12304, 78-12305, 7F-12307 through
77-12309, 7F-12311, 7F-12312, 7T-12314 through
77-12317, 71-12310, 7K-12301 through 7K-12303,
and 71-12305, or 28-204 through 28-209.
Glaciatios, Ice sheets, Radioactive isotopes, Ice

drills.

This is a translation of a number of papers in various disciplines: atmospheric physics, including F2 layer ionization and geomagnetic disturbances; geomorphology of the continent and structural features of the southern ocean floor; glaciology and limology; foraminiferal studies of Northern and Southern hemispheres; and studies of human physiology, psychology and morbidities at activities at least the property of the property

42-986

Flords: processes and products.
Syvitski, J.P.M., et al, New York, Springer, 1987, 379p, Refs. p.,329-366.
Burrell, D.C., Skei, J.M.
Coastal topographic features, Glaciers, Icebergs,
Fjords, Ice scoring, Sedimentation.

Experimental work on punching shear resistance of concrete structures for the Arctic.

Brian Watt Associates, Inc., Alaska Oil and Gas Association, AOGA project No.152, Nov. 1982, 2 vols., 13 refs. Vol.2 contains appendices.

Concrete strength, Shear strength, Offshore structures, Cold weather construction, Reinforced concretes, Design, Loads (forces), Models, Concrete

42-986

Towed resistance trials in ice of the USCGC Mobile Bay (WTGB103).

Bay (Waldston).
Phillips, L.D., et al, Transport Canada. Report,
Sep. 1986, TP 8487E, 2 vols. (148p. + appends.), With
French summary. 31 refs. French summary. Zahn, P.Z.

Ice navigation, Icebreakers, Ice strength, Velocity, Ice cover thickness, Tests, Forecasting.

42-989

Sensing road surface temperatures with infrared techniques.

Lindqvist, S., Goteborg, Sweden. Universitet. Naturgeografiska institutionen. GUNI rapport, 1987, No.23, 22p., 13 refs. Roofs, Surface temperature, Infrared photography,

Comparison of snow cover liquid water measurement techniques. Boyne, H.S., et al, Water resources research, Oct. 1987, 23(10), MP 2283, p.1833-1836, 19 refs.

Fisk, D.J. Snow water content, Unfrozen water content, Snow mechanics, Meltwater, Microwaves, Remote sensing,

Temperature measurement, Sepage.

The amount and distribution of liquid water are important for assessing the mechanical strength, melitwater generation, and meliwater transmission in snow. Liquid water also has a profound effect on the performance of active and passive remote found effect on the performance of active and passave remote sensing system operating in the microwave and millimeter wave region of the electromagnetic spectrum. New methods of measuring figuid water have been reported which show considerable promise. Our purpose is to address the question of measurement equivalence by comparing the precision of a calibrated capacitance probe with one of the direct methods. All comparisons were made in a laboratory cold drown with accompanions were made in a laboratory cold drown with accomplaints. proce win one of the circct methods. All comparisons were made in a laboratory cold room with snow having a mass liquid water content of 0-14 mkg per 100 mkg of snow. The comparisons show that the methods are equivalent with an uncertainty of about 1.8 mkg per 100 mkg of snow. However, the operational achievement of equivalence is strongly dependent on a variety of factors such as sample size, mixing of snow and working fluid, and operator skill.

42-991

Brines at low temperatures.

prinses at low temperatures.

Brass, G.W., et al. Conference on Planetary Volatiles:
a Lunar and Planetary Institute Topical Conference,
Alexandria, MN, Oct. 9-12, 1982. [Proceedings],
1983, p. 12-13, 2 refs.
Thurmond, V.L.

Extraterrestrial ice, Brines, Preezing points, Low temperature rese

42-992

Simulation of the costs of removing snow from county highways in Colorado.

Sherretz, L.A., et al, Denver, Colorado Dept. of Natural Resources, Weather modification Program, Mar. 1983, 39p., Refs. p.36-38. Loehr, W.

Snow removal, Weather modification, Snow accumulation, Cost analysis, Cloud seeding, Road maintenance, Mountains, Snowfall, Winter maintenance. 42,993

Fourth Conference on Mountain Meteorology, Seat-tle, WA, Aug. 25-28, 1987.

tte, WA, Aug. 45-49, 1767. Conference on Mountain Meteorology, 4th, Boston, MA, American Meteorological Society, 1987, 278p., Refs. passim. For selected papers see 42-994 through

Metoorology, Icing, Mountains, Ice accretion, Topographic features, Meetings, Models. 42-994

Numerical investigation of flow with a density step

Numerical investigation of flow with a density step over a ridge or under an ice keel.

Rowe, R.D., et al, Conference on Mountain Meteorology, 4th, Seattle, WA, Aug. 25-28, 1987. Proceedings, Boston, MA, American Meteorological Society, 1987, p.115-119, 16 refs.

Jameel, M.I., Topham, D.R.

Air flow, Ice cover effect, Fluid flow, Windbreaks, Topographic features, Mathematical models.

42-995

act of winds over the antarctic plateau on South

Impact of whats over the smartered plateau on South-ern Hemisphere circulations.

Nogués-Paegle, J., et al, Conference on Mountain Meteorology, 4th, Seattle, WA, Aug. 25-28, 1987. ¡Proceedings, Boston, MA, American Meteorologi-cal Society, 1987, p.238-240, 3 refs. Stucki, S.C.

Wind (meteorology), Atmospheric circulation, Ice cover effect. Albedo.

After a review of ice cover and solar radiation interaction, and the resulting formation of katabatic winds, a study of the winter-

time characteristics of atmospheric flows over Antar. tica, based on 6 yr. gridded data obtained from the European Center for Medium Range Weather Forceasts, is reported. Results are compared with those obtained from a linearized shallow water equation model. Differences between these solutions and winter averaged flows suggest a classification method to isolate persistent circulations over mid and high latitudes of the Southern Hemisphere

Observations of large scale icing events measured from ridgetop in the central Sierra Nevada Mounteins.

tains.

Heggli, M., Conference on Mountain Meteorology,
4th, Seattle, WA, Aug. 25-28, 1987. Proceedings,
Boston, MA, American Meteorological Society, 1987,
p.262-266, 3 refs.
Icing, Ice detection, Wind velocity, Ice accretion,
Wind direction, Supercooling, Winter, United States
—California—Silerra Nevada.

42-997

Climatology of rime accretion in the Green and White

Climatology of rime succession.

Mountains.

Mountains.

Ryerson, C.C., MP 2284, Conference on Mountain Meteorology, 4th, Scattle, WA, Aug. 25-28, 1987.

Proceedings, Boston, MA, American Meteorological Society, 1987, p.267-272, 9 refs.

Iciag, Ico accretion, Hourtrost, Mountains, Climatology, Statistical analysis.

42-998

Deformation induced recrystallization of ice: the ap-

Detormation insuces recrystalization of the the application of its street experiments.
Wilson, C.J.L., American Geophysical Union. Geophysical monograph, 1986, No.36, Mineral and rock deformation: laboratory studies, edited by B.E. Hobbs and H.C. Heard, p.213-232, 72 refs.
DLC TA706.5.M55 1986

Ice deformation, Recrystallization, Ice structure. Evidence for nucleation in natural and experimentally deformed polycrystalline aggregates of ice is discussed, and the observation of dynamic recrystallization during in situ experiments is described. Deformation in the temperature range above -5 C produces marked adjustments along pre-existing grain boundaries, slip and grain rotation on (0001), deformation and and kink band formation, new grain nucleation and boundaries.

grain boundaries, slip and grain rotation on (0001), deformation band and kink band formation, new grain sucleation and boundary migration. The dominant nucleation mechanism and accompanying changes in grain shape and size involve dynamic recrystallization by rotation of subgrains and/or bulging of new high angle or pre-existing boundaries, through a process of migration recrystallization. There is little evidence for a distinct intercrystalline nucleation mechanism, even though many of the intracrystalline nucleation mechanism, even though many of the intracrystalline nucleation from Law Dome Samples are used in the discussions on deformation mechanisms and recrystallization nuclei of natural ice. (Auth. mod.)

42-999

Phenomenon of "overheating" and the formation of a two-phase zone during phase transformations in frozen ground. [IAvlenic "peregreva" i obrazovanie dvukhfazno! zony pri fazovykh perekhodakh v mer-

zlykh gruntakh, Maksimov, A.M., et al, Akademiis nauk SSSR. Dok-lady, 1987, 294(5), p.1117-1121, In Russian. 7 refs. Taypkin, G.G.

Phase transformations, Mathematical models, Un-frozen water content, Permafrost structure, Ground ics, Ice structure, Heat balance, Thermodynamic properties.

42-1000
Numerical experiments on glacial climatic variations. (Chilennye eksperimenty po lednikovym kolebaniiam klimata,
Verbitskii, M.I.A., et al, Akademiia nauk SSSR. Doklady, 1987, 295(5), p. 1077-1080, In Russian. 6 refs. Monin, A.S., Chalikov, D.V.
Mathematical models, Climatic changes, Glaciation, Land ice, Ice accretion, Ice cover thickness, Ice shelves, Sen ice distribution.

Marginal channels and peculiarities of development of erosion in glacial valleys of Hangay (Mongolia). ot eroston in giactal valleys of Hangay (Mongolia), (Marginal'yee kanaly i osobennosti razvitis erozii v lednikovykh dolinakh Khangaia (Mongoliia), Korzhuev, S.S., Akademiia nauk SSSR. Doklady, 1987, 295(6), p.1423-1426, In Russian. 10 refs. Glacial eroston, Glacial deposits, Glacier flow, Glacial hydrology, Glacial rivers, Glacier ice, Ice cover thick42,1002

Moisture redistribution between oceans through the snow cover of continents (the Northern Hemispi

snow cover of continents (the Northern Hemisphere as an example). Pereraspredelenie vlagi mezhdu okeanami cherez snezhnyi pokrov materikov (na primere severnogo polushariis), Kotliakov, V.M., et al, Akademiia nauk SSSR. Doklady, 1987, 295(6), p.1460-1464, In Russian. 7 refs. Krenke, A.N., Zvetkova, N.M., Chernova, L.P. Land ice, Saow cover distribution, Saow water equivalent, Giscala hydrology, Moisture transfer, Sea rater. Ocean currents.

42-1003

Fiber-optic thermometer.

ment. Measuring instruments.

Risbov, A.S., et al, *Instruments and experimental techniques*, Jan.-Feb. 1987 (Pub. Aug. 87), 30(1,pt.2), p.235-239, Translated from Pribory i tekhnika ekperiments. 7 refs.

Low temperature research. Temperature messurement. Measuring instruments.

42-1004

42-1004
Miniature resistance thermometers based on GaAs
filamentary crystals for the range of 0.4-300 K.
Varshava, S.S., et al. Instruments and experimental
techniques. Jan.-Feb. 1987 (Pub. Aug. 87),
30(1,pt.2), p.239-242, Translated from Pribory i teknnika eksperimenta. 9 refs.
Low temperature research, Temperature measure-

42-1006

42-1005 Group properties and invariant solutions of equations describing two-dimensional flow of glaciers. Akhmedova, F.Kh., et al., Journal of applied mechanics and technical physics, Jan.-Feb. 1987 (Pub. July 87), 28(1), p.79-84, Translated from Zhurnal priklad-nof mekhaniki i tekhnicheskof fiziki. 9 refs.

Chugunov, V.A.
Glacier flow. Ice machanics. Mathematical models.

Nonsteady-state radiant-conductive heat exchange in Nonsteady-state radiant-conductive heat exchange in a semitransparent medium with phase transition. Burks, A.L., et al, Journal of applied mechanics and technical physics, Jan.-Feb. 1987 (Pub. July 87), 28(1), p.91-93, Translated from Zhurnal prikladnof mekhaniki i tekhnicheskof fiziki. 6 refs.

meknanks i terminomeko manan Rubstov, N.A., Savvinova, N.A. Solar radiation, Radiant heating, Ice, Phase transfor-mations, Boundary value problems.

42-1007

Indicators of reliability of power diodes in direct-current ice-melting installations on overhead power lines. (Pokazateli nadezhnosti silovykh diodov ustanovok dlia plavki gololeda postojannym tokom na

VI.,
1zotov, M.E., et al, Elektricheskie stantsii, Aug.
1366, No.8, p.52-54, In Russian. 3 refs.
Molodtsov, V.S., Seredin, M.M.
Power line icing, Ice prevention, Electric heating.

Evaluation of low temperature effect on cyclic strength of anchor chains of semisubmersible drilling rigs. ¡Otsenka vilianiia nizkikh temperatur na tsikli-Cheskuiu prochnost' iskornykh tsepet PPBU<sub>1</sub>, Shaposhnikov, V.M., et al, Sudostroenie, Oct. 1987, No.10, p.14-16, In Russian. 9 refs.

Steels, Anchors, Frost action, Offshore drilling, Offshore structures.

Measuring the resistivity of grounding devices in in-homogeneous ground. (Izmerenie soprotivleniis zazemliaiushchikh ustroistv v neodnorodnykh gruntakhı, Kata, E.I

, et al, Elektricheskie stantsii, Feb. 1987, No.2, p.52-55, In Russian. 7 refs. Tselebrovskii, IU.V.

Electrical grounding, Permafrost physics, Electrical properties

Improving the methods of determining climatic loads when designing overhead communication lines. (Sovershenstvovanie metodov opredeleniia klimati-(Soversnenstvoane metodov opredetenna kimati-cheskikh nagruzok pri proektirovani VI.], Narozhnyl, V.B., et al, *Elektricheskie stantsii*, May 1987, No.5, p.57-60, In Russian. 8 refs. Kniazhevskiia, S.I.A., Levkina, N.E. Power line icing, Ice loads, Wind factors, Wind veloci-

Providing for reliable performance of overhead nower Providing for reliable performance of overhead power times is areas of scing, (Obespechenie nadezhnosti raboty VL v gololednykh zonakh, Usmanov, F.Kh., et al, Elektricheskie stantsii, Apr. 1986, No.4, p.50-52, in Russian. 2 refs. Livshits, A.L.

Power line icine Toe prevention Electric heating.

42-1012

Performance of fixing instruments at high transient Performance of fixing instruments at high transient resistances of frozen ground. Rabota fiksirulush-chikh priborov pri bol'shikh perekhodnykh soprotiv-leniiakh merzlogo grunta; Motrich, A.V., Elektricheakie stantsii, Apr. 1986, No.4, p.53-56, In Russian. 5 refs. Power lines, Damage, Indicating instruments.

42-1013

Calculation of multing slopes of ask-dump embank ments. (Raschet ottaivaiushchikh otkosov damb zolootvalov),

lootvalov, Ogarkov, A.A., et al, *Elektricheskie stantsii*, June 1986, No.6, p.40-43, In Russian. 6 refs. Ivanov, A.A. Earth dams, Embankments, Permafrost beneath structures, Continuous permafrost, Slope processes,

42-1014

Areas of application of winter concreting methods. Oblasti primeneniia sposobov zimnego betonirova-

nua, Gendin, V.IA., et al, Beton i zhelezobeton, May 1987, No.5, p.12-13, In Russian. Kuz'min, V.K.

Winter concreting, Concrete aggregates, Cements, Concrete admixtures, Concrete hardening, Concrete freezing, Concrete strength.

42-1015

Concreting with continuous electric heating of the mixture. Betonirovanie s nepreryvnym elek-

mixture. (Betonirovanie a nepreryvnym elek-trorazogrevom smesi).
Arben'ev, A.S., Beton i zhelezobeton, July 1987, No.7, p.22-23, In Russian. 4 refs.
Precast concretes, Concrete curing, Concrete heating, Electric heating, Concrete strength, Concrete harden-ing, Large panel buildings.

42-1016

Working tool of a ripper with successive arrangement of ripping teeth. [Rabochii organ rykhlitelia a pos-ledovatel'nym raspolozheniem rykhliashchikh zub-

Khmara. L.A., et al. Mekhanizatsiia stroitel'stva. Khmara, L.A., et al, Meknanizzunia stroiter siva, Sep. 1987, No.9, p.16-17, In Russian. 2 refs. Shatov, S.V., Goncharenko, N.P., Varakuta, V.P. Earthwork, Excavation, Frozen ground, Construction

42-1017

42-1917
Simplified method for calculating the attenuation over the line circuit of carrier communication chamsels on iced overhead transmission lines, ¿Uprosh-chennyi metod rascheta zatukhania linenogo trakta kanalov vysokochastotnoï sviazi po vozdushnoï linii

pri gololede<sub>1</sub>, Shkarin, IU.P., *Elektrichestvo*, Feb. 1987, No.2, p.12-15, In Russian.

Power line icing, Ice loads, Performance. Analysis

Proper sprinkling of water for melting snow on roofs. Saito, T., et al, Nagaoka Technical College. Research reports, Sep. 1985, 21(3), p.139-147, In Japanese with English summary. 5 refs.

Aoyagi, M. Snow melting, Snow removal, Roofs, Sprinklers.

42.1010

42-1019
Estimation method of the roof snow load.

Vacanta University. Faculty Estimation method of the root snow load.

Kobori, T., et al, Kanazawa University. Faculty of Technology. Memoirs, Oct. 1985, 18(2), p.77-86, In Japanese with English summary. 11 refs.

Kido, T., Chikata, Y.
Snow loads, Roofs, Snow accumulation, Snow densi-

42-1020

Laboratory measurements and computations of pow-der avalanches. [Staublawinen; Labormessungen und

Berechnungen, Hermann, F., et al, Schweizerische Zeitschrift für Forstwesen, Aug. 1987, 138(8), p.715-728, In German with French summary. Hutter, K.

Avalanche modeling, Avalanche mechanics.

B.F. Kuhu's contribution to the knowledge of glaciers B.F. Kaka's contribution to the knowledge of gisclers 200 years ago. g.F. Kuhns Beitrag zur Gletscher-kunde vor 200 Jahren, Röthlisberger, H., Geographics helvetics, 1987, 42(2), p.147-152, In German with English summary.

Glaciology, History.

42.1022

Omparison of wet and dry growth in artificial and flight icing conditions.

Hansman, R.J., Jr., et al, Journal of thermophysics and heat transfer, July 1987, 1(3), p.215-221, 17 refs.

Kirby, M.S.

Tee accretion. Aircraft icing, Wind tunnels.

42-1023

Local heat-transfer coefficients of simulated smooth glaze les formations on a cylinder.

Pais, M., et al, Journal of thermophysics and heat

transfer, Apr. 1987, 1(2), p.117-121, 12 refs.

Ice accretion, Glaze, Aircraft icing, Wind tunnels, Heat transfer

42 1024

Computation of heat transfer with solid/liquid phase Computation of heat transfer with solid/liquid phase change including free convection. Schneider, G.E., Journal of thermophysics and heat transfer, Apr. 1987, 1(2), p.136-145, 19 refs. Heat transfer, Phase transformations, Stefan problem, Analysis (mathematics).

42-1025

Generalized phase change model for melting and solidification with internal heat generation.

Chan, S.H., et al., Journal of thermophysics and heat transfer, Apr. 1987, 1(2), p.171-174, 9 refs.

Hau. K.Y. se transformations, Heat transfer. Analysis

(mathematics).

42-1026 Maximum lumpiness of ground for the performance of construction excavators. [O maksimal] not kuskovatosti gruntov pri rabote stroitel nykh ek-

kovatooti gruntov pri raoote stroitei nykn ek-skavatorov, Beliakov, IU.I., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1981, Vol.31, p.10-15, ln Russian. 3 refs. Ovcharenko, V.A., Galimulin, V.A. Earthwork, Frozan ground, Construction equipment,

Excevation

42-1027

Problems in studying ice cutting processes. [Zadachi Processes in state of the control processes L. Zadachi is aledovaniia protessas rezaniia l'da, Vetrov, IU.A., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1922, Vol.31, p.29-34, In Russian. 4 refs. Stanevskii, V.P., Sosevich, IU.V. Icebound rivers. Ice cover thickness. Ice cutting.

Drilling.

Scale effect in testing ground samples for compres-sion. (Masshtabny) effekt pri ispytanii obraztsov

grunts us szhatie, Moiseenko, V.G., et al, Gornye, stroitel'nye i dorozh-nye mashiny, 1982, Vol.31, p.44-48, In Russian. 3 Shemet LA

Clays, Lake ice, Tests, Compressive properties, Plasticity tests. Brittleness

Loosening seasonally frozen ground by the parallel lane method. [Rykhlenie merzlykh gruntov sezonnogo promerzaniia metodom parallel'nykh prokhodovi.

hodov<sub>i</sub>, Kislenko, A nodov, Kislenko, A.A., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1982, Vol.31, p.49-51, In Russian. 4 refs. Bazhan, V.T., Shakhov, V.S. Frozan ground strength, Seasonal freeze thaw, Earth-work, Trenching, Equipment, Frost penetration.

Methods of classifying frozen ground according to excavation difficulty. Metodika postroeniia klas-sifikatsii merziykh gruntov po trudnosti razrabotkij, Leshchiner, V.B., et al, Gornye, stroitel'nye i dorozh-nye mashiny, 1985, Vol.38, p.14-19, In Russian. 4

Miterey, G.I. Earthwork, Trenching, Frozen ground strength, Clas-sifications, Clays, Sands, Loams.

Attachment to a powerful excavator for frozen ground. Dinamicheskaia pristavka k moshchnomu

ground. Dinamicneskia pristavka k moencinomu rykhliteliu merzlykh gruntov, Kichigin, A.F., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1985, Vol.38, p.35-39, In Russian. 2 refs. Earthwork, Excavation, Equipment, Prozen ground, Mathematical models.

42-1032

Using ball-die in determining frozen ground resistance to loosening. Opredelenie soprotivleniia mer-zlykh gruntov rykhleniiu s pomoshch'iu sharikovogo

snuamps), Kialenko, A.A., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1985, Vol.38, p.40-43, In Russian. 3 refs. Tanin-Shakhov, A.V., Sviridenko, B.V. Frozen ground strength, Tests, Excavation, Math-ematical models.

42-1033

Machines equipped with roller-blades for continuous layer-by-layer excavation of perennially frozen ground. [Mashina s otval'no-katkovym oborudovaniem disa nepreryvnol poslošnol razrabotki mnogolet-nemerzlykh gruntov, Krylov, V.V., et al, *Gornye, stroitel'nye i dorozhnye* mashiny, 1985, Vol.38, p.50-53, In Russian. 3 refs. Utkin, A.I.

Prozen ground strength, Earthwork, Excavation, Equipment, Permafrost, Analysis (mathematics).

42-1034

Dependence of the force of cutting ice on geometric conditions of the process. Zavisimost' sily rezaniia l'do t geometricheskikh uslovil protsessa, Stanevskii, V.P., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1985, Vol.38, p.58-60, In Russian.

Sosevich, IU.V. Lake ics. Ics cutting, Experimentation, Equipment.

42-1035

Seventh annual EOSAEL/TWI Conference; Proceed-

ings.
Electro-Optical Systems Atmospheric Effects Libreary/Tactical Weather Intelligence (EOSAEL/TWI)
Conference, 7th, Las Cruces, NM, Dec. 2-4, 1986,
U.S. Army Atmospheric Sciences Laboratory, 1987,

840p. (3 vols.), Refs. passim. For selected papers see 42-1036 through 42-1039. Ice accretion, Icing, Military operation, Climatic fac-tors, Meetings, Mountains, Ice fog, Meteorological

instruments.

42-1036 Tactical weather intelligence for artillery.

Tactical weather intelligence for artillery. Barber, T.L., et al, Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 7th, Las Cruces, NM, Dec. 2-4, 1986. Proceedings, U.S. Army Atmospheric Sciences Laboratory, 1987, p.53-61, 4 refs. Yee, Y.P., Measure, E.M., Larson, D.R. Military operation, Remote sensing, Climatic factors, Temperature, distribution at temperature, Atmosphera.

Temperature distribution, Air temperature, Atmo

spheric density, Microwaves.

42-1037

Meteorological system performance in icing condi-

tions.

Bates, R.E., MP 2285, Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 7th, Las Cruces, NM, Dec. 2-4, 1986. Proceedings, U.S. Army Atmospheric Sciences Laboratory, 1987, p.73-86, 5 refs.

Ice formation, Icing, Meteorological Instruments, Hoarfost, Models, Climatic factors, Air temperature. Proceed there Conference.

ture, Freeze thaw cycles.

Adverse weather that induces riming and glaze formations severely affects most conventional meteorological field sensors and frequently causes system 'ailure. Such conditions include temperatures near or just belaw freezing, frozen precipitation remperatures near or just 001-w freezing, frozen precipitation and excessive humidity. These conditions usually accompany major synoptic events which in most cases go unrecorded because of 1) the remoteness of the high elevations where extreme icing and wind normally occur, and 2) the failure of the instrumentation required to characterize the adverse weather.

N-ROSS satellite sensing of the maritime environ-

ment.
Goroch, A.K., Electro-Optical Systems Atmospheric
Unstable Unstable Untelligence Goroch, A.K., Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 7th, Las Cruces, NM, Dec. 2-4, 1986. Proceedings, U.S. Army Atmospher-ic Sciences Laboratory, 1987, p.143-147. Marine meteorology, Ice edge, Remote sensing, Sea ice distribution, Microwaves.

Extinction coefficient for a distribution of ice for per-

ticles.

Jordan, R., MP 2286, Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 7th, Las Cruces, NM, Dec. 2-4, 1986. Proceedings, U.S. Army Atmospheric Sciences Laboratory, 1987, p. 527-539, 15 refs. Ice fog, Infrared radiation, Electromagnetic properties, Attenuation, Particle size distribution, Mathematical models.

ematical models.

An approximation model is derived for the attenuation of visible and infrared radiation through ice fog. Assuming apherical particles and single scattering, a formula for estimating the extinction efficiency factor has been developed by combining the approaches of Hart-Montroil and Nussenzveig-Wiscombe. With the use of a Maxwell function to describe the size distribution of fice fog particles, a theoretical integration over the distribution is possible. The resulting extinctior coefficient is a function of the mode radius of the distribution, the wavelength of the incident radiation, and the complex refractive index of ice. Its simple formulation provides an efficient means of scaling infrared to visible attenuation.

42-1040

Engineering-geological properties of bottom deposits of the World Ocean. Inzhenerno-geologicheskie svoistva donnykh otlozhenii Mirovogo okeans, Neizvestnov, IA.V., ed, Leningrad, 1985, 86p., in Russian. For selected papers see 42-1041 and 42-1042.

Refs. passim.

Ocean environments, Sea water freezing, Bottom sediment, Frost penetration, Unfrozen water content, Water chemistry, Natural gas, Clathrates, Crystal growth, Hydrothermal processes, Arctic Ocean.

42-1041
Cryogeothermal problems in studying the Arctic Ocean. ¡Kriogeotermicheskie problemy pri issledovanii Severnogo Ledovitogo okeana,
Neizvestnov, I.A.V., et al, Inzhenenno-geologicheskie
svofatva donnykh otlozhenii Mirovogo okeana (Engineering-geological properties of bottom deposita of the
World Ocean) edited by I.A.V. Neizvestnov, Leningrad, 1985, p.37-50, In Russian. 13 refs.
Solov'ev, V.A., Ginsburg, G.D.
Ocean environments, Permafrost origin, Subsea permafrost, Hydrothermal processes, Sea water freezing,
Water Chamistry, Natural sea. Catherata, Crystal

Water chemistry, Natural gas, Clathrates, Crystal

42-1042

Physical, mechanical and thermophysical properties of bottom deposits in the southeastern Bareats and southwestern Kara seas. [Fiziko-mekhanicheskie i teplofizicheskie svoistva donnykh otlozhenii iugo-vostochnol chasti Barentseva i jugo-zapadnol chasti Kar-

tochnio chasia Barenueva i iugo-zapadnoi chasti Kar-akogo morefi,
Maslov, A.D., Inzhenerno-geologicheakie svoiatva donnykh otłozhenii Mirovogo okeana (Engineering-geological properties of bottom deposits of the World Ocean) edited by IA.V. Neizvestnov, Leningrad, 1985, p. 51-63, In Russian. 2 refs.
Sea water freezing, Temperature measurement, Bot-

tom sediment, Frost penetration, Sallaity, Subsea permafrost, Unfrozen water content, Brises, Frozen rock temperature, Ocean environments, Mensuring instruments, Arctic Ocean.

42-1043

Possible climatic warm-up toward the beginning of XXI century and its influence on melting of arctic sea ce. ¡Vliianie vozmozhnogo potepleniia klimata k nachalu XXI stoletiia na taianie morskikh l'dov v Arktike<sub>j</sub>,

Efimova, N.A., Gosudarstvennyl gidrologicheskii in-stitut. Trudy, 1985, Vol.317, p.56-63, In Russian. 28 refs.

Ice melting, Climatic changes, Sea ice distribution, Ice cover, Polar regions, Arctic Ocean.

42-1044

Snow physics, avalanches, glacial mudflows. [Fizika

Snow payers, arankers, seems, seems,

1049. Refs. passim. Snow impurities, Avalanche formation, Snow cover structure, Avaianche triggering, Snow cover atability, Avaianche mechanics, Snow physics, Research pro-jects, Measuring instruments, Pollution. 42-1045

Special-purpose forecasts of avalanche danger for ar-tificial triggering. Spetsializirovannye prognozy lavinno'i opasnosti dlia iskusstvennogo obrusheniia la-

vinj, Bolov, V.R., Nal'chik. Vysokogornyi geofizicheskii institut. Trudy, 1985, Vol.62, p.3-10, In Russian. 4

Avalanche forecasting, Avalanche triggering, Snow depth, Snow cover distribution, Snow cover stability, Avalanche formation, Meteorological data.

42-1046
Electromagnetic radio-frequency emission of snow avalanches. Elektromagnitnoe radioizluchenie snezhnykh lavin, Zalikhanov, M.Ch., et al, Nal'chik. Vysokogornyi geofizicheskh institut. Trudy, 1985, Vol.62, p.10-14, in Russian. 3 refs.
Avalanche triggering, Avalanche mechanics, Radistion messuring instruments, Snow physics, Research

projects.

42-1047

42-1047
Origin of pollution on the glaciers of Central Caucesus. (O mekhanizme formirovaniia zagriaznenii na lednikakh Tsentral nogo Kavkaza), Kerimov, A.M., Nal'chik. Vysokogornyi geofizicheskii institut. Trudy, 1985, Vol.62, p.33-37, In Russian.

Air pollution, Water pollution, Ice composition, Snow composition, Snow impurities, Rain, Glacier ice, Chemical composition, Snow cover distribution.

42.1048

Relaxation properties of snow. [Relaksatsionnye

svolstva snega, Bagov, M.M., et al, Nal'chik. Vysokogornyi geofizi-cheskii institut. Trudy, 1985, Vol.62, p.62-71, In Russian. 7 refs. El'mesov, A.M.

Snow creep, Snow physics, Snow elasticity, Avalanche formation, Relaxation (mechanics), Snow cover stability, Measuring instruments, Rheology, Settlement (structural).

42-1049

Laser spectroscopy of organic matter dissolved in smow cover. ¿Lazernaia spektroskopiia rastvorennogo organicheskogo veshchestva v snezhnom pokrove, Bekkiev, A.IU., et al, Nal'chik. Vysokogornyi geofizicheskh institut. Trudy, 1985, Vol.62, p.116-119, In Russian. 4 refs. Kerimov, A.M.

Snow composition, Measuring instruments, Sam-pling, Snow impurities, Lasers, Chemical composi-tion, Environmental protection, Snow cover structure.

42-1050

42-1030
Blogsographic investigations in the Lake Baykal be-sia. ¡Biogeograficheskie issledovaniia v basseine ozera Baikal, Belov, A.V., ed, irkutsk, 1986, 127p., In Russian. For selected papers see 42-1051 and 42-1052. Refs. pass-

Liamkin, V.F., ed.

Landscape types, Alpine tundra, Taiga, Meadows, Cryogenic soils, Vegetation patterns, Lakes, Mapping, River basins.

42-1051

Results of botanical-geographic studies in the southern Lake Baykal area. Nekotorye rezul'taty botani-ko-kartograficheskikh issledovanii iuzhnogo Pribat-

Medvedev, IU.O., Biogeograficheskie issledovaniia v bassečne ozera Balkal (Biogeographic investigations in the Lake Baykal basin) edited by A.V. Belov and V.F. Liamkin, Irkutuk, 1986, p.5-40, In Russian. 35 refs. Deserts, Plant ecology, Alpine landscapes, Meadows, Slope orientation, Vegetation patterns, Mapping, Taiga, Charts, Plant physiology, Biomass, Ecosystems, Alpine tundra.

42-1032
Landscape and hydrological regionalization of Transbatkal. (Landshaftno-gidrologicheskoe rafonirovanie Zabatkal'ia).
Petrov, A.V., Biogeograficheskie issledovaniia v basseine ozera Batkal (Biogeographic investigations in the Lake Baykal basin) edited by A.V. Belov and V.F. Liamkin, Irkutak, 1986, p.114-124, In Russian. 11

Landscape types, Permafrost distribution, Mapping, Deserts, Alpine landscapes, Forests, Swamps, Hy-drology, Cryogenic soils, Stream flow, Runoff.

Flore and vegetation of standard and protected ter-ritories. [Flore i restitel'nost etalonnykh i okhranis-

emykh territorii, Gorchakovskii, P.L., ed, Sverdiovsk, 1986, 149p., In Corenkovski, F.L., ed, Sverinovsk, 1989, 1499., in Russian. For selected papers see 42-1054 through 42-1056. Refs. passim. Alpine tundra, Deserts, Rock streams, Vegetation patterns, Lichess, Cryogenic solis, Plant ecology, Plant physiology, Ecosystems.

42-1054

High-altitude distribution of higher vascular plants and life forms on the Koe'vinskiy Kamen' mountain (northern Ural Mountains), tVysotnoe raspredelenie vysshikh sosudistykh rastenii i ikh zhiznennykh form

na gore Kos'vinskii Kamen' (Severnyi Ural), Salmina, N.P., et al. Plora i rastitel'nost' etalonnykh i okhranisemykh territorii (Flora and vegetation of standard and protected territories) edited by P.L. Gor-chakovskii, Sverdlovak, 1986, p.59-77, In Russian.

Mineeva. O.N.

Alpine tundra, Slope orientation, Snow cover distri-bution, Deserts, Vegetation petterns, Plant ecology, Taign, Ecosystems, Cryogenic soils.

42-1055

High-altitude distribution of lichens on the Kos'vinskly Kamen' mountain. ¡Vysotnoe raspredelenie li-shalnikov na gore Kos'vinskii kamen'ı, Magomedova, M.A., Flora i rastitel'nost' etalonnykh i

okhraniaemykh territorii (Flora and vegetation of standard and protected territories) edited by P.L. Gor-chakovskii, Sverdlovsk, 1986, p.103-118, in Russian. 6 refs.

Rock streams, Alpine tundra, Lichens, Frost weathering, Ecosystems, Slope orientation, Vegetation pet-

42-1056

Productiv: of cryophyllic meadows of the Polar Ural Mountains. (Produktivnost' kriofil'nykh lugov

Ural Monatana. (Produktivnost kriotii nykn iugov Poliarnogo Urals). Igosheva, N.I., Flora i rastitel'nost' etalonnykh i okhraniaemykh territorit (Flora and vegetation of stanard and protected territories) edited by P.L. Gorchakovskii, Sverdlovsk, 1986, p.140-143, In Russian. 11 refs.

Meadows, Biomass, Alpine tundra, Cryogenic soils, Plant ecology, Ecosystems, Polar regions, Arctic landscapes.

42-1057

Soil and botanical studies in the subarctic Kola Peninsula. Pochvenno-botanicheskie issledovaniia v Kol'-

skof Subarktikej, Andreev, G.N., ed, Apatity, 1986, 106p., In Russian. For selected papers see 42-1058 and 42-1059. Refs.

passim.

Mosses, Arctic landscapes, Introduced plants, Plant
Passurems Subnolar reecology, Plant physiology, Ecosystems, Subpolar re-sions, Cryosenic soils, USSR—Kola Peninsula.

42-1058

Bryophyte flora of the Rybachiy and Sredniy penin-sulas in the Murmansk region. IK flore brievykh mkhov poluostrovov Rybachii i Srednii Murmanskoi

oblasti, Likhachev, A.IU., Pochvenno-botanicheskie is-sledovaniis v Kol'sko! Subarktike (Soil and botanical studies in the subarctic Kola Peninsula) edited by A.IU. Likhachev, Apatity, 1986, p.10-23, In Russian. 6 refs.

Forest tundra, Vegetation patterns, Mosses, Shores, Plant ecology, Ecosystems, Barents Sea.

Respiration of introduced plants in the Khibiny mountains. O dykhanii introdutsirovannykh rastenii

v Khibinakhi, Lokteva, T.N., Pochvenno-botanicheskie isaledovaniia v Kol'skoï Subarktike (Soil and botanical studies in the subarctic Kola Peninsula) edited by A.IU. Likhachev,

Apatity, 1986, p.47-59, in Russian. 11 resultance, Plant physiology, Introduced plants, Photosynthesis, Plant ecology, Alpine landscapes, Arctic landscapes,

42-1060

Sixth annual EOSAEL/TWI Conference: Proceed-

Discuro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 6th, Las Cruces, NM, Dec. 3-5, 1985, White Sands Missile Range, U.S. Army Atmospheric Sciences Laboratory, Feb. 1986, 639p. (2 vol.), Refs. passim. For selected papers see 42-1061 through 42-1064.

Snowfall, Military operation, Unfrozen water con-tent, Snow optics, Haze, Fog, Cloud physics, Temper-ature effects, Meetings.

Theoretical liquid water content model for moist haze and associated subcloud temperature, relative humidity, and pressure.

Rachele, H., et al, Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence spheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 6th, Las Cruces, NM, Dec. 3-5, 1985. Proceedings, White Sands Missile Range, U.S. Army Atmospheric Sciences Laboratory, Peb. 1986, p.169-181, 6 refs. Spalding, J.B. Haze, Unfrozen water content, Cloud physics, Temperature effects, Humidity, Air temperature, Mathematical models, Atmospheric pressure, Saturation.

42-1062
Intensity of snowfall at the SNOW experiments.
Bates, R.E., et al, MP 2287, Electro-Optical Systems
Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TW) Conference, 6th, Las Cruces,
NM, Dec. 3-5, 1985. Proceedings, White Sands Missile Range, U.S. Army Atmospheric Sciences Laboratory, Feb. 1986, p.205-217, 7 refs.

King, G.G. Smowfall, Snow water equivalent, Military operation, Snow accumulation, Visibility, Snowstorms, Remote

Snow accumulation, Visibility, Snowstorms, Remote seasing.
Snowfall intensities are currently classified by the National Weather Service Meteorological stations as "light, moderate and heavy" using visibility as a criterion. However, snowfall occurs with other obscurants, such as fog, making it extremely difficult to determine the actual anovfall intensity, herefore any criterion dependent on visibility alone should only be used as guide. This paper presents a more quantitative method of determining anowfall using snow depth accumulation rate (cm/hr) and total hourly water equivalent (mm) as criteria. Intensive snowfall accumulation rates and water equivalent amounts were determined at the SNOW experiments at Fothan Allen, Vermont, during the winters of 1980-81 and 1981-82, and at Camp Crayling, Michigan, during the winters of 1983-84 and 1984-85. These data are used to validate the preliminary snowfall intensity model.

Theoretical and empirical gradient liquid water con-tent models for moist haze, low stratus clouds, and

fog. Spalding, J.B., et al, Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 6th, Las Cruces, NM, Dec. 3-5, 1985. Proceedings, White Sands Missile Range, U.S. Army Atmospheric Sciences Laboratory, Feb. 1986, p.427-444, 14 refs.

Rachele, H.

Unfrozen water content, Haze, Fog, Cloud physics, Temperature effects, Models.

42-1064

Verification of the snow algorithm in EOSAEL module XSCALE.

Shirkey, R., et al, Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 6th, Las Cruces, NM, Dec. 3-5, 1985. Proceedings, White Sands Missile Range, U.S. Army Atmospheric Sciences Laboratory, Feb. 1986, p.459-465, 4 refs.

Snow optics, Snow crystals, Snowfall, Snowflakes, Visibility, Transmission.

Late Wisconsinan glaciation of New England.

Symposium: Late Wisconsinan Glaciation of New England, Philadelphia, PA, Mar. 13, 1980, Dubuque, IA, Kendall/Hunt Publishing Co., 1982, 242p., Refs. passim. For individual papers see 42-1066 through 42-1078.

arson, G.J., ed, Stone, B.D., ed.

Clacial geology, Glaciation, Pleistocene, Moraines, Paleoclimatology, Glacial deposits, Glacier oscilla-tion, Moetings, United States—New England.

42-1066

Pleistocene stratigraphy of Nantucket, Martha's Vineyard, the Elizabeth Islands, and Cape Cod. Mas-

Oldale, R.N., Symposium: Late Wisconsinan Glacia tion of New England, Philadelphia, PA, Mar. 13, 1980. Proceedings. Edited by G.J. Larson and B.D. Stone, IA, Kendall/Hunt Publishing Co., 1982,

Dubuque, 1A, Kendall/Hunt Publishing Co., 1962, p. 1-34, Refs. p. 32-34. Glacial geology, Glacial deposits, Marine deposits, Ice abeets, Glaciero cecilisticos, Rediocetive age determination, United States—Massachusetts.

42-1067
Wisconsinan glaciation of Long Island, New York, to Block Island, Rhode Island.
Sirkin, L., Symposium: Late Wisconsinan Glaciation of New England, Philadelphia, PA, Mar. 13, 1980.
Proceedings. Edited by G.J. Larson and B.D. Stone, Dubuque, IA, Kendall/Hunt Publishing Co., 1982, p.35-59, Refa. p.57-59.
Glaciation, Geomorphology, Paleoclimatology, Stratigraphy, Moraines, Sediments, Landforms, Glacial deposits, Pleistocene, United States—New York.

42-1068

Recessional moraines and ice retreat in southeastern Connecticut.

Goldsmith, R., Symposium: Late Wisconsinan Glacta-tion of New England, Philadelphia, PA, Mar. 13, 1980. Proceedings. Edited by G.J. Larson and B.D. Stone, Dubuque, 1A, Kendall/Hunt Publishing Co., 1982. Dubuque, IA, Kendali/Hunt Publishing Co., 1982, p.61-76, 20 refs.

Moraines, Glacier oscillation, Paleoclimatology, Topographic features, Pleistocene, Surface properties, United States—Connecticut.

42-1069
Modes of deglaciation of Connecticut: a review.
Black, R.F., Symposium: Late Wisconsinan Glaciation
of New England, Philadelphia, PA, Mar. 13, 1980.
Proceedings. Edited by G.J. Larson and B.D. Stone,
Dubuque, IA, Kendall/Hunt Publishing Co., 1982,
a 77-10-3 Section.

Proceedings. Canted by G.J. Larlon and B.D. Stone, Dubuque, IA, Kendall/Hunt Publishing Co., 1982, p.77-100, 35 refs. Glacial geology, Glaciation, Glacier oscillation, Pleis-toceme, Moralmes, Palsocilmatology, Ice edge, Topo-graphic features, Nunataks, United States—Connect-

42-1070

Nonsynchronous retreat of ice lobes from southeastern Massachusetts.

Larson, G.J., Symposium: Late Wisconsinan Glacia-Larson, G.J., Symposium: Late Wisconsinan Glacia-tion of New England, Philadelphia, PA, Mar. 13, 1980. Proceedings. Edited by G.J. Larson and B.D. Stone, Pubuque, 1A, Kendall/Hunt Publishing Co., 1982, p.101-114, 25 refs. Glacial geology, Moraines, Glaciation, Pleistocesse, Glacier oscillation, Soil structure, Geomorphology, Paleoclimatology, Glacial lakes, United States— Massachusetts.

Massachusetts.

42-1071

42-1071
Deglaciation of the southern portion of the Connecticat Valley of Massachusetts.
Larsen, F.D., et al, Symposium: Late Wisconsinan Glaciation of New Bogland, Philadelphia, PA, Mar. 13, 1980. Proceedings. Edited by G.J. Larson and B.D. Stone, Dubuque, IA, Kendall/Hunt Publishing Co., 1982, p.115-128, 25 refs.
Hartshorn, J.H.
Glacial sealogy. Pleistnowns. Glaciar oscillation. Geo-

Glacial geology, Pleistocene, Glacier oscillation, Geo-morphology, Ice sheets, Ice flow, Paleoclimatology, Glacial lakes, United States—Massachusetts.

42-1072
Deglacial kistory of giscial Lake Nashua, east-central
Massachusetts.
Koteff, C., Symposium: Late Wisconsinan Glaciation
of New England, Philadelphia, PA, Mar. 13, 1980.
Proceedings. Edited by G.J. Larson and B.D. Stone,
Dubuque, I.A, Kendall/Hunt Publishing Co., 1982,
p.129-143, 13 refs.
Glacial lakes, Glacial geology, Glaciatios, Glacial
deposits, Pleistocene, Paleoclimatology, Meltwater,
United States—Massachusetts—Nashua, Lake.

42-1073
Topographic control of the deglaciation of eastern Massachusetts: too lobation and the marine incursions. Stone, B.D., et al, Symposium: Late Wisconsinan Glaciation of New England, Philadelphia, PA, Mar. 13, 1980. Proceedings. Edited by G.J. Larson and B.D. Stone, Dubuque, IA, Kendall/Hunt Publishing Co., 1982, p.145-156, Refs. p.163-166.

Co., 1982, p.165-100, Ren. p.105-100.
Peper, J.D.
Glacial geology, Glaciation, Topographic features,
Moraines, Pleistocene, Glacial lakes, Lacustrine
deposits, Ice sheets, Glacier oscillation, United
States—Massachusetts.

42-1074

42-1074
Glacier Bay: a model for the deglaciation of the White
Mountains in New Hampshire.
Goldthwait, R.P., et al, Symposium: Late Wisconsinan
Glaciation of New England, Philadelphia, PA, Mar.
13, 1980. Proceedings. Edited by G.J. Larson and
B.D. Stone, Dubuque, IA, Kendall/Hunt Publishing
Co., 1982, p.167-181, 32 refs.
Mickelson, D.M.
Glacial geology, Glaciation, Glacier flow, Glacial
deposits, Landforms, Mountains, Models, Nunataka,
United States—New Hampshire—White Mountains.

42-1075
Deglacial history of westers Vermont.
Connally, G.G., Symposium: Late Wisconsinan
Glaciation of New England, Philadelphia, PA, Mar.
13, 1980. Proceedings. Edited by G.J. Larson and
B.D. Stone, Dubuque, IA, Kendail/Hunt Publishing
Co., 1982, p.183-193, 46 refs.
Glacial geology, Glacier oscillation, Pleistocane, Glacial deposits, History, United States—Vermont.

End moraines and the pattern of last ice retreat from central and south coastal Maine.

central and south coastal Maine.
Smith, G.W., Symposium: Late Wisconsinan Giaciation of New England, Philadelphia, PA, Mar. 13, 1980.
Proceedings. Edited by G.J. Larson and B.D. Stone, Dubuque, I.A, Kendall Hunt Publishing Co., 1982, p.195-209, 22 refs.
Glacial geology, Moraines, Glacial deposits, Pleistocene, Coastal topographic features, Glacier oscillation, United States—Maine.

Recession of the late Wisconsinan ice sheet in coastal Maine.

Maine.
Thompson, W.B., Symposium: Late Wisconsinan Glaciation of New England, Philadelphia, PA, Mar. 13, 1980. Proceedings. Edited by G.J. Larson and B.D. Stone, Dubuque, IA, Kendall/Hunt Publishing Co., 1982, p.211-228, 32 refs.

Ice sheets, Glacial geology, Glacial deposits, Coastal topographic features, Marine deposits, Pleistocene, Glacier oecillation, United States—Maine.

Numerical model for reconstruction and disintegra-tion of the late Wisconsin glaciation in the Gulf of

Pastook, J.L., et al, Symposium: Late Wisconsinan Glaciation of New England, Philadelphia, PA, Mar. 13, 1980. Proceedings. Edited by G.J. Larson and B.D. Stone, Dubuque, IA, Kendall/Hunt Publishing Co., 1982, p.229-242, 16 refs.

Hughes, T.
Glaciation, Pleistocene, Glacier escillation, Glacier
flow, Glacier surges, Ice sheets, United States—
Maine.

42-1079

Engineering study Arctic marine terminal facilities. ESSO Research and Engineering Company, Florham Park, NJ, New York, Van Houten Associates, Inc.,

Nov. 1969, 34p. + figs.

Ports, Ice loads, Engineering, Ice conditions, Ice pressure, Temperature effects, Tanker ships, Ice breaking, Cost analysis.

Development of water resources of southern Yakutis. Problemy vodokhozialstvennogo osvoeniia IUzhnol IAkutij,

IAkutti, Konstantinov, A.F., Yakutsk, SO AN SSSR, 1986, 135p., In Russian with abridged English table of contents enclosed. 113 refs. Snow water equivalent, Water supply, River basins, Climatic factors, Records (extremes), Continuous permafrost, Sporadic permafrost, Discontinuous permafrost, Sporadic permafrost, Discontinuous permafrost, Snow cover distribution.

42-1081
All-Union Symposium on Biogeography of the Subarctic Beringian Zone, 10th, Vladivostok, 1986.
Proceedings. [Materialy],
Vassoiuznyi simpozium Biogeografiia Beringiiskogo sektora Subarktiki, 10th, Vladivostok, 1986, Vladivostok, 1986, 220p., In Russian. For selected paper see

Cherniavskii, F.B., ed, Chereshnev, I.A., ed.
Periglacial processes, Tandra, Steppes, Geocryology,
Paleoccology, Paleoclimatology, Ecosystems. 42-1082

On the existence of Beringian tundra-steppes. (K voprosu o sushchestvovanii beringiiskikh tundros-

tepefi, Kozhevnikov, IU.P., Vsesoiuznyf simposium Biogeo-grafiis Beringitskogo sektors Subarktiki, 10th, Vladi-vostok, 1986 (All-Union Symposium on Biogeography of the Subarctic Beringian Zone, 10th, Vladivostok, 1986. Proceedings) edited by F.B. Cherniavskii and I.A. Chereshnev, Vladivostok, 1986, p.45-51, In Russian. 28 refs.

cology, Paleoclimatology, Geocryology, Pari-processes, Tundra, Steppes. glacial pro-

42-1083 Catting force as affected by temperature changes in massive frozen ground. (Vilianic na silu rezaniia izmenenii temperatury grunta v zamerzahei tolahche, Vetrov, IU.A., et al, Gornye, stroitel'nye i dorozhnye mashiny, 1981, Vol.32, p.3-8, In Russian. 2 refs. Kislenko, A.A., Bazhan, V.T., Tanin-Shakhov, V.A. DLC TN345.0678

Frozen ground strength, Frozen ground temperature, Frost penetration, Mathematical models.

42-1084

Arctic foreign policy for Canada. Graham, G., International perspectives, Mar.-Apr. 1987, p.11-14.

International cooperation, Research projects.

42-1085

42-1085
Yearbook of the Norwegian Polar Research Institute,
1986. (Arbok 1986);
Oslo. Norsk Polarinatitutt, Oslo, 1987, 40p.
Polar regions, Research projects.
Organizational structure, facilities, research programs, publications, meetings, and other details of the Norsk Polarinstitutt's activities are reported. Research pertinent to Antarctica included a projected 1987 Norwegian expedition to Peter Island with the main object of gathering data to construct a topographic map of this small island; geological investigations in Queen Maud Land; mapping the see floor on the Weddell Sea shelf and upper slope; and study of tabular icebergs.

42-1086

Physiological ecology of bluegreen algal mats (mod-

raymotogical ecology of suspense again mass (mos-ern stromatolites) in antarctic oasis lakes. Parker, B.C., et al, Archiv für Hydrobiologie. Supple-ment, 1985, 71(1-2), Algological studies 38/39, edited by O. Lhotaky, p.331-348, Refs. p.346-348. Wharton, R.A., Jr. DLC QH301.A4932

Photosynthesis, Algae, Ice cover effect, Limnology. The only well-documented high latitude habitats of modern stromatolitic algal mats are the freshwater depths of 7 perennistromatolitic algal mats are the freshwater depths of 7 perennially ice-covered takes of southern Victoria Land. Within these unusual lates, 5 batic macromorphological types of mats occur and 4 are stromatolitic (three seroble or oxygenic and one an eroble or anoxygenic). Variables which control the mat growth rates and forms particularly include photosynthetically available radiation (PhAR), oxygen production and accumulation, calcite formation, and growth or gliding patterns of the predominant algal or microbial species. Estimated production rates of the 5 different mat types based on assumed annual PhAR, measured %PhAR reaching various depths, and estimates of quantum efficiency show a range of more than 3 orders of magnitude and at least partially explain the occurrence and distribution of these algal mats within these lakes. (Auth. mod.) mod.)

42-1087

leclandic sea-ice record.

Kelly, P.M., et al, Climate monitor, Dec. 1985-Feb.
1986, 15(1), p. 11-17, 22 refs.
Goodess, C.M., Cherry, B.S.G.
Sea ice distribution, Ice conditions, Climatic factors,
Statistical analysis, Iceland.

42-1088

Evaluation of the Shasta waterless system as a remote

site sanitation facility.

Martel, C.J., U.S. Army Cold Regions Research and
Engineering Laboratory, Aug. 1987, SR 87-16, 24p.,
ADA-186 000, 5 refs.

Sanitary engineering, Military facilities, Waste disposal, Tanks (containers).

The waterless toilet manufactured by Shasta Manufacturing, Inc., of Redding, California, was evaluated for possible use at remote military training sites and guard stations. A telephone survey of 6 recreational areas indicated that park personnel

were generally pleased with the performance of these units. On-site visits did not encounter offensive odors. Proper ventilation and liquid level control were found to be key factors in successful operation. A rational approach to sizing these units was developed on the besis of local pan eveporation rates.

Persistence of chemical agents on the winter battle-field. Part 1. Literature review and theoretical evaluation.

evaluation. Leggett, D.C., U.S. Army Cold Regions Research and Engineering Laboratory, Aug. 1987, CR 87-12, 20p., ADB-115 298, Refs. p.11-14. Military operation, Chemical properties, Drops (liquids), Snow cover, Ice cover, Evaporation, Temperature gradients, Impurities.

tates), Salow cover, Lec cover, Evaporation, Iemperatare gradients, Impurities.

Literature concerning persistence of chemical warfare agent
and related chemicals in cold environments is analyzed. An
existing model of droplet persistence is discussed in relation to
evaporation theory and practical uncertainties. This model
was questioned in the case of ice and snow-covered terrain—a
new model may be needed, but the necessary experimental data
for testing and validation are not yet available. Experimental
evaporation data for chemicals on snow are needed as well as
the solubilities of ice in the relevant chemicals. Since evaporation from ice is inferred to be significantly retarded, it was
emphasized that the rates of chemical degradation need to be
addressed under these conditions. Hydrolysis is an enchanism
of agent degradation already experimentally demonstrated in
ice. More experiments are needed under conditions realistically simulating agent dissemination over snow and ice covers.
Photolysis is a third potential mechanism of agent dissipation.
Theoretical and indirect experimental evidence suggest that it
is a wider pathway. Because thermal activation is theoretically
not required, it may proceed equally rapidly at low or high
temperatures. Suggestions for relevant experiment—droplet
evaporation and solubility tests, and tests of hydrolysis and
photolysis of droplets on ice and snow surfaces—are made.

Use of satellite pictures for mapping the ice condi-tions and surface temperatures in the Gulf of Bothula. Grönvall, H., et al, Finland. Vesientutkimuslaitoks-Julkaisula, 1986, No.68, Finnish-Swedish Seminar on the Gulf of Bothnia, 3rd, Pori, Finland, Aug. 20-21, 1984. Proceedings. Edited by P. Kangas and M. Rorsskåhl, p.19-23, 1 ref.

Kalliosaari, S. Ice conditions, Surface temperature, Remote sensing,

Mapping, Bothnia, Bay.

42-1091

Ice load on the bow and nozzles of research vessel

Polarstera. (Eisbelastung auf Vorschiff und Düsen von Forschungsschiff "Polarstern";
Hoffmann, L., et al, Schiffbautechnische Gesellschaft,
Hamburg. Jahrbuch, 1985, Vol.79, p.359-375, In
German with English summary. 4 refs.

Muller, L. Propellers, Ice navigation, Icebreakers, Ice loads, Ice floes, Impact strength, Measuring instruments.

Development of novel icebreaking ships and peculiarities of the stresses on their steel structure by ice. Entwicklung neuartiger eisbrechender Schiffe und Besonderheiten der Beauspruchung ihrer Stahl-

konstruktion durch Eis<sub>1</sub>, Varges, G., et al. Schiffbautechnische Gesellschaft, Hamburg. Jahrbuch, 1985, Vol.79, p.377-398, In German with English summary, p.398. 4 refs.

Icebreakers, Ice loads, Ice navigation, Ice breaking, Design, Steel structures.

42-1093

94-1993

Ice loads on a floating drilling platform. (Eisbelastung einer schwimmenden Bohrinsel),

Wessels, E., et al., Schiffbautechnische Gesellschaft,

Hamburg. Jahrbuch, 1985, Vol.79, p.399-409, In

German with English summary, p.409. 7 refs.

Iyer, S.H. Offshore structures, Ice loads, Floating structures, Models, Tests, Offshore drilling.

Measurements of performance in ice with model and full scale versions of RV Polarstern. Leistungsmessungen im Eis am Modell und Grossausführung von "Polarstern",
Hellmann, J.-H., Schiffbautechnier Gesellschaft,
Hernburg, Jahrhucht 1998, Vol. 70

Hamburg. Jahrbuch, 1985, Vol.79, p.411-425, In German with English summary, p.425. 4 refs. Icebreakers, Ice breaking, Ice conditions, Ice strength, Tests, Velocity, Models, Snow cover effect.

Behavior of the propulsion system of the research vessel Polarstern during navigation in ice. (Verhalt-en der Maschinenanlage von FS "Polarstern" bei Eisfahrty,

ranty, Sasse, I., Schiffbeutechnische Gesellschaft, Hamburg. Jahrbuch, 1985, Vol.79, p.427-436, In German with English summary, p.436. 2 refs. Ice navigatios, Icebreakers, Ice floss, Thermal stresses, Ice loads, Vibration.

42-1096

Study of a glacier simulator. Etude d'un simulateur

de glacier, Meyasonnier, J., France. Centre national de la recherche scientifique. Laboratoire de glaciologie. Publication, 1974, No.183, 150p., In French. Ph.D.

Glacier flow, Simulation, Models, Laboratory tech-niques, Basal sliding, Measurement.

42-1097

Biological production at the ice-water ergodine.

Demers, S., et al, Elsevier oceanography series, 1986, Vol.42, Marine interfaces ecohydrodynamics, edited by J.C.J. Nihoul, p.31-54, Reft. p.50-54.

Legendre, L., Therriault, J.C., Ingram, R.G.

Ice water interface, Algae, Ice composition, Antaro-

tice-McMurdo Sound

tics—McMurde Sound.

The ice-water interface is the site of high microslagal productivity. These microslage constitute an important part of the productivity of polar seas. The growth of ice microslage during the syning and perhaps during the sutumn extends the short growing season in the water column. Herbivorse have been observed to activaly feed on the ice microslage. Sea-ice microslage respond to variations in salmity (which controls biomass and taxonomic composition in coestal areas influenced by freshwater runoff), temperature (the survival of microslage depends on their ability to develop a protection mechanism against freezing), light (the photosynthetic settity of ice microslage is a function of both light intensity and quality) and autrant cutrient limitation has been demonstrated even when ambient nutrient concentrations were high). The biological production at this energetic interface is examined in the specific context of the ice-water ergocline. (Auth.)

42-1098

Arctic tanker: feasibility design report, Phase 1, Part 1. Vol.1.

1, Vol.1.

Newport News Shipbuilding and Dry Dock Co., Newport News, Virginia, Aug. 1970, 8 sections + appends., Unpublished manuscript. Prepared for Humble Oil Refining Co.

Icebreakers, Tanker ships, Ice breaking, Design.

42-1099

1979/80 conical structure test program, AOGA pro-

ject 113. Wood, K.N., ESSO Resources Canada L'mited, Rewood, R.M., ESSO RESOURCES CARROR L'MICE, Re-search Dept., Aug. 1980, 99p. + appends., 4 refs. Offshore structures, Ice conditions, Pressure ridges, Ice loads, Tests, Ice mechanics, Flexural strength, Ice

42-1100

42-1100
Alaskan North Slope geology.
Alaskan North Slope Geology Seminar, 2nd, Anchorage, AK, May 22-24, 1985, Bakersfield, CA, Society of Economic Paleontologists and Mineralogists, Pacific Section, Oct. 1, 1987, 874p. (2 vols.), Reft. passim. For selected papers see 42-1101 through 42-1103.
Tailleur, I.R.V., ed, Weimer, P., ed.
Permafroet thickness, Permafroet depth, Geology, Subses permafreet; Meetings, Permafroet thermal properties, United States—Alaska—North Slope.

42-1101

42-1101
Tamperature and depth of permañost on the Alaskan Arctic slope.
Lachenbruch, B.V., et al, Alaskan North Slope Geology Seminar, 2nd, Anchorage, AK, May 22-24, 1985.
Proceedings, Bakersfield, CA, Society of Economic Paleontologists and Mineralogists, Pacific Section, Oct. 1, 1987, p.345-558, 19 refs.

Permafrost depth, Permafrost thermal properties, Permafrost thickness, Sediments, United States— Alaska-North Slope

Electromagnetic survey of permafrost thickness in northern Alaska in 1969 and 1970.

northern Alaska in 1969 and 1970.

Keller, G.V., Alaskan North Slope Geology Seminar,
2nd, Anchorage, AK, May 22-24, 1985. Proceedings, Bakersfield, CA, Society of Economic Paleonings and Mineralogists, Pacific Section, Oct. 1, 1987, p. 559-563, 16 refs.

Permafrost thickness, Electromagnetic prospecting, Sounding, Permafrost depth, Freezing points, United States—Alaska—North Slope.

42-1103

42-1103
Transient electromagnetic detection of subsen permafrost near Prudhoe Bay, Alaska.
Walker, G.G., et al, Alaskan North Slope Geology Seminar, 2nd, Anchorage, AK, May 22-24, 1985.
Proceedings, Bakersfield, CA, Society of Economic Paleontologists and Mineralogists, Pacific Section, Oct. 1, 1987, p.565-569, 11 rcfb.
Kawasaki, K., Osterkamp, T.E.
Subsen permafrost, Electromagnetic prospecting, Permafrost depth, Parmafrost thickness, Sounding, Sediments, Models, Active layer, United States—Alasks—North Slope.

42-1104

Present state of road maintenance machines and problems to be solved. (Doro hoshu kikai no genjo to kadai),

Watanabe, K., et al, Road (Doro), May 1985, No.531, p.26-29, In Japanese. Hokari, M.

Road maintenance, Snow removal.

Snow removing machines for use on roads and sidewalks are described in section 3: rotary snow removing machines (blowers), graders, buildozers, snow disposing trucks, and antifreeze chemical spreaders.

42-1105

Road maintenance in snowy Yamagata. [Yukiguni Yamagata no doro hozen; Shimanuki, H., Road (Doro), May 1985, No.531,

p.49-51, In Japanese.

p. 99-31, in Japanese. Road maintenance, Winter maintenance, Snow re-moval, Tiree, Water pipes, Wells, Trenching, Snow femces, Municipal engineering, Citizen cooperatios, Japan—Yamagata Profecture.

42-1106

Road snow removal and snow protection in Aomori Prefecture. (Aomori-ken ni okeru doro no josetsu/-bosetsu taisaku ni tsuite, Sato, N., Road (Doro), Feb. 1986, No.540, p.41-48, In

Road maintenance, Snow removal, Snow disposal, Sidewalks, Snow fences, Snowdrifts, Trenching, Japan—Aomori Prefecture.

42-1107

Snow and ice countermeasures on Tohoku Throughway: Importance of securing transport. (Tohoku Jidoshado ni okeru seppyo taisaku), Miyata, M., Road (Doro), Feb. 1986, No.540, p.49-53,

In Japanese

in Japanese.

Snow removal, Road maintenance, Road icing,
Chemical ice prevention, Transportation, Cold weather operation, Geomorphology, Economic development, Japan—Tohoku.

42-1108 Making Shinjo snowproof: street projects toward "snow utopia". [Shinjo-shi ni okeru yuki ni tsuyoi toshi zukuriy,

Imai, T., Road (Doro), Feb. 1986, No.540, p.54-59, In

Road maintenance, Municipal engineering, Side-walks, Snow removal, Snow disposal, Trenching, Water pipes, Water supply, Urban planning, Japan Shinto

42,1109

Summary report on heavy snowfall of 1985-86: countermeasures and future tasks. (Shows 61nen gosetsu no gaikyo to taisaku, Yamanaka, Y., Road (Doro), May 1986, No.543, p.46-

49. In Japanese. Snowfall, Transportation, Damage, Cold weather op-eration, Snow removal, Government subsidies.

42-1110

New mow protection engineering handbook. (Shin bosetsu kogaku handobukku),
Japan Association for Mechanization of Construction,

Tokyo, Moritake Shuppan, 1985, 512p., In Japanese. Includes bibliographies. 4th printing. First ed.

Smow physics, Snow mechanics, Avalanche engineer-ing, Blowing snow, Snowdrifts, Snow removal, Trenching, Heat pipes, Chemical ice prevention,

42-1111

New road snow removal handbook. Shin doro josetsu handobukkuj,

Japan Association for Mechanization of Construction.

Tokyo, Nihon Kensetsu Kikaika Kyokai, 1981, 281p., In Japanese.

Snow removal, Ice prevention, Roads, Sidewalks, Heat pipes, Trenching, Municipal engineering, Win-ter, Snow, Ice.

All-Union conference on Problems of Quaternary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries. (Tezisy dok-

ladovj, Vsesoiuznaia konferentsiia "Problemy chetvertichno! paleoekologii i paleogeografii severnykh morel", 2nd, Apatity, 1987, Apatity, 1987, 118p., In Russian. For selected summaries see 42-1113 through 42-1119.

selected summaries see 42-1113 through 42-1119. Refs. passim.
Matishov, G.G., ed.
Paleocology, Climatic changes, Glacial deposits, Subses permatrost, Paleoclimatology, Paleobotany, Meteorology, Ice conditions, Marine deposits, Ocean environments, Periglacial processes, Erosion, Meetings, Mathematical models, Computer applications,

42-1113

Computerized simulation of ice conditions in the Bar-ents Sea. [Modelirovanie na EVM oledeneniia Barentseva morias.

Adrov, N.M., et al, Vsesoiuznaia konferentsiia "Problemy chetvertichnof paleoekologii i paleogeografii severnykh moret", 2nd, Apatity, 1987. Tezisy dok-ladov (All-Union conference on Problems of Quatermary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries) edited by G.G. Matishov, Apatity, 1987, p.5, In Russian. Smoliar, I.V.

Sea ice distribution, Drift, Ocean currents, Water transport, Ice formation, Computerized simulation.

Hydrochemical parameters of sea ice and the level of initial production. [Gidrokhimicheskie parametry morskikh l'dov i uroven' pervichnol produktsij, Bardan, S.I., Vescoluznaia konferentsiia "Problemy chetvertichnot paleoekologii i paleogeografii sever-nykh moret", 2nd, Apatity, 1987. Tezisy dokladov (All-Union conference on Problems of Quaternary (All-union conference on Problems of Quaternary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries) edited by G.G. Matishov, Apatity, 1987, p. 10-11, In Russian. Photosynthesis, Martine deposits, Ice composition, Sedimentation, Marine biology, Ice formation, Seas-

42-1115

Cryolithologic indication of ecologic situation on the West Siberian shelf of the Arctic Ocean in Pleato-cane. (Kriolitologicheskais indicasti ekologicheskof obstanovki na Zapadno-Sibirskom shelfe Severnogo

Obstanovki na Zapadno-sionakom sner severinge, Ledovitogo okeana v pleistoisene, Bolikhovskiř, V.F., Vsesoiuznaia konferentalia "Pro-blemy chetvertichno! paleoekologii i paleogeografii severnykh more!", 2nd, Apatity, 1987. Tezisy dok-ladov (All-Union conference on Problems of Quaternary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries) edited by G.G. Matishov, Apatity, 1987, p.15-17, In Russian. Subees permatrost, Permatrost structure, Ice salini-ty, Layers, Ice structure.

42-1116

dence of the possible presence of buried ice in shelves of northern seas. [Svidetel'stvo vozmozh-nogo nakhozhdenija iskopaemykh l'dov na shel'fe evernykh morelj,

Gol'dfarb, IU.I., et al, Vaesoiuznaia konferentsiia "Problemy chetvertichnof paleoekologii i paleogeo-grafii severnykh moref", 2nd, Apatity, 1987. Tezisy dokladov (All-Union conference on Problems of Quatdokiadov (Ali-Union conference on revolems of Quae-ernary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries) edited by G.G. Matishov, Apatity, 1987, p.25, In Russian. Ezhova, A.B. Marine deposits, Ice salinity, Subsea permafrost, Permafrost origin.

Role of ice formation and melting in the development of ecological conditions in seas and oceans. [Rol' obrazovanija i tajanija l'da v formirovanij ekologiches-

obrazovaniis i taianiis l'da v formirovanii ekologiches-kikh uslovi v moriskh i okeanskh; Ivanov, A.V., Vaesoiuznais konferentsiis "Problemy chetvertichnof paleoekologii i paleogeografii sever-nykh moret", 2nd, Apatity, 1987. Tezisy dokladov (All-Union conference on Problems of Quaternary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries) edited by G.G. Matishov, Apatity, 1987, n.52-31 in Russian Matishov, Apatity, 1987, p.52-53, in Russian. Sea water freezing, Ocean environments, Sefreeze thaw, Environmental impact.

Tonic composition of water during melting of sea ice. clonnyl sociate vody pri talanii morskogo l'daj, Pavlova, L.G., Vsesoluznala konferentsiia "Problemy

Pavlova, L.G., Vsesoluznaia konferentsiia "Problemy chetvertichnof paleoekologii i paleogeografii severnykh morei", 2nd, Apatity, 1987. Tezisy dokladov (Ali-Union conference on Problems of Quaternary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries) edited by G.G. Matishov, Apatity, 1987. 9.65-87, In Russian. Sea water, Chemical composition, Water chemistry, Iona, Sea water freezing, Ice melting.

Bioindication of ice conditions during sediment ac-cumulation in the Okhotsk and Japan seas in Pleistoceme. ¡Bioindikatsiia ledovykh obstanovok osad-konakopleniia v pleïstotsene lAponskogo i Okhot-

skogo more'i, Pletnev, S.P., et al, Vsesoiuznaia konferentsiia "Problemy chetvertichno' paleoekologii i paleogeografii severnykh more'', 2nd, Apatity, 1987. Tezisy dok-ladov (All-Union conference on Problems of Quaternary paleoecology and paleogeography of northern seas, 2nd, Apatity, 1987. Summaries) edited by G.G. Matishov, Apatity, 1987, p.91-92, In Russian. Grebennikova, T.

Paleoecology, Sea ice distribution, Pack ice, Ecosystems. Ice formation. Ocean environments. Drift.

42-1120

Dust control in coal mines of Yakutia, Bor'ba s pyl-

Dust control in coal mines of Yakutta. [Bor Da 8 pysiu na ugol'nykh razrezakh IAkutii,
Osodoev, M.T., Yakutak, SO AN SSSR, 1987, 113p.,
In Russian with abridged English table of contents
enclosed. 94 refs.
Mining, Coal, Continuous permafrost, Mine shafts,
Dust control, Artificial snow, Equipment, Design,

42-1121

Water supply in the North, Nodosnabzhenie na

Value Severe, Vdovin, IU.I., Leningrad, Strolizdat, 1987, 166p. In Russian with abridged English table of contents en-

Russian with addinged English table of contents en-closed. 78 refs.
Water supply, Water treatment, Permafrost hydrolo-gy, Continuous permafrost, Tallks, Suprapermafrost ground water, Subpermafrost ground water, Water intakes, Ice (water storage), Snow water equivalent, Water storage.

Installation of equipment for cluster drilling of wells.

rMontazh oborudovanija pri kustovom burenij skvazhim.

Voevoda, A.N., et al, Moscow, Nedra, 1987, 206p., In Russian with English table of contents enclosed. 30

Karapetian. K.V., Kolomatskii, V.N.

Oil wells, Drilling, Swamps, Frozen rocks, Offshore drilling, Cold weather operation, Cold weather per-

42-1123

42-1123
Conference of young scientists and specialists, 15th, IUzhno-Sakhalinak, 1987. Summaries of reports. (Konferentsiia molodykh uchenykh i spetsialistov, 15th, IUzhno-Sakhalinak, 1987. Tezisy dokladov, Akademiia nauk SSSR. Dal'nevostochnyi nauchnyi taentr. Institut morskof geologii i geofiziki, IUzhno-Sakhalinak, 1987, 69p., In Russian.
Patrikeev, V.N., ed. Ice floes, Hydraulic structures, Pipelines, Pressure ridges, Drift, Ocean environments, Bottom sediment, Mathematical models, Erosion, Bottom ice, Underwater fee.

Modeling sea-bottom erosion by drifting ice forma-tions. (Modelirovanie erozii morskogo dna dreifuiushchimi ledovymi obrazovanijami, Plynin, V.V., Akademija nauk SSSR. Dal'nevostoch

nyi nauchnyi tsentr. Institut morskoi geologii i geofizi-ki. Konferentsiia molodykh uchenykh i spetsialistov, 15th, IUzhno-Sakhalinsk, 1987. Tezisy dokladov (Academy of Sciences USSR. Far East Scientific Re-Academy of Sciences Ossac. Far East Scientific Research Center. Institute of marine geology and geophysics. Conference of young scientists and specialists, 15th, IUzhno-Sakhalinsk, 1987. Summaries of reports) edited by V.N. Patrikeev, IUzhno-Sakhalinsk, 1987, p.59, In Russian.

Bottom ice, Underwater ice, Drift, Hydraulic structures, Pipelines, Bottom sediment, Erosion, Mathematical models.

42-1125

42-1125
Determining ecological requirements for the safety of subsea pipelines where the bottom is subject to erosion by drifting ice formations. (Opredelenie ekologicheskikh trebovanii k nadezhnosti morskikh truboprovodov v usloviiakh erozii dna dreffuiushchimi

provodov v usiovinan erozn dna dremamineledovymi obrazovanijami,
Plynina, E.F., et al, Akademiis nauk SSSR. Dal'nevostochnyi nauchnyi tsentr. Institut morskoi geologii i geofiziki. Konferentsiia molodykh uchenykh i spetsialistov, 15th, IUzhno-Sakhalinsk, 1987. Tezisy dokladov (Academy of Sciences USSR. rar Last Scientific Research Center. Institute of ma-rine geology and geophysics. Conference of young scientists and specialists, 15th, IUzhno-Sakhalinak, 1987. Summaries of reports) edited by V.N. Pa-trikeev, IUzhno-Sakhalinak, 1987, p.60, in Russian. Plynin, V V

logy. Pipelines. Bottom sediment. Erosion. Sea ice distribution, Drift, Pressure ridges, Ocean envi-ronments, Ice cover thickness, Analysis (mathemat-

42-1126

Organization of geographic information and thematic

Organization or geograpia: information and teematic mapping, [Organizatsiia geografichesk of informatsii i tematicheskaia kartografiia; Koshkarev, A.V., ed, Vladivostok, 1987, 124p., In Russian. For selected papers see 42-1127 and 42-Russian. For select

Mapping, Monitors, Aerial surveys, Data processing, Spaceborne photography, Snow surveys, Alpine land-scapes, Snow cover distribution, Taiga.

42-1127

42-1127
Mutual enhancement of cartographic and serial-satel-lite methods in environmental monitoring, (Vzai-modelstvie kartograficheskogo i aerokosmicheskogo metodov pri monitoringe okruzhaitushchel sredy, Betliant, A.M., et al., Organizatsia geograficheskol informatsii i tematicheskala kartografiia (Organization of geographic information and thematic mapping) edited by A.V. Koshkarev and V.P. Karakin, Vladivostok, 1987, p.25-38, In Russian. 10 refs.

Novakovskil, B.A. NOVAROVSKI, J.A. Alpine glaciation, Monitors, Aerial surveys, Map-ping, Spaceborne photography, Snow surveys, Alpine landscapes, Snow cover distribution, Charts.

Isolinear mapping of natural resources of taigs.
perience and prospects. (Opyt i perspek perience and prospects. Opyt i perspektivy izolinelnogo kartografirovanija prirodnykh resursov

Cherviakov, V.A., Organizatsiia geograficheskoi informatsii i tematicheskaia kartografiia (Organization of geographic information and thematic mapping) edited by V.V. Koshkarev and V.P.Karakin, Vladivostok, by V.V. Koshkarev and V.P.Karak 1987, p.91-96, In Russian. 17 refs.

Taiga, Data processing, Natural resources, Mapping, Baykal Amur railroad, Statistical analysis.

Annual report 1986 and future plans.

National Research Council. Polar Research Board,
Washington, D.C., National Academy Press, 1987,

Research projects. Polar regions.

Research projects, Polar regions.
This annual report describe the Polar Research Board, its orisin and objectives, its work and plans, and its principal activities and scongilishments during clendar year 1986. An overview presents a concise aummary of the various aspects of the Board's program and of its responsibilities as U.S. National Committee for the Scientific Committee on Antarctic Research (SCAR) of the International Council of Scientific Unions. This section serves as a guide to the more detailed information in the rest of the report. At the end of the report are lists of those who participated in the work of the board and its subgroups and of those who represented the United States in the activities of SCAR, based on membership as of Dec. 2: 1986. There are also lists of publications by the Board, reports issued There are also lists of publications by the Board, report during the past year, and those in preparation. (Aut

42-1130

Master index for the carbon dioxide research State-

of-the Art Report series.

Farrell, M.P., ed, U.S. Department of Energy. Report, Mar. 1987, DOE/ER-3016, 253p., Refs. p. 77-94.

Climatic changes, Carbon dioxide, Ice melting, Impurities, Glacier melting.

particles, Glacuer meeting.

The following is included in the report: executive summaries of 4 state of the art reports and 2 supporting documents dealing with atmospheric carbon dioxide and the global earbon cycle projecting and detecting the climatic effects of increasing carbon dioxide; the effects on vegetation, characterization of information requirements for studies of CO2 effects, and glaciers, ice sheets, and sea level effect of CO2-induced climatic change, nee success, and sea never effect of CU2-induced climatic change, respectively; a glossary of terms; tables; a glossary of acronyms; indexes of common and scientific names; a citation index; and a subject index.

42-1131

42-1131
Marine ice transgression hypothesis.
Hughes, T.J., Geografiska annaler. Series A Physical geography, 1987, 69A(2), p.237-250, 29 refs.
Ice mechanics, Sea ice, Ice age theory, Ice sheets,
Fast ice, Ice shelves.

Fast ice, Ice shelves.
The sequence of transitions from sea ice to fast ice to ice shelves to marine ice domes to an ice sheet is examined, with special attention to how marine ice transgression may have produced the Laurentide Ice Sheet. Figures comparing the glacistion of North America, Eurasia, and Antarctica according to high-land origin, windward growth, the instantaneous glaclerization, and the marine ice transgression hypotheses for forming ice sheets are shown and discussed. (Auth. mod.) 42-1132

Ice layers and superimposition of ice on the summit

ice inyers and superimposition of ice on the summit and alope of Vestfonna, Svalbard. Palosuo, E., Geografiska annaler. Series A Physical geography, 1987, 69A(2), p.289-296, 14 refs. Ice mechanica, Ice formation, Ice cover thickness, Snow cover, Ablation, Rheology, Ice crystal struc-ture, Ice lenses, Norway—Svalbard.

42.1133 Nature and importance of thermokarst processes, Sand Hills moraine, Banks Island, Canada.

Sand rillis moraine, Banks, Island, Canada. Lewkowicz, A.G., Geografiska annaler. Series A Physical geography, 1987, 69A(2), p.321-327, 20 refs. Permafrost thermal properties, Karst, Moraines, Ground ice, Ice acelting, Topographic features, Cana-da—Northwest Territories—Banks Island. 47-1134

42-1134
Physical factors controlling the formation of patterned ground on Haleakala, Maui.
Noguchi, Y., et al, Geografisks annaler. Series A Physical geography, 1987, 69A(2), p.329-342, 31 refs.
Tabuchi, H., Hasegawa, H.

Patterned ground, Freeze thaw cycles, Periglacial processes, Soil water, Air temperature, Mountains, Fog, United States—Hawaii—Maui Island.

42-1135

Glaciological research program in east Queen Maud Land, East Antarctica, Part 6, Advance Camp, 1985. Kikuchi, T., et al, Japanese Antarctic Research Expe-Kikuchi, T., et al, Japanese Antarctic Research Expedition. JARE data reports. Sep. 1987. No. 129, 104p... 4 refs.

Ageia, 1.

Snow heat flux, Snow accumulation, Meteorology,
Antarctica—Oneen Maud Land. Antarctica—Showa Station

Station.

The inland traverse party of JARE-26 reached the Advance Camp (AC), established as part of the East Queen Maud Land Glasciological Project, on Peb. 7, 1985, where glaciological and meteorological observations were carried out until the end of the month. The party left AC on Mar. I for wintering over at Mizuho and Shows stations, returning to AC on Oct. 14, 1985. Ice cores were drilled to a depth of 200 m. The report provides the following glaciological and meteorological data obtained at AC: the surface and the upper atmosphere meteorological data the not radiative heaf flux, and the net accumulation of snow. 42-1136

Climatic atlas of icing potential over North America. Thorson, P.R., U.S. Air Force. Environmental Technical Applications Center. Report, Jan. 1986, USAFETAC/DS-86/001, 126p., ADA-174 260, 6 refs.

Aircraft icing, Climatology, Unfrozen water content, Meteorological charts, Temperature effects, Remote sensing. Mays. Computer applications.

42-1137

Arctic survival book: safety on land, sea and ice. Owingsyak, D., Eskimo Point, Northwest Territories, Inuit Cultural Institute, [1986], 107p., In English, Inuit and Greenlandic. Includes dictionary p.69-107

CaOORDN-E99.E7 094

Cold weather survival, Ice conditions, Weather, Snow (construction material), Ice (construction material).

Physical model of gradient zone erosion in thermoh

Hull, J.R., et al, International journal of hea. and mass transfer, June 1987, 30(6), p.1027-1036, With French, German and Russian summaries. 29 refs.

Erosion, Heat transfer, Mass transfer, Temperature variations, Mathematical models, Convection, Lake water, Salinity.

42-1139

Heat capacity and glass transition of pure and doped

cubic ices.

Yamamuro, O., et al, Journal of physics and chemistry of solids, 1987, 48(10), p.935-942, 39 refs.

Oguni, M., Matsuo, T., Suga, H.

Cubic ice, Doped ice, Heat capacity, Thermodynamics, Temperature measurement, Ice temperature.

Meteorological observations at Syowa Station in 1982 by the 23rd Japanese Antarctic Research Expe-

Yoshihira, T., et al, Antarctic record, July 1987, 31(2), p.131-154, In Japanese with English summary. \$ re

8 refs.

Shudo, Y., Kajihara, R., Sasaki, M.

Shudo, Y., Kajihara, R., Sasaki, M.

Saowstormas, Saow accumulation, Metaorological data, Antarctica—Shows Station.

This paper describes the results of metaorological observations from Feb. 1, 1982 to Jan. 31, 1983, at Shows Station. The observations and the satisticts of surface and serological data were automatically processed until Sep. 1, 1982 after which the upper air observations were carried out manually. Remarkable characteristics are as follows: the ten-day mean temperature of late Aug. and serly Sep. was lower than the normal value over 5 C. A minimum temperature -4.5.3 C, recorded on Sep. 4, was the lowest value since the observation had begun at Shows Station. Forty-two blizzards occurred of several days duration. The snow depth measured on Oct. 30 was 105.6 cm, which was deeper than the normal values throughout the year. (Auth.)

42-1141

Cosmographic and geophysical applications of satsl-lits altimetry.
Douglas, B.C., et al, Reviews of geophysics, June 1987, 25(5), p.875-880, Refs. p.878-880.
McAdoo, D.C., Cheney, R.E.
Bottom topography, Spacecraft, Geophysical surveys,

See level.

These level.

One of the most difficult aspects of the use of altimeter data is finding the correct track point over land and ice surfaces. Waveform data must be carefully analyzed to solve this problem. This has been accomplished to a high degree of precision and applied successfully to the Greenland and antarctic ice fields. Important new insights into the nature of satellite ephemeris error and its influence on altimetrically derived sea surface topography are discussed. (Auth. mod.)

42-1142

Vapour pressure of amorphous H2O ice and its astro-physical implications. Kouchi, A., Nature, Dec. 10, 1987, 330(6148), p.550 552, 16 refs.

ics, Cubic ice, Vapor pressure, Ice temperature, Extraterrestrial ice.

42-1143

Interstellar shock waves and Be-10 from ice of Sonett, C.P., et al, Nature, Dec. 3, 1987, 330(6147), p.458-460, 22 refa.
Morfill, G.E., Jokipii, J.R.

Ice cores, Ice composition, Isotope analysis, Antarctics—Vostok Station, Antarctics—Wilkes Land.

tics—Vestok Station, Antarctics—Wilkes Land. The anomalously high concentrations of Be-10 in antarctic ice cores, uncorrelated with delta C-18, are consistent with an increase in the atmospheric cosmic ray (CR) flux from CR acceleration in propagating interstellar shock waves, which envelop the heliosphers and whose source may be ancient upermovas. This mechanism is an alternative to the model where decreases in geomagnetic field intensity, associated with geomagnetic reversals, periodically enhance the CR flux at the top of the atmosphere. That CR variations attributable to interstallar asserts. versals, periodically enhance the CR flux at the top of the atmosphere. That CR variations attributable to intersellar events such as supernova shock waves have so far not been observed in the CR record is a long-standing issue. If the interpretation of the Be-10 spikes is correct, it marks the first such observation. The possibility that 'direct' observation of the interstellar medium can be made using the Be-10 record would be an important adjunct to the study of cosmic rays in the interstellar medium. (Auth.)

42-1144

Suppression of earthquakes by large continental ice

Johnston, A.C., Nature, Dec. 3, 1987, 330(6147), p.467-469, 32 refs.
Ice sheets, Ice cover effect, Earthquakes.

The interior regions of Antarctica and Greenland are assismic no earthquake larger than body-wave magnitude 4.5-5.0 is known for either, except along coastal zone or continental shelves. An explanation is advanced for this lack of seismic activity in terms of pressure effects produced by the continental ice sheets that mantle both continents. (Auth.)

42-1145

Messurements of methanesulphonic acid in antarctic

Saigne, C., et al, *Nature*, Nov. 19, 1987, 330(5145), p.240-242, 19 refs. Legrand, M.

Ice cores, Ice composition.

Ice cores, Ice composition.

Dimethylauphide (DMS), mainly produced by marine biogenic activity, plays as important role in the atmospheric suphur budget. Methanesulphonic acid (MSA) and sulphur dinade (SOA, hereafter converted into non-sea-salt (n. s.) sulphate) are the main oxidation produces of DMS. As opposed to na. as sulphate, which has other sources (for example, volcances, terrestral sulphate), MSA represents an unequivocal indicator of marine brogenic activity. MSA has previously been investigated in marine aerosols at low and mid-latitudes as well as in precipitations and polar ice; here are presented 54 MSA measurements made in antarctic ice. Coastal area precipitations exhibit unexpectedly high (up to 100%) MSA/n.s.s. weight ratios

(r) compared with values commonly observed in mid-latitude marins atmospheres. At higher elevations (2,000 m) the ralues suggest a marine blogenic input of more global significance. The MSA concentrations (several p.p.b.) confirm that the n.a. sulphate in antarctic ice is mainly derived from marine blogenic activity. During the last ice age, MSA contents were 2-5 times higher than today. This study of high-latitude precipitations demonstrates the feasibility of reconstructing past marine blogenic activity of global significance. (Auth.)

42-1146 42-1146
Scattering and absorption of visible light in sea ice from transmission and backscattering measurements. Buckley, R.O., et al, New Zealand. Department of Scientific and Industrial Research. Physics and Engineering Laboratory. Report, July 1986, No.951, 40p., 25 refs.
Trodahl, H.J., Langhorne, P.J.
Legantics, Light transmission. Sea (or Light contains).

Itocani, A.J., Light transmission, Sea ice, Light scatter-ing, Backscattering, Radiation absorption, Anisotro-py, Ice water interface, Algae, Measuring instru-ments, Antarctica—McMurdo Souad.

means. Anterectica—McMarrio Sound.

A new experimental technique, developed and tested in McMurdo Sound, Antaretica for the in situ measurement of the diffusive transport of light through sea ice, is described. A weakly divergent monochromatic light source is placed on the surface of the ice and the emergent radiation field is measured at both the top and bottom surfaces. The magnitudes of the emergent radiance and their dependence on distance from the source have given the first simple and direct measurement of the light acattering length, inhomogeneity and anisotropy in the syry complex material. The scattering length is 0.06 m and isotropic near the top but changing in the bulk to about 0.1 m for horizontal paths and 0.2 m for vertical paths. It has siso been possible to separate out the effects of a strongly scattering po surface layer and of an absorbing layer near the loc-water interface that we have associated with algae. (Auth.)

42-1147

42-1147
Seasonal snowcovers: physics, chemistry, hydrology.
NATO Advanced Study Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Lea Arcs,
France, July 13-25, 1986, NATO ASI series, Series C:
Mathematical and Physical sciences; Vol.211, Dordrecht, Holland, D. Reidel Publishing Co., 1987,
46p., Refs. passim. For individual papers see 421148 through 42-1178.

11vo carouga #2-1178.

Jones, H.G., ed, Orville-Thomas, W.J., ed.

Snow physics, Snow composition, Snow hydrology,
Meetings, Seasonal variations, Metamorphism
(snow), Ice composition, Itotope analysis, Chemical
analysis, Snow impurities.

42-1148

Snow metamorphism and classification. Colbeck, S.C., MP 2265, NATO Advanced Institute

Colbeck, S.C., MP 2265, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.1-35, Refs. p.29-35.
Metamorphisms (snow), Ice crystal growth, Water vapor, Water flow, Isotopes, Classifications.

The flow of water vapor in dry now and crystal growth from the vapor are reviewed to provide a basis for understanding the metamorphism of dry snow. The movement of isotopes with the vapor is also described. The growth of grains in water-saturated snow is described in some detail because it is the best known example of metamorphism. Grain clusters and melifreeze grains dominate wet snow at low liquid contents. After the principles and observations are all described, a snow classification scheme is proposed.

42-1149

Water vapor transport in anow a 2-D simulation of temperature gradient metamorphism. Christon, M., et al, NATO Advanced Institute on Sea-

sonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987, p.37-

52, 23 ress.
Burns, P., Thompson, E., Sommerfeld, R.
Snow physics, Ice crystals, Water rapor, Heat transfer, Mase transfer, Vapor diffusion, Temperature gradients, Metamorphism (snow). 42-1150

Measurement of snow grain properties.
Davis, R.E., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.63-74, 30 cré. 74. 30 refs. Dozier, J., Perla, R.

Snow cover structure, Microstructure, Ice crystal structure, Grain size, Snow density, Seasonal variations, Stereoscopy.

42-1151

Experimental study on thermal convection and grains

picture analysis. Brun, E., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987, p.75-94, 13 refs.

94, 13 reis.
Touvier, F., Brunot, G.
Snow thermal properties, Heat flux, Snow physics,
Thermal conductivity, Convection, Atmospheric circularity,
Thermal conductivity of the conductivity culation, Experimentation, Temperature gradients, Porosity, Mathematical models.

42-1152

Practionation of natural isotopes during temperature radient metamorphism of snow.

ommerfeld, R.A., et al, NATO Advanced Institute Sommerield, K.A., et al, NAIO Advanced institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.95-105, 13 refs.
Friedman, I., Nilles, M.

Metamorphism (snow), Isotopes, Mass transfer, Vapor diffusion, Water vapor, Temperature gradients, Analysis (mathematics).

42-1153

asting and snow physics.

Areas and Saving and Saving and Saving Saving Lafeuille, J., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Scasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987,

p.107-117, 12 refs.
Avalanche forecasting, Snow physics, Avalanche formation, Snow crystals, Snow cover stability, Mountains, Computer applications.

42-1154

Wild transport of seasonal snowcovers.

Pomeroy, J.W., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.119-140, Refs. p.138-140. Male, D.H.

Blowing snow, Snow mechanics, Wind velocity, Mass transfer, Models, Analysis (mathematics).

Note on certain diurnal variations in the albedo of mow and ice.

Bolsenga, S.J., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Seasonal anowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1787,

p.141-150, 18 refs.
Snow optica, Ice optica, Albedo, Reflectivity, Radiation balance, Diurnal variations, Mathematical mod-

42-1156

Modelling of snowmelt rates in a deciduous forest. Price, A.G., NATO Advanced Institute on Seasonal Price, A.G., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.151-165, 8 refs.

Saowmelt, Forest canopy, Heat balance, Mathematical models, Temperature effects, Snow hydrology.

42-1157 Prediction of snow density and temperature changes within layers of the snowpack using a point energy

and mass balance model.
Stein, J., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Seasonal

cu oy ra.u. Jones and W.J. Orville-Thomas. Scasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.167-178, Refs. p.176-178. Snow density, Mass balance, Snow temperature, Heat balance, Mathematical models, Snow cover, Snow depth.

42-1158
Modelling of water flow through snowpacks.
Morris, E.M., NATO Advanced Institute on Seasonal
Snowcovers: Physics, Chemistry, Hydrology, Les
Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal ou oy rt. U. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.179-208, Refs. p.204-208.

low cover, Water flow, Ice water interface, Penetration. Snow physics. Mathematical models

Direct scavenging and induced transport of atmospheric aerosol by falling snow and ice crystals.

Podzimek, J., NATO Advanced Institute on Seasonal Podzimek, J., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.209-224, Refs. p.222-224. Aerosols, Ete crystals, Snowfakes, Snowfall, Adheston, Dynamic properties, Ions, Ice fog.

42,1160

Experimental protocol for the chemical analysis of snow, firm and ice cores. Legrand, M.R., et al, NATO Advanced Institute on

Legrand, M.R., et al, NATO Advanced institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Sea-Sonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.225-254, 15 refs.
Delmas, R.J.

Snow composition, Ice composition, Firn, Chemical analysis, Ions, Tests, Sampling, Impurities, Measur-ing instruments, Coring.

42-1161

Review of snowpack chemistry studies.

DeWalle, D.R., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht. Holland. D. Reidel Publishing Co., 1987.

p.255-268, Refs. p.265-268. Snow composition, Chemical analysis, Snow cover, Air masses, Pollution, Snow melting, Snow impurities, Rain.

42-1162

Chemical transformations in a snow cover at Weissf-lubloch, Switzerland, situated 2500 m.s.s.l.

Sigg, A., et al, NATO Advanced Institute on Seasonal Sigg, A., et al, NATO Advanced institute on seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987. p.269-279, 13 refs. Neftel, A., Zürcher, F.

Snow composition, Chemical analysis, Snow impurities, Snow deformation, Snow cover, Mountains, Ions, Temperature distribution, Snow temperature.

42-1163 Chemical evolution of a seasonal anowcover at mid-

and high altitudes.
Page, Y., NATO Advanced Institute on Seasonal Page, Y., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987,

p.281-288, 3 refs.

Snow composition, Chemical analysis, Snow cover, Ions, Mountains, Climatic factors, Snow depth, Snow temperature.

Physical and chemical factors controlling gaseous

Paysical and chemical factors controlling gaseous deposition of SO2 to anow.

Bales, R.C., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal State of the Proceedings of the Proceedings. sonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987,

drecht, Houland, D. Reidel Publishing Co., 198/, p.289-297, 9 refs.
Valdez, M.P., Dawson, G.A., Stanley, D.A.
Snow composition, Chemical analysis, Gas inclusions, Diffusion, Unfrozen water content, Snow water content, Penetration, Snow cover.

42-1165

Contribution of dry deposition to snowpack acidity in Michigan.

Cadle, S.H., et al. NATO Advanced Institute on Sea-Cadle, S.H., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.299-320, 16 refs.

Dasch, J.M.

PASCH, J.M. Snow composition, Chemical properties, Snow impurities, Ions, Snow cover, Snow melting, Particles, Air pollution.

42-1166

Wind as a factor in the direct measurement of the dry deposition of acid pollutants to snowcovers.

Delmas, V., et al. NATO Advanced Institute on Sea-

Sonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.321-335, 24 refs. Iones H.G

Air pollution, Snow composition, Snow impurities, Wind factors, Snow cover, Chemical analysis, Parti-cles, Temperature effects, Precipitation (meteorology).

Removal of soluble lons from melting snowpacks.
Davies, T.D., et al, NATO Advanced Institute on Sea-Sonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987,

drecht, Holland, D. Keidel Publishing Co., 1987, p.337-392, Refs. p.386-392.
Meltwater, Ions, Chemical composition, Ice composition, Snow composition, Soil water, Streams, Distribution, Snow melting, Snow depth.

Aspects of the chemistry of ice, notably snow, on lakes.

lakes.
Adams, W.P., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.393-466, Refs. p.462-466.
Allan, C.

mposition, Snow composition, Chemical analysis, Lakes, Rivers, Sea water, Ice cover, Snow cover, Snow ice interface, Wind factors, Slush, Colored ice.

Methodology for investigation of snowmelt hydrology and chemistry within an undisturbed Canadian shield

watersaee.

English, M.C., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987,

p.467-499, 19 refs.
Snow hydrology, Snow composition, Chemical analysis, Snowmelt, Runoff, Watersheds, Meteorological factors, Snow cover, Ecosystems.

Short term changes in the fluxes of water and of dis-

solved solutes during snow-melt.
Barry, P.J., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1980. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.501-530, 8 refs.

Price, A.G. Meltwater, Snowmelt, Chemical analysis, Water flow, Solutions, Runoff. 42-1171

Chemical dynamics of snowcover and snowmelt in a poresi forest.

Jones, H.G., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Seasonal ea oy H.U. Jones and W.J. Crville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987, p.531-574, Refs. p.570-574. Snow composition, Meltwater, Chemical analysis, Snow physics, Physical properties, Snowmelt, Forest canopy, Snow cover, Models.

Changes in streamwater chemistry during snowmelt. Tranter, M., et al. NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Scasonal enowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987. 5-597, Refs. p.592-597.

p.575-597, Refs. p.592-597.

Meltwater, Chemical analysis, Water chemistry, Snowmelt, Streams, Ions, Solutions, Rain.

Snowmelt runoff in the lake Laslamme experimental watershed, Quebec: methodology and preliminary results.
Prévost, M., et al, NATO Advanced Institute on Sea-

sonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Sea-Edited by H.G. Jones and W.J. Orvine: I normas. Sea-sonal snowcovers: physics, chemistry, hydrology, Dor-drecht, Holland, D. Reidel Publishing Co., 1987, p. 599-610, Refs. p. 607-610. Barry, R., Stein, J., Plamondon, A.P. Runoff, Snowmelt, Lake water, Watersheds, Models, Heat balance, Mass balance, Canada—Quebec—La-

flamme Lake

42-1174

Observations of snowmelt ranoff pathways on a slope in a horsel forest environment I ac I offemme One-

bec. Roberge, J., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.611-624, 15 refa. lamondon, A.P.

Runoff, Snowmelt, Forest canopy, Slopes, Topo-graphic features. Ground water. Meltwater. Rain.

42-1175

Comparison of chemical and isotopic hydrograph separation.

Hooper, R.P., et al, NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.625-642, 17 refs.
Shoemaker, C.A.

Snowmelt, Snow composition, Water chemistry, Isotope analysis. Chemical analysis. Watersheds, Meltwater, Hydrography.

42-1176 Isotopic and geochemical study of seasonal snowmelt

Through the Apex River watershed.

Obradovic, M.M., et al, NATO Advanced Institute on Seasonal Snowcoevers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal Seasona Seasona Seasona Seasona Seasona sonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.643-659, Refs. p.657-659.

Runoff, Snowmelt, Isotope analysis, Geochamistry, Permafrost beneath rivers, Watersheds, Water chemistry, Hydrography.

Snow chemistry with particular reference for the chemical composition of snow in Scandinavia.

Gjessing, E., et al, NATO Advanced Institute on Sea-

sonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Sca-Sonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.661-672, 2 refs.
Johannessen, M.

Snow composition, Chemical analysis, Snow impuri-ties, Snowmelt, Air pollution, Environmental impact, Meltweter.

42-1178

lowcover and snowmelt processes studied by means of environmental isotopes.
Stichler, W., NATO Advanced Institute on Seasonal

Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edit-ed by H.G. Jones and W.J. Orville-Thomas. Scasonal son y H.O. Jones and W.J. O'llee I normal. Scandina snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.673-726, Refs. p.722-726.

Snow hydrology, Snowmelt, Isotope analysis, Glacler melting, Runoff, Snow cover, Isotopic labeling, Meltwater, Ice melting, Seasonal variations, Rain.

42-1179

Indirect study of air pollution by neutron activation analysis of snow. Zikovsky, L., et al, Journal of radioanalytical and nu-

clear chemistry. Articles, Aug. 1987, 114(1), p.147-153. 8 refs.

Snow impurities, Air pollution, Neutron activation analysis.

42-1180

Growth of ice dendrites under mixed convection con-

autons.

Kind, M., et al, Chemical engineering communications, 1987, 55(1-6), p.295-312, 20 refs.

Gill, W.N., Ananth, R.

Dendritic ice, Liquid solid interfaces, Phase transformations, Ice formation, Convection, Supercooling.

42-1181

Very small glacier on Mt. Chokai, Japan, 1972-1981. very small gincter on Mt. Chokal, Japan, 1972-1981. Tsuchiya, 1., Geographical review of Japan, 1984, 57-B(2), p.142-153, With Japanese summary. 13 refs. Glacier surveys, Snow cover distribution, Firn, Gla-cier ice, Classifications, Japan—Chokai Mountain. 42-1182

42-1187
Proceedings of the NIPR Symposium on Polar Meteorology and Glactology. No.1.
Kawaguchi, S., ed. Tokyo, National Institute of Polar Research, 1987, 161p., For individual papers see 42-1183 through 42-1187 or B-36605, F-36603, F-36604, F-36606, H-36598, J-36591 through 1-36597 and 1-

36599 through I-36602. Watanabe, O., ed, NIPR Symposium on Polar Meteorology and Glaciology.

Meetings, Atmospheric composition, Weather stations. Ice cores.

tions, ace cores.

The 17 papers and 17 abstracts in this volume provide a representative sample of the topical range covered by participants in the 9th NIPR Symposium held Dec. 11-12, 1986. Ozone depletion and atmospheric chemistry are addressed in many of the papers; results of glaciological work appear here in mostly abstract form. The full symposium program list and author index close the volume.

42-1183

Climatic jump in the polar region (I).

Yamamoto, R., et al, NIPR Symposium on Polar
Meteorology and Glaciology, 9th. Vol.1 edited by T.
Matsuda, S. Kawaguchi, and O. Watanabe, Tokyo, National Institute of Polar Research, 1987, p.91-102, 11 refs.

Iwashima, T., Hoshiai, M.

Climatic changes, Atmospheric pressure.

Evaporation form of ice crystals in subsaturated air

Evaporation to the crystals in substantiated air and their evaporation mechanism.

Gonda, T., et al, NIPR Symposium on Polar Meteorology and Glaciology, 9th, Vol.1 edited by T. Matsuda, S. Kawaguchi, and O. Watanabe, Tokyo, National Institute of Polar Research, 1987, p.113-121, 14 Sei, T.

Ice crystal structure, Evaporation, Antarctica-Mizuho Station.

The evaporation form and the evaporation mechanism of dendritic ice crystals grown in air of 100,000 Pa and at water saturation and polyhedral ice crystals grown in air of 40 Pa and at relatively low supersaturation are studied. In the case of

dendritic ice crystals, the evaporation preferentially occurs in the convex parts of the crystal surfaces and in minute secondary branches. On the other hand, in the case of polyhedral ice crystals, the evaporation preferentially occurs in the parts where screw dislocations or stacking faults energe. On the basis of these experimental results, the formation mechanism of single bullets observed at Mizuho Station is inferred. (Author

42-1185

Orientation of the 700-m Mizuko core and its strain

Pujita, S., et al, NIPR Symposium on Polar Meteorology and Glaciology, 9th, Vol.1 edited by T. Matsuda, S. Kawaguchi, and O. Watanabe, Tokyo National Institute of Polar Research, 1987, p.122-131, 10 refs. Nakawo, M., Mac, S.

Ice cores, Ice mechanics, Strains, Tensile properties, Antarctica-Mizuho Station.

AREACUCE——NIZEME STRIGOS.

Structural analyses of the core revealed that the ice fabric pattern as well as the shape of individual ice grains and air bubbles exhibited strong anisotropies. They were correlated with the streas conditions of the ice sheet around the station. This became possible by an estimation of the geographical orientation of the core through measurements of the natural remanent magnetization formed accidentally. It was found that ice grains and air bubbles were elongated in the direction of flow, which was identical with the direction of the tensile strain. Also, c-axes of the ice grains tended to orient perpendicular to Also, c-axes of the ice grains tended to orient perpendicular to the tensile axis, forming a vertical great gridle pattern, which is considered to have resulted from the gradual rotation of the ice grains towards a plane normal to the tensile axis. The rotation of the grains are accounted to the sense of the grains are accounted to the total atrain, asimulating a formation of the great gridle fabric pattern. By comparing the simulated fabric pattern with the measured pattern of the Mizuho core, the accomplated strain in the core ice was estimated at various depths. The total strain the core ice has experienced increased almost linearly with depth at a rate of about 20% per 100 m. (Auth.)

42-1186

Preliminary report on the contamination control for chemical analyses of antarctic ice samples.

Kanamori, S., et al, NIPR Symposium on Polar Meteorology and Glaciology, 9th, Vol.1 edited by T. Matsuda, S. Kawaguchi, and O. Watanabe, Tokyo, Na-tional Institute of Polar Research, 1987, p. 132-139, 2

Ice corres, Ice composition, Laboratory techniques. A possible penetration of contamination from the surface toward the inner part of cored ice and fin block samples was investigated for proper chemical analysis of Cl, SO4, NO3, NH4, Na, K, Mg, AJ, Fe, Ni, Cu, Zo and other elements. Generally, the contamination of the ice core sample remains within 10 mm under the surface. However, for the elements with intense contamination, a high concentration level in the surface layer tends to affect the level in the inner part. For the firm block sample, though the contamination by Cl, SO4 and NO3 remains within 20 mm of depth from the surface, NH4, Na, K, Cu and Za seem to pass through the surface layer but remain within 40 mm. A thermal knife was constructed, for use in the laboratory, of nichrome wire of 1 mm diameter covered with a platinum pipe, tested for cutting cored ice samples and was found satisfactory without significant contamination of the elements listed above. The use of a stainless steel hand saw was also found practical for firn block samples. (Auth.) Ice cores, Ice composition, Laboratory techniques.

42-1187

42-1187
Acquisition of natural remanent magnetization in snow and ice containing rock dust.
Saki, H., et al, NIPR Symposium on Polar Meteorology and Glaciology, 9th, Vol.1 edited by T. Matsuda, S. Kawaguchi, and O. Watanabe, Tokyo, National Institute of Polar Research, 1987, p.140-145, 3 refs.

Wet snow, Rock magnetism, Impurities.

Wet anow, Rock magnetism, Impurities.

Paleomagnetic study of the dirt-ice collected in the Allan Hills showed stable remanent magnetization in the dirt-ice. Experiments were performed to make clear the magnetization mechanisms of the dirt-incw and dirt-ice. Two types of artificial samples were prepared for this purpose. One was dirt-ice frozen from wet anow and the other was dry snow containing rock dust. The former samples acquired the stable remanent magnetization experiments as the samples acquired the stable remanent magnetization (NRM) was acquired immediately during the freezing process from wet snow. The latter samples, preserved under low temperature conditions of both -10 and -20 C, acquired gradually the NRM in the direction of the geomagnetic field. The NRM's moment in the latter samples was not asturated during the 22-day preservation in low temperature condition. The acquisition of NRM advanced more effectively at -10 than -20 C. (Auth.)

42-1188

Modelling the interaction between pressure ridges and conical structures (assessment of the effects of ridge length, ice cover depth and angle of encounter).

Final report 193-C. Edwards, R.Y., et al, Montreal, Arctec Canada Ltd., Feb. 25, 1977, 2 vols., 4 refs. Vol.2 consists of 2 appendices.

Teh, D., Abdelnour, R.

Pressure ridges, Offshore structures, Ice loads, Ice solid interface, Ice models, Ice cover thickness, Tests, Analysis (mathematics), Equipment.

42-1189

Laboratory methods for determination of the water susceptibility of bituminous pavements. Isacsson, U., et al, Sweden. Statens vag-och trafikin-stitut. Rapport, 1987, No.324A, 43p, 16 refs.

Jörgensen, T. Bitumens, Freeze thaw cycles, Pavements, Water, Damage, Tests, Aggregates, Adhesion, Strength. 42-1190

Observations on ice cover and streamflow in the Yukon River near Whitehorse during 1984/85. Alford, M.E., et al, National Hydrology Research In-stitute, Saskatoon, Saskatchewan. NHRI paper, 1987, No.34, Inland Waters Lands Directorate, IWD scientific series No.155, 24p., With French summary.

Carmack, E.C.

River ice, Ice conditions, Stream flow, Lake ice, Ice conditions, Hydrology, Ice mechanics, Velocity, River basins, Climatic factors, Canada—Yukon River.

Evaluation of portable combination breaker/driver/-

drills for use in permafroat environments.
Egginton, P.A., et al, Canada. Geological Survey.
Open file, 1987, No.1566, 6p., 1 ref.

Permafrost samplers, Drills, Pits (excavations). Equipment, Frozen ground.

42-1192

Development of an analytical model of the hydrodynamic added mass of a ship ramming ice. Ghoneim, G.A., et al, Transport Canada. Report, May 5, 1987, TP 8393E, 38p.

Murray, M.A.
Ice breaking, Ice navigatios, Icebreakers, Ice solid interface, Mathematical models, Tests, Hydrodynam-ics, Ice cover thickness, Ice strength.

42-1193

Design, development, upgrading and testing of the existing marine radar image display system for an ice vigation workstation.

McAvoy, G., et al, Transport Canada. Report, Oct. 1987, TP8549E, 102p. + append., With French

summary. 8 refs.
Ice navigation, Airborne radar, Ice conditions, Ships,
Design, Ice detection, Tests.

42-1194

Technology and costs of wastewater application to forest systems.

Crites, R.W., et al., MP 2266, Institute of Forest Re-

Sources, Contribution No.56, Forest Land Applica-tions Symposium, Seattle, WA, June 25-28, 1985. Proceedings. Edited by D.W. Cole, C.L. Henry and W.L. Nutter. utilization of municipal and industrial wastes, Seattle, WA, University of Washington Press, 1986, p.349-355, 14 refs. Reed, S.C.

Waste treatment, Forest land, Water treatment, Land reclamation, Irrigation, Cost analysis, Maintenance. Land treatment of municipal wastewater on forest land has been precticed experimentally for over twenty years and on a full-scale basis for over ten. The technology of land application consists of sprinkler irrigation using solid-set (fixed) sprinkler. Most sprinkler systems have been installed in existing forests using either buried or aboveground laterals. Design guidance for sprinkler spacing and operating pressures for solid-set systems in forests is presented. Costs of installed forest land application systems are also given. Costs and design factors are reviewed for systems as forests are reviewed for systems as foresting county. Geografic and State College, Pennsylvania. Clayton County, Geografic well bover, Vermont; and Kennett Square, Pennsylvania. Reduction of the cost of future systems can be accomplished by minimizing the amount of effluent storage provided. Most forest systems can operate with thirty days storage or less. New technology and new plantations can allow reductions in the cost of wastewater application. Potential revenue from tree harvest can also reduce oversil costs. reclamation, Irrigation, Cost analysis, Maintenance.

Forest land treatment with municipal wastewater in New England. Reed, S.C., et al, MP 2280, Institute of Forest Re-

sources, contribution No. 56, Forest Land Applications Symposium, Seattle, WA, June 25-28, 1985. Pro-ceedings. Edited by D.W. Cole, C.L. Henry and W.L. Nutter. Forest alternative for treatment and utilization of municipal and industrial wastes, Seattle, WA, University of Washington Press, 1986, p.420-430, 12 refs.

Waste treatment, Water treatment, Forest land, Land reclamation, Design, Water pollution, Countermeas-

An overview of several case studies of forest land treatment with municipal wastewater in New England is presented. One of the earliest land treatment systems in this area in modern times was installed in 1971 by the state of New Hampshire at Sunapse State Park, in a mature forest of mixed hardwoods and confifers. The system is in excellent condition, and continued operation is planned for the foresceable future. Municipal forest land treatment systems are also operating successfully at West Dover, Vermont; Wolfeboro, New Hampshire, and Creenville, Maine. Design and operating information is provided for all systems. For West Dover the energy consumption is evaluated and the treatment performance is documented. West Dover operates throughout most winters with radinal storage. The improvements in water quality at several of these systems are also discussed, and a method for estimating phosphorus removal is described.

Expectations for the strengthening of general snow countermeasures. Sogoteki setsugai taisaku kyoka

Masuda, Y.. Road (Doro), June 1984, No.520, p.60-

Sassual, 1., Nosa (2010), and 1904, 10.520, p.00-65, in Japanese.

Snow depth, Winter maintenance, Snow removal, Roads, Snowfall, Transportation, Cold weather operation, Japan—Nilgata Prefecture.

Coping with the heavy snowfall of 1984. Showa 59nen gosetsu tono tatakai, Doi, Y., Road (Doro), June 1984, No.520, p.66-72, In

Japanese.

Snow depth, Winter maintenance, Damage, Snow re-moval, Roads, Snowfall, Transportation, Cold weather operation, Japan—Tottori Prefecture.

42-1198

Construction machinery. (Kensetsu kikai), Watanabe, K., Road (Doro), Apr. 1984, No.518, p.35-

36. In Japanese Coet analysis, Construction equipment, Snow removal, Machinery, Maintenance, Research projects.

at, reactionary, remaintenance and purchase of road mainte-nance machinery, including snow removal machinery, is dis-cussed. Also explained are plans for developing new types of machinery and engineering projects involved.

42-1199

Snow countermeasures in the Maibara district of the

New Toksido trankline. (Toksido Shinkansen Maibara chiku setsugai taisaku ni tsuite,. Seki, M., et al, JREA: Japan Railway Engineers' Association, Dec. 1984, 27(12), p.15847-15852, in Japa-

nese.
Morishita, T., Goto, S.
Heating, Snowsheds, Snow removal, Railroad tracks,
Sprinklers, Steel structures, Soil stabilization, Wooden structures, Infrared radiation, Japan—Maibara,
Japan—Sekigahara Tunnel.

42-1200

History of conquering snow. (Kokusetsu no rekishi), Onuma, T., Japan Society of Civil Engineering. Jour-nal (Doboku Gakkaishi), Feb. 1986, 71(2), p.9-12, In Snow removal. Damage. History. Research projects.

42-1201 \*\*AF-101

New raffroad trunklines: impact on snowy regions and snow removal techniques. Yukiguni e no shinkansen inpakuto to sono kokusetsu gijutsu;

Miyaguchi, K., Japan Society of Civil Engineering.

Journal (Doboku Gakkaishi), Feb. 1986, 71(2), p.12-

17, in Japanese. 1 ref. Heating, Railroads, Snowsheds, Transportation, Cold weather operation, Snow removal, Sprinklers, Railroad tracks, Steel structures, Infrared radiation, Tou-rism, Japan—Tohoku, Japan—Joetsu, Japan—

42-1202

New anow removal techniques. [Kokusetsu o meguru

Sahin gijutsugun, Kuriyama, H., Japan Society of Civil Engineering. Journal (Doboku Gakkaishi), Feb. 1986, 71(2), p.20-

22, in Japanese. 6 refs.

Snow removal, Heat recovery, Trenching, Geothermal thawing, Underground pipelines, Water pipes, Heat pipes, Pipeline heating, Heat pumps.

Paths along snow trenches turn into green prome-nades in summer in Aral. [Araishi ni miru ryusetsu

ryokudo, Horikawa, T., Japan Society of Civil Engineering. Journal (Doboku Gakkaishi), Feb. 1986, 71(2), p.40-43, In Japanese

Snow removal, Roads, Sidewalks, Trenching, Japan-

Proceedings

42-1204
What price Canadian sovereignty.
Pullen, T.C., U.S. Naval Institute. Proceeding
Sep. 1987, 113(9), p.66-72, 2 refs.
Military operation, Icebreakers, Northwest Passa
Canada—Northwest Territories—Arctic

42-1205

49-140 ComNavForArctic. LeSchack, L.A., U.S. Naval Institute. Proceedings, Sep. 1987, 113(9), p.74-80, 6 refs. Military operation, Submarines.

42-1206

Understanding sea ice.
LeSchack, L.A., U.S. Naval Institute. Proceedings,
Sep. 1987, 113(9), p.76-79. Sep. 1987, 113(9), p. 76-79. Sep ice, Military operation, Submarines, Subglacial navigation.

42-1207
Fighting subs under the ice.
Atkeson, E.B., U.S. Naval Institute. Proceedings,
Sep. 1987, 113(9), p. 81-87, 13 refs.
Subglacial navigation, Submarines, Military opera-

42-1208

Arctic environment.

Johnson, L., U.S. Naval Institute. Proceedings, Sep. 1987, 113(9), p.86-87. Sea ice, Drift, Pressure ridges, Polynyas, Meteoro-

lowlest factors 42.1200

ics at the solid-liquid transition: experiments

Dynamics at the solid-liquid transition: experiments at the freezing point.
Bilgram, J.H., *Physics reports*, 1987, 153(1), p.1-89, 347 refs.

Phase transformations, Liquid solid interfaces, Ice melting, Freezing points, Crystals. 42-1210

Transportation-the key problem in developing the

Production potential of the North.

Nekrasov, N.N., Problems of the north, [1987],
No.20, p.1-26, For Russian original see 34-1620.

No.20, para-Draft copy. Helicopters, Transportation, Pipelines, Economic de-velopment, Rivers, Airplanes, Baykal Amar railroad. 42-1211

74-111 Economic development and the formation of a base transportation network in the Soviet north. Burkhanov, V.F., Problems of the north, [1987], No.20, p.26-44, For Russian original see 34-1621.

refs. Draft Copy.
Ice navigation, Economic development, Icebreakers,
Transportation, Electric power, Baykal Amur railroad. Construction

42-1212 Peculiarities and problems of interregional transpor-tational links and economic ties in the northern zone of the USSP

Puzanova, V.F., Problems of the north.

Puzanova, V.F., Problems of the north, 11987), No.20, P.45-86, For Russian original sec 34-1622. 8 refs. Draft copy. Transportation, Economic development, Petroleum Industry, Coal, Mining, Forestry, Construction equipment Construction materials.

42-1213 Baikal-Amur main line (BAM): problems of regional mic links and resource development in the Near North.

D'iakonov, F.V., Problems of the north, [1987], No.20, p.87-115, For Russian original see 34-1623.

Draft copy.

Economic development, Construction, Transporta-42-1214

Problems of increasing the economic efficiency of transportation in the Komi ASSR.

Kuratova, E.S., Problems of the north, [1987],

No.20, p.116-129, For Russian original see 34-1624.

8 refs. Draft copy.
Transportation, Railroads, Motor vehicles, Roads,
Permafrost beneath roads, Taiga, Swamps. 42-1215

Special features of automotive transport in northern

conditions.
Khlebnikov, A.M., et al, Problems of the north, (1987), No.20, p.130-161, For Russian original see 34-1625. 22 refs. Draft copy.
Krestovnikov, G.A.
Motor vehicles, Roads, Permafrost beneath roads, Trafficability, Tracked vehicles, Tires, Rabber toe friction, Rubber snow friction, Swamps, All terrain vehicles, Analysis (mathematics).

42-1216

42-1219 Problems in the development of high mobility trans-port vehicles for northern regions. Korsak, V.K., Problems of the north, (1987), No.20, p.162-204, Por Russian original see 34-1626.

Tracked vehicles, All terrain vehicles, Air cushion vehicles, Tractors, Motor vehicles.

Rational design and technology for building pile foundations for above-ground transport structures and ele-

glons.
Burkhanov, V.F., et al, Problems of the north, (1987), No.20, p.205-237, For Russian original see 34-1627. Draft copy.
Vartanov, S.Kh., Dertsakian, A.K., Targulian, IU.O.

Foundations, Bridges, Piles, Permafrost beneath structures, Railroads, Pipelines, Roads, Permafrost control, Drilling, Design.

42-1218
Effectiveness of the use of air transport in industrial construction in the North.
Gromov, N.N., et al. Problems of the north, (1987), No.20, p.238-261, For Russian original see 34-1628. 5 refs. Draft copy.
Chudnovski, A.D.

Transportation, Airplanes, Industrial buildings, Con-

Prospects of using aerial vehicles for moving freight.

Lapin. M.S., Problems of the north, 1987. No.20, p.262-278, For Russian original see 34-1629. 7 refs. Draft copy.
Transportation, Air cushion vehicles, Airplanes, Helicopters, Dirigibles.

Passenger transit in northern settlement. Belinskii, A.IU., Problems of the north, 1987, No.20, p.279-297, For Russian original see 34-1630.

Transportation, Airplanes, Air cushion vehicles, Motor vehicles, All terrain vehicles, Swamps, Ice navigation, Snow roads, Ice roads, Baykal Amur rail-

42-1221

Modeling of transport links between development bases and developing regions.

Adahiev, M.E., Problems of the north, [1987], No.20, p.298-309, For Russian original see 34-1631.

9 refs. Draft copy.

Economic development, Transportation, Mathemati-

Problem of providing northern industry with modified Problem of proteing northern measury with moduled equipment.

Dashkova, T.E., Problems of the north, [1987], No.20, p.310-321, For Russian original see 34-1632.

Transportation, Equipment, Construction equipment, Winter maintenance, Design.

42-1223

Problems of mechanized transport in the mining in-

Vlasov, V.I., Problems of the north, [1987], No.20, p.322-333, For Russian original see 34-1633. 14 refs. Draft copy.
Mining, Transportation, Excavation, Permafrost.

Trends in the development of the transportation network in the Canadian North.
Cherkasov, A.I., Problems of the north, [1987],
No.20, p.334-369, For Russian original see 34-1634.

No.20, p.334-309, For Russian original see 34-1034.
18 refs. Draft copy.
Transportation, Motor vehicles, Air cushion vehicles,
Helicopters, Airplanes, Railroads, Pipelines.

Use of air cushion vehicles in the Canadian North. Mikhallov, V.V., et al, Problems of the north, [1987], No.20, p.370-387, For Russian original see 34-1635. Draft copy. Kocheulov, V.P.

Transportation, Air cushion vehicles, All terrain vehi-

42-1226
Discussion of urgent scientific and economic problems of northern development.
Glabina, N.K., et al, Problems of the north, (1987), No.20, p.388-417, For Russian original see 34-1636. Draft copy.
Puzanova, V.F., Tikhonov, A.V.
Economic development, All terrain vehicles, Transportation, Research projects, Air cashion vehicles, Excavation, Environmental protection, Baykal Amurrailroad

42-1227
Model for the plastic flow of landalides.
Savage, W.Z., et al, U.S. Geological Survey. Professional paper, 1986, No.1385, 32p., 24 refs.
Smith, W.K. Plastic flow, Mountain glaciers, Basal sliding, Velocity, Flow rate, Gravity, Mathematical models, Compressive properties.

47-1778

Analysis and interpretation of Ice-deformed sediments from Harrison Bay, Alaska. Fischbein, S.A., U.S. Geological Survey. Creport, 1987, No.87-262, 73p., Refs. p.69-73. Open-file Ice scoring, Marine geology, Bottom sediment, Deformation, Grounded ice, Drill core analysis, Ice solid interface, United States Alaska Harrison Bav.

1985 global ice impact tests on the USCGC Polar Sea

Cowper, B., et al, Transport Canada. Report, May 1987, TP 8496E, 72p. + appends., With French summary. 21 refs. Edgecombe, M.

Ice loads, Icebreakers, Pressure ridges, Ice pressure, Impact strength, Ice solid interface, Computer ap-plications, Compressive properties, Velocity, Ships.

Ice thickness data, winter 1981-1982.

Canada. Atmospheric Environment Service. Ice Centre, Ottawa, Ontario, 1987, 58p., In English and

Ice cover thickness, Freezeup, Ice breakup, Ice formation, Ice deterioration, Sea ice, River ice, Lake ice.

Advances in ice mechanics in West Germany. Schwarz, J., Applied mechanics reviews, Sep. 1987, 40(9), p.1208-1213, Presented at the 6th International Symposium and Exhibit on Offshore Mechanics and Arctic Engineering, Houston, TX, Mar. 1-6, 1987. refs.

Ice mechanics, Ice loads, Ice models, Ice cover strength, Offshore structures, Piers, Time factor.

Synopsis of an investigation of the acoustical properties of sea ice. Final report under Contract N000-84-C-0195.

Cours. P.J., Texas. University. Applied Research Laboratories. Technical report, Feb. 3, 1987, No.ARL-TR-87-6, 79p., ADA-179 523, 21 refs. Ice acoustics, Sea ice, Ultrasonic tests, Ice cores, Acoustic properties, Temperature effects, Velocity, Compressive properties, Amsotropy.

42-1233

Snow cover in mountains and avalanches, Snezhnyl

pokrov v gorakh i lavinyi, Vottkovskii, K.F., ed, Moscow, Nauks, 1987, 152p., In Russian. For individual papers see 42-1234 through 42-1252. Refs. passim. Diurgerov, M.B., ed.

Alpine landscapes, Snow cover distribution, Snow denaity, Snow depth, Snow surveys, Avalanche forecasting, Avalanche formation, Avalanche engineering.

Long-term variations in snow cover and avalanche danger in mountains. [Mnogoletniaia izmenchivost' snezhnogo pokrova i lavinnoï opasnosti v gorakh

SSSR<sub>1</sub>,
Kondakova, N.L., et al, Snezhnyl pokrov v gorukh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voitkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.4-16, In Russian. 5 refs. Troshkina, E.S.

Snow cover distribution, Snow depth, Avalanche formation, Countermeasures, Avalanche engineering, Avalanche mechanics, Alpine landscapes. 42-1235

42-1235
Influence of local natural factors on snow cover distribution. (Vilianie lokal'nykh prirodnykh faktorov na raspredelenie snezhnogo pokrova v gorakh). Severskiř, I.V., et al, Snezhnyi pokrov v gorakh i laviny (Snow cover in mountains and avalanche) edited by K.F. Vořtkovskiř and M.B. Diurgerov, Moscow, Nauka, 1987, p.16-23, In Russian. 17 refs. Nauka, 1987, p.16-23, In Russian. Severskil, S.I.

Soverant, 5:1. Slope processes, Snow cover distri-bution, Snow cover stability, Vegetation factors, Ava-lanche formation, Avalanche friggering, Avalanche engineering, Alpine landscapes.

42-1236

Snow cover of western Transcaucasus. (Snezhnyl

pokrov Zapadnogo Zakavkaz'iaj, Kondakova, N.L., et al, Snezhnyi pokrov v gorakh i Ronardova, N.L., et al, Sneznnyi porrov v gorarn i laviny (Snow cover in mountains and avalanches) edit-ed by K.F. Voftkovskif and M.B. Diurgerov, Moscow, Nauka, 1987, p.24-28, In Russian. 7 refs. Zhigui'skif, A.A., Troshkina, E.S., Khasanov, R.N. Snow cover distribution, Snow surveys, Snow depth, Avalanche engineering, Avalanche formation, Ava-lanche mechanics, Alpine landscapes.

42-1237

42-1237

Regularities governing snow cover distribution in the Ehibiay Mountains. (Zakonomernosti raspredeleniia snezhnogo pokrova v Khibinakom gornom massive), Sapunova, G.G., et al, Snezhnyl pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voftkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.28-36, In Russian. 7 refs.
Sapunov, V.N.
Sapunov, V.N.
Sapunov, V.N.

Sapunov, V.N.
Snow cover distribution, Slope processes, Slope orientation, Snow depth, Snow density, Avalanche formation, Alpine landscapes.

42-1238

Snow cover in Providence Bay in the winter of 1983/84. [Snexhny! pokrov v bukhte Providentia v zimu 1983/84 g.], Sokolov, V.M., et al, Snezhny! pokrov v gorakh i lavi-

ny (Snow cover in mountains and avalanches) edited by K.F. Voltkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.37-41, In Russian.

Shnyparkov, A.L.
Synoptic meteorology, Snow cover distribution, Snow Systemeterology, saw cover automatica, Show cover structure, Snow mechanics, Meteorological charts, Meteorological data, USSR—Chukotakiy Peninsula.

42-1239 Heat balance of melting snow cover on mountain slopes. [Teplovol balans taiushchego snezhnogo pok-

rova na sklonakh gorj, rova na skionakh gorj,
Okolov, V.F., Snezhnył pokrov v gorakh i laviny
(Saow cover in mountains and avalanches) edited by
K.F. Vołtkovskił and M.B. Diurgerov, Moscow,
Nauka, 1987, p.42-48, in Russian. 4 refs.
Saow melting, Solar radiation, Slope orientation,
Radiation balance, Turbulence, Heat balance, Heat
transfer, Mass transfer.

42-1240

haracteristics of wet snow metamorphism and its physico-mechanicai properties. ¡Osobennosti meta-morfizma i fiziko-mekhanicheskie svojstva mokrogo anegaj,

Ushakova, L.A., Snezhnyl pokrov v gorakh i laviny Gnow cover in mountains and avalanches) edited by K.F. Voltkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.48-57, In Russian. 12 refs. Wet snow, Hydrothermal processes, Metamorphism (snow), Snow physics, Avalanche forecasting.

42-1241

Electric phenomena in snowstorms. [Elektricheskie

iavlenija vo vremia metelelj, Mordovina, L.S., Snezhnyi pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voitkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.57-61, In Russian. 6 refs. Snowstorms, Atmospheric electricity, Electric fields, Snow water content, Snow mechanics, Avalanche

forecasting.

42.1242

Heat and mass transfer in stratified snow. [Osoben-

Heat and mass transfer in stratified saow, (Usobernosti teplo- i massoperenosa v stratifisirovannol snezhnol tolshchej, Golubev, V.N., et al, Snezhnyl pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voltkovskir and M.B. Diurgerov, Moscow, Nauka, 1987, p.62-74, In Russian. 21 refs. Guseva, E.V

Snow melting, Snow cover structure, Snow depth, Snow physics, Mathematical models, Heat transfer. Mass transfer.

42-1243

Temperature effect on tensile strength of snow. (Vliianie temperatury na soprotivlenie snega raz-

Voltkovskil, K.F., et al, Snezhnyl pokrov v gorakh i laviny (Snow cover in mountains and avalanches) editlaviny (Snow cover in mountains and avalances) conted by K.F. Voltkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.74-81, In Russian. 15 refs. Golubev, V.N.

Snow physics, Snow strength, Tensile properties, Mathematical models

42-1244

Penetrometry technique of determining the strength

of mow. (Opredelenie prochnostnykh svoistv snezh-nogo pokrova metodom penetratsii, Zhidkov, V. A., et al, Snezhnyī pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by (Show Cover in mountains and availables) edited by K.F. Voltkovskii and M.B. Diurgerov, Moscow, Nauks, 1987, p.82-92, In Russian. 19 refs. Samollov, R.S., Ushakov, A.I.

Smow cover stability, Snow cover structure, Snow strength. Tests. Penetrometers.

Comparing the results of stamp and penetrometer methods of testing snow cover. [Sravnenie rezul'tatov shtampovykh i penetratsionnykh metodov ispytanii

snezhnogo pokrovaj, Ermakov, K.K., et al. Snezhnyi pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voltkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.93-101, In Russian. 16 refs. Samoflov, R.S.

Sanow physics, Snow cover stability, Snow strength, Tests, Penetrometers.

42-1246

Compilation of avalanche-danger maps, based on analyses of serial photographs. [Sostavlenie kart pokazatelei lavinnoi opasnosti na osnove analiza vysotnykh aerofotosnimkov],

Kravtsova, V.I., Snezhnyl pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voltkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.102-108, In Russian. 5 refs. Mapping, Aerial surveys, Photointerpretation, Avalanche forecasting, Avalanche engineering, USSR—Abel Manualine.

Altai Mountains.

Avalanche formation in the Elbrus Mountain area (Central Caucasus). ¡Lavinoobrazovanie v Priel'-brus'e (Tsentral'nyl Kavkaz),

Kondakova, N.L., et al, Snezhnyi pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voitkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.109-118, In Russian. 2 refs. Troshkina, E.S., Nezhinskii, V.A., Salova, T.A. Snow cover distribution, Slope orientation, Snow depth, Avalanche formation, Snow cover structure, Snow cover stability, USSR—Elbrus Mountain.

42-1248

Winters of increased avalanche danger in the Greater

wisters of increased avaiances danger is the Greater Cancasus. Zimy povyshennol lavinnol opasnosti na Bol'shom Kavkaze, Voldicheva, N.A., et al, Snezhnyi pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voltkovskii and M.B. Djurgerov, Moscow, Nauka 1987, p. 118.175 in Pusein All refe Nauka, 1987, p.118-125, In Russian. Oleĭnikov, A.D.

Avalanche formation, Snow surveys, Snow cover distribution, Slope orientation, Snow cover stability, USSR—Caucasus.

Main factors of avalanche formation in little studied areas of the eastern Sayan Mountains. (Vedushchie

areas of the eastern Sayan Mountains. (Yedushchie faktory lavinoobrazovaniia v maloizuchennykh gornykh rafonakh Vostochnogo Saiana), Volodicheva, N.A., et al, Snezhnyī pokro v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voltkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p.126-132, In Russian. 8 refs. Pashkov, A.D

Avalanche formation, Snow cover distribution, Slope orientation, Snow cover stability, Meteorological factors, USSR-Sayan Mountains.

Effectiveness of avalanche countermeasures and protective structures. ¡Effektivnost' protivolavinnykh meropriiatii i sooruzheniij, Zhigul'skii, A.A., Snezhnyi pokrov v gorakh i laviny

Snow cover in mountains and avalanches) edited by K.P. Voltkovskii and M.B. Diurgerov, Moscow, Nauka, 1987, p. 132-137, in Russian. 8 refs. Snow surveys, Avalanche formation, Avalanche triggering, Avalanche engineering, Avalanche deposits, Avalanche mechanica, Countermessures.

42-1251

Evaluation of the effectiveness of avalanche-protec-

Evaluation of the effectiveness of availances-protection measures. [Prognoznaia otsenka effektivnosti protivolavinnykh meroprilatilj,
Troshkina, E.S., et al, Snezhnyl pokrov v gorakh i laviny (Snow cover in mountains and avalanche) edited by K.F. Voltkovskil and M.B. Diurgerov, Moscow, Nauka 1987, p. 137-143, in Pusaina 3 refe Nauka, 1987, p.137-143, In Russian. Vojtkovskij, K.F.

Avalanche forecasting, Avalanche engineering, Classifications, Counterm

42.1252

Methods of determining the degree of regional damage done by avalanches. IK metodike opredeleniia stepeni porazheniia territorii lavinami,

Ganieva, R.G., et al, Snezhnyl pokrov v gorakh i laviny (Snow cover in mountains and avalanches) edited by K.F. Voltkovskii and M.B. Diurgerov, Moscow, auka, 1987, p.144-147, In Russian.

Kanaev, L.A.
Avalanche formation, Avalanche mechanics, Impact strength, Damage, Avalanche engineering.

Weather forecasts in Kazakhstan, Prosnozy posody

Weather forecasts in Kazakhatan. [Prognozy pogody v Kazakhatane, Turulina, G.K., ed, Kazakhath regional nyl nauchno-issledovatel sth institut. Trudy, 1987, Vol.96, 136p. In Russian. For selected paper see 42-1254. 5 refs. Avalanche engineering, Slope processes, Avalanche forecasting, Avalanche formation, Avalanche triggering, Avalanche mechanics.

Characteristics of avalanche ajection distance on counter-slopes of V-shaped valleys. ¡Osobennosti dal'nosti vybrosa lavin na kontraklony V-obraznykh dolinj,

donn, Popov, V.I., et al, Kazakhskil regional'nyl nauchno-issledovatel'ski institut. Trudy, 1987, Vol.96, p.122-128, In Russian. 5 refs. Podstrechnyl, A.N., Kolesnikov, E.I.

Avalanche engineering, Avalanche deposits, Ava-lanche mechanics, Avalanche wind, Slope processes, Avalenche erosion.

42-1255

\*\*Experimental thawing of permafrost soils in bases of reconstructed main building of the Chita-I thermoelectric power plant.

Abashev, N.V., et al, Soil mechanics and foundation

Abashev, N.V., et al, Soil mechanics and foundation engineering, Sep.-Oct. 1986 (Pub. Mar. 87), 23(5), p.178-182, Translated from Osnovaniia, fundamenty i mekhanika gruntov. 3 refs. Shmyrin, A.I.

Industrial buildings, Permafrost beneath structures, Permafrost bases, Permafrost thermal properties, Thaw weakening.

42.1256

Preezing rate determination by the isotopic composi-tion of the ice.

tion of the ice.

Souchez, R., et al, Geophysical research letters,
June 1987, 14(6), p.599-602, 9 refs.
Tison, J.L., Jouzel, J.

Ice cores, Ice composition, Isotope analysis, Freezing rate, Antarctics—Roi Beaudouin Station, Antarctics -Platean Station.

— Frateau Station.

The distribution of an isotopic species, HDO (deuterium) or H2O-18 (oxygen), in ice formed by the migration of a well-defined freezing from in water is dependent on the freezing rate. Development of a box diffusion model combined with the boundary layer concept leads to a possibility of prediction of the freezing rate in nature by the determination of the isotopic composition of the ice in deltaD or deltaO-18. The isotopic composition of the ice in deltaD or deltaD-18. The isotopic distribution in ice formed during experiments conducted with variable freezing rates gives results in accordance with the model. Investigation on lake ice formed under well-known climatic conditions provides a further test of the model. Ice used in this study was taken from cores drilled at Roi Beaudouin and Plateau Stations. (Auth.) 42-1257

Application of ice nucleation kinetics in orographic

ctowas. Blumenstein, R.R., et al, Journal of climate and applied meteorology, Oct. 1987, 26(10), p.1363-1376, 26 refs. Rauber, R.M., Grant, L.O., Finnegan, W.G. Ice nuclei, Cloud physics, Cloud seeding, Laboratory

42-1258

Pattern recognition technique for distinguishing sur-tice and cloud types in the polar regions. Ebert, E. Journal of climate and applied meteorology, Oct. 1987, 26(10), p.1412-1427, 30 refs. Cloud cover, Ice cover, Snow cover, Terrain identifi-cation, Remote sensing.

variable Satellite positive microwave studies of the Sea of Ok-hotsk ice cover and its relation to oceanic processes, 1978-1982.

Alfultis, M.A., et al, Journal of geophysical research, Nov. 15, 1987, 92(C12), p.13,013-13,028, 37 refs.

Martin, S.
Sea ice, Remote sensing, Ice cover effect, Sea water,
Polynyas, Okhotsk Sea.

Comparison of simulated and observed fluctuations in summertime Arctic surface albedo.

Ross, B., et al, *Journal of geophysical research*, Nov. 15, 1987, 92(C12), p.13,115-13,125, 31 refs. Ice melting, Snow melting, Albedo, Models, Polar

42-1261 Onset of spring melt in first-year ice regions of the Arctic as determined from scanning multichannel miwave radiometer data for 1979 and 1980.

Anderson, M.R., Journal of geophysical research, Nov. 15, 1987, 92(C12), p.13,153-13,163, 22 refs. Sea ice, Ice melting, Ice cover effect, Climate, Polar regions.

Coupled one-dimensional sea ice-ocean model. Lemke, P., Journal of geophysical research, Nov. 15, 1987, 92(C12), p.13,164-13,172, 26 refs. Sea ice, Sea water, Mathematical models, Thermody-

namics.

A prognostic one-dimensional mixed layer-pyenocline model describing the vertical structure of the upper ocean is coupled to a thermodynamic sea ice model. The coupled prognostic model is compared with the more usual sea ice model overlying a fixed mixed layer with constant oceanic heat flux and is then applied to investigate the effect of temporal and regional variations of the entrained oceanic heat flux on the sea ice cover in both polar regions. In the southern ocean a standard simulation is compared with two perturbation experiments which both describe the occurrence of a polynys. In the Arctic Ocean the effect of possible Soviet river diversions is investigated. Finally, the response of the coupled model to paleoclimatic forcing and boundary conditions is presented. (Auth.)

42-1263

Transportation vehicles with gas-turbine engines.
[Transportnye mashiny s gazoturbinnymi dvigatelia-

Popov, N.S., et al, Leningrad, Mashinostroenie, 1987, 259p., In Russian with abridged English table of contents enclosed. 65 refs.
Tracked vehicles, Trafficability, All terrain vehicles, Swamps, Forest soils, Paludification, Snow cover.

42-1264

42-1264
New data in Quaternary geochronology. For the
12th INQUA Congress, Canada, 1987. Novye dannye po geokhronologii chetvertichnogo perioda. K
XII kongressu INKVA, Kanada, 1987 g.,
Punning, 1A.-M.K., ed, Moscow, Nauka, 1987, 256p.,
In Russian. For selected papers see 42-1265 through
42-1267. Refs. passim.
Ivanova, I.K., ed, Kind, N.V., ed, Chichagova, O.A.,

Paleoclimatology, Meetings, Permafrost dating, Ground ice, Ice wedges, Ice dating, Isotope analysis.

Edoma deposits of western Siberia. Edomnye otlozheniia Zapadnol Sibiri,

nemia Zapadnoi Sibiri, Bolikhowski, V.F., Novye dannye po geokhronologii chetvertichnogo perioda. K XII kongressu INKVA, Kanada, 1987 g. (New data in Quaternary geo-chronology. For the 12th INQUA Congresa, Canada, 1987), Moscow, Nauka, 1987, p.128-135, In Russian. 13 refs.

Prozen fines. Permafrost beneath rivers, Alluvium, Permafrost structure, Ground ice, Ice dating, Ice composition, Edoma complex, Ice wedges, Ice veins. 42-1266

Correlation of paleoclimatic events from oxygen-iso-

Correlation of paleoclimatic events from oxygen-iso-tope diagrams of ice wedges, Problemy korrellatsii paleoklimaticheskikh sobytif po izotopno-kislorodnym diagrammam povtorno-zhil'nykh l'dov, Vasil'chuk, IÜ.K., Novye dannye po geokhronologii chetvertichnogo perioda. K XII kongressu INKVA, Kanada, 1987 g. (New data in Quaternary geo-chronology. For the 12th INQUA Congress, Cana-da, 1987), Moscow, Nauka, 1987, p.136-143, in Rus-sian. 17 refs.

Ice wedges, Paleoclimatology, Isotope analysis, Permafreet dating, Oxygen isotopes, Edoma complex.

42-1267
Stratification of permafrost sections in the Kolyma Plain using oxygen-isotope technique. (Stratifikatsiin razrezov mnogoletnemerzlykh porod Kolymakof nizmennosti izotopno-kislorodnym metodom), Arkhangelov, A.A., et al, Novye dannye po geokhronologii chetvertichnogo perioda. K XII kongressu INKVA, Kanada, 1987 g. (New data in Quaternary geochronology. For the 12th INQUA Congress, Canada, 1987), Moscow, Nauka, 1987, p.143-149, in Pussian. 13 sefa. Russian. 13 refs.

Russian. 13 rets.

Frozen fines, Oxygen isotopes, Ice composition, Permafrost dating, Ground ice, Isotope analysis, Edoma complex, Ice veins.

42.1268

42-1268
Project "Frigonav" hovercraft type 140 operating experience; February-March 1987.
Jones, D., Transport Canada. Report, Apr. 1987, TP 8432E, 14p. + append., With French summary. Icebreakers, Air cushion vehicles, Ice navigation, Ice breaking, River Ice.

42-1269

Altitude trends in permafrost active layer thickness, Klaane Lake, Yakon Territory. Harris, S.A., Arctic, Sep. 1987, 40(3), p.179-183, With French summary. 16 refs.

French summary. 16 refs. Active layer, Alpine tundra, Permafrost, Vegetation, Mountains, Suprapermatrost ground water, Drain-age, Canada—Yukon Territory—Kluane Lake.

42-1270

Vegetation distributions along lichen-dominated ope of opposing aspect in the eastern Canadian Su-

Petzold, D.E., et al, Arctic, Sep. 1987, 40(3), p.221-224, 9 refs.

224, 9 rets. Mulhern, T. Tundra, Lichens, Slopes, Vegetation, Topographic features, Blomass, Plants (botany), Canada—Quebec, Canada—Labrador. 42-1271

Search for an ice buoy.

Kies, P.J., Mariners weather log, Sep. 1986, 30(3), p.140-142, Excerpted from Technical bulletin, National Data Buoy Center.

Floating structures, Weather stations, Remote sens ing, Icing.

42-1272

Snowmold disease of mountain big sagebrush. Nelson, D.L., et al, *Phytopathology*, Sep. 1986, 7(9), p.946-951, 21 refs. Sturges, D.L.

Snow cover effect, Plant physiology.

42-1273

Open-track elevated railroad bridges on the Tsugaru Straft Line. Tsugaru Kaikyosen kaisho-shiki koka-

Strait Line. Jisugaru Kaikyosen kaisho-shiki koka-kyo no saiyo ni tsuite; Murata, K., JREA: Japan Railway Engineers' Associa-tion, Nov. 1985, 28(11), p.16355-16359, in Japanese. Bridges, Snow removal, Railroad tracks, Mechanical tests, Dynamic loads, Vibration.

42-1274

Snow countermeasures practiced by the Japan Na-tional Railroad: non-trunklines. [Kokutetsu ni okeru

zairaisen no yuki taisaku, Miyazaki, M., JREA: Japan Railway Engineers' As-sociation, Nov. 1985, 28(11), p.16360-16362, In Japa-

Cold weather operation, Snow removal, Railroad tracks, Trenching, Sprinklers, Railroads.

42-1275

Snow countermeasures in Nilgata district: non-trun-

Snow countermeasures in Nitgata district: non-trua-klines, (Niigata chiku ni okeru zairaisen yuki taisaku no jitsujo, Uchida, T., JREA: Japan Railway Engineers' Associa-tion, Nov. 1985, 28(11), p.16363-16367, in Japanese. Cold weather operation, Snow removal, Railroad tracks, Trenching, Water pipes, Railroads, Ground water, Japan—Niigata Prefecture.

Trolley railroad's countermeasures against frost.

Torori-sen no sogai taisaku, Nagamatsu, Y., et al, JREA: Japan Railway Engineers' Association, Nov. 1985, 28(11), p.16375-16377, In Japanese.

Monitors, Railroads, Power line icing, Cold weather operation. Prost protection.

42-1277

Winter operational measures taken by Niigata Transwinter operational measures taken by Nigata Iransportation Co., Niligata Kotsu ni okeru toki taisaku,, Sakai, K., JREA: Japan Railway Engineers' Association, Nov. 1985, 28 (11), p. 16378-16379, In Japanese. Railroads, Power line teing, Railroad tracks, Cold weather operation, Snow removal, Salting, Sprinklers, Wells, Japan—Niligata Prefecture.

Snow removal practiced by Toyama Regional Rail-road. (Toyama Chiho Tetsudo ni okeru josetsu tai-

scij, Ito, Y., ito, Y., JREA: Japan Railway Engineers' Association, Nov. 1985, 28(11), p.16380-16382, In Japanese. Railroads, Electric heating, Salting, Snow removal, Railroad tracks, Sprinklers, Japan—Toyama Prefec-

42-1279

Highway snow and ice removal. [Kosoku doro ni okeru seppyo shori sagyoj, Murakuni, M., JREA: Japan Railway Engineers' As-sociation, Nov. 1985, 28(11), p.1683-16387, In Japa-

Road maintenance, Winter maintenance, Snow removal, Ice prevention, Salting.

42-1280

Hydrodynamic methods of modeling processes developing in sens of the USSR. [Gidrodinamicheskie metody modelirovaniia proteessov na moriakh SSSR<sub>1</sub>

Kalatskii, V.I., ed. Moscow, Gidrometeoizdat, 1987, 154p., In Russian. For selected paper see 42-1281. Gosudarstvennyi okeanograficheskii institut. Ses ice distribution, Hydrothermal processes, Mod els, Ocean environments, Ice surveys, Human factors, Ice conditions, Environmental impact.

42-1281

Characteristics of ice regime in the Aral Sea and its possible changes. Osobennosti ledovogo rezhima Aral'skogo moria i vozmozhnye ego izmenenija, Chistiaeva, S.P., Gidrodinamicheskie metod Chistiaeva, S.P., Gidrodinamicheskie metody modelirovania protessov na moriakh SSSR (Hydro-dynamic methods of modeling processes developing in seas of the USSR) edited by V.I. Kalatakii, Moscow, Gidrometeoizdat, 1987, p.145-149, in Russian. 2 refs.

Gosudarstvennyĭ okeanograficheskiĭ institut. Sea water, Sea ice distribution, Ice surveys, Chemical composition, Salinity, Human factors, Ice conditions, Ice secretion, Environmental impact.

42-1282

Control of water regime in reclaimed lands of the nonchernozem zone (hydrological aspects). (Upra-vlenie vodnym rezhimom na melioriruemykh zemliakh v nechernozemnoĭ zone (gidrologicheskie aspek-

ty), Kharchenko, S.I., Leningrad, Gidrometeoizdat, 1987, 239p., In Russian with abridged English table of con-

tents enclosed. 212 refs.

Hydrology, Cryogenic soils, Land reclamation, Heat balance, Water balance, Radiation balance.

Evaluation of a modified water cannon system to control small (ceberg masses.

Warbanski, G., et al. Environmental Studies Research

Funds. Report, Aug. 1987, No.081, 142p., With French summary. 10 refs.

Ice control, Icebergs, Hydraulic jets, Ice removal, Drift, Velocity, Ice conditions, Tests, Ice deteriors-

42-1284

Influence of bow shape on ice transiting vessel performance parameters.

Dubiel, J., et al, Transport Canada. Report, June 1987, TP 8667E, Sable Maritime Ltd., FR 1728K, 57p., With French summary. 44 refs. Philips, L.

Icebreakers, Ice breaking, Ice removal, Ice naviga-tion, Ice conditions, Ice strength, Design.

Development of an analytical model of the hydrody-namic added mass of a ship ramming ice. Vol.2: main

Ghoneim, G.A., et al, Transport Canada. Report, Mar. 30, 1987, TP 8392E, 169p., With French summary. 61 refs.

Murray, M.A.
Icebreakers, Ice loads, Hydrodynamics, Ice breaking,
Mathematical models, Design, Ice solid interface, Tests.

42-1286

Hot coolant transfusion (HCT) preheated kit for M113A1 vehicles.

Shankhla, V.S., et al, Canada. Defence Research Establishment Suffield, Raiston, Alberta. Suffield memorandum, Sep. 1987, No.1197, 12p. + figs., 8

Stupich, T.F., Linnington, A. Cold weather operation, Vehicles, Military equip-ment, Diesel engines, Engine starters, Heating.

Annual report, 1985-1986.

Alaska. University. Institute of Marine Science,

Annual report, 1763-1750.

Alaska. University. Institute of Marine Science, (1987), 48p.

Cosanography, Ice water interface, Ice air interface, Marine biology, Modela.

42-1288
Olispiil defenses in Alaska: spills in ice foil defenses; environmental protection. Arctic news-record and polar bulletin, Spring 1987, 6(1), p.13-16.
Oil spills, Oil recovery, Sea ice, Environmental protection, Detection, Countermeasures, Experimentation, Chemical analysis.

42.1289

Arctic shipping ice research.
Luce, M., Arctic news-record and polar bulletin,
Spring 1987, 6(1), p.17-21.
Ice navigation, Ice accretion, Ship icing, Ice loads,
Icebreakers, Ice conditions, Ice forecasting, Ice
breaking, Canada.

42-1290

Where do we go from here? Glaciology: 1987 and Meier, M., Glaciological data, Oct. 1987, GD-19,

Glaciology, Ice composition, Remote sensing, Chemical analysis, Glaciers.

World Data Center-A for Glaciology: the first ten years at the University of Colorado. Barry, R.G., Glaciological data, Oct. 1987, GD-19, p.19-32, 12 refs Glaciology, Sraws surveys, Ice surveys, Microwaves, Organizations.

42.1202

Cryospheric Data Management System. Glaciological data, Oct. 1987, GD-19, p.51-55. Glaciology, Spaceborne photography, Remote sensing, Snow surveys, Ice surveys, Microwaves, Computer applications

42-1293

Arctic ice as viewed by the designer of ice penetra-

Young, C.W., Sandia National Laboratories, Albuquerque, N.M. Report, 1986, SAND-86-1028C, 3p. DE86-010 471, CONF-8606114-2. Ice cover thickness, Penetration, Measuring instruments, Design, Ice loads.

42-1294

Gulf of Alaska: physical environment and biological

Pesources.

Hood, D.W., ed, U.S. NOAA, Ocean Assessments
Division, Alaska Office, 1987, 655p., Refs. passim.

For selected papers see 42-1295 and 42-1296.

roi scienced papers see 42-1275 and 42-1276.
Zimmerman, S.T., ed. Oceanography, Marine biology, Coastal topographic features, Geomorphology, Sea ice, Bottom sediment, Biomass, United States—Alaska—Gulf of Alaska.

42-1295

42-1295
Physical setting and scientific history.
Hood, D.W., Gulf of Alaska: physical environment and biological resources. Edited by D.W. Hood and S.T. Zimmerman, U.S. NOAA, Ocean Assessments Division, Alaska Office, 1987, p.5-27, Refs. p.24-27. Ice conditions, Oceanography, Geography, Coastal topographic features, Marine biology, Snow cover distribution, Blomass, Plankton, Maps, United States—Alaska—Gulf of Alaska.

Geomorphology, sediment, and sedimentary pro-

Cessees.

Hampton, M.A., et al, Gulf of Alaska: physical environment and biological resources. Edited by D.W.
Hood and S.T. Zimmerman, U.S. NOAA, Ocean Assessments Division, Alaska Office, 1987, p.93-143, Refs. p.134-143.

Carlson, P.R., Lee, H.J., Feely, R.A.

Geomorphology, Grounded ice, Bottom sediment, Sea ice, Ocean bottom, Glacial deposits, Coastal topographic features, Seismic surveys, Classifications, Oceanography, United States—Alaska—Gulf of

42-1297

Second Assembly of the International Association of Hydrological Sciences. (Vtoraia assambleia mezhdunarodnol assotsiatsii gidrologicheskikh nauk), Kotliakov, V.M., et al., Materialy giatsiologicheskikh issledovanh, Jan. 1987, Vol.59, p.3-7, In Russian. Kuchment, L.S.

Meetings, Glaciology, Snow hydrology, Snow melting, Snow surveys, Snow survey tools.

Third all-union conference on avalanches. [Tret'e Samotlov, R.S., et al, Materialy gliatsiologicheskikh issledovanh, Jan. 1987, Vol.59, p.7-14, ln Russian. Chemous, P.A.

Meetings, Avalanches.

42.1200

International Symposium on the Physics and Chemistry of Ice. (Mezhdunarodnyĭ simpozium po fizike i

kihmii l'day, Punning, IA.-M.K., et al, Materialy gliatsiologiches-kikh issledovanti, Jan. 1987, Vol.59, p.14-17, In Russian.

stan. Petrenko, V.F. Meetings, Ice crystal growth, Ice physics, Chemical composition, Snow physics, Elastic properties, Electrical properties.

Second international symposium on remote sensing in glaciology. Vtorol mezhdunarodnyl simpozium po distantsionnym metodam issledovaniia

ologii, Macheret, IU.I.A., et al, Materialy gliatsiologicheskikh issledovanil, Jan. 1987, Vol.59, p.17-23, In Russian. Kazanskii, A.B., Krenke, A.N. Meetings, Glaciers, Snow cover distribution, Snow surface, Snow survey tools, Remote sensing, Space-

International symposium on snow avalanches.
[Mezhdunarodnyĭ simpozium po problemam snezh-

nykh lavin, Voltkovskil, K.F., Materialy gliatsiologicheskikh is-sledovanh, Jan. 1987, Vol.59, p.23-29, In Russian. Avalanche formation, Snow physics, Snow cover structure, Snow cover stability, Avalanche forecasting, Maps, Snow survey tools.

Evolution of thermal conditions in Central Antarctica for the last 150,000 years determined from oxygen isotope studies of a core from Vostok Station. [Evo utsiia termicheskikh uslovit Tsentral'not Anterktidy za tysiach let po izotopno-kislorodnym sledovanijam kerna so stantsii Vostok<sub>1</sub>, Kotliskov, V.M., et al, *Materialy gliatsiologicheskikh* 

issiedovanii, Jan. 1987, Vol.59, p.30-37, In Russian with English summary. 43 refs.

Ice cores, Paleoclimatology, Oxygen isotopes, An-

tarctica-Vostok Station.

The ice core from Vostok Station, from the surface to a depth of 2081 m, agrees with isotope horizons 1-6 of occanic sediments, with the age up to 150-160 thousand years. The data obtained for the central areas of East Antarctica testify to the obtained for the central areas of East Antarctica testify to the conditions of glacial maximum during the isotope stages 2, 4, 5(d), 6; interstadials 3, 5(a-c) and interglacial 5(e) and variations of the mean annual temperature, respectively by -6, -8, -2, -5 and 3-4 deg, as compared to the present-day temperature. Comparison of these data with numerous data on oceanic sediments suggests the transition from the interglacial to the Last Ice Age in polar latitudes about 115,000 years ago, while in the temperate and low latitudes it took place only 75,000 years ago. 42.1301

42-1303
Modelling of Quaternary glaciations. [Modelirova-nie chevertichnykh oledenenii], Verbitskii, M.IA., et al, Materialy gilatsiologicheskikh issiedovani, Jan. 1987, Vol.59, p.38-42, in Russian with English summary. 10 refs. Monin, A.S., Chalikov, D.V. Ice models, Climatic changes, Paleoclimatology,

Pleistocene.

Pleistoceae.

A thermohydrodynamic model of the system Glaciers-Ocean-Atmosphere-Astenosphere made it possible to analyze the causes of ice s<sub>2</sub>:a. Test of the sensitivity of this model to the changes of latilit conditions have shown that the Earth's climate is intra-silive under the present-day conditions of insolation and position of the continents. Climatic system is established to have 5 steady states, associated with different spreading of the ise or ver. Mechanisms governing the transition of one climate int s another are analyzed. It is concluded that location, form, dimensions and relief of the continents are decisive agents of the global climatic changes. (Auth.)

42.1304

42-1304
Heat- and mass-exchange at the lower surface of the
Ross Ice Shelf. [Teplo- i massoobmen u nizhnef poverkhnoeti shel fovogo lednika Rossa,,
Rafkovskii, IU.V., Materialy gliatusiologicheskikh issledovanii, Jan. 1987, Vol.59, p.42-48, In Russian with
English summary. 22 refs.
Ice models, Heat transfer, Mass transfer, Antarctica

—Ross Ice Shelf.

Theoretical examination of heat and mass exchange at the lower surface of the Ross Ice Shelf associated with sea water circulation in subglacial sea due to the tidal pump, has been made. Conditions generating the zone of mediting as well as the zone of ice freezing at the lower surface of the ice shelf are shown. The melting-freezing process has been estimated from the developed theoretical model. The computations allows to distinguish the zone of intensive melting (from 100 to 50 cm/s at a distance of several km from the ice front); medium intensity melting (from 50 to 10 cm/s at a distance of 100 km from the ice front); feeble melting (from 10 to 0 cm/s); feeble freezing (from 0 to 50 cm/s). The melting zone has a wedge-like form intruding into the central part of the Ross Ice Shelf. (Auth.)

42-1305

Studies of sea ice from medium resolution space photographs of the Caspian Sea. (Izuchenie mor-skikh l'dov po koamicheskim snimkam srednego razre-

skikhi tov po komienesam simikam sedengoi sate-sheniia (na primere Kaspiliskogo moria), Kravtsova, V.I., et al, Materialy gliatsiologicheskikh issledovanh, Jan. 1987, Vol.59, p.48-54, in Russian with English summary. 9 refs.

Tarakanchikov, V.V.
Ses ice distribution, Remote sensing, Spaceborne photography, Photointerpretation, Infrared reconnaissance.

42.1306

Cryogenic metamorphism of chemical composition of natural waters as a new trend in science. ¡Kriogen-naia metamorfizatsiia khimicheskogo soatava prirodnaka metambana ambana ambana sana ambana naha mahala ambana naha ambana ambana

Water chemistry, Frost action, Ice formation, Brines, Sea water freezing, Ice crystals, Research projects.

42-1307 Analysis of computation methods for calculating ice formation in a spray cone. [Analiz metodov rascheta protsessa l'doobrazovaniia v kapel'nom fakele, Sosnovskii, A.V., Materialy gliatsiologicheskikh is-sledovanii, Jan. 1987, Vol.59, p.61-68, 10 refs., In

Russian with English summary.
Ice formation, Artificial Ice, Air temperature, Air water interactions, Spray freezing.

42-1308

Universal method of forecasting snow avalanches and Conversal metao of torecasting show walkanches are compiling prognostic maps of avalanche danger. Universal'nyi metod prognoza snezhnykh lavin i sostavlenia prognosticheskikh kart lavinnoj opasnosti, Kolenikov, E.I., et al. Materialy gliatsiologicheskikh issledovani, Jan. 1987, Vol.59, p.69-76, 20 refs., In Russian with English summary Podstrechnyl, A.N.

Snow surveys, Mapping, Avalanche forecasting.

42-1309

Experience in cartographic modeling of the interuction between human activities and nival-glacial systems. ¡Opyt kartograficheskogo modelirovaniia vzaimodelstviia nival'no-gliatsial'nykh sistem i deia-

tel'nosti chelovekaj, Khromova, T.E., Materialy gliatsiologicheskikh sledovanii, Jan. 1987, Vol.59, p.77-85, 13 refs.,

Russian with English summary.

Models, Glaciation, Sea ice distribution, Land ice,
Human factors, Economic development, Polar regions, Alpine glaciation.

42-1310
Problems of utilizing natural resources of mountains (glaciological aspects). ¡Problemy gomogo prirodopol'zovaniia (nekotorye gliatalologicheskie aspekty),
Ananicheve, M.D., et al, Materialy gliatalogicheskie isaledovanii, Jan. 1987, Vol.59, p.85-93, 11 refs.,
In Russian with English summary.
Bichekueva, S.Kh., Suprunenko, IU.P.
Natural resources, Mountain glaciera, Nivation, Alpine landscapes, Economic development.

42-1311 Snow resources and ecological problems of the Alps. (Snezhnye resursy i ekologicheskie problemy Al'p;, Akif'eva, K.V., Materialy gliatsiologicheskikh issiedovanh, Jan. 1987, Vol.59, p.94-98, 18 refa., In Russian with English summary.
Alpine glaciation, Economic development, Snow cover distribution, Snow depth, Snow water equivalent, Snow cover stracture, Avalanche formation, Alpine landscapes, Alps.

42-1312 Characteristic features of Scandinavian eleciation ac-Characteristic restures of Scandinavian giactation ac-cording to the World Atlas of Saow and Ice Re-sources. Kharakteristika oledeneniia Skandinavii (po kartam Atlass snezhno-ledovykh resursov mira), Tarasova, L.N., et al., Materialy giatsiologichekikh iasledovanti, Jan. 1987, Vol.59, p.98-106, 16 refs., In Russian with English summary. Khromova, T.E.

Mountain glaciers, Maps, Glacier oscillation, Glacier ice. Ice surface, Charts.

Liquid precipitation in mountain glacier areas of

Liquid precipitation in mountain glacler areas of Seandinavia. ¿Zhidkie osadki v gorno-lednikovykh rałonakh Skandinavii, Davidovich, N.V., et al, *Materialy gliatsiologicheskikh issledovanii*, Jan. 1987, Vol.59, p.106-115, 11 refs., In Russian with English summary.
Tarasova, L.N., Chernogaeva, G.M. Mountain glaclers, Glacler alimentation, Rain, Mapping, Charis.

42.1314

42-1314
Using the method of free-falling indentor for determining mechanical properties of snow cover. (Ob ispol zovanii metoda svobodno padaiushchego indentora diis opredeleniia mekhanicheskikh kharakteristik

snezhnogo pokrova, Epifanov, V.P., et al, Materialy giiatsiologicheskikh issiedovanii, Jan. 1987, Vol.59, p.116-121, 13 refs., In Russian with English summary.

Rusinov A

Snow cover distribution, Snow density, Snow physics, Snow survey tools. Tests. Test soutpment.

Methods of quantitative evaluation of meteorological parameters for regionalizing the avalanche-hazard areas of the USSR from types of avalanche regimes. Metodika kolichestvennol otsenki meteorologi kikh parametrov dlia ralonirovaniia lavinoopasnykh raionov SSSR po tipam lavinnogo rezhima;, Troshkina, E.S., et al. Materialy gliatsiologicheskikh issledovanii, Jan. 1987, Vol.59, p.122-125, 5 refs., In

Issicovani, Jan. 1967, Vol. 39, p. 122-125, 5 Feis., in Russian with English summary. Danilina, A.V., Andreev, IU.B., Svetlosanov, V.A. Snow surveys, Mapping, Avalanche formation, Clas-sifications, Avalanche forecasting.

Methods of studying ice strength at ice crossings. [Metodiks issledovanila prochnosti l'da ledianykh

pereprav, Tiulina, T.IU., Materialy gliatsiologicheskikh is-siedovanh, Jan. 1987, Vol.59, p.125-129, 5 refa., In Russian with English summary.

Ice crossings, Ice cover strength, Ice structure, Statistical analysis.

Distribution of air inclusions in infiltration ice of Spitsbergen glaciers. (Raspredelenie vozdushnykh vkliuchenii v infil'tratsionnom l'du shpitsbergenskikh

Valuement v linia austomosis lednikovj. Samollov, O.IU., Materialy gliatsiologicheskikh issledovanh, Jan. 1987, Vol.59, p. 130-134, 6 refs., In Russian with English summary. Ice composition, Glacier ice, Ice structure, Impurities, Bubbles, Norway—Spitzbergen.

42.1318

42-1318 Calculating the output component of the mass balance of a large glacier on West Spitsbergen Island. (Raschet raskhodnoï sostavliaiushcheï balansa massy krup-

chet issendonie soutwinstenen onaims masy krup-nogo lednika na o. Zapadnyi Shpitabergenj, Tareeva, A.M., et al, *Materialy gliatsiologicheskikh* issiedovanh, Jan. 1987, Vol.59, p.135-137, 9 refs., In Russian with English summary

Trotten, L.S.
Glacier ice, Ice melting, Glacier mass balance, Glacier alimentation. Glacier surveys. Norway.—Spitabergen.

42-1319
Water-ice balance of Spitsbergen glaciers in the
1953/84 balance year. tvodno-ledovyt balans lednikov Shpitsbergens v 1983/86 balansovom godu,
Gue'kov, A.S., et al. Materialy gliatsiologicheskikh issledovanh, Jan. 1987, Vol.59, p.138-139, 2 refs., In
Russian with English summary.

Mountain glaciers, Valleys, Glacier mass balance, Norway—Spitsbergen.

42-1320

North Koryak glaciers. (Severokoriakskie ledniki), Sedov, R.V., Materialy gliatsiologicheskikh is-sledovanii, Jan. 1987, Vol.59, p.139-146, 10 refs., In steaovani, Jan. 1987, Vol.39, p. 139-140, 10 fers., In Russian with English summary.
Glacier surveys, Aerial surveys, Glacier ice, Glacial deposits, Moraines, USSR—Koryak.

92-1321 Statistical analysis of interrelations among basic characteristics of glaclers. Statisticheskii analiz vzaimozavisimostei osnovnykh kharakteristik led-

nikovi, Smoliarova, N.A., Materialy gliatsiologicheskikh is-siedovanii, Jan. 1987, Vol.59, p.146-150, 3 refs., In Russian with English summary. Glaciology, Statistical analysis, Terminology, Com-puter applications.

Systems of large fractures in the lower part of the Bol'ahoy Azau glacier on Elbrus Monatain. Sistemy krupnykh treshchin nizhneï chasti lednika Bol'ahoï

Azau na Elbruse, Ivanov, A.I., Materialy gliatsiologicheskikh siedovanii, Jan. 1987, Vol.59, p.150-152, 8 refs., Russian with English summary.

Glacier ice, Ice structure, Fracturing, Glacier oscilla-tion, USSR—Eibras Mountain.

Two types of intra-glacial water regime in the Bertil Glacier on Spitsbergen. (O dvukh tipakh rezhima vnutrilednikovykh vod lednika Bertil' na Shpitsber-

gene, Gokman, V.V., Materialy gliatsiologicheskikh is-siedovani, Jan. 1987, Vol.59, p.152-157, 13 refa., In Russian with English summary. Glacial hydrology, Glacier ice, Ice (water storage), Unfrozes water contest, Norway—Spitzbergen.

42-1324

Namerical medeling of snow melting, ¡Chialennoe modelirovanie kharakteriatik snegotaianiis, Zhidkov, V.A., et al, Materialy gliatulologicheskikh issiedovani, Jan. 1987, Vol.59, p.157-160, In Russian. 1 ref., In Russian with English summary. Motovilov, IU.G.

Nathematical models, Snow melting, Snow cover dis-tribution. Ice surface, Glacier ice.

42-1325
Winter types, strength of snow cover and avalanche Winter types, strength of unow cover and avalanche formatios. [Tipy zim, prochnostnye kharakteristiki snezhnogo pokrova i lavinoobrazovanie,, Volodicheva, N.A., et al, Materialy glistsiologicheskih instedovani, Jan. 1987, Vol.59, p. 160-164, 9 refs., In Russian with English summary.
Olelnikov, A.D., Samollov, R.S., Khodakov, V.G. Snow physics, Snow strength, Snow cover structure, Snow density, Snow depth, Avalanche formation.

42-1326

Avalanche ejection distance in the Kazakhstan Altal. ¡Dal'noet' vybrosa lavin v Kazakhstanskom Altae, Blagoveshchenskil, V.P., Materialy gliatsiologiches-kikh issledovanil, Jan. 1987, Vol.39, p.165-168, 8 refs., IR Russian with English summary.

Avalanche mechanics, Saow cover distribution, Avalanche deposits, Avalanche formation, Alpine landscapes, Avalanche triggering.

Lagratine ice in the Schirmscher and Unter-See ponds in Antarctica. ¡Ozernye l'dy v oazisakh Shir-makhera i Unter-zee v Antarktide, Vituria, B.I., Materialy glistalologich:skikh is-aledovanii, Jan. 1987, Vol.59, p.169-173, 9 refs., In

Russian with English summary.

Lake ice, Ice composition, Lakes, Ice structure, Anterctics—Schirmscher Ponds, Anterctics—Unter-See, Lake.

A great variety of lacustrine ice reflecting the differences in its origin and environmental conditions has been observed in the antarctic cases of Schirmacher and Unter-See, and their envi-ronments. The main causes of differences in the structure of lake ice are: its location, dimensions, the depth of lakes, win regime, etc. The lake ice of the oases (intra-oasis, periglacial, epiahelf) and of superglacial lakes occurring on the surface of ice sheets and on the Lazarev Ice Shelf, is investigated. The informative capacity of the structure of lake ice, revealing the nature of antarctic oasis and of the abutting areas is discussed

42-1326

Icing of Pamir caves. [Obledenenie peshcher Pami-

rs), Mavliudov, B.R., Materialy gliatsiologicheskikh is-sledovanh, Jan. 1987, Vol.59, p.173-179, 6 refs., In Russian with English summary. Karst, Mines shafts, Caves, Ice accretion, Ice sublima-

tion, Icing.

42-1329

Role of ground ice in the development of thermal erosion. [Rol' podzemnykh l'dov v razvitii termoeroziis.

Poznanin, V.L., Materialy gliatsiologicheskikh is-sledovanii, Jan. 1987, Vol. 39, p. 179-182, 8 refs., In

Russian with English summary.

Permafrost structure, Permafrost thermal properties,
Ice melting, Erosion, Gullies.

42-1330

Engineering and glaciological aspects of anow science. Inzheremo-gliatsiologicheskie aspekty snegovede-

niis, Samollov, R.S., et al, Materialy gliatsiologicheskikh iasledovanh, Jan. 1987, Vol.59, p.183-187, 14 refs., In Russian with English summary. Khodakov, V.G.

Engineering geology, Glaciology, Snow physics, Human factors, Snow impurities, Snow retention, Trafficability.

42-1331

Lake-burst glacial mudflows and countermeasures in the northern Tien Shan mountains. [Proryvnye gliat-sial'nye seli i bor'ba s nimi v gorakh Severnogo Tian'-

shanis, Popov, N.V., Materialy gliatsiologicheskith is-sledovani, Jan. 1987, Vol.59, p.188-193, 10 refs., In Russian with English summary. Mudflows, Glacial hydrology, Glacial deposits, Mo-raines, Glacial lakes, Lake bursts.

Seismic effect of blast waves on snow cover. [Seismicheskoe vozdejstvie vzryvnykh voln na snezhnuiu

chesko-tolshchuj, Cerber, A.R., Materialy gliatsiologicheskikh is-sledovanii, Jan. 1987, Vol.59, p.193-196, 11 refs., In Russian with English summary. Snow physics, Blasting, Wave propagation, Snow acoustics, Avalanche triggering.

On the expediency of operating internally iced water-pipes at the Baykal Amur railroad. [O tselesoobraz-

nosti raboty vodoprovodov v rezhime vautritrubnogo obiedenenia na BAMe, Terekhov, L.D., Materialy gliatsiologicheskikh is-aledovanii, Jan. 1987, Vol.59, p.196-200, 9 refs., In

Russian with English summary.
Water supply, Water pipelines, Pipeline freezing, Ice accretion, Baykai Amur railroad, Water temperature, Permafrost distribution, Design.

42.1334

Annotated list of Soviet literature on glaciology for 1983. Annotirovanny'i spisok sovetskol literatury po

gliatsiologii za 1983 god<sub>1</sub>, Kotliakov, V.M., et al, *Materialy gliatsiologicheskikh* issledovanii, Jan. 1987, Vol.59, p.201-236, 607 refs., In Russian with English summary. Chernovol, L.P., Voevodin, V.A. Bibliographies, Glaciology.

42-1335

Design and operation of transmission lines and transformer stations at 110kV in relation to soiled insulstion, hoarfrost and work on live equipment. (Erfahrungen auf dem Gebiet der Projektierung und des Bertiebe von Übertragungsleitungen und Umpannwerken 110kV und höher unter den Bedingungen der Isolationsverschmutzung, des Rauhreifs und der Arbeiten unter Spannung, Baumann, E., Energietechnik, July 1987, 37(7), p.264-

266, In German

nission lines, Power line icing, Electrical insulation.

42-1336

Prost-mound scars and the evolution of a Late Dryss environment (northern Netherlands). Groot, T. de, et al, Geologie en mijnbouw, 1987, 66(3), p.239-250, 39 refs.

Cleveringa, P., Klijnstra, B. Prost mounds. Seasonal freeze thaw. Thermokarst development, Cryogenic structures.

42-1337

Sediments of ice-dammed, self-draining Ape Lake, British Columbia.

Gilbert, R., et al, Canadian journal of earth sciences, Sep. 1987, 24(9), p.1735-1747, With French summary. 30 refs. Desloges, J.R. Glacial lakes, Ice dams, Lake bursts, Canada—Brit-ish Columbia—Ape Lake.

42-1338

Albedo model for shallow prairie snow cover. Gray, D.M., et al, Canadian journal of earth sciences, Sep. 1987, 24(9), p.1760-1768, With French summary. 17 refs.

andine, P.G.

Albedo, Snow optics, Snow depth.

42-1339

Sedimentation in ice-dammed Hazard Lake, Yukon. Liverman, D.G., Canadian journal of earth sciences, Sep. 1987, 24(9), p.1797-1806, With French summary

20 refs. Glacial lakes, Ice dams, Canada—Yukon Territory Hazard Lake

42-1340

Remote control methods and instruments for obtaining data on natural resources and environments. Distantsionnye metody i apparatura polucheniia dannykh o prirodnykh resursakh Zemli i okruzhaiush-

the property of the control of the c

Snow surveys, Remote sensing, Spacecraft, Radiometry, Measuring instruments, Soil temperature, Surface temperature, Ice temperature, Air temperature,

42-1341

Economic effectiveness of using satellite data for map-ping snow cover on winter crop fields. (Ob ekonomi-chesko' effektivnosti ispol'zovaniia kosmichesko' informatsii dlia kartirovaniia snezhnogo pokrova na po-

liakh ozimykh kul'tur<sub>i</sub>, D'iachenko, V.A., et al, Gosudarstvennyi naucho-is sledovateľskii tsentr izuchenija prirodnykh resursov. Trudy, 1987, Vol.28, p.37-44, In Russian. 10 refs. Volkov, A.M.

Snow surveys, Remote sensing, Spacecraft, Soil temperature, Air temperature, Snow cover distribution. 42-1342

Methods and means of metrologic provisions for radiometric ultrahigh frequency measurements (a review). [Metody i aredstva metrologicheskogo obespecheniia radiometricheskikh SVCh-izmerenii (Ob-

zor)<sub>1</sub>, Goncharov, Gosudarstvennyi nauchno-issledovateľsků tsentr izucheniia prirodnykh resursov. Trudy, 1987, Vol.28, p.109-123, ln Russian. 45 refs. Radiometry, Surveying, Measuring instruments, Soll temperature, Surface temperature, Ice temperature, Air temperature. Accuracy.

42-1343

Biogenic and organic substances in ice in the Irtysh-Karaganda canal. Biogennye i organicheskie veshchestva vo l'du kanala Irtysh-Karaganda, Amirgaliev, N.A., et al, Gidrokhimicheskie materialy,

1986, Vol.96, p.61-69, In Russian. 12 refs. Tarasov, M.N.

River ice, Ice composition, Water chemistry, Ice cover thickness, Soil pollution, Soil water migration.

42-1344

Hydrology of rivers and marine estuaries. [Gi-drologiia rek i morskikh ust'ev],

Glubckov, V.N., ed, Dal'nevostochny' regional'ny'i nsuchno-isaledovatel'skii institut. Trudy, 1987, Vol.130, 120p., In Russian. For selected papers see 42-1345 through 42-1348. Refs. passim. Alpine tundra, Snow cover distribution, Icebound riv-

ers, Spaceborne photography, Snow water equivalent, Permafrost beneath rivers, Flood forecasting, Ice cover thickness, Snow cover effect, Icebound lakes, Ice breakup, Ice conditions, Ice navigation.

Galculation of basic water inflow into the Kolyma reservoir, Raschet osnovnogo pritoka vody v Kolymakoe vodokhranilishche, Mel'nikova, Z.D., et al, Dal'nevostochnyi regional'nyi nauchno-iseledovatel'akli institut. Trudy, 1987, Vol. 130, p.13-20, in Russian. 3 refs.

IUrasova, N.N. Permafrost beneath rivers, River flow, Seasonal variations, USSR—Kolyma River.

42-1346

Possibility of using satellite data on snow cover in forecasting spring floods. O vozmozhnosti ispol'-zovanija informatsji o snezhnom pokrove s iskusstvennykh sputnikov Zemli dlia prognoza elementov vesen-

nego polovod'ia<sub>1</sub>, Sidneva, L.P., Dal'nevostochnyi regional'nyi nauchno-iasledovatel'skii institut. Trudy, 1987, Vol.130, p.21-23. In Russian. 6 refs.

Snow cover distribution, Spaceborne photography, Hydrology, Snow water equivalent, Flood forecast-

42-1347

Interdependence among some characteristics of ice regime is the Zeya reservoir and parameters of plane-tary atmospheric circulation. O vzaimozavisimost nekotorykh kharakteristik ledovogo rezhima Zefskogo vodokhranilishcha i parametrov planetarnoï atmosfernol tairkuliatsii, Lobovikova, Z.P., et al, Dal'nevostochnyi regional'nyi

Loodynkovs, ..., et al. Dat nevostcomy regional ny nauchno-isoledovatel'skh institut. Trudy, 1987, Vol.130, p.96-103, In Russian. 10 refs. Semenenko, G.V. Icabound lakes, Ice conditions, Ice breakup, Ice navi-

gation, Ice forecasting, Synoptic meteorology.

Ice melting processes in the Zeya reservoir. [Neko-Ice melting processes in the Zeya reservoir. ¡Neko-torye csobennosti protessas taianiia ledianogo pokrova na Zeiskom vodokhranilishchen, Semenenko, G.V., Dal'nevostochnyi regional'nyi nauchno-issledovatei'ski institut. Trudy, 1987, Vol.130, p.104-106, In Russian. 3 refs. Icebound lakes, Air temperature, Snow cover effect, Permafrost beneath lakes, Lake Ice, Ice breakup, Ice meltins. Ice navigetion.

melting. Ice navigation.

42-1349

Processes of relief formation in Siberia. Protsessy

Processes of relief formation in Siberia. Proteessy formirovaniis rel'efa Sibiri, Logachev, N.A., ed, Novosibiris, Nauka, 1987, 185p. (Pertinent p.74-112), In Russian with abridged English table of contents enclosed. Refs. p. 178-183. Geomorphology, Slope processes, Rock streams, Geocyology, Hydrothermal processes, Thermokarst.

Frost survival of plants: responses and adaptation to

freezing stress.
Sakai, A., et al, Ecological studies, Vol.62, Berlin, Springer, 1987, 321p., Refs. p.267-304. Larcher, W.

Plant tissues, Plant physiology, Acclimatization, Frost resistance, Cold weather survival, Damage, Snow cover effect, Ice cover effect, Temperature

42-1351

Proceedings.

Proceedings.

American Towing Tank Conference, 21st, Washington, D.C. Aug. 5-7, 1986, Washington, D.C. National Academy Press, 1987, 518p., Refs. passim. For selected papers see 42-1352 through 42-1356.

Messalle, R.F., ed.

Tanks (containers), Ice navigation, Ice models, Ice conditions, Meetings, Tests, Ice cover strength.

Effect of ice-floe size on propeller torque in ship-model tests.

Tatinclaux, J.C., MP 2289, American Towing Tank Conference, 21st, Washington, D.C., Aug. 5-7, 1986. Proceedings. Edited by R.F. Messalle, Washington, D.C., National Academy Press, 1987, p.291-298, 4

ice leads, Propellers, Ice navigation, Ice floes, Ice conditions, Ice solid interface, Velocity, Ice density, Priction, Tests.

Priction. Tests.

Results of a laboratory study on ice-propeller interaction conducted with a model icebreaker are presented. The tests were made in ice-free water, precut channels with regularly shaped ice floss of different sizes, and breah-filled ice channels. The test results showed that the propeller torque and its atendard deviation increased with both ice flos size and ship speed. The dominant frequency in the torque fluctuations was found to be either the propeller of the ratio of ship speed to flos width. The effect of ice ingestion on propeller thrust could not be determined because of malfunction of the thrust component of the propeller development. The results suggest that difference in ice density and in co-hull friction coefficient between model tests and full scale trials may be at least partially responsible for the lack of agreement between torque and powering model tests and run scale trains may be at least partially responsible for the lack of agreement between torque and powerin requirements predicted from model propulsion test results an those measured during full-scale trials.

42-1353

42-1353
Comparison of USCG Polar class icebreaking patterns: full scale trials, physical model tests and analytical predictions.
Kotras, T., et al, American Towing Tank Conference, 21st, Washington, D.C., Aug. 5-7, 1986. Proceedings. Edited by R.F. Messalle, Washington, D.C., National Academy Press, 1987, p.299-305, 4 refs. Humphreys, D. Ettema, R., Free, A. Icebreakers, Ice breaking, Ice cover strength, Ice navigation, Forecasting, Tests, Ice cover thickness.

Strength indexer for model ice.
Baker, D.N., et al, American Towing Tank Conference, 21st, Washington, D.C., Aug. 5-7, 1986. Proceedings. Edited by R.F. Messalle, Washington, D.C., National Academy Press, 1987, p.307-313, 5 refs

Timco, G.W., Nowicki, C.C. Ice models, Ice mechanics, Design, Measuring instru-ments, Tests, Monitors, Ice cover thickness.

42-1355

Canada's new ice tank

Canana's new texast.

Jones, S.J., American Towing Tank Conference, 21st,
Washington, D.C., Aug. 5-7, 1986. Proceedings.

Bdited by R.F. Messalle, Washington, D.C., National
Academy Press, 1987, p.315-319, 4 refs.

Ice models, Tanks (containers), Ice sheets, Refrigera-

Modelling the broken channel.

Comfort, G., et al, American Towing Tank Conference, 21st, Washington, D.C., Aug. 5-7, 1986. Proceedings. Edited by R.F. Messalle, Washington, D.C., National Academy Press, 1987, p.321-327, 6

refs.
Glen. I.F., Keinonen, A., Grinstead, J.

Creating, Ire composition, Ice navigation, Ice cover thickness, Doped Ice, Models, Tests, Channels (waterways), Flexural strength, Ice elasticity, Veloci-ty, Ice conditions.

42-1357

Lavestigation of the atmospheric boundary layer over the Arctic Ocean using SODAR. De Rougé, E., Monterey, Ca. Naval Postgraduate School, Sep. 1985, 79p., ADA-161 057, M.S. thesis.

16 refs.

Sound waves, Air temperature, Boundary layer, Ice edge, Ice conditions, Temperature gradients, Heat flux, Backscattering, Refraction, Arctic Ocean.

42-1358

Extension of the ice scour population model to accommodate crosscutting.
Geomautics Limited, Geomautics Ltd., file ref. 839-84G, June 1986, 19p. + appends., 6 refs.
Ice scoring, Icebergs, Ocean bottom, Sen ice, Models, Bottom topography, Computer applications.

42-1359

Determination of trace elements in Wuxi fallen ice by INAA.

Mao, X., et al, Journal of radioanalytical and nucle chemistry. Articles, Sep. 1987, 114(2), p.345-349, 9 refs.

Ice composition, Neutron activation analysis, Ex-traterrestrial ice, China—Wuxi.

42-1360

Development of a methodology for the design of an offshore oil production platform on the Alaskan Arctic Ocean continental shelf.

Sakhuja, S., Berkeley, University of California, 1986, 503p., University Microfilms order No.DA8624683, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Jan. 1987, p.3034.

Offshore structures, Ice pressure, Shear stress, Beau-

Topics is nonlinear filtering and detection.
Dyson, T., Princeton, Princeton University, 1986, 138p., University Microfilms order No.DA6629450, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B. Mar. 1987, p.3896.
Underwater accessites, Subglacial observations, Ice

scountics.

Photoelastic properties of ice single-crystals.
Yuen, C.Y., Milwaukee, University of Wisconsin,
1986, 112p., University Microfilms order NoDA8629985, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Mar. 1987, p. 3936.
Ice crystal optics, Ice deformation, Orientation.

42-1363
Remote sensing of whole-field flow rates of glaciers and other large bodies using interferometric methoda. Conley, E.G., East Lansing, Michigan State University, 1986, 176p., University Mirofilms order No.-DA8700451, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Mar. 1987, p.3844. Glacier flow, Remote sensing, Photointerpretation.

Water flow at the base of a surging glacier.
Brugman, M.M., Pasadena, California Institute of Technology, 1987, 280p., University Microfilms order No.DA8702483, Ph.D. thesis. For abstracts ace Dissertation abstracts international, Sec. B, Apr. 1987,

pertation against minimum, p. 199, 1999, 4100.
Glacial hydrology, Glacier surges, United States-Alaska—Variegated Glacier.

Experimental and theoretical investigation of an air injection type anti-icing system for aircraft. Tabrizi, A.H., Knoxville, University of Tennessee, 1986, 299p., University Microfilms order No-DA8701826, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Apr. 1987, p.4278. Ice prevention, Aircraft Icing.

Basal hydrology of a surge-type glacier: observations and theory relating to Variegated Glacier. Humphrey, N.F., Seattle, University of Washington, 1987, 227p., University Microfilms order No-DA8713370, Ph.D. thesis. For abstract see Dissertance tion abstracts international, Sec. B, Sep. 1987, p.685. Glacial hydrology, Glacier surges, United States—Alaska—Variegated Glacier.

42-1367

Numerical models of sea ice-ocean interaction in the marginal ice zone.

Steele, M., Princeton, Princeton University, 1987, 213p., University Microfilms order No.DA8713021, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Sep. 1987, p. 689.

Ice edge, Ice water interface, Sea ice, Ice melting, Sea water freezing, Mathematical models.

Study of punching shear in Arctic offshore structures. McLean, D.I., ithaca, Cornell University, 1987, 312p., University Microfilms order No.DA8708984, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Oct. 1987, p.1113.
Offshore structures, Shear properties.

Role of acid phosphatases in the phosphorus nutrition

Role of acid phosphatases in the phosphorus nurrition of arctic fundra plants.

Kroehler, C.J., Blacksburg, Virginia Polytechnic Institute, 1987, 153p., University Microfilms order No. DA8719021, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Nov. 1987, p.1230. Plant physiology, Tundra.

1980-1981 large-scale ice strength tests: laboratory uniaxial compression tests. Vol.1 and Vol.2 (Pts.1

Petrie, D.H., et al, Exxon Production Research Company. Production Research report, June 1983, EPR.21PR.83. 2 vols.. 7 refs.

Poplin, J.P.

Ice cover strength, Ice cover thickness, Ice crystal structure, Compressive properties, Strains, Ice salini-ty, Grain size, Time factor, Photography, Ice sheets, Tests.

42-1371

1978/79 conical structure test program, AOGA pro-

ject 61. Wood, K.N., ESSO Resources Canada Limited, Research Dept., May 1980, 177p. + at pends., 5 refs. Ice mechanics, Offshore structures, Ice loads, Pressure ridges, Shear strength, Tests, Ice conditions, Ice

Perspectives in ice technology.
Ashton, G.D., MP 2288, [1986], 4p., Keynote address delivered at the International Conference on Ice Technology, MIT, June 10-12, 1986. (Unpublished manuscript.).

Ice physics, Research projects, Engineering, Icing, Ice cover.

42-1373

Ice movement in Canadian coastal waters.

Markham, W.E., Canada. Marine Science Directorate. Fisheries and Marine Service. Miscellaneous

are. Fisheries and Marine Service. Miscentaneous report series, 1977, Vol.43, p.249-253.

Ice mechanics, Icebergs, Sea ice, Ocean currents, Ice floes, Ice forecasting, Drift, Wind factors, Temperature effects, Remote sensing, Beaufort Sea.

Beaufort Sea box model of ice.

Beautort See nox model of tee.

Barber, F.G., ot al, Canada. Marine Science Directorate. Fisheries and Marine Service. Miscellaneous report series, 1977, Vol.43, p.255-258, 9 refs.

Duck, J., Markham, W.E., Murty, T.S.

Ice models, Ice mechanics, Sea ice, Runoff, Water transport, Oil spills, Beaufort Sea.

42-1375

Confidence in best flux transducer measurements of

Confidence in heat substitutions, 1985, 91(1), MP 2290, p.515-531, 12 refs. Heat transfer, Buildings, Heat flux, Temperature measurement, Measuring instruments.

measurement, Nessaring instruments.

Confidence in the validity of heat flux transducer (HFT) measurements is sufficiently high that ASTM is preparing a standard practice for the use of HFTs on buildings. A key issue the standard practice will address is how to adjust the calibration of standard practice will address is how to adjust the calibration of the HFT to the thermal environment of the measurement. Confidence in the use of HFTs is based in part on a propagation of error analysis of key thermal influences on the accuracy of measurement. The user can expect the HFT to render a standard deviation of 10% of the heat flux measured. Field measurements confirm this expectation. However, the variety of heat flux mechanisms inherent in building construction requires that the investigator choose the measuring situation, carefully the investigator choose the measuring situation carefully. Convection, even in "fully insulated" spaces, can cause unex-pected lateral heat flux and results that are difficult to interpret. More work should be done with HFTs to investigate convection in walls and strite, as well as to investigate only the fact flux transfer mechanisms

Low temperature fracture behaviour and AE characteristics of autoclaved serated concrete (AAC). Jeong, H.D., et al, Cement and concrete research, Sep. 1987, 17(5), p.743-754, 7 refs. Takahashi, H., Teramura, S.

(mathematics). Ice solid interface.

Concrete freezing, Concrete durability, Cold weather construction, Water content, Temperature effects, Freeze thaw cycles, Damage, Porosity.

Chlorite: a deleterious constituent with respect to freeze thaw durability of concrete aggregates. Higgs, N.B., Cement and concrete research, Sep. 1987, 17(5), p.793-804, 4 refs.

Concrete durability, Freeze thaw cycles, Concrete ag-gregates, Concrete freezing, Chemical analysis, Mod-

Note on apparent effect of vibration on ice friction. Kitagawa, H., National Research Council, Canada. Institute for Marine Dynamics. Laboratory memo-randum, July 1986, LM-AVR-05, 6p. Ice friction, Vibration, Ice navigation, Ships, Analysis

Friction measurements on the ITTC friction plate. Kitagawa, H., National Research Council, Canada. Institute for Marine Dynamics. Laboratory memoranducs, Nov. 1986, LM-AVR-06, 6p. + figs., 5 refs. Ice friction, Ice savigation, Ships, Ice solid interface, Coatings, Surface properties, Tests, Analysis (mathematics).

Some tests at the Institute for Marine Dynamics on high speed hovercraft (cobreaking, Whitten, J., et al, National Research Council, Canada.

Institute for Marine Dynamics. Laboratory memo-randum, Nov. 1986, LM-AVR-07, 7p. + figs., Pre-sented at the 1986 CACTS International Conference on Air Cushion Technology, Toronto, Ontario, Sep. 10 refs

Teebreakers, Air cushion vehicles, Ice breaking, Tests, Velocity. Wave propagation.

42-1381

Note on the rate of growth of the ice cover thickness in the ice tank.

Kitagawa, H., National Research Council, Canada. Kitagawa, H., National Research Council, Canada. Institute for Marine Dynamics. Laboratory memorandum, Nov. 1986, LM-AVR-08, 11p. + figs., 9 refs. Ice growth, Ice cover thickness, Heat transfer, Tanks (containers), Time factor, Stefan problem, Analysis (mathematics).

42-1382

92-1352 Indentation problem in ship-ice interaction. Munaswamy, K., et al, National Research Council, Canada. Institute for Marine Dynamics. Laborato-ry\_memorandum, Nov. 1986, LM-AVR-09, 103p., 24

rens. Jebaraj, C., Swamidas, A.S.J. Jebaraj, C., Swamidas, A.S.J. Icebreakers, Ice loads, Ice solid interface, Ice navigation, Ice breaking, Ice strength, Models, Tests, Ice cover thickness, Analysis (mathematics).

42-1383

42-1383 Ship research in Japan. Kitagawa, H., National Research Council, Canada. Institute for Marine Dynamics. Laboratory memo-randum, Nov. 1986, LM-AVR-10, 8p. + figs., Pre-sented at the Meeting of SNAME Canadian Atlantic Section at St. John's, Newfoundland, Nov. 19, 1986. Icebreakers, Ships, Design, Strength, Japan.

Proceedings (abstracts, selected).
Chinese National Conference on Permafrost, 3rd, Harbin, China, Aug. 18-24, 1986, (1986), 106p., Chinese version also available

version also available.

Permafrost, Geocryology, Frozen ground physics,
Periglacial processes, Engineering, Altiplanation,
Meetings, Instruments, Design, Tests.

42-1385

42-1385
Pressure dependent molecular motion in ice.
Chezeau, J.M., et al, International Meeting of the Société Française de Chimie, Division de Chimie physique, 41st, Grenoble, France, June 30-July 4, 1986.
Proceedings. Edited by J. Lascombe. Dynamics of molecular crystals, Studies in physics and theoretical chemistry, No.46, Amsterdam, Elsevier, 1987, p.491-495, 24 etc. 495, 24 refs.

773, 27 Icil.
McGuigan, S., Strange, J.H.
Ice physics, Molecular energy levels, Self diffusion,
Ice crystals, Pressure, Temperature effects.

Intergunual variations in Southern Hemisphere see

Internantal variations in Southern Hemisphere sea ica-cyclome interactions. Carleton, A.M., Biologo-okeanograficheskie is-sledovania tikhookeanokogo sektora Antarktiki (Biological and oceanographic investigations of the Pacific sector of the antarctic ocean). Edited by P.P. Makarov, Boston, American Meteorological Society, 1983, p.241-244, 11 refs.

Periodic variations. Sea ice distribution.

Periodic variations, Sea ice distribution.
The author examines the link between interannual variations in the latitudinal extent of southern ocean sea ice and the synoptic-scale (cyclonic) atmospheric circulation of the Southern Hemisphere during the five winter-growth periods (June through Sep.) of 1973-77. Strong variations characterize both parameters for this period. The study siato verifies the strongly regional dependence of ice-cyclone interactions in the circumpolar trough. These appear strongest in the Ross Sea, but are still of importance in Bast Antarctics. Cyclonic activity is secondary to ice distribution and its interannual variability in the Weddell Sea. (Auth.)

42-1387

Drossadinas

International Conference on Southern Hemisphere Meteorology, 2nd, Wellington, New Zealand, Dec. 1986, Boston, American Meteorological Society, 1986, 482p., For individual papers see 42-1388 through 42-1396 or F-36671, I-36660 through 1-36670 and I-36672 through I-36678.

Meteorology, Sea Ice.

Meteorology, See Ice.

The Conference, which was held in Dec. 1986 in Wellington, New Zealand, received responses from scientists in 17 different countries. They submitted more than 150 papers of which 120, in extended abstract form, are included in this volume along with short abstracts of 12 others. Weather analysis and forecasting is one highlighted topic; a new emphasis on Tropical Oceans Global Atmosphere (TOOA) is also strongly featured with sessions on El Nino-Southern Oscillation and tropical meteorology. Twenty of the papers have significant application to Antarctica. These discuss, among others, such topics as sea ice, simulation of antarctic climate, katabatic and upper level winds, automatic weather stations, the meteorology of besetment, laser cloud studies, and atmospheric ozone.

42-1382

Southern Hemisphere circulation of atmosphere

Southern Hemisphere circumson of an interpretation of cocan and sea ice.

Budd, W.F., International Conference on Southern Hemisphere Meteorology, 2nd. Proceedings, Boston, American Meteorological Society, 1986, p.101-106,

nospheric circulation, Ocean currents, Sea ice.

A major feature of the Southern Hemisphere atmospheric circulation is the strong concentration of centers of low pressure systems in the region from 40 to 70S around the edge of the antarctic continent and sea ice zone. Results of a 5 year study antarctic continent and sea ice zone. Results of a 5 year study of the mean climatology of cytolenesis in the Southern Hemisphere were reported earlier. This study has since been catended to each month of a 10 year period. This extended data set now provides a basis for describing the mean climatology of the annual cycle of cytolenerisch, cytolene tracks and cyclolysis as well as the internanual variability. (Auth.)

42.1389

Circulation changes induced by the removal of antarc-

Circuistion changes insuced by the removal of antar-tic sea ice is a July general circulation model. Simmonds, I., et al, International Conference on Southern Hemisphere Meteorology, 2nd. Proceed-ings, Boston, American Meteorological Society, 1986, p.107-110, 8 refs. Dix. M.

Sea ice, Atmospheric circulation, Models.

While a number of general circulation model studies have been performed with high latitude forcing by prescribed sea ice and sea surface temperature anomalies in the Northern Hemisphere (NH) few have been carried out for the Southern Hemisphere (NH) few have been carried out for the Southern Hemisphere (SH). There are several reasons for believing that the responses there could be rather different from those produced in the NH (SH ses ice is more zonally-symmetric, the circulation regime is very different, etc.). A large sea ice anomaly was imposed on a model of Sep. climate in the SH. In this paper experiments are reported which extend the work using an improved model. An assessment is made of the remote and local response of a model atmosphere to large- and regional scale sea ice forcing in the SH. (Auth.)

42-1390

Katabatic drainage flows over Antarctica and the olar vortex.

polar vortex.

James, I.N., International Conference on Southern
Hemisphere Meteorology, 2nd. Proceedings, Boston,
American Meteorological Society, 1986, p.117-118, 4

Wind (meteorology), Ice sheets, Topographic fea-

The spectacular and persistent katabatic winds over the antarc-The spectacular and persistent katabatic winds over the antactic continent have been studied by several authors and the strength and orientation of the surface wind relative to the orography of the ice sheet are now reasonably well understood. The persistent outflow of surface air from the continent must, in the long time mean, be balanced by inflow slot. In turn, this general convergence in the middle troposphere will generate cyclonic vorticity over the continent. Three questions arise and are addressed: is the vorticity generated by this process comparable to that resulting via thermal wind balance from surface temperature contrasts between ice and ocean? What vertical structure and, in particular, what depth will the return circulation have? Can a relationship between the ice sheet topography and the upper level vorticity be outlined? (Auth.)

42-1301 a of automatic weather station data to the Application

study of katabatic flow in East Antarctica.
Van Meurs, B., et al, International Conference on Southern Hemisphere Meteorology, 2nd. Proceedings, Boston, American Meteorological Society, 1986, p. 119-122, 8 refs.

Allison, I.
Weather stations, Wind (meteorology), Measuring instruments, Antarctica—East Antarctica: Parameters measured by the automatic weather stations de-ployed by ANARE include air pressure, wind speed and direc-tion 4 m above the surface, air temperatures at 1, 2 and 4 m above the surface, and snow temperature. One AWS operated

continuously from Jan. 1982 to May 1984 at a site about 130 km inland from Mawon Station, at an elevation of 1830 m on the relatively steep edge of the ice sheet where katabatic flow is dominant. Two years of data from this station were analyzed to show the annual and diurnal variation of wind and temperature at this site and gain some insight into the inversion strength and the strength of the katabatic flow. The analysis carried out was based on the assumption of zero potential temperature gradient along the ice slope and the validity of this is discussed. The results are presented on a seasonal basis determined from additional data from a solar cell on the station which indicated that the year could be conveniently divided into 4 seasons on the basis of the duration and intensity of solar radiation. (Auth. mod.)

42-1392

Weather and climate in the vicinity of Rosy Island Anterctice

Antarctica.

Savage, M.L., et al, International Conference on Southern Hemisphere Meteorology, 2nd. Proceedings, Boston, American Meteorological Society, 1986, p.123-126, 2 refs.

Stearns, C.R.

Stearns, C.R.
Wind direction, Topographic effects, Climate, Ice
shelves, Antarctica—Ross Ice Shelf.
Remarkably persistent southerly surface winds occur over the
northwestern Ross Ice Shelf. On the climatic scale, the persistnorthwestern Ross Ice Shelf. On the climatic scale, the persistent drainage of cold air from the antarctic interior to lower latitudes may generate sufficient baroclinity at the interface between the Ross Ice Shelf and the Transantarctic Mountains to produce mountain-parallel flow at the surface. This is the barrier wind explanation introduced in 1970. The analyses presented her support this theory, and indicate that even in the case of cyclones impinging upon the region, the influence of topography is sufficient to distort the low level circulations into prematurely initiating and sustaining strong southerly winds.

Meteorological factors associated with the besetment of the M.V. Nella Dan off the antarctic coast, October

Wilson, J.C., International Conference on Southern Hemisphere Meteorology, 2nd. Proceedings, Boston, American Meteorological Society, 1986, p.127-129, 3

Ice navigation, Meteorological factors, Ships

After discussing generally methods of navigation and ship operations in ice and the several problems hindering or halting these endeavors, the meteorological events leading to the besetment of MV Nella Dan are reviewed. The interactions of the long wave near Nella Dan was exclined in the sea, sea water and air temperature, and time spans in which these factors operated are discovered.

42.1394

Cloud studies at Syowa Station in East Antarctica by means of laser-radar. Wada, M., et al, International Conference on Southern

Hemisphere Meteorology, 2nd. Proceedings, Boston, American Meteorological Society, 1986, p.134-137, 12 refs

Clouds (meteorology), Lasers, Backscattering, Ice crystals, Antarctica—Shows Station.

The studies seek to identify characteristic features of antarctic clouds and to understand the relationships between ice crystals and supercooled water droplets in the clouds. The lidar measurement and supercooled water dropiets in the clouds. The lindar mea-suring system is described and light components used in the measurements are defined. Temperatures at the top and bot-tom of cloud echues are used to calculate integrated backscat-

42-1395

Large-scale short-period sen ice atmosphere interac-

Cahalan, R.F., et al, International Conference on Southern Hemisphere Meteorology, 2nd. Proceed-ings, Boston, American Meteorological Society, 1986, p.141-144, 22 refs. Chiu, L.S.

Sea ice, Ice edge, Ice air interface.

The purpose of this paper is to show that synoptic-scale ice fluctuations occur in the region of the sea ice margin, and that fluctuations occur in the region of the sea ice margin, and that their wavenumbers and advection speeds suggest a rapid response to synoptic-scale forcing by the atmosphere. High-frequency synoptic-scale sea ice fluctuations are significant not only because they provide direct evidence of the link with atmospheric variations occurring on the same space and time scales that also because they represent the primary background of "climatic noise" from which any true "climatic signal" must be extracted. In the next section the available data is described. Section 3 describes a difference filter that isolates the high frequency variations, and focuses on one case study of possible sea ice-atmosphere interaction. Section 4 summarizes major results, discusses the climatological significance of such sea ice fluctuations, and suggests possible future work in sea ice modeling. (Auth)

Antarctic sea ice-atmosphere signal of the southern oscillation

Carleton, A.M., International Conference on Southern Hemisphere Meteorology, 2nd. Proceedings, Boston, American Meteorological Society, 1986, p.431-434,

Sea ice, Climatic changes, Antarctics—Weddell Sea. Interactions between the extreme phases of the Southern Oscillation (SO) and antarctic sea ice perameters (e.g. concentration) at the regional scale have heretofore on them investigated. This paper presents the results of such an analysis for summer ice in the Weddell Sea/South Atlantic for SO events in the to the wedge sear source and a transfer of Servers in the period 1929-62. They indicate the presence of an SO signal in the sea ice that arises from antecedent (springtime) anomalies in the sign and magnitude of the meridional component of the surface wind over the southwest Atlantic. (Auth.)

42-1397

Resistance tests in simplified model ridges. Kitagawa, H., et al, National Research Council, Cana-da. Institute for Marine Dynamics. Laboratory memorandum, Dec. 1986, LM-AVR-11, 7p. + figs., Presented at the 46th Meeting of the Ship Research Institute, Dec. 1985.

Ice navigation, Ice breaking, Pressure ridges, Ice models, Ice strength, Tests, Tanks (containers).

42-1398

42:398
Time constant of self-propulsion tests in ice.
Kitagawa, H., National Research Council, Canada.
Institute for Marine Dynamics. Laboratory memorandum, Dec. 1986, LM-AVR-13, 13p. + figs. 2 refs.
Ice navigation, Icebreakers, Ice solid interface, Tests, Analysis (mathematics), Models, Propellers, Ships. 42-1399

Study on ship performance in ice-covered waters (1st report)—effect of parallel body.

Kitagawa, H., et al, National Research Council, Cana-

da. Institute for Marine Dynamics. Laboratory memorandum, Dec. 1986, LM-AVR-14, 4p. + figs., Presented at the 40th Meetings of the Ship Research Institute, Dec. 1982.

Ice navigation, Ice conditions, Velocity, Models, Tests, Propellers.

42-1400

Small ice tank tests to investigate the effect of bac-teria on EGADS ice. Hill, B., et al, National Research Council, Canada.

Institute for Marine Dynamics. Laboratory memo-randum, Mar. 1987, LM-AVR-15, 5 refs.

Ice strength, Bacteria, Ice models, Freezing, Tanks (containers), Mechanical properties.

42-1401

Effect of surface friction on ship model resistance in

Williams, F.M., et al, National Research Council, Canada. Institute for Marine Dynamics. Test re-Canada. Institute for straine Dynamics. Less re-port, Apr. 1987, TR-AVR-02, 10p. + figs., 15 refa. Snellen, J.B., Bell, J.M. Ice friction, Ice navigation, Ships, Ice strength, Ice solid interface, Models, Tests, Ice conditions, Surface

roughness.

42-1402

Tests in ice of a 1:8 scale model of the CCG R-class

Colbourne, B., National Research Council, Canada. Institute for Marine Dynamics. Test report, June 1987, TR-AVR-07, 10p. + figs. Ice navigation, Ice strength, Ice cover thickness, Ships, Ice friction, Tests, Models, Velocity.

42-1403 Proceedings, Vol.1.

Proceedings, Vol.1.
Snow Symposium, 6th, Hanover, NH, Aug. 12-14,
1986, U.S. Army Cold Regions Research and Engineering Laboratory, July 1987, SR 87-12, 207p., ADB115 486, Refs. passim: For individual papers see 421404 through 42-1422.
Snow physics, Snowfall, Snow cover effect, Infrared radiation, Meetings, Visibility, Light transmission,
Sound waves, Light scattering, Radar echoes.

42-1404

Preview of the SNOW-III West data be

Lacombe, J., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, MP 2291, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.3-11, ADB-115 486,

Snow physics, Military operation, Light transmis-sion, Infrared reconnaissance, Visibility, Meteorolog-ical factors, Detection, Snowfall, Precipitation gages. Reduction of data recorded at the SNOW-III West field experiment is complete and a summary seport is now being written. A preview of the organization and contents of the upcoming report is given in this paper.

Scavenging of infrared screener EA 5763 by falling

Cragin, J.H., et al. U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, MP 2292, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.13-20, ADB-115 486, 4 refs. Hewitt, A.D.

Snowfall, Infrared radiation, Light scattering, Snow crystals, Aerosols, Visibility, Ice crystals, Precipita-tion (meteorology), Wind velocity, Tests, Cloud dissi-

Pation.

Pield tests conducted with EA 5763 in Hanover, NH, Hollis, ME and E. Corinth, VT show that an order of magnitude more acreener is removed and deposited at the surface within 30 m downwind during anowfall than under clear-air conditions. Relative amounts of screener deposited by diffusion/gravitation under clear conditions were inversely proportional to the wind speed above a threshold value of about 1 m/s. A direct linear relationship exists between the mass precipitation rate and the fraction of amoke cloud scavenged by stellar, spatial dendritic, and clustered snow crystals. The scavenging efficiency does not appear to depend strongly on snow or ice crystal type although scatter in the data and the limited number (6) of tests may have masked any relationship. Snow is four to five times more efficient than raindrops in scavenging EA 5763 from smoke clouds.

Arctic/winter camouflage pattern.

Atkinson, H.R., U.S. Army Cold Regions Research Administry, N. J. S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.21-33. ADB-115 486. Military operation, Snow cover effect, Vegetation fac-tors, Snowfall, Tests, Military transportation, Vehi-

Humidity and temperature measurements obtained from an annuanced serial vehicle.

Bailard, H., et al, U.S. Army Cold Regions Research

and Engineering Laboratory. Special report, July 1987, SR 87-12, MP 2293, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.35-45, ADB-115 486, 1 ref.

Izquierdo, M., McDonald, C., Smith, J., Cogan, J., Tibuni, F., Greeley, H.

Meteorological instruments, Air temperature, Hu-midity, Airplanes, Measuring instruments, Tests, Temperature effects, Accuracy.

A small, lightweight, low power consuming instrument designed to measure atmospheric temperature and relative humidity from an unmanned sarial vehicle (LAV) was flight tested. The measurements obtained from the UAV instrument were compared with those obtained from belloon borns instruments. The balloons were launched prior to and just after the UAV instrument. Although the measurement accuracy of the UAV instrument could not be established during these tests, the temstrument could not be established during these tests, the tem-perature and relative humidity variations noted were consistent with those obtained from the balloon instruments. The tem-perature variations conformed to the expected lapse rates. Laboratory tests on the performance of the instrument package under varying, particularly cold, temperatures were conducted to determine the environmental effects on instrument sensitivity, accuracy and time constants. Results of these tests

Acoustic-to-selamic coupling through a snow layer. Peck, L., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, MP 2294, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.47-55. ADB-115

Acoustics, Snow cover effect, Seismology, Sound waves, Soil mechanics, Military operation, Frost etration, Experimentation.

penetration. Experimentation.

The excitation of ground motion by arborne sound is termed acoustic-to-seismic coupling. The occurrence of acoustic-to-seismic coupling degrades the performance of a seismic sensor unless its contribution to the ground motion is compensated for, while it is the basis of aircraft detection and ranging by measor of an acoustic-fesismic sensor. The variation in acoustic-to-seismic coupling due to the winter environment must be known and understood so that the effects of the winter environment can be incorporated in the design and employment of sensor systems.

Samw-amoke synergism data review.
Farmer, W.M., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.59-67, ADB-115-486, 1 ref.

Stallings, E., Gerard, S., Buribaw, E.J. Smowfall, Smoke generators, Snowflakes, Visibility, Snow cover effect, Attenuation, Transmission, Tem-

SMART transmission support at SNOW IV. Hanley, S.T., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.69-80, ADB-115 486, 3

Light transmission, Snowstorms, Snow optics, Optical properties, Spectra.

42-1411

forward scatter meter for measuring extinction in dverse weather.

Koh, G., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, MP 2295, Snow Symposium, 6th, Hanover NH, Aug. 1986. Proceedings, p.81-84, ADB-115 486, 2 refs.

Attenuation, Light scattering, Radiation, Snowfall, Light transmission, Measuring instruments, Rain,

The extinction coefficient is a measure of the attenuation of The extinction coefficient is a measure of the attenuation or radiation as it propagates through the atmospher. Techniques for measuring the extinction coefficient in optical wavelength regions are of interest, since many military devices detect visible and infrared radiation emitted or reflected by distant targets. Experimental results comparing extinction coefficients measured with a forward scatter meter and a transmissometer show that it is feasible to use a forward scatter meter to measure extinction in winter precipitation (anow, rain and fog).

42-1412

Effect of transmissometer beam geometry on snow smittance measurements.

Hutt, D.L., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.85-93, ADB-115 486, 6

Bissonnette, L.R. Light transmission, Snow optics, Light scattering, Snowfall, Measuring instruments, Lasers, Models, Snowstorms, Snow crystal structure.

Extinction and scattering due to falling snow: a

Extraction and Scattering use of Conference of the Preliminary report.
Koenig, G.G., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.95-108, ADB-115 486, 4

Trowbridge, C.

Trowbridge, C. Snow optics, Light scattering, Light transmission, Snowfall, Spectra, Measuring instruments, Lasers.

Slant path extinction and visibility measurements from an unmanned serial vehicle.

Cogan, J., et al, U.S. Army Cold Regions Research and

Cogan, J., et al. U.S. Army Coia Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, MP 2296, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.115-126, ADB-115 486, 5 refs.

Greeley, H., Izquierdo, M., McDonald, C., Smith, J. Infrared radiation, Visibility, Light transmission, Cloud cover, Temperature effects, Sounding, Computer applications.

er applications.

The potential for using measurements of infrared radiation from the Earth's surface in the wavelength range of 8-14 micron to the Earth's surface in finared extinction is examined. The system depends on the reduction of detected radiation with increasing distance from the observed objects. The effects of cloud cover and the temperature and emissivity dependence are considered. Limitations on the operational range are presented. This paper also presents a technique using a video image and computer processing to obtain a measure of visual range from the observed contrast differences in the image. A prior and computer processing to obtain a measure of visual range from the observed contrast when visibility is known can be compared with the scene contrast obtained under arbitrary con-ditions to estimate visibility. A slightly different approach to obtain visual range view horizon and terrain simultaneously. A contrast measurement can then be used to determine visual range if the distance to the horizon is known.

Effect of instrument configuration on measurement of

transmittance in snow. Winchester, L.W., Jr., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.127-131, ADB-115

Snow optics, Light scattering, Electromagnetic properties, Radiation, Light transmission, Analysis (mathematics), Snow crystal.

Wet precipitation in subfreezing air below a cloud nces rader backscattering

Colbeck, S.C., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, MP 2297, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.135-144, ADB-115

Toe crystal growth, Supercooled clouds, Radar echoes, Analysis (mathematics), Backscattering, Tempera-ture effects, Precipitation (meteorology), Unfrozen water contest.

water content.

Ice particles falling through supercooled clouds accrete water dropters fast enough to incur a substantial temperature increase. During conditions of "just wet" growth of fair size graupel particles, the temperature rise can reach several degrees. These wet ice particles would take hundreds of meters to refreeze after falling below the cloud. Thus wet ice particles can fall through subfreezing air below a supercooled cloud and enhance radar backscattering. While this effect is possible with clouds, the liquid content of fogs is too low to produce more than a few tenths of a degree tes in the temperature of falling ice particles. Furthermore, only cumulus clouds have a sufficient liquid water content to give a 3 degree temperature rise.

Pulse airborne millimeter wave measurements of

snow-covered ground.

Bradley, G.J., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.145-158, ADB-115 486, 2 refs

Currie, N.C., Trostel, J.M., Greneker, E.F. Airborne radar, Radar echose, Snow cover effect, Snow physics, Wave propagation, Reflectivity, Measuring instruments.

42-1418

Measurements on the reflectivity of snow-covered terrain at 94 GHz.

Baars, E.P., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.159-171, ADB-115 486, 5 refs.

Reflectivity, Snow cover effect, Radar echoes, Backscattering, Measuring instruments.

Millimetric radar backscatter trials: I. an overview. Gallagher, J.G., et al, U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.175-177, ADB-115 486 , 2 refs.

Backscattering, Radar echoes, Snow cover effect, Air-borne radar, Wave propagation.

42-1420

Millimetric radar backscatter trials: II. results at 93 GHL

Gallagher, J.G., et al. V.S. Army Cold Regions Research and Engineering, Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.179-187. ADB-115

Saunders, T.H., Dick, A.E., Bartlett, L.H. Radar echoes, Backscattering, Prow cover effect, Wave propagation.

42-1421

Millimetric radar backscatter trials: III. results at 80 GHz.

Crisp. G.N., et al. U.S. Army Cold Regions Research and Engineering Laboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.189-197, ADB-115 486, 1

Gasking, M.G., Potter, K.E. Radar echoes, Snow cover effect, Backscattering, Snow water content, Unfrozen water content.

42-1422

Millimetric radar backscatter trials: surface snow

properties and their relation to backscatter. Williams, L.D., et al, U.S. Army Cold Regions Research and Engineering Leboratory. Special report, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.199-207, ADB-115-486, 10 refs.

Sugden, D.E., Birnie, R.V.

Snow cover effect, Snow water content, Radar echoes, Backscattering, Snow optics, Snow surface, Porosity, Surface properties, Unfrozen water content.

42-1423

onal current variations observed in western Hudson Bay.

Prinsenberg, S.J., Journal of geophysical research, Sep. 13, 1987, 92(C10), p.10,756-10,766, 38 refs. Sea ics, Ics cover effect, Tidal currents, Ocean cur-rents, Canada—Hadoon Bay.

42-1424 Interpretation of the Icelandic sea ice record. Kelly, P.M., et al., Journal of geophysical research, Sep. 15, 1987, 92(C10), p.10,835-10,843, 43 refs. Goodess, C.M., Cherry, B.S.G. Sea ice distribution, Ocean currents, Climate, Ice-

land.

42-1425

72-12-25 Ice conditions in the Greenland waters, 1980. Fabricius, J.S., Denmark. Meteorologisk institut. Report, 1986, REPT-551.467.3.068(988), 167p. N87-17428/O/XAB.

Sea ice distribution, Ice conditions, Remote sensing, Charts, Topographic features, Aerial surveys, Snow cover distribution, Mapping, Permafrost, Shores, Greenland Sec.

42-1426 Soil genesis associated with periglacial ice wedge casts, southcentral Wyoming. Munn, L.C., Soil science, Jul.-Aug. 1987, 51(4), p.1000-1004, 24 refs. Ice wedges, Soil formation.

42-1427

Soil temperature profiles of two Alaskan soils. Ping, C.L., Soil science, Jul.-Aug. 1987, 51(4), p.1010-1018, 35 refs.

Soll temperature, Snow cover effect, Vegetation fac-tors, United States—Alaska—Fairbanks, United States—Alaska—Palmer.

42-1428

easonal variations of sea ice motion in the Canada Basin and their implications.

McLaren, A.S., et al, Geophysical research letters, Nov. 1987, 14(11), p.1123-1126, 25 refs. Serreze, M.C., Barry, R.G.

Sen ice, Seasonal variations, Drift, Ocean currents. 42-1429

Depositional model for outwash, sediment sources, and hydrologic characteristics, Malaspina Glacier, Alaska: a modern analog of the southeastern margin of the Laurentide Ice Sheet.

or the Laurentnee Ice Sneet. Gustavaon, T.C., et al., Geological Society of America. Bulletin, Aug. 1987, 99(2), p.187-200, 83 refs. Boothroyd, J.C. Glacial deposits, Meltwater, Sediments, Models, United States—Alaska—Malaspina

Glacier.

42-1430

Dams built of coarse materials with ice cores. [Dambe iz krupnoskeletnogo materials a ledianym iadrom, Aleksandrov, IU.A., et al, Energeticheskoe stroitel'st-vo, Sep. 1987, No.9, p.11-13, in Russian. 3 refs. Petkhel', IU.V.

Earth dams, Rock fills, Earth fills, Construction materials, Wastes, Embankments, Artificial ice, Per-mafrost beneath structures.

42-1431

Shore-junctions of earth dams built in the northern construction-climatic zone. Beregovye sopriazheniia gruntovykh plotin sooruzhaemykh v severnol stroitel no-klimaticheskoi zonej, Belan, V.I., Energeticheskoe stroitel'stvo, Sep. 1987,

No.9, p.13-15, In Russian.

Earth dams, Shores, Joints (junctions), Permafrost beneath structures, Permafrost bases, Design.

42-1432 42-1432
Estimating construction strategies for power line objects in petroleum fields of western Siberia. rOtsenka strategii stroidel'stva elektrosetevykh ob'ektov dlia neftianykh mestorozhedeni Zapadnol Sibiri, Sushkov V.V., et al. Energeticheskoe stroitel'stvo, Sep. 1987, No.9, p.27-29, in Russian. 2 refs.
Parkhomenko, I.G.

Crude oil, Natural gas, Industrial buildings, Petroleum transportation, Pipelines, Electric power, Permafrost beneath structures, Economic analysis. 42-1433

Frost resistance of high-strength steam-cured concretes. (Morozostofkost' vysokoprochnykh propa-rennykh betonovy, Samarin, IU.A., et al, Energeticheskoe stroitel'stvo, Sep. 1987, No.9, p.68-71, In Russian. 6 refs.

Orlov, M.T., Stopich, S.I.
Winter concreting, Cements, Prefabrication, Concrete admixtures, Frost resistance, Concrete curing.

42-1434

Quality requirements for machines used in transport constructions of the North. [Trebovaniia k nekotorym pokazateliam kachestva mashin dlia transport-

rym pokazateliam kachestva mashin dia transport-nykh strock Severs, Popov, D.I., Russia. Ministerstvo vysshego i sred-nego spetsisi'nogo obrzavaniia. Izvestiia vysshikh uchebnykh zavedenh. Stroitel'stvo i arkhitektura, 1987, No.7, p.102-105, in Russian. Transportation, Equipment, Military transportation, Permafrost, Snow depth, Design.

42-1435

Deformation of weak ground foundations reinforced with sand cushions. (Deformatsiia slabogo osnovaniia usilennogo peschanol podushkolj,

Bugrova, E.A., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1987, No.7, p.113-116, ln Russian. 6 refs. Loess, Clays, Settlement (structural), Foundations, Rock fills, Sands.

42-1436 Method of calculating temperature regime of soil under a layer of thermal insulation. (Metodika rascheta temperaturnogo rezhima grunta pod sloem te-

ploizoliatsii, Sander, A.A., et al, Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovanija. Izvestija vys-shikh uchebnykh zavedenii. Stroitel stvo i arkhitek-Druzhinin, S.A., Rusakov, N.L.

Soll freezing, Thermal insulation, Frost protection,

Soil temperature, Thermal regime.

42-1437
Determination of the true strength of clay soils. Opredelenie istinnol prochnosti glinistogo grunta, Zhikhovich, V.V., Russia. Ministerstvo vysahego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenh. Stroitel stvo i arkhitektura, 1987, No.7, p. 125-130, In Russian. 6 refs. Clay soils, Soil tests, Strength, Soil creep, Rheology.

42-14-38
Hydraulic testing of pipelines at subzero tempera-tures. Goldravlicheskie ispytaniia truboprovodov pri otritsatel'nykh temperaturakh, *Stroitel'stvo trubo-*provodov, Oct. 1987, No.10, p.62-63, In Russian. Underground pipelines, Tests, Pipeline freezing, Pipeline heating.

42-1439

Ice-hoarfrost deposits in Transbaikal. [Gololednoice-nouriest esposits in Francisian. Condiciono-izmorozevye otlozheniia v Zabakal'e, Snitsarenko, N.I., Dal'nevostochnyi nauchno-isledovatel'ski gidrometeroriogicheski institut. Trudy, 1978, Vol.74, p.101-108, in Russian. 8 refs. Power line icing, Ice accretion, Hoarfrost, Ice loads, Wind factors.

42-1440

Meteorological conditions during heavy snowfall in the Maritime Territory. (Meteorologicheskie us-loviia pri sil'nykh snegopadakh v Primorskom krae<sub>j</sub>. Khramtsova, V.K., Dal'nevostochnyi nauchno-is-Artiantsova, V.A., Dai nevostocanyi naucino-is-siedovateľskil gidrometeorologicheskil institut. Trudy, 1978, Vol.74, p. 109-116, In Russian. 10 refs. Snow cover distribution, Soil temperature, Snow depth, Snow water squivalent, Snow loads, Wind fac-

42-1441

Space-time regularities governing the distribution of specially dangerous snowstorms in the Maritime Territory. [Prostranstvenno-vremennye zakonomernosti raspredelenija osobo opasnykh metelel na ter-Primorskogo kraia, Tonkikh, T.A., et al, Dal'nevostochnyi nauchno-is-sledovatel'skii gidrometeorologicheskii institut

sledovateľskii gidrometeorologicheskii institut. Trudy, 1978, Vol.74, p.117-123, in Russian. 5 refs.

Proskuriakova, L.A. Snowstorms, Wind velocity, Snow loads, Visibility, Meteorological charts, Meteorological data.

Present state and problems of snow damages. [Sekirreseast state and problems of snow damages. (Sexisetsu saigai no genjo to mondaiten, Aoyama, K., Operations research (Opereshonzu risachi), Feb. 1987, 32(2), p.61-65, In Japanese. 7 refs. Damage, Snow removal, Water pipelines, Water table, Water level, Japan—Arai.

Proposal for "northern city pleaning". ["Kita no machi zukuri" e no teian],

machi zukuri" e no teian; Matsuda, T., Operations research (Opereshonzu rise-chi), Feb. 1987, 32(2), p.66-72, In Japanese. Urban plenating, Indoor climates, Winter, Heat sources, Recidential belidings, Snow removal, Roads, Recreation, Japan—Hokkaido.

42-1444

Overall snew countermeasures in Sapporo. [Sap-poro-shi no sogo uuki taisaku ni tauite, Hirohata, T., Operations research (Opereshonzu riss-chi), Feb. 1987, 32(2), p. 73-82, In Japanese. Urban planning, Economic development, Transporta-tion, Saow removal, Artificial melting, Tires, Japan—

42-1445

mage and operations recearch. (Setsugai

mondai to opereshonzu risachi; Nakatao, T., Operations research (Opereshonzu risachi), Feb. 1987, 32(2), p.88-98, In Japanese. 7 refs. Damage, Saow removal, Economic analysis.

42-1446

42-1446
Snow and ice disasters in urban areas (changes in urban areas and natural disasters No.21). [Toshi no seppyo saigai (shirizu: toshi no henyo to shizen saigai XXI), Wakahama, G., Japanese scientific monthly (Gakujutsu geppo), July 1986, 39(7), p.529-534, In Japanese.

History, Records (extremes), Damage, Weather fore-

42-1447

Basic orientation for snow countermeasures in Japan. Yaga kuni no yuki taisaku no kihonteki hoko ni

Ishikawa, M., Ministry of Construction monthly (Kensetsu geppo), Dec. 1986, 39(12), p.68-71, In Japanese. Transportation, Urben planning, Economic development, Snow removal, Snow disposal, Residential buildings, Design.

Outline of snow countermeasures in Toyams Prefec-ture: creation of snow resistant and lively Toyams. [Toyama-ken ni okeru yuki taisaku no gaiyo: yuki ni

(Toyama-ken ni okeru yuki taisaku no gaiyo: yuki ni tsuyoi ikiiki Toyama no sozoj, Nobata, M., Ministry of Construction monthly (Kensetsu geppo), Dec. 1986, 39(12), p.72-76, in Japanese, Regional planning, Snow removal, Transportation, Artificial molting, Water supply, Residential buildings, Law and legislation, Japan—Toyama Prefec-

42-1449
Diatoms of the McMurdo Ice Shelf, Antarctics: implications for sediment and biotic reworking. Kellogg, D.E., et al, Palacogeography, palacocimstology, palacoccology, July 1987, 60(1-2), p.77-96, Refa. p.95-96.
Kellogg, T.B.
Algas, Palacobotany, Ice shelves, Antarctic—McMurdo Ice Shelf.

Algae, Paleobotany McMurdo Ice Shelf.

McMardo Ice Shelf.

In the course of investigations of the origin of the McMurdo Ice Shelf (MIS), diatoms in 59 sediment samples collected from its upper surface were analyzed. Fragments of centric marine species, most of which accur in the Rose Sea today, were found in all samples, but identifiable marine taxa dominated the total diatom flors in only two samples. In contrast, non-marine diatoms flors are abundant and diverse in most MIS samples for combined marine and non-marine diatom flors of the MIS suggest a new mechanism to explain mixed diatom flors and sediments, observed in natarctic cores. These composite flors and sediments, observed in satarctic cores. These composite flors and sediments do when the service of the marine environment during austral summers by melt water streaming off the front of the MIS or through crevasses. Additionally, cicetergs calved from the MIS release their load of mixed biots and sediment when they melt. These observations may pertain to other present and former antarctic ice shelves that the characterized by surface ablation and basal freezing. (Auth. mod.)

Exploration geochemistry. Analytical methods: (Geokhimicheskie metody poiskov. Metody anali-28], Tauson, L.V., ed, Irkutsk, 1979, 127p., In Russian. For selected paper see 42-1451. 5 refs.
Exploration, Geochemistry, Minerals, Exploration, Geo Chemical analysis. Mining.

42-1451

Weakening and enhancement of secondary dispersion halos under taiga conditions. ¡Cslablenie i usilenie vtorichnykh oreolov rasselaniia v usloviiakh taĭgi; vtorichnykh oreolov rasseiamia v usloviiakh talgi, Zagoskin, V.A., Geokhimicheskie metody polskov. Metody analiza (Exploration geochemistry. Analyti-cal methods), Irkutsk, 1979, p.20-24, In Russian with English summary. 5 refs. Forest soils, Cryogenic soils, Talga, Geochemistry, Soil composition, Minerals, Leaching, Soil water mi-

Rock pressure in the main and in preliminary excava-tions. ¡Gornoe davlenie v kapital'nykh i podg-otovitel'nykh vyrabotkakh, Gritako, G.I., ed, Novosibirks, Akademiia nauk SSSR.

Sibirskoe otdelenie. Institut gornogo dela, 1981, 134p., In Russian. For selected paper see 42-1453. 9 refs. Mining, Mensuring instruments, Models, Thermal conductivity, Frozen rocks, Heat transfer, Frozen ground, Excevation.

42-1453

Stress-strain pickup units for modeling thermal and mechanical processes in frozen ground. 70 datch-ikakh napriazhenii pri fizicheskom modelirovanii te-plovykh i mekhanicheskikh protessov v merzlykh

Samokhin, A.V., Novosibirsk, Akademiis nauk SSSR

Shirsko otdelenie. Institut gornogo dela, 1981, p.119-122, In Russian. 9 refs. Mining, Frozen rocks, Frozen ground, Excavation, Models, Messuring Instruments, Thermal conductivitv. Heat transfer.

42-1454
Calculation of placer deformations in northern mines, after caving-step stabilization. (Raschet deformatsif porod rossypnykh shakht Severa pri ustanovivshemsia shage obrusheniia;
Sleptsov, A.E., Fiziko-tekhnicheskie problemy razetektit.

report, A.E., Fillso-tenilicinesize problemy raz-rabotki poleznykh iskopaemykh, July-Aug. 1986, No.4, p.32-37, In Russian. 4 refs. Placer mining, Mine shafts, Rock mechanics, Frozen rocks, Deformation, Mathematical models.

Determining the rheological characteristics of perennially frozen rocks by processing field test data Opredelenie reologicheskikh kharakteristik mnogoletnemerziykh gornykh porod obrabotkol dannykh

naturnykh ispytanii, Sleptsov, A.E., et al, Fiziko-tekhnicheskie problemy razrabotki poleznykh iskopaemykh, Sep.-Oct. 1986, No.5, p.105-107, In Russian. 6 refs.

Izakson, V.IU.
Permafroet physics, Rheology, Mechanical proper-ties, Tests, Creep, Analysis (mathematics).

Penetration of conical strikers into frozen ground.

rVnedrenie konicheskikh udarnikov v merzlyi

Koshelev, E.A., et al, Fiziko-tekhnicheskie problemy regraphiti poleznyk histopaemykh, Nov. Dec. 1986, No.6, p.56-61, In Russian. 3 refs. Chernikov, A.G. Hardness tests, Frozen ground, Penetrometers.

Preparation of high quality calcium magnesium ace-tate using a Pilot Plant process. Gancy, A.B., U.S. Federal Highway Administration. (Report), Jan. 1986, FHWA/RD-86/006, 17p. +

Chemical ice prevention, Manufacturing, Chemistry, Particle size distribution, Cost analysis.

Behavior of draining pavements in winter: laboratory simulation of glaze. Comportement hivernal des enrobes drainants: Essais de simulation de verglas en Decome, Y., CR29/87, Brussels, Centre de recherches routières, 1987, 78p., In French with Flemish, German and English summaries. 19 refs.

Pavements, Glaze, Bituminous concretes, Road icing, Skid resistance, Porosity, Chemical ice prevention, Snow accumulation, Water, Rain.

42-1459

Modeling the Alaskan continental shelf waters. Liu, S.K., et al, U.S. National Oceanic and Atmospheric Administration, R-3567-NOAA/RC, Santa Monica, CA, Rand Corporation, Oct. 1987, 136p., Refs. p.127-136.
Leendertse, J.J.

Ice conditions. Oil spills, Hydrodynamics, Ice mechanics, Sen ice distribution, Tides, Mathematical models, Wind factors, Bering Sen, Chukchi Sen, Benufort Sen, United States—Alaska—Gulf of Alas-

Model test of a semisubmersible platform in EGADS model ice. Szeto, K., et al, National Research Council, Canada.

Desky, B., Et al, IValuonii Research Council, Canadi Institute for Marine Dynamics. Report, Mar. 1987, LM-AVR-18, 33p. + appends., 11 refs. Rowe, J., Jones, S.J.

ads, Floating structures, Ice solid interface, Ice models, Tests, Ice pressure, Ice conditions.

93-1901 Transmission of light through ice and snow of Adiron-dack lakes, New York. Stewart, K.M., et al, Internationale Vereinigung für Limnologie. Verhandlungen, July 1984, No.22, p.72-

76, 21 refs. Brockett, B.E.

Light transmission, Ice optics, Snow optics, Lake ice, Ice cover thickness, Water temperature, Snow depth,

Glaciological investigations in Norway, 1984. Glasi-ologiske undersökelser i Norge 1984; Kjeldsen, O., ed, Norway. Vassdrags, og energiverk. Vassdragsdirektoratet. V-publikasjon, June 1, 1987, No.7, 70p., In Norwegian with extended English sum-mary. 8 refs.

Glacier surveys, Glacier mass balance, Glacier tongues, Radio echo soundings, Glacier melting, Drainage, Meltwater, Sediment transport, Snow hydrology.

42-1463

Infrared and Raman spectra of hexagonal ice in the lattice-mode region.

Marchi, M., et al, Chemical Society, London. Journal. Faraday transactions II: Molecular and chemical physics, Oct. 1987, 83(10), p.1867-1874, 20 refs. Tse, J.S., Klein, M.L.

1se, J.S., Kiein, M.L. Ice crystal structure, Infrared spectroscopy, Lattice models, Dynamic properties, Spectra, Polarization (waves), Molecular structure.

Effect of specimen-volume on the tensile strength of Narita, H., Seppyo, Sep. 1987, 49(3), p.115-121, In Japanese with English summary. 15 refs. Snow strength, Tensile properties, Volume, Snow density, Snow samplers, Measuring instruments.

Characteristic evaluation of steel roof sheet for snow

Characteristic evaluation of steel roof sheet for snow sliding.
Ueno, M., et al, Seppyo, Sep. 1987, 49(3), p.131-137, In Japanese with English summary. 7 refs. Takashima, K., Takamura, H., Fukumoto, H. Snow slidea, Roofs, Steels, Shear strength, Tempera-ture effects, Snow friction, Experimentation, Snow

42-1466 Mechanism of avalanche release at Nisshô Pass, Hok-

kaldo, Japan. Shimizu, H., et al, *Seppyo*, Sep. 1987, 49(3), p.139-145, In Japanese. 4 refs.

Avalanche formation, Avalanche deposits, Snow ac-cumulation, Time factor, Mountains, Measuring in-

Automobile accidents occurred in the Northeast in winter of 1986/87. Nakamura, H., Seppyo, Sep. 1987, 49(3), p.147-149,

Accidents, Road icing, Trafficability, Skid resistance, Winter.

42-1468
Transfer functions between distom assemblages and

Pichon, J.J., et al, Palaeogeography, palaeoclimatology, palaeocology, Oct. 1987, 61(1-2), p.79-95, Refs. p.93-95.

p.93-95. Labracherie, M., Labeyrie, L.D., Duprat, J. Algae, Paleoecology, Sea ice distribution, Climatic changes, South Atlantic Ocean, Indian Ocean.

Interpretation of the distribution of 31 marine diatom spec and two silicoflagellate genera in 28 core tops from the Atlan and West Indian sectors of the southern ocean by Q-mode factor analysis allows definition of 3 significantly different floral assemblages, one associated with subantarctic and two with assemblages, one associated with subantarctic and two with antarctic waters. These 3 areas are clearly delineated by prominent oceanographic limits: the Antarctic Convergence and the maximum retreat of sea-ice during the summer season. A set of paleoecological transfer functions is derived by com-parison between the distribution of these associations and sur-face water hydrological parameters. Numerical tests of paleo-ecological equations demonstrate their usefulness to recon-struct the evolution of the surface oceanography of the austral ocean at different periods of the last climatic cycle. (Auth. mod.)

42-1469

Excavation of wear-resistant grounds. [Razrabotka

prochnykh gruntov, Chechenkov, M.S., Leningrad, Strolizdat, 1987, 232p., In Russian with abridged English table of contents enclosed. 78 refs.

Artificial thawing, Frozen ground mechanics, Perma-frost physics, Hardness, Excavation, Equipment, Earthwork, Thermal drills, Blasting, Defrosting, Frost protection, Permafrost thermal properties.

42-1470 Use of NATM in combination with compressed air and ground freezing during Vienna subway construc-

Deix, F., et al, Rapid Excavation and Tunneling Conference, New Orleans, LA, June 14-17, 1987. Proceedings, Vol. 1. Edited by J.M. Jacobs and R.S. Hendricks, Littleton, CO, Society of Mining Engineers, 1987, p.488-506. Braun, B.

Artificial freezing, Tunneling (excavation), Soil freezing. Air flow, Compressors, Settlement (structural), Tests, Geology, Hydrology, Frost heave.

42-1471

Shaft sinking in difficult ground conditions for the LEP project, Geneva, Switzerland

Lughton, C., et al, Rapid Excavation and Tunneling Conference, New Orleans, LA, June 14-17, 1987. Proceedings, Vol.2. Edited by J.M. Jacobs and R.S. Hendricks, Littleton, CO, Society of Mining Engineers, 1987, p.924-937, 2 refs.

Shaft sinking, Artificial freezing, Soil freezing, Tunneling (excavation), Hydrology, Glacial deposits, Geology, Moraines, Walls, Switzerland—Geneva.

42-1472 Study of grain links in ice Ih by mechanical spec-

trometry. Etude des joints de grains dans la glace Ih par spectrométrie mécanique, Tatibouet, J., et al, Helvetica physica acta, 1987, 60(7), p.913-923, ln French. 23 refs. Perez, J., Gobin, P.F.

Ice crystals, Spectroscopy, Ice plasticity, Temperature effects, Grain size, Analysis (mathematics), Doped ice, Tests.

42-1473

Cone penetration testing in snow. Schaap, L.H.J., et al, Canadian geotechnical journal, Aug. 1987, 24(3), p.335-341, With French summary. 11 refs.

Föhn, P.M.B.

Snow strength, Snow density, Snow cover stability, Penetration tests, Shear strength, Measuring instruments. Profiles.

42-1474

Independence of geostatic stress from overconsolidation in some Beaufort Sea clays.

Jefferies, M.G., et al, Canadian geotechnical journal, Aug. 1987, 24(3), p.342-356, With French summary.

Crooks, J.H.A., Becker, D.E., Hill, P.R

Ocean bottom, Marine geology, Soil compaction, Clays, Stresses, Pressure, Measuring instruments, Beaufort Sea.

42-1475

Adfreezing strength of ice to model piles.

Parameswaran, V.R., Canadian geotechnical journal,
Aug. 1987, 24(3), p.446-452, With French summary.

Ice adhesion, Ice accretion, Piles, Ice strength, Models, Wood, Metals.

Single Doppler radar evidence of horizontal roll con-

Single Doppler reaar evidence of notyconia foil convection in a lake-effect now storm.

Kelly, R.D., Conference on Numerical Weather Prediction, 5th, Monterey, CA, Nov. 2-6, 1981. Preprint volume, Boston, American Meteorological Society, 1981, p.533-535, Reprinted in Univ. of Chicago Cloud Physics Leab. Tech prote No. 58.

Physics Lab. Tech. note No.58. 4 refs.

Snowstorms, Lake effects, Radar echoes, Remote sensing, Convection, Wind velocity, Air temperature, Boundary layer, Mapping.

42-1477

Composition and abundance of zooplankton under the spring sea-ice of McMurdo Sound, Antarctica. Foster, B.A., Polar biology, 1987, 8(1), p.41-48, 25

Plankton, Bottom ice, Ice cover effect, Antarctica McMurdo Sound.

Zeoplankton was sampled through holes in the sea-ice of McMurdo Sound from Nov. 8 to Dec. 10, 1985. Replicated vertical hauls were made to 100 and 300 m off Pram Point in the inner Sound, near the edge of the permanent McMurdo lec. Shelf. The zooplankton was sparse, averaging 2.5 mg/cu m wet weight. The numbers of individual species varied between wet weight. The numbers of individual species varied between catches, depths, and occasions. Generally, small coppends numerically dominated the catches, and higher densities of these were present in the shallower 100 m layer. Deeper hauls contained higher numbers of larger crustaceans. Percopoda Limacina helicina and Clione limacina were also consistently caught, but in equal densities in 100 m and 300 m hauls. Numerous other plankters were caught in low numbers. Com-parative samples, from 40 km further north and to 100 m deep, contained a similar species diversity to those near the McMurdo lee Shelf, but always with higher densities of L. helicina.

42-1478

Spectral geometric albedos of the Galilean satellites from 0.24 to 0.34 micrometers; observations with the International Ultraviolet Explorer.

Nelson, R.M., et al, Icarus, Nov. 1987, 72(2), p.358-380, 65 refs.

Extraterrestrial ice. Ice optics, Albedo, Spectros-CODY.

42-1479

Valles Marineria, Mars: wet debris flows and ground

Lucchitta, B.K., Icarus, Nov. 1987, 72(2), p.411-429, 40 refs.

Extraterrestrial ice, Mars (planet), Landslides.

Performance of two ice-retardant overlays Tanski, J.H., Public works, July 1987, 118(7), p.40-43,

For another version see 41-248. Pavements, Ice control, Chemical ice prevention, Road icing, Surface properties, Snow removal, Tests, Ice removal. Salting.

42-1481

Look at a well-run winter maintenance program. Nielsen, A.D., Public works, July 1987, 118(7), p.48-

Winter maintenance, Road maintenance, Snow removal, Salting.

42-1482 Forewarned is forearmed: winter weather data from the field. Public works, July 1987, 118(7), p.52-53. Winter maintenance, Monitors, Forecasting.

As Maine snow goes, so goes the nation?. Fontaine, L., Public works, July 1987, 118(7), p.59. Snow disposal, Water pollution

42-1484 Seeking solutions to salt. Public works, July 1987,

118(7), p.60-61. Salting, Damage.

42-1485

Key to successful winter maintenance Stellfox, E.C., Public works, July 1987, 118(7), p.62-

63. 90-92 Winter maintenance, Snow removal, Salting

42-1486

Alaska lays its wildlife on the line. Pain, S., New scientist, Apr. 30, 1987, 114(1558), p.51-55.
Pipelines, Environmental impact.

42-1487

Large-scale ice-strength tests, 1980/81 sea-ice temperature, salinity, and crystallography.
Lee, J., et al, Exxon Production Research Company

Production research report, Apr. 1983, EPR.5PR.83,

249. + appends., 7 refs. Ice cover strength, Sea Ice, Ice crystal structure, Ice temperature, Ice salinity, Temperature effects, Com-pressive properties, Tests, Ice cover thickness, Photography.

Arctic Ocean Buoy Program: Data report, 1 January

1984-31 December 1985. Colony, R., et al, Seattle, WA, Polar Science Center, Applied Physics laboratory, Oct. 1986, 227p. Muñoz, E.A.

Data processing, Air temperature, Atmospheric pressure, Sea ice, Meteorological data, Arctic Ocean.

42-1489

National Arctic Information Network, Vols. 1 and 2. Hickok, D.M., et al, Anchorage, Arctic Environmental Information and Data Center, July 1987, 144p. + appends., Refs. p.141-144. Sokolov, B.J., Dursi, R.

Data processing, Bibliographies.

Technology assessment and research program for off-shore minerals operations; 1986 report.

Gregory, J.B., c.mp, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-6082, [1987], 204p., Refs. passim. For selected papers see 42-1491 through 42-1497. Smith, C.E., comp.

Offshore structures, Offshore drilling, Ice loads, Ice solid interface, Engineering, Research projects, Design, Ice pressure, Hydrocarbons, Ice mechanics,

Ice-structure interaction.

Sunder, S.S., et al, Technology assessment and re-search program for offshore minerals operations; 1986 Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-0033, (1987), p.47-51, 5 refs. Connor, J.J.

Ice pressure, Offshore structures, Ice solid interface, Ice loads, Offshore drilling, Hydrocarbons, Engineering, Strains, Stresses.

Probability based design criteria for ice loads.

Jordan, I., et al., Technology assessment and research program for offshore minerals operations; 1986 report. Compiled and edited by I.B. German, 1986 report. Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-0083, [1987], p.52-56, 2 refs. Nessim, M.

Ice loads, Offshore structures, Ice solid interface, Ice floes, Design criteria, Seasonal variations, Beaufort

42-1493

Mechanical properties of saline ice.

Schulson, E.M., Technology assessment and research program for offshore minerals operations; 1986 report. Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-0083, [1287], p.83-86, 8 refs. Ice mechanics, Ice salinity, Offs. ore structures, Wind factors, Ocean currents, Impact s'rength, Velocity, Air temperature, Compressive properties, Ice strength, Tensile properties.

Kadluk ice stress messurement program.

Cox, G.F.N., MP 2298, Technology assessment and research program for offshore minerals operations; 1986 report. Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-0083, [1987],

p.100-107, 9 refs. Ice loads, Ice pressure, Offshore structures, Caissons, Stresses, Ice conditions, Ice temperature, Wind fac-

42-1495

Mechanical properties of multi-year pressure ridge

Richter-Menge, J.A., MP 2299, Technology assess-ment and research program for offshore minerals operment and research program for offshore minerals operations; 1986 report. Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-008; 1987], p. 108-119, 19 refs. Ice mechanics, Pressure ridges, Offshore structure, Ice loads, Ice strength, Impact strength, Ice salinity, Ice density, Strain tests, Ice structure, Temperature

Punching shear resistance of lightweight concrete offshore structures for the Arctic.

shore structures for the Arctic.
Lew, H.S., Technology assessment and research program for offshore minerals operations; 1986 report.
Compiled and edited by J.B. Gregory and C.E. Smith,
U.S. Dept. of Interior, Minerals Management Service,
OCS study MMS 86-0083, (1987), p.128-130.
Offshore structures, Concrete structures, Shear
strength, Ice loads, Ice conditions, Lightweight con-

cretes, Impact strength.

Evaluation of short, large diameter piles for Arctic structures.

Cheang, L.C., Technology assessment and research Cheang, L.C., technology assessment and research program for offshore minerals operations; 1986 report. Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS attidy MMS 86-0083, [1987], p.141-150, 11

Offshore structures, Ice loads, Pile structures, Design, Ice pressure, Ice mechanics, Velocity.

42-1498

Influence of temperature of the frozen rocks surrounding an excavation on their state of stress. ¡Vilianie temperatury vmeshchaiushchego vyrabotku massiva merzlykh dispersnykh gornykh porod na na-

priazhennoe sostoianie,
Kovlekov, 1.1., Fiziko-tekhnicheskie problemy razrabotki poleznykh iskopaemykh, May-June 1987,
No.3, p.20-24, In Russian. 7 refs.
Permafrost physics, Frozen fines, Frozen rock temperature, Mining, Mechanical properties.

42-1499

Penetration of an axially symmetrical conic projectile into frozen ground. [K zadache o pronikanii osesimmetrichnogo konicheskogo udarnika v merzlyĭ

grunty, Koshelev, E.A., Fiziko-tekhnicheskie problemy Kosneley, E.A., Fiziko-teaninchesite protectify faz-rabotki poleznykh iskopaemykh, May-June 1987, No.3, p. 52-57, In Russian. 9 refs. Frozen fines, Projectile penetration, Impact strength, Physical properties, Tests.

Experience in topographic mapping of glaciers. (Ob opyte topograficheskogo kartografirovaniia led nikovj,

Kuz'michenok, V.A., et al, Geodeziia i kartografiia, Jan. 1987, No.1, p.30-34, In Russian. 6 refs. Tsurkov, V.E.

Glaciers. Snow surveys. Ice cover thickness. Topo graphic surveys, Topographic maps, Spaceborne pho-tography, Photointerpretation, Bottom topography, Snow cover distribution, Subglacial observations, Glacier ice.

42-1501

Determining bottom elevations for topographic surveys of shallow inlets from ice. (Opredelenie vysot dna pri topograficheskol s"emke melkovodnykh zali-

vov so l'daj, Kabatskil, G.I., Geodeziia i kartografiia, May 1987,

No.5, p.52-54, In Russian. 5 refs. Sea ice, Shores, Fast ice, Topographic surveys, Bottom topography

42-1502

Volcanic activities recorded in the antarctic ice sheet. Nishio, F., Polar news, Aug. 1986, No.43, p.2-9, In Japanese.

Ice cores, Volcanic ash, Paleoclimatology.

Deep ice corres from the polar regions of Antarctics and Green-land contain extensive records of paleoclimate and paleoatmos-pheric composition in the form of soluble and insoluble impuri-ties, stable isotope variations and gases trapped in air bubbles in the ice. Especially, many tephra layers were observed in the ice cores recovered from Byrd Station and examined whether th, volcanism recorded in the Byrd core affected the paleoclith. volcanism recorded in the Byrd core affected the paleoclimate and atmospheric chemistry during the last glacial period in the Northern Hemisphere during the past 10,000 years, large volcanic eruptions were revealed by acidity profiles along well dated Greenland ice cores, and comparison with a temperature index shows that clustered eruptions have a considerable cooling effect on climate. Recently many dirt layers of tephra were found on the bare ice surface in the Meteorite Lee Field near the Yamato Mountains, Dronning Maud Land, and near the Allan Hills, Victoria Land, Antarctica. The Yamato sah has been derived from a volcano of the South Sandwich Islands, which are about 3000 km away from the Yamato Mountains. The Allan ash may have been supplied from some young volcano of the McMurdo Volcanic Group. These studies of tephra layer in the bare ice area provide useful information on paleoclimate and mechanism of meteorite concentration.

42-1503

Activities of the 26th JARE wintering party. Fukunishi, H., Polar news, Aug. 1986, No.43, p.17-22, In Japanese.

Research projects, Ice sheets.

The activities of the 26th JARE wintering party at Showa and Mizuho stations in 1985 are briefly aummarized. The main accientific activities are. J) Map (Middle Atmosphere Program), 29 glaciological study of the dome area of the East Queen Maud Land, and 3) environmental monitoring of the area along the coast of the Lutzow-Holm Bay. Ground-based, balloon and rocket observations were carried out at Showa Station for MAP. The traverse party for the glaciological study reached the top of the East Queen Maud Land dome (77 22'S, 39 36'E, 380' m above sea level). Improved wintering life at Showa Station is also introduced. The topics in wintering life are a successful operation of color TV telephone between Showa Station and Japan, a daily newspaper published using a Japanese word processor, and a comfortable Japanese-style bathroom constructed in a new power station.

From the Antarctic Inland Dome to Asuka Camp. Ageta, Y., *Polar news*, Aug. 1986, No.43, p.28-44, In Japanese.

Traverses, Ice sheets, Logistics, Ice cores.

The 26th Japanese Antarctic Research Expedition (JARE) 1984-1986 extended the field work of the East Queen Maud Land Glaciological Project, which was initiated by JARE-23. The major activities of JARE-26 involved oversnow traverses toward the inland plateau and 50r Rondane Mountains, and ice the total the inland plate at and 50r. Rondane Mountains, and ice core drillings of 200 m. 40 m and 100 m in depth at the Advance Camp. (74. 12%, 34. 50°E), the Dome Camp. (77. 00°S, 35. 00°E), and \$25. (69. 02°S, 40. 28°E), respectively. The main traverse of JARE-26 was planned to make observations around a dome-like plateau (Valkyrjedomen), where the second highest dome of the antarctic ice sheet is situated. The highest area of that plateau was named "Dome Puji" by the party, unofficially. At the end of the first summer of the wintering in Feb. 1985, a base house was constructed at the Advance Camp. A traverse toward the dome was carried out during the second summer of the wintering in Nov. and Dec. 1985, and the highest place of this dome was found at 77. 22°S, 39. 37°E with an altitude of 3,807 m by the use of the doppler satellite positioning system. After the was round at 77 22 S, 39 37 B with an attitude of 5,007 in op-the use of the doppler satellite positioning system. After the above traverse, the routes from the Advance Camp to Asuka Camp at the north Sör Rondane Mountains were connected.

42.1505

Glacier mapping in the Alps.
Brunner, K., Mountain research and development,
Nov. 1987, 7(4), p.375-385, With French and German
summaries. 34 refs.

Glacier surveys, Mapping, History.

42-1506

arge-scale snow depletion maps of the Gurgl Valley, Ötztal, Tyrol, Austria, showing habitat variety in an alpine terrain.

Kölbel-Deicke, H., et al, Mountain research and development, Nov. 1987, 7(4), p.387-404, With French and German summaries. 43 refs. Heuberger, H.

Snow surveys, Maps, Snow melting, Austria-Gurgl

42-1507

Multiple numerical solutions of buoyancy induced flows of a vertical ice wall melting in saturated porous

Wang, C.A., Computers & mathematics with applications, 1987, 14(7), p.527-540, 19 refs.
Ice melting, Buoyancy, Water flow, Porosity.

Groundwater storage-streamflow relations during

winter in a subarctic wetland, Saskatchewan. Price, J.S., et al, Canadian journal of earth sciences, Oct. 1987, 24(10), p.2074-1081, With French sum-

mary. 22 refs. FitzGibbon, J.E. Ice (water storage), Drainage, Ground water, Water

storage.

42-1509

Life in the cold: introduction to winter ecology.

Marchand, P.J., Hanover, NH, University Press of New England, 1987, 176p., Refs. p.157-166. Cold exposure, Cold weather survival, Snow cover effect, Plant physiology, Cold tolerance, Ecology, Animals, Vegetation, Climatic factors.

42-1510

Feasibility study: air cushion drilling system for the reastbility study: air cushion drilling system for the shallow water areas off the North Slope of Alaska. Global Marine Development Inc, RPT-04088-001, Newport Beach, CA, Feb. 8, 1979, 7 sections, Pre-pared for Exxon Co., Houston, TX. Ice loads, Offshore drilling, Air cushion vehicles, Floating structures, Logistics, Ice solid interface, Cost analysis, Design.

42-1511

New temperature distribution maps for Greenland. Ohmura, A., Zeitschrift für Gletscherkunde und Glaziaigeologie, 1987, 23(1), p.1-45, With German sum-mary. 43 refs.

Temperature distribution, Air temperature, Ice temperature, Meteorological data, Surface temperature, Statistical analysis, Ice sheets, Maps, Greenland.

42-1512

Statistical analyses of snow depths in the area of Hoher Sonnblick; contribution to the topic of glacier oscillations. [Statistische Analysen der Schnechöhen im Gebiet des Hohen Sonnblicks; ein Beitrag zu Fra-

gen der Gletscherschwankungen, Böhm, R., et al. Zeitschrift für Gletscherkunde und Glazialgeologie, 1987, 23(1), p. 47-63, ln German with English summary. 17 refs.

Snow stakes, Glacier oscillation, Snow depth, Glacier mass balance, Statistical analysis.

42-1513

Origin of pradolinas.

Koutaniemi, L., et al, Zeitschrift für Gletscherkunde und Glazialgeologie, 1987, 23(1), p.65-76, With German summary. 37 refs. man summary. Rachocki, A.H.

Stream flow, Ice edge, Paleoclimatology, Meltwater, Soil erosion, Valleys.

42-1514

Comparison of resistivity and radio-echo soundings on

Comparison of resistivity and radio-echo soundings on rock glacier permafrost.
King, L., et al, Zeitschnift für Gletscherkunde und Glazialgeologie, 1987, 23(1), p.77-97, Refs. p.95-97.
Fisch, W., Haeberli, W., Waechter, H.P.
Permafrost physics, Radio echo soundings, Rock glaciers, Seismic refraction, Sediments, Electrical resistivity, Talus, Glacier ice, Switzerland—Alps.

42-1515

Icequakes on the Schlatenkees, Hohe Tauern, Austria.

Von der Osten-Woldenburg, H., Zeitschrift für Gletscherkunde und Glazialgeologie, 1987, 23(1), p.99-113, With German summary. 16 refs. 113, With German summary. 16 refs. Icequakes, Seismic surveys, Crevasses, Glacier flow, Ice friction, Analysis (mathematics).

Physical properties of summer sea ice in the Fram Strait, June-July 1984.

Physical properties of summer sea ice in the Fram Strait, June-July 1984.

Gow, A.J., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Sep. 1987, CR 87-16, 81p., ADA-186 937, 39 refs.

Tucker, W.B., Wecks, W.F.

Ice physics, Ice crystal structure, Ice floes, Snow depth, Ice salinity, Brines, Frazil ice, Ice water interface, Seasonal variations, Greenland Sea.

The physical properties of sea ice in the Fram Strait region of the Greenland Sea were examined during June and July 1984 in conjunction with the MIZEX field program. Most of the ice sampled within Fram Strait during June and July. Thickness and other pro; critics indicated that none of the multi-year ice was older than 4 to 5 years. Snow cover on the multi-year ice averaged 29 em deep while that on first-year ice averaged only 5 cm. Much of this difference appears to be the result of enhanced sublimation of the snow on the thinner first-year ice. The salinity profiles of first-year ice clearly show the effects of ongoing brine drainage in that profiles from cores delified later in the experiment were substantially less saline than earlier orces. Bulk salinities of multi-year ice are generally much lower than those of first-year ice. This difference furnished a very reliable means of distinguishing between the two ice types. This section examinations of crystal structure indicate that about 73% of the ice consisted of congelation ice with typically columnat type crystal structure. The remaining 23% consisted of granular ice with only a few occurrences of snow ice. The granular ice consisted primarily of frazil, found in samiamounts at the top of floes, but mainly observed in multi-year ridges where it occurred as the major component of ice in interblock voids.

42-1517

42-1517

Evaluation of the magnetic induction conductivity

Evaluation of the magnetic reduction conductivity method for detecting frazil ice deposits.

Arcone, S.A., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Sep. 1987, CR 87-17, 12p., ADA-186 940, 13 refs.

Brockett, B.E., Lawson, D.E., Chacho, E.F.

Ice detection, Frazii ice, Ice growth, Icebound rivers, Magnetic surveys, Subglacial observations, Water flow, Measuring instruments.

flow, Measuring instruments.

The ability to mp frazil ice deposits and water channels beneath an ice-covered river in central Alaska using the magnetic induction conductivity (M) technique has been assessed. The study was performed during the first week of Mar. 1986 on the Tanana River near Fairbanks and employed a commercially available: "extrument operating at a fixed frequency with a fixed antenna (coil) spacing and orientation. Comparisons of the MI data with theoretical models based upon physical data measured along three cross sections of the river demonstrate the sensitivity of the MI technique to frazil ice deposits. The conductivity generally derived for the frazil ice deposits. The conductivity generally derived for the frazil ice deposits. The conductivity is (w (about 6.3 x 1/10,000 s/m) when compared with the measured value for water (about 0.011 S/m), and is similar to the calculated value for water and and any gravel bed sediments. calculated values for gravel and sandy gravel bed sediments. In all three cross sections, maxima in the apparent conductivity profiles correlated with frazil ice deposits. Difficulties, possibly due to adverse effects of cold weather upon instrument calibration, affected the quantitative performance of the instru-ment on one cross section, although the interpretation of the data (locations of open channels vs frazil deposits) was qualitatively upsendented

Automatic finite element meeh generator.
Albert, M.R., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Sep. 1987, CR 87-18, 27p., ADA-186 939, 10 refs. Warren, J.L.

Warren, J.L.
Hest transfer, Fluid dynamics, Computer programs,
Mathematical models, Engineering.
Finite stement computer codes are used in a variety of fields to
solve partial differential equations of importance in science and
engineering. The initial input to all of these programs requires
the formation of a mesh (i.e., estensive lists of geometrical data
listed in particular orders), and the success of the solution depends on a well-formed mesh. This report documents a mathematical mapping technique and its implementation into a computer code that will automatically generate quality finite element meshes This versatile generator uses standard FORTRAN, requires no special equipment (such as a digitizer), is
very sconomical to run, and is user-friendly. The
mathematical technique is discussed, advantages and
limitations of the method are presented, examples are shown,
and notes on user instructions are provided. and notes on user instructions are provided.

42-1519

42-1919
Approximate solutions of heat conduction in a medium with variable properties.
Yen, Y.-C., U.S. Army Cold Regions Research and Engineering Laboratory, Sep. 1987, CR 87-19, 18p., ADA-186 933, 6 refs.

Snow physics, Heat transfer, Conduction, Analysis (mathematics), Heat belance, Thermal conductivity. (mathematics), Heat balance, Thermal conductivity. The approximate heat balance integral method (HBIM) is extended to the case of a medium with variable properties such as snow. The case of linear variation of thermal conductivity is investigated. An alternative heat balance integral method (AHBIM) is developed. Both constant surface temperature and surface heat flux are considered. A comparison is made of the temperature distribution from the HBIM, AHBIM as dan analytical method for the case of constant surface temperature. In general, results agree quite well with the analytical method for small values of dimensionless time step, but the difference becomes more pronounced as tau increases. It is found that the AHBIM with a quadratic temperature profile gives a somewhat better result, especially when the value of the dimensionless distance is small. The results, when compared with those from HBIM, AHBIM and the analytical method are found to agree exceptionally well with the analytical method, especially for large values of tsu.

All-Union conference on speleology and studies of karst, Kiev, Oct. 1987. Problems of study, ecology and preservation of caves. Summaries, Problemy izucheniia, ekologii i okhrany peahcher. Tezisy dok-

ladov<sub>j</sub>, Vsesoluznoe ysesoiuznoe soveshchanie po speleologii i kar-stovedeniiu, Kiev, Oct. 1987, Kiev, 1987, 199p., In Russian. For selected summaries see 42-1521 and 42-1522

Pecherkin, I.A., ed. Ice caves, Thermokarst, Icing.

Studying the origin of thermokerst caves. [Izuchenie

Dublanskii, IU.V., Problemy izuchenia, ekologii i okhrany peshcher.

Tezisy dokladov (Problems of atudy, ecology and preservation of caves. Summar-ies) edited by I.A. Pecherkin, Kiev, 1987, p.25-27, In Russian.

Thermokarst, Ice caves.

42-1522

Caves in permafrost at the Vilyay River. (Peshchery v merzlykh porodakh na r. Viliui), Filippov, A.G., Problemy izucheniia, ekologii i okhrany peshcher. Tezisy dokladov (Problems of study, ecology and preservation of caves. Summaries) edited by i.A. Pecherkin, Kiev, 1987, p.108-109, In Russian.

Permafrost structure, Ice volume, Ice caves, Thermokerat.

Designing the bearing ground beneath gas pipelines for frost heave compensation. (Zashchita gazoprovodov gruntovymi kompensatorami), Borowkov, V.A., et al., Gazovaia promyshlennost', Dec. 1986, No.12, p.33, In Russian. 4 refs. Vrachev, V.V., Kharionovskii, V.V.

Underground pipelines, Permafrost beneath struc-tures, Prost heave, Gas pipelines.

42-1524

Efficient supports for pipelines. [Ekonomichnye

opery truboprovods, Natrov, G.V., et al. Ozzovais promyshlennost', Dec. 1986, No.12, p.34, in Russian. Mezhopskith, M.L., Spiridovich, E.A. Cost sanslysis, Pipeline supports, Swamps, Founda-tions, Plates, Seasonal freeze thaw, Design.

42-1525

Technology of stripping for pipeline construction on swamps. (Tekhnologiia vskrytiia truboprovodov na bolotakh), Borisenkov, I.A., et al. Cazovais promyshlennost',

Dec. 1986, No.12, p.34-35, In Russian.
Swamps, Pipe laying, Foundations, Pits (excavations), Excavation, Permafrost beneath structures.

42-1526

River ice mapping with Landsat and video imagery. Gatto, L.W., et al, MP 2273, William T. Pecora Memorial Symposium on Remote Sensing, 11th, Sioux Falls, SD, May 5-7, 1987. Proceedings, Silver Spring, MD, Institute of Electrical and Electronics Engineers, Computer Society Press, 1987, p.352-363, 10 refs. Daly, S.F., Carey, K.L. DLC G70.4.W44

River ice, Ice conditions, Remote sensing, Mapping, LANDSAT, Aerial surveys, Photography, Ice naviga-

As part of the Corps of Engineers River Ice Management Program, Landsat imagery and low-altitude video imagery were used to map ice conditions along the Ohio, Allegheny, Monongahela, Illinois, and Kankakee Rivers. The imagery was analyzed using photoiniserpretation techniques. Landsat imagery was used to map river ice from 1972 through 1984. The conditions on these rivers can change rapidly, often daily, and the areal extent of ice is typically greatest from mid-Jan. to mid-Feb. In spite of the small-scale and limited coverage of Landsat imagery, it is useful for analysis of general river ice conditions, especially during severe winters when ice becomes extensive. Video imagery is an economical means of documenting river ice conditions, although cloud cover, inclement weather, and low ceilings restrict opportunities for more frequent coverage. It also can provide near-real-time data when extreme ice conditions cause navigation emergencies. As part of the Corns of Engineers River Ice Management Pro-

42-1527

C:N ratios in two contrasting anterctic peat profiles. Christie, P., Soil biology and biochemistry, 1987, 19(6), p.777-778, 14 refs.

Mosses, Peat, Signy Island.

Mosses, Pest, Signy Island.
In a study of 2 contrasting bryophyte-d.minated communities on Signy 1, the changes in concentration of organic C and total N, determined at monthly intervals throughout the summer, are compared. C:N ratios at various depths within the peat profiles were calculated and are discussed in relation to the different amounts of peat accumulation under the two contrasting vagetation types. The two sites on Signy I. were established for long-term study in 1970 and 1071. The relatively dry turf community is dominated by P. alipestre and C. aciphylum while the permanently wet carpet is dominated by the mosses C. sarmentosum, C. sustrostrasimeum and D. uncinatus. The mean organic C and total N results at different depths within the peat profiles are presented in a table, together with the mean organic C and total N results at different depths within the peat profiles are presented in a table, together with the means of the calculated C:N ratios. The differences in C:N ratio observed between these two moss communities are so large that they serve to emphasize the difference in decomposition rate which has contributed to the very large difference in the extent of peat accumulation in the two contrasting community torses. As the most in munity types. (Auth. mod.)

42-1528

Study of Dakshin Gangotri ice-shelf.

Sharma, S.S., India. Department of Ocean Develop-ment. Technical publication, 1986, No.3, p.243-248,

Ice shelves, Snow accumulation, Ice cover thickness, Topographic features, Antarctica—Dakshin Gangotri Station.

Station.

The ics shelf on which the Indian station Dakahin Gangotri is located forms part of an unnamed ice-shelf. Snow studies persianing to this ice-shelf, carried out during 1983-28 and the studies carried out in the past are described in this paper. During the period of study, the central part of this ice-shelf, where Dakahin Gangotri is located, experienced severe blizzards and a substant-all amount of snow accumulation. The net snow accumulation in this region is 70 to 80 cm/year. This part of the ice-shelf is fairly stable and has a negligible flow rate. Measurements on ice thickness, carried out in the past, indicate the average thickness in the region of the station is about 390 m. (Auth.)

42-1529

Rates of chemical weathering of rocks and minerals. Colman, S.M., ed, Orlando, FL, Academic Press, Inc., 1986, 6039p., Refs. passim. For selected papers see 42-1530 through 42-1532.

Dethier, D.P., ed. Minerals, Weathering, Chemistry, Frozen ground physics, Rocks, Glacial deposits, Deserts, Polar re-gions, Meteorological factors.

Etching of hornblende grains in the matrix of alpine tills and periglacial deposits.

Hall, R.D., et al, Rates of chemical weathering of rocks and minerals. Edited by S.M. Colman and D.P. Dethier, Orlando, FL, Academic Press, Inc., 1986, p.101-128, 18 refs. Martin, R.E.

Weathering, Minerals, Periglacial processes, Mountains, Corrosion, Chemistry,

42-1531

Rates of hornblende etching in soils on glacial depos-its, Baffin Island, Canada.

Locke, W.W., Rates of chemical weathering of rocks and minerals. Edited by S.M. Colman and D.P. Dethier, Orlando, FL, Academic Press, Inc., 1986,

p-129-145, 40 refs.
Glacial deposits, Erosion, Minerals, Weathering, Soil erosion, Paleoclimatology, Soil dating.

42-1532

Processes and rates of weathering in cold and polar desert environments.

Ugolini, F.C., Rates of chemical weathering of rocks orgonni, F.C., states of chemical weathering of rocks and minerals. Edited by S.M. Colman and D.P. Dethier, Orlando, FL, Academic Press, Inc., 1986, p.193-235, Refs. p.277-235.

Permafrost weathering, Deserts, Chemistry, Freeze thaw cycles, Climatic factors, Polar regions, Winderosion, Carbon dioxide, Frost shattering, Ions.

Adverse climatic conditions prevailing in the polar and cold deserts are unfavorable for intense weathering, especially chemical weathering. Paucity of water in the liquid phase hampers processes for which water is essential. Low temperatures also affect the rates of chemical reactions. In the polar desert and in the ice-free areas of Antarctica cavernous weathering once attributed to wind abrasion and frost shattering is now accorded as also day a least in part to sail weathering. ering once attributed to wind abrasion and frost shattering is now accepted as also due, at least in part, to sail weathering. Since in polar and cold desert regions biological activity is low, chemical weathering is considerably attenuated. In these regions weathering occurs in neutral conditions and in a high-ionic-strength liquid phase. In Antactica a few quantitative studies have documented some time-dependent properties of soils. This is the case for weathering sequences examined in the ice-free areas of southern Victoria Land. In these studies it has been demonstrated that clay and free iron hydroxides increase with age. It has also been demonstrated that authigenic mice developed from feldspar could form in about 4 m.y. (Auth. mod.) (Auth. mod.)

42-1533

Shipper requirements in the Arctic. Luce, M., Precise Navigation Workshop, Nov. 13, 1986. Proceedings. Edited by M. Walker, Trans-port Canada, 1986, p. 13-18. TP 8407E. Ice navigation, Ports, Ice conditions, Icebreakers.

Topographic control over recent glacier changes in

southern Lyngen Peninsula, North Norway.
Gellatly, A.F., et al, Norsk geografisk tidsskrift,
Dec. 1986, 49(4), p.211-218, 17 refs.
Whalley, W.B., Gordon, J.E.

Glacier ocillation, Avalanche formation, Ice mechanics, Glacier alimentation, Ice edge, Topographic features, Valleys, Norway—Lyngen.

Phase-change front prediction by measuring the wall temperature on which solidification occurs.

Chun, M.-H., et al, International journal of heat and mass transfer, Dec. 1987, 39(12), p.2641-2650, With

mass transfer, Dec. 1987, 39(12), p.2641-2650, With French, German and Russian summaries. 16 refs. Choi, H.-O., Jun, H.-G., Kim, Y.-S. Phase transformations, Liquid solid interfaces, Freez-ing, Temperature distribution, Walls, Desalting, Wa-ter, Solid phases, Convection, Analysis (mathematics).

42-1536

Phase change problem with temperature-dependent thermal conductivity and specific heat. Oliver, D.L.R., et al, International journal of heat and

mass transfer, Dec. 1987, 30(12), p.2657-2661, With French, German and Russian summaries. 5 refs. Sunderland, J.E.

Freeze thaw cycles, Phase transformations, Thermal conductivity, Heat transfer, Specific heat, Mathematical models, Stefan problem.

42-1537

Outer Continental Shelf Environmental Assessment Outer Continents Sheft Environmental Assessment Program; Final reports of principal investigators, Vol.40. Anchorage, Alaska, U.S. National Oceanic and Atmospheric Administration, Ocean Assessment Division, Alaska Office, June 1986, 503p., PB87-191946, Refs. passim. Contains 9 papers.

Oil spills, Sea ice distribution, Ice edge, Interfaces, Oceanography, Ocean waves, Bering Sea, Beaufort

Outer Continental Shelf Environmental Assessment Program: Final reports of principal investigators, Vol.41. Anchorage, Alaska, U.S. National Oceanic and Atmospheric Administration, Ocean Assessment Division, Alaska Office, June 1986, 519p., PB87-192043, Refs. passim. Contains 3 papers. Tides, Suspended sediments, Ocean currents, Chemi-

cal composition, Sediment transport, Meteorology, Oceanography, Beaufo: t Sea, Chukchi Sea, Bering

42-1539

Microstructural and permeability properties of al-kali-activated slag concrete.

Rail-activated slag concrete.

Häkkinen, T., et al, Finland. Technical Research
Centre. Research reports, 1987, No.486, 69p. + appends., 7 refs.
Pyy, H., Koakinen, P.
Concrete darability, Microstructure, Concrete aggre-

Concrete durability, Microstructure, Concrete aggregates, Temperature effects, Concrete curing, Porous materials, Tests, Salt water.

42-1540

Construction and testing of an ultrasonic velocimeter. Construction et essai d'un vélocimètre à ultra-

Legault, G., Transport Canada. Report, June 1987, TP 8551F, 29p. + appends., In French with English summary. 9 refs.

Computer programs.

42-1541

42-13-11
Icoberg grounding model results for northern Grand
Bank, 1983-1986, and selected consolidation and retrieval of ice scour data base.
D'Apollonia, S.J., Canada. Geological Survey.
Open file, July 1986, No.1587, 106p.
Ice scoring, Icebergs, Grounded ice, Models, Comput-

er programs, Charts.

42-1542

Evaluation of the thickness of nonfreezing water films from the measurement of thermocrystallization and thermocapillary flows.

Deriagin, B.V., et al, *Langmuir*, 1987, 3(5), p.631-634,

Presented at the 8th Conference on Surface Forces, Moscow, Dec. 3-5, 1985. 19 refs. Churaey, N.V., Kiseleva, O.A., Sobolev, V.D.

Water films, Ice water interface, Capillarity, Crystal growth, Surface properties, Flow rate, Temperature gradients, Vapor diffusion.

42-1543

Dynamic compaction of roadways.
Reckard, M.K., U.S. Federal Highway Administra-tion. Report, Aug. 1986, FHWA/AK/RD-87/05, 349. PB87-164 364/XAB.

Permafrost beneath roads, Ground thawing, Soil mechanica, Rheology, Road maintenance, Trafficability, Cost analysis, United States—Alaska.

42-1544

Understanding underwater acoustics under the arctic ice canopy.

Ramsdale, D.J., et al, Sea technology, July 1987, 28(7), p.22-28, 14 :efs.

Poscy, J.W.
Subglacial observations, Underwater acoustics, Ice cover effect, Ice bottom surface, Measuring Instruments, Models.

42-1545

High impact strength conductors for electromechani-

cal cables.
Scala, E.P., et al, Sea technology, July 1987, 28(7), p.29-33, 42. Bentley, D.L.

Cables (ropes), Mountain glaciers, Ocean bottom, Coring, Military engineering, Oil wells, Impact strength, Design.

42-1546

Generation of liquid water on Mars through the melt-

ing of a dusty snowpack.
Clow, G.D., Icarus, Oct. 1987, 72(1), p.95-127, Refs. p.125-127.
Extraterrestrial ice, Snowmelt, Unfrozen water content, Runoff, Solar radiation, Analysis (mathematics), Grain size, Thermal conductivity, Paleoclimatology, Cosmic dust.

42-1547

Macroclimatic data and its interpretation for problems of building deterioration. Keeble, B., Chemistry and industry, Sep. 7, 1987, No.17, p.593-602, 53 refs.

Weathering, Temperature effects, Buildings, Wind factors, Air pollution, Freeze thaw cycles, Damage, Climatic factors, Stresses, Porous materials.

47.1549

Firn densification by grain-boundary sliding: a first

model.
Alley, R.B., Journal de physique, Mar. 1987, 48(3), p.C1-249-C1-256, 21 refs.
Ice models, Grain size, Polar regions, Antarctica—South Pole, Antarctica—Dome C.

South Pole, Antarctics—Dome C.

Densification in highly porous, isothermal firm occurs primarily
by Newtonian sliding on grain boundaries, but the coordination
number increases with density and restricts further sliding. At
a relative density of about 0.6 the coordination number approaches 6 and sliding ceases to be a primary mechanism of densification; the resulting decrease in densification rate causes the critical point in depth-density profiles. A simple model for densification by boundary sliding yields a good fit to observed profiles. The viscosities so obtained give an activation energy equal to that for grain-boundary diffusion. (Auth.)

Water frost on Charon.

Buie, M.W., et al, *Nature*, Oct. 8, 1987, 329(6139), p.522-523, 10 refs.
Cruikshank, D.P., Lebofsky, L.A., Tedesco, E.F.

Extraterrestrial ice, Spectra, Planetary environments.

42-1550

Calculation of the freezing of Lake Sevan.

Shishkaev, S.M., Soviet meteorology and hydrology, 1987, No.5, p.76-81, Translated from Meteorologiia i gidrologiia, 1987, No.5, p.91-96. 4 refs.

Lake water, Mathematical models, Air temperature, Ice formation, Ice conditions, Climatic factors, Water level, Wate. temperature.

42-1551

Three-dimensional numerical model of cloud crystallization with dry ice seeding.
Khyorost'ianov, V.I., Soviet meteorology and hydrolo-

sy, 1987, No.4, p.19-27, Translated from Meteorolo giia i gidrologiia, No.4, p.29-37, 1987. 25 refs. Mathematical models, Cloud dissipation, Ice nuclei, Freezing nuclei, Dry ice (trademark).

42-1552

Intense icing in mountain regions and ways to im-

prove ice deposit measurements.

Podrezov, O.A., et al, *Soviet meteorology and hydrology*, 1987, No.4, p.45-50, Translated from Meteorologiia i gidrologiia, No.4, p.59-65, 1987.

Popov, N.I., Naumov, A.D.

Alpine landscapes, Icing, Climatic factors, Topographic effects, Ice loads, Power line Icing, Ice formation, Ice accretion, Measuring instruments.

42-1553

42-1953 Compositional method of calculating probability dis-tribution of the volume of spring flood runoff. Rozhdestvenskii, A.V., et al, Soviet meteorology and hydrology, 1987, No.4, p.76-81, Translated from Meteorologiia i gidrologiia, No.4, p.93-99, 1987.

refs.

Tikhomirova, A.A.

Flood forecasting, Mathematical models, Flood con-trol. River basins. Runoff. Snow water equivalent. Floods, Volume.

42-1554

Icing and ice sticking to ships during autumnal-winter navigation.
Voevodin, V.A., et al, Engineering Consulting and

Voevocini, V.A., et al., Engineering Constituting and Translation Center, Jackson Heights, NY. Transla-tion, 1987<sub>1</sub>, T-815-18, 6p., For Russian original see 36-2184. 7 refs. Migulin, A.I., Panov, V.V. Ship icing, Ice adhesion, Ice navigation, Icebergs, Ice

cover thickness.

On the design values of the uniaxial compressive strength of sea ice.

strength of sea ice.

Vialov, S.A., et al, Engineering Consulting and Translation Center, Jackson Heights, NY. Translation, 1987), T-845-42, 6p., Translated from: Proceedings of the Conferences and Meetings on Hydraulic Engineering "Ice Management on Rivers and Water Reservances." voirs when Constructing and Operating Hydrotechni-cal Structures". Published by All-Union Research In-stitute of Hydraulic Engineering, Leningrad, 1984. 8

Golubov, A.I.

Ice pressure, Offshore structures, Ice strength, Com sive properties, Ice mechanics, Design, Ice loads, Ice physics.

42-1556

New deicing device for hydrotechnical structures. Kytin, IU.A., et al, Engineering Consulting and Translation Center, Jackson Heights, NY. Translation, [1987], T-845-77, 4p., Translated from: Proceedings of the Conferences and Meetings on Hydraulic Engineering "Ice Management on Rivers and Water Reserneering toe Management on Rivers and Water Reservoirs when Constructing and Operating Hydrotechnical Structures". Published by All-Union Research Institute of hydraulic Engineering, Leningrad, 1984. 2

Moiseev, V.I., Vasil'ev, N.K. Icing, Ice prevention, Offshore structures, Ice remov-al, Electric heating, Ice cover thickness.

42-1557

Mathematical model for predicting icebreaker performance.

Carter, D., Transport Canada. Report, June 1987, TP 3531E, 102p., With French summary. 44 refs. Icebreakers, Ice breaking, Ice strength, Ice cover thickness, Mathematical models, Friction, Velocity, Forecasting, Tests.

42-1558

Dynamics of continuous-mode icebreaking by a polarclass icebreaker hull.

Ettema, R., et al, Iowa. University. Iowa Institute of Hydraulic Research. Report, June 1987, No.314, 177p., Refs. p.58-62.

Stern, F., Lazaro, J.
Ice breaking, Icebreakers, Ice strength, Dynamic properties, Analysis (mathematics), Velocity, Tests.

42-1559

Final report.

Arctic Five-Year Research Plan Consultative Workshop, Anchorage, Alaska, Nov. 17-19, 1986, ton, D.C., Toborg Associates, Inc., Apr. 7, 1987, 121p. + appends.

Research projects, Ice mechanics, Weather observa-tions, Meetings, Models, Ecosystems.

Ice thickness data, winter 1982-1983.

Canada. Atmospheric Environment Service. Ice Centre, Ottawa, Ontario, 1987, 61p., In English and Canada French.

Ice cover thickness, Freezeup, Ice breakup, Snow depth, Meteorological stations, Canada.

Measurement of airborne snow mass concentration. Hutt, D., et al, Canada. Defence Research Establish-ment. Report, Dec. 1987, 4454/87, 40p., With

ment. Report, Dec. 1981, 4434/81, 4494, with French summary. 14 refs. Bissonnette, L., Oman, J. Snowfall, Snow optics, Palling bodies, Distribution, Measuring instruments, Design, Light scattering, Particle size distribution, Infrared reconnaissance.

42-1952
Model of push moraine development in the marginal zone of the Leszno Phase, West Central Poland.
Kasprzak, L., Quaternary studies in Poland, 1985, No.6, p.23-54, Refs. p.52-54.
Moraines, Paleoclimatology, Glaciation, Ice wedges, Glacial geology, Glacial deposits, Ice sheets, Ice methods.

chanics. Deformation.

Melting and shedding of graupel and hail. Part I: Model physics. Rasmussen, R.M., et al, Journal of the atmospheric sciences, Oct. 1, 1987, 44(19), p.2754-2763, 52 refs. Heymsfield, A.J. Snow pellets, Hallstone growth, Melting, Models, Heat transfer.

Melting and shedding of graupel and hall. Part II: Sensitivity study.

Rasmussen, R.M., et al, Journal of the atmospheric sciences, Oct. 1, 1987, 44(19), p.2764-2782, 21 refs. Heymsfield, A.J.

Snow pellets, Hailstone growth, Melting, Models, Heat transfer.

Melting and shedding of graupel and hail. Part III: Investigating the role of shed drops as hall embryos in the 1 August CCOPE severe storm.

Rasmussen, R.M., et al, Journal of the atmospheric sciences, Oct. 1, 1987, 44(19), p.2783-2803, 46 refs. Heymsfield, A.J Snow pellets, Hailstone growth, Melting, Storms.

Radar observation of snowfall from a natural-draft cooling tower plume.

Sauvageot, H., Journal of climate and applied meteorology, Nov. 1987, 26(11), p.1471-1481, 8 refs. Snowfall, Weather modification, Heat transfer, Nu-

Ice breeze mechanism for an ice divergence-convergence criterion in the marginal ice zone.
Chu, P.C., Journal of physical oceanography, Oct.
1987, 17(10), p.1627-1632, 16 refs.
Ice models, Ice edge, Drift, Wind (meteorology).

42.1568

Tests on snow removing operation by snowplows and trucks equipped with snowtires. Suno taiya ni yoru josetsu sagyo ni kansuru chosa shiken, Kokubun, M., et al, Hokksido Development Buresu.

Proceedings (Hokkaido Kaihatsukyoku gijutsu kaigi happyo ronbunshu), 1983 (pub. 1984), Vol.27, p.357-368, In Japanese. 7 refs. Ushiki, S.

Snow removal, Tires, Performance, Road mainte-nance, Road icing, Skid resistance, Snow compaction, Traction.

Tests to compare the effectiveness of studded tires and snow tires were performed. The feasibility of replacing studded tires with snow tires was studied with the purpose of eliminating pollution (asphalt dust due to pavement erosion) caused by the use of studded tires.

Tests on snow blowers: snow removing mechanisms of rotary snow blowers. ¿Josetsu kikai ni kansuru chosa shiken: rotari josetsu kikai no josetsu kikoni kansuru

shiken, toan yechosa shiken, Y., Hokkaido Development Bureau, Yanasiaawa, Y., Hokkaido Development Bureau, Vanagiaswa, Y., Hokkaido Development Bureau. Proceedings (Hokkaido Kaihatsukyoku gijutsu kaigi happyo ronbunshu), 1983 (pub. 1984), Vol.27, p.1557-1564, In Japanese. 4 refs.
Augers, Snow removal, Equipment, Hydraulics, Per-

formance, Engines.

tormance, Engines.

The efficiency of rotary snow blowers was studied in terms of rotatory speeds of blower and auger, and the distance travelled by ejected anow. A hydromechanical transmission system was designed as the most suitable model for this class of snow blow-

42-1570

Tests on an improved safety device for snow removal notor graders. ¡Josetsu guredar anzen kiko no kairyo

ni kansuru chosa shiken, Takino, A., et al, Hokkaido Development Bureau. Proceedings (Hokkaido Kaihatsukyoku gijutsu kaigi happyo ronbunshu), 1983 (pub. 1984), Vol.27, p.1567-1576, In Japanese. Sakai, M.

Snow removal, Equipment.

42-1571

Performance tests on a rotary snow blower (class 200PS, equipped with an automatic control device). (Rotari josetsusha (200PS kyu, jido seigyo sochi

(ROtari Josetsuana (2007s kyl, jido seigyo sooni tauki) no seino shiken ni tsuite, Yanagisawa, Y., et al, Hokkaido Development Bureau. Proceedings (Hokkaido Kaihatsukyoku gijutsu kaigi happyo robunshu), 1983 (pub. 1984), Vol.27, p.1577-1584, In Japanese. 1 ref.

Snow removal, Equipment, Performance.

Performance tests on a small snowplow (Model KBR-81), rKogata josetsusha (KBR-81 gata) no seino shik-

en,, Sakai, M., Hokkaido Development Bureau. Proceed-Sakai, M., Hokkaido Development Bureau. Proceedings (Hokkaido Kaihatsukyoku giutsu kaigi happyo ronbunshu), 1983 (pub. 1984), Vol.27, p.1585-1594. Traction, Snow removal, Sidewalks, Equipment, Safety, Noise (sound.), Visibility.

Tests aimed at improvement of the efficiency of snow removal from roads. [Romen seisei sagyo no korit-

removal from roads. [Romen selset sago no kontrasuka ni kansuru chosa shiken, ltabashi, N., Hokkaido Development Bureau. Proceedings (Hokkaido Kaihatsukyoku gijutsu kaigi happyo ronbunshu). 1983 (pub. 1984), Vol.27, p.1595-1606, In Japanese.
Saow removal, Road maintenance, Equipment, Motor

vehicles, Performance.

Germans crack Finland's ice. Shipping world & ship-builder, Jan.-Feb. 1984, 182(4020), p.64. Icebreakers, Design.

42-1575

Ico-going news. Shipping world & shipbuilder, Oct. 1987, 184(4037), p.337-338.
Icobreakers, Design, Cost analysis.

Hovercraft for the Canadian Coast Guard. Shipping world & shipbuilder, Oct. 1987, 184(4037), p.338-341. Air cushion vehicles, Ice breaking.

Breaking the ice with Canarctic. Shipping world & shipbuilder, Oct. 1987, 184(4037), p.341-343. Icebreakers, Ice navigation

Sea train concept from Wärtsilä. Shipping world & shipbuilder, Oct. 1987, 184(4037), p.343.
Shipe, Icebreakers, Ice navigation.

Heary Larsen Type 1200 (cebreaker from Versatile Pacific. Shipping world & shipbuilder, Oct. 1987, 184(4037), p.374-375. Icebreakers, Design.

42-1580

General and applied climatology. (Obshchaia i prik-ladnaia klimatologiia), Kovel', L.V., ed, Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1986, Vol.501, 160p., In Russian. For selected papers see 42-1581 through 42-1586. Refs. passim.

Heat transfer, Snow cover effect, Hydraulic struc-tures, Ice loads, Wind power generation, Icing, Ice prevention, Soil temperature.

Design air temperatures for construction planning, (Raschetnye temperatury vozdukha dlia stroitel'nogo

Pashina, O.B., Leningrad. Glavnaia geofizicheskaia observatoriis: Trudy, 1986, Vol.501, p.25-35, In Russian. 2 refs.

Design, Construction, Air temperature, Seasonal variations, Soil air interface, Heat transfer, Frozen ground, Climatic factors, Residential buildings, Industrial buildings, Structural analysis.

Precise method of calculating loads on hydraulic

stractures. ¡Utochnennyi metod rascheta nagruzok na gidrotekhnicheskie sooruzheniia, Semenov, IU.A., Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1986, Vol.501, p.35-40, In 2 refs.

Hydraulic structures, Ice loads, Ice cover thickness,

Calculation of ice loads on elements of wind-power installations. O raschete gololednykh nagruzok na elementy vetroenergeticheskikh silovykh ustanovoky, Zakharov, A.G., Leningrad. Glavnais geofizicheskais observatoriis. Trudy, 1986, Vol.501, p.41-49, In

Russian. 9 refs. Ice loads, Wind power generation, Cold weather operation, Icing, Supercooled fog, Ice accretion, Hoar-frost, Wind velocity.

Climatic mapping of snow cover characteristics in mountains. ¿O klimaticheskom kartografirovanii kharakteristik anezhnogo pokrova v gornykh raionakh, Loktionova, B.M., Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1986, Vol.501, p.79-91, In Russian. 6 refs.

Snow cover distribution, Mountains, Mapping, Snow surveys, Snow water equivalent, Snow line, Snow cover stability.

Results of comparing water reserves in snow cover with the quantity of solid precipitation. [Rezul'taty sravneniia vlagozapasov v snezhnom pokrove s kolichestvom tverdykh osadkovj,

Shver, Ta.A., et al, Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1986, Vol.501, p.91-96, In Russian. 6 refs. Ul'ianova, T.N.

Microclimatology, Snow water equivalent, Snow depth, Snow density, Snow cover stability, Evapora-tion, Meteorological data, Condensation.

42-1586

Estimating the accuracy of calculations of the space time variability of temperature and air in soils. Otsenka tochnosti rascheta prostranstvenno-vremenno! izmenchivosti temperatury i vozdukha pochvy; Beresneva, I.A., Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy, 1986, Vol.501, p.97-105, In observatoriia. T. Russian. 9 refs.

Microclimatology, Soil water migration, Soil temperature, Measuring instruments, Air temperature, Soil air interface, Heat transfer.

42-1587 Soil formation at the northern limit of nine bi-

Soil formation at the northern limit of pine bi-ogeocenoses, Pochwoolrazovanie na severnom pre-dele sosnovykh biogeotsenozov<sub>1</sub>, Nikonov, V.V., Leningrad, Nauka, 1987, 141p., In Russian with abridged English table of contents en-closed. Refs. p.135-139.

Subarctic landscapes, Forest lines, Frost weathering, Podsol, Taiga, Forest soils, Soil formation, Hydrothermal processes, USSR—Kola Peninsula.

42-1588

Studies of forests by serial and satellite methods, risstedovanie lesov aerokosmicheskimi metodami, jasev, A.S., ed, Novosibirsk, Nauka, 1987, 208p., In Russian. For selected papers see 42-1589 through 42-1596. Refs. passim.

42-1395. Refs. passim. River basins, Taiga, Landscape types, Ecology, Subpolar regions, Permafrost distribution, Spaceborne photography, Photointerpretation, Geobotanical interpretation, Forest fires, Cryogenic soils, Soil erosion, Revegetation, USSR—Yenisey River, USSR—Anners Piers. Angers River.

Basic trends in studying forest resources of Siberia by serial and satellite means. ¡Osnovnye napravleniia issledovanii lesnykh resursov Sibiri s pomoshch'iu aerokosmicheskikh sredstv<sub>1</sub>, Isaev, A.S., et al. Issledovanie lesov aerokosmiches-

kimi metodami (Studies of forests by aerial and satellite methods) edited by A.S. Isaev, Novosibirsk, Nauka, 1987, p.3-9, In Russian.
Pleshikov, F.I.

Aerial surveys, Landscape types, Taiga, Mapping, Forest land, Geobotanical interpretation, Spaceborne photography, Photointerpretation, Subarctic land-scapes.

42-1590

Remote sensing techniques of studying forest land-scapes (the Angara-Yenisey area). [Issledovaniia lesnykh landshaftov distantsionnymi metodami (na primere Angaro-Eniseïskogo regiona), Kalashnikov, E.N., Isaledovanie lesov aerokosmiches-

kimi metodami (Studies of forests by aerial and satelsimi metodami (Studies of forests by aeral and satellite methods) edited by A.S. Isaev, Novosibirsk, Nauka, 1987, p.10-34, In Russian. Refs. p.31-34. Taiga, Vegetation, Landscape types, Mapping, Permafrost distribution, Swamps, Ecology, Charts, Classifications, Subpolar regions.

42-1591
Landscape principles and technology of typologic mapping of forests using satellite and aerial survey data. ¿Landshafnye printsipy i tekhnologiia lesotipologicheskogo kartografirovaniia s ispol-zovaniem materialov kosmo- i aeros"emkij, Kalashnikov, E.N., et al, Isaledovanie lesov aerokosmicheskimi metodami (Studies of forests by aerial and satellite methods) edited by A.S. Isaev, Novosibirsk, Nauka, 1987, p.34-54, In Russian. Refs. p.52-54. Pervunin, V.A., Korotkov, I.A.

Forest land, Taiga, Mapping, Photointerpretation, Classifications. Data processing, Subpolar regions.

Studies and estimation of forest fire consequences from serial and satellite photographs. [Ispol'zovani aerokosmicheskikh snimkov dlia izucheniia i otsenki

posledstvil lesnykh pozharov<sub>1</sub>, Furiaev, V.V., Issledovanie lesov aerokosmicheskimi metodami (Studies of forests by aerial and satellite methods) edited by A.S. Isaev, Novosibirsk, Nauka, 1987, p.85-98, In Russian. Refs. p.96-98. Forest fires, Soll erosion, Revegetation, Forestry, Taiga, Cryogenic soils.

System of using aerial-satellite photoinformation in studying soils and vegetation of western Siberia. (Sistema ispol'zovaniia aerokosmicheskof fotoinfor-matsii pri izuchenii rasiltel'nosti i pochv Zapadnof

Gorozhankina, S.M., et al, Issledovanie lesov aerokos-COTOZDANKINA, S. M., et al, issuedovanie resov aerokos-nicheskim metodami (Studies of forests by serial and satellite methods) edited by A.S. Isaev, Novosibirsk, Nauka, 1987, p.98-118, In Russian. 25 refs. Konstantinov, V.D.

Taiga, Cryogenic soils, Spaceborne photography, Photointerpretation, Mapping, Maps, Charts.

42-1594

Monitoring forest fires. [Monitoring lesnykh poz-

harovj, Valendik, E.N., et al, Issledovanie lesov serokosn cheskini metodami (Studies of forests by aerisl and satellite methods) edited by A.S. Isaev, Novosibirsk, Nauka, 1987, p.118-135, In Russian. Refs. p.134-

Sukhinin, A.I., Kisliakov, E.K., Khrebtov, B.A. Taiga, Forest fires, Spacecraft, Monitors, Photointer-

42-1595

42-1393
Aerial and satellite methods of studying West Siberian forests. (Aerokosmicheskie metody v izuchenii lesov Zapadnof Sibiri),
Sedykh, V.N., Issledovanie lesov aerokosmicheskimi metodami (Studies of forests by serial and satellite methods) edited by A.S. Issev, Novosibirsk, Nauka, 1987, p.157-173, In Russian. Refs. p.171-173.
Taiga, Remote sensing, Spaceborne photography, Photointerpretation, Geobotanical interpretation,

Forestry.

42-1596

Hydrologic differentiation of taiga landscapes. [Gidrologicheskaia differentsiatsiia taezhnykh landshaft-

ovi, Lebedev, A.V., Issledovanie lesov aerokosmicheskimi metodami (Studies of forests by serial and satellite methods) edited by A.S. Isaev, Novosibirsk, Nauka, 1987, p.196-207, In Russian. 24 refs. Taiga, Permafrost distribution, Paludification, Snow cover distribution, Snowmelt, Runoff, Landscape types, Permafrost bydrology.

42-1597

Riogencemoses of Alpine waste lands (the case of northwestern Caucasus). Biogeoteenozy al'pikikh pustoshef (na primere Severo-Zapadnogo Kavkaza); Rabotnov, T.A., Moscow, Nauka, 1987, 76p., In dissian with abridged English table of contents enclosed.

Refs. p.63-74.
Alpine tundra, Deserts, Rock streams, Vegetriion patterns, Lichens, Biomass, Cryogenic solls, Soil composition, Alpine landscapes, Soil chemistry.

42-1598

Physics of clouds, fog and weather modification. Fizika oblakov, tumanov i aktivnykh vozdelstvilj, Kuzenkov, A.F., ed, Tsentral'naia aerologicheskaia observatoriia. Trudy, 1987, Vol.164, 120p., In Russian. For selected papers see 42-1599 through 42-1604. Refs. passim.

Khvorost'ianov, V.I., ed. Smoke generators, Weather modification, Cloud phy-Since, Cloud dissipation, Supercooled fog. Fog dispersal, Cloud seeding, Organic nuclei, Ice crystal nuclei, Aerosola, Ice formation, Snow crystals.

42-1599

Results of air-borne lidar observations of convective clouds modified by course-grained powders. [Rezul'-taty lidarnykh issledovanii s samoleta konvektivnykh oblakov pri aktivnykh vozdelstviiakh grubodisper-

Namouv pri aktivnykh vozdeľatvilakh grubodispersnymi poroshkami, Zontov, L.B., et al, Tsentral'nais aerologicheskais observatoriis. Trudy, 1987, Vol.164, p.10-18, in Russian with English summary. 4 refs.
Tiabotov, A.E.

Weather modification, Cloud physics, Cloud dissipa-

42-1600

Effect of reagent dosage and wind velocity on the Effect of reagent dosage and wind velocity on the clearing zone evolution during ground-based dispersal of supercooled fogs. (Vilianie dozirovki reagenta is skorosti vetra na evolutustiu zon prosveta pri nazemnom rasseianii pereokhlazhdennykh tumanovi, Kotova, O.P., et al. Tsentral'nais aerologicheskais observatoriia. Trudy, 1987. Vol. 1644, p.18-28, in Russian with English summary. 9 refs. Krasnovskais, L.I., Khorost'ianov, V.I. Supercooled fog, Fog dispersal, Wind factors, Turbulence.

42-1601 Lidar observations of artificial dispersal of supercooled fog. ¡Lidarnye issledovaniia pereokhlazhdennykh tumanov pri ikh iskusstvennom rasscianii),
Kushmatov, O.E., et al. Tentra/ raia serologicheskais
observatoriis. Trudy, 1987, Vol.164, p.29-36, In Rusties with Bazilat waren. Nusmatov, O.E., et al, 1987, Vol.164, sian with English summary. 4 refs. Tikhonov, A.P., Khristoforova, L.A. Supercooled fog, Fog dispersal.

Studies of ice-forming activity of some organic compounds. rissledovanie l'doobrazuiushchef aktivnosti nektorykh organicheskikh soedinenii, Nikeshina, I.V., et al, Tsentral'mais aerologicheskais observatoriis. Trudy, 1987, Vol. 164, p. 46-54, In Rustica vib. Pasilik kumpungar, 7 et al.

sian with English summary. 7 refs. Turov, A.V., Chesha, I.I., Shcherbina, L.S.

Weather modification, Cloud seeding, Organic auclei, Ice formation, Ice crystal auclei, Ice crystal structure, Aerosols, Smoke generators.

Applicability of ground-based generators of finely dis-persed ice particles for cloud seeding in Alpine areas. ¡K voprosu o primenenii diia zaseva oblakov gornykh ov nazemnykh generatorov melkodisperanykh

raunov nazemnyan generatorov meiaculaperanyan chastits 1/da, Amvrosov, A.F., et al, Tsentral'nais aerologicheskais observatoriis. Trudy, 1987, Vol.164, p.54-58, In Rus-sian with English summary. 5 refs. Vlastiuk, M.P.

Visitus, 171.F.

Weather modification, Cloud seeding, Smoke generators, Ice nuclei, Alpine landscapes.

42-1004 Origin of nucleating particles of precipitation. [O proiskhozhdenii zarodyshevykh chastita osadkov], Bartishvili, G.S., Tsentral'naia serologicheskaia observatoriis. Trudy, 1987, Vol.164, p.74-82, In Russian with English summary. 7 refs. Cloud seeding, Nucleating agents, Ice formation, Ice nuclei, Saow crystals.

42-1605

Welding developments for arctic structures. Price, J.C., CIM bulletin, Nov. 1987, 80(907), p.95-103. 6 refs.

Wolding, Offshore structures, Cold weather construc-tion, Icebreakers, Artificial islands, Pipelines, Cais-sons, Temperature effects, Steel structures.

42-1606

Single-crystal electron spin resonance studies on radiation-produced species in ice Ih. Pt 1. The O radicals.

Bednarek, J., et al, Chemical Society, London. Fara-day transactions 1, Dec. 1987, 83(12), p.3725-3735, Plonks, A

rionas, A.

Ice crystal optics, Ice crystal structure, Gamma irradiation, Spectra, Oxygen, Radiation, Temperature effects, Heavy water, Freeze thaw cycles, Molecular structure, Ions.

Single-crystal electron spin resonance studies on radiation-produced species in ice Ih. Pt 2. The HO2

Bednarck, J., et al, Chemical Society, London. Jour-nal. Faraday transactions 1, Dec. 1987, 83(12), p.3737-3747, 50 refs. Plonka, A.

Ice crystal structure, Ice crystal optics, Gamma irradiation, Spectra, Molecular structure, Radiation, Temperature effects.

Drift-ice features; Symposium on the Geological Action of Drift Ice, 1st, 1974. Le glaciel, Colloque international sur l'action géologique des glaces flottantes, 1-er, Ste-Foy, Quebec, Apr. 20-24, 1974, Quebec, University, [1974], 51p., Abstracts. In English and French.

Ice scoring, Ice mechanics, Drift, Glacial deposits, Frost action, Beaches, Meetings, Marine deposits.

Of: Overland flow wastewater treatment at Easley.

Martel, C.J., et al, Water Pollution Control Federation. Journal, Nov. 1986, MP 2300, p.1078-1079, Discussion of A.R. Abernathy's paper, 41-1899, and author's

Jenkins, T.F., Abernathy, A.R. Waste treatment, Water treatment, Land reclama-tion, Chemical analysis, Design.

Application of microwave remote sensing to studies of sea ice.

Gudmandsen, P.E., Royal Society of London. Philosophical transactions. Ser A, 1983, 309(1508), p. 433-445, Also published in: Study of the ocean and the land surface from satellites. Proceedings of a Royal Sociesurface from satellites. Proceedings of a Royal Socie-ty discussion meeting held on 10 and 11 November 1982. Organized and edited by J.T. Houghton, A.H. Cook and H. Charnock, p.191-203. 23 refs. DLC GC10.4.R4878 1983 Sea ice distribution, Remote sensing, Microwaves, Snow cover distribution, Ice conditions, Polar re-

42-1611
Satellite observations of polar ice fields.
Robin, G. de Q., et al. Royal Society of London.
Philosophical transactions. Ser A, 1983,
309(1508), p.447-461, Also published in: Study of the ocean and the land surface from satellites. Proceedings of a Royal Society discussion meeting held on 10 and 11 November 1982. Organized and by J.T. Houghton, A.H. Cook and H. Charac 5-219. 42 refs.

Drewry, D.J., Squire, V.A.
DLC GC10.4.R4S78 1983
Sea ice distribution, Remote sensing Jns. Ice sheets, Ice shelves, Pack ice, ance, Analysis (mathematics), and. This paper outlines the reasearch nee-edge of polar ice masses that could be or ce ti anowiin provided by anound be accurate to better than should it in and provide new methods for studying their mass balance. Nearly all sea for en-turns that have been studied show a characteristic glistening quite distinct from returns from the open ocean, inland ice or ice shelves. (Auth. mod.)

42-1612

Catastrophic flooding.
Mayer, L., ed, Binghamton Symposia in Geomorphology: International series, No.18, London, Allen and Unwin, 1987, 410p., Refs. passim. For selected

papers see 42-1613 through 42-1616. Nash, D., ed. Flooding, Glacial hydrology, Climatic changes, Stream flow, Paleoclimatology, Glaciation, Drainage.

Observations of jökulhlaups from ice-dammed Strandline Lake, Alaska: implications for paleohydrology.
Sturm, M., et al. MP 2307, Binghamton Symposis in

Sturm, M., et al, MP 2307, Binghamton Symposia in Geomorphology: International series, No.18, Catastrophic flooding. Edited by L. Mayer and D. Nash, London, Allen and Unwin, 1987, p.79-94, 14 refs. Beget, J., Benson, C.
Flooding, Ice dams, Glacial lakes, Subglacial drainage, Glacial hydrology, Volume, Hydrography, Paleoclimatology, United States—Alaska—Strandline

42-1614
Glacial-lake ontbursts along the mid-continent margins of the Laurentide ice-sheet.
Kehew, A.E., et al, Binghamton Symposia in Geomorphology: International series, No.18, Catastrophic flooding. Edited by L. Mayer and D. Nash, London, Allen and Unwin, 1987, p.95-120, 29 refs. Lord. M.I.

Flooding, Glacial lakes, Glacial hydrology, Meltwater, Stream flow, Ice edge, Ice sheets, Paleoclimatology, Ice dams, Glacial deposits, Water erosion.

Catastrophic flooding into the Great Lakes from Lake Agassiz.

Agassiz.
Teller, J.T., et al, Binghamton Symposia in Geomorphology: International series, No.18, Catastrophic flooding. Edited by L. Mayer and D. Nash, London, Allen and Unwin, 1987, p.121-138, Refs. p.136-138. Thorleifson, L.H.

Flooding, Glaciation, Paleoclimatology, Ice sheets, Lake water, Watersheds, Drainage, Canada—Ontario -Agassiz, Lake.

42-1816
Drainage of Lake Wisconsin near the end of the Wisconsin Glaciation.
Clayton, L., et al, Binghamton Symposia in Geomorphology: International series, No.18, Catastrophic flooding. Edited by L. Mayer and D. Nash, London, Allen and Unwin, 1987, p.139-153, 22 refs. Attig. J.

Plooding, Drainage, Paleoclimatology, Glacial lakes, Lake water, Ico edge, Ice conditions, Ice dams, Sedi-

42-1617

Accelerator offers freezing protection. Concrete construction, Mar. 1987, 32(3), p.309-311.
Winter concreting, Concrete freezing, Concrete admixtures, Antifreezes, Concrete strength, Damage, Countermeasures, Cold weather construction.

42-1618

How to prevent frost heave.
Wallace, M., Concrete construction, Apr. 1987, 32(4), p.369-372, 6 refs.

Frost heave, Frost penetration, Subgrade soils, Water content, Countermeasures, Ice lenses, Frost resistance. Temperature effects, Soil freezing.

Don't let deicers scale your concrete.
Wallace, M., Concrete construction, Nov. 1987, 32(11), p.972.

3A(11), p.972. Winter concreting, Concrete strength, Air entrainment, Concrete aggregates, Freeze thaw cycles, Damage, Countermeasures, Water cement ratio, Concrete freezing, Concrete curing.

AP-1020
Role of CaCO3 compensation in the glacial to interglacial atmospheric CO2 change.
Broceker, W.S., et al., Global biogeochemical cycles, Mar. 1987, 1(1), p.15-29, 17 refs.
Peng, T.H.
Carbon dioxide, Paleoclimatology, Ice cores, Sea wa-

Peng, T.H.
Carbon dioxide, Paleoclimatology, Ice cores, Sea water, Water chemistry, Atmospheric composition.
The only viable explanations put forth to date for the siscial to interglacial change in atmospheric CO2 content suggested from measurements of the CO2 content of gas extracted from ice cores involve changes in the ocean's nutrient cycles. Evidence from deep sea sediments suggests that these changes are compensated on the time scale of a few thousand years by reductions or increases in amount of CaCO3 accumulating in deep sea sediments. This compensation process has two important consequences. First, it significantly increases the magnitude of the CO2 change per unit of autrent forcing. Second, it causes a delay in the response of the atmospheric CO2 change. While the first of these consequences is a boon to those seeking to the CO2 change per unit of nutrient forcing. Second, it causes a delay in the response of the atmospheric CO2 change. While the first of these consequences is a boon to those seeking to explain the CO2 change, the second may prove to be a current. The ice core CO2 record shows no evidence of a significant lag between the CO2 response and the polar warming. (Auth. mod.)

42-1621
Rauma-Repola in the Antarctic. Shipping world and shipbuilder, Jan./Feb. 1987, 183(4030), p.27-29.
Engines, Icebreakers, Ice navigation.
It is reported that the Soviet Union has ordered from Rauma-Repola's Rauma Shipyard the first vessel ever specifically designed for expeditions into antarctic regions. The delivery of the vessel is scheduled for late summer 1987. The design of the ship, and its functions, are described. The construction materials, machinery, and shape of the ship, designed for ice-going and tested in ice model tests, are discussed.

42-1622

Landscape-geographic provisions for complex prob-lems of Siberia. Landshaftno-geograficheskoe obe-spechenie kompleksnykh problem Sibiri, Mikheev, V.S., Novosibirsk, Nauka, 1987, 207p., In

Russian with abridged English table of contents en-closed. Refs. p.198-206.

Landscape types, Alpine landscapes, Alpine tundra, Economic development, Deserts, Permafrost distribution, Taiga, Human factors, Surveys, Environmental protection, Mapping, Charts, Baykal Amur railroad.

Design of buildings and structures for seismic stability. [Raschet zdanii i sooruzhenii na seismostoikoal'], Rasskazovskii, V.T., ed, Tashkent, Fan, 1985, 191p.. In Russian. For selected paper see 42-1624. 6 refs. Earthquakes, Buildings, Foundations, Hydraulic structures, Models, Ice cover thickness, Ice strength, Rheology, Mathematical models.

42-1624

Allowing for energy dissipation in an ice cover, when calculating oscillations of vertical hydraulic struc-tures in winter. [Uchet dissipatsii energii v ledianom

tures is winter. ¡Uchet dissipatsii energii v ledianom pokrove pri raschete kolebanî vertikal'nykh konstruktsîî gidrosooruzhenîî v zimnîî period, Shames, M.P., Raschet zdanîî i sooruzhenîî na seîsmototfokot' (Design of buildings and structures for seismic stability) edited by V.T. Rasskazovskiî, Tashkent, Fan, 1985, p.174-181, În Russian. 6 refa. Models, Rheology, Earthquakes, Hydraulic structures, Oscillations, Wave propagation, Ice physics, Ice cover.

42-1625

Structural design and erection of earth dams, (Konstruktsii i tekhnologiia vozvedeniia gruntovykh plo-

ravennen, M.F., ed, Leningrad. Vsesoiuznyl nauch-no-isaledovateľskil institut gidrotekhniki. Izvestiia, 1986, Vol.189, 103p., In Russian with English sum-mary. For selected papers see 42-1626 through 42-1628. Refs. passim. 1628. Refs. passim. Boravskaia, E.N., ed.

Hydraulic structures, Electric power, Earth dams, Rock fills, Permatrost beneath structures, Winter concreting, Soil compaction, Measuring instruments, Clay soils, Embankments, Waste disposal. 42-1626

Device for determining consolidation coefficient of clay soils. [Pribor dlia opredeleniia koeffitsienta kon-

casy souls, (Priloot data opredetenia koemistenia kom-solidataii glinistykh gruntovy, Gorelik, L.V., et al, Leningrad. Vsesoiuznyl nauch-no-issledovatel skh institut gidrotekhnik. Izvestiia, 1986, Vol.189, p.21-24, In Russian. 3 refs. Grushko, I.V.

Earth dams, Clay soils, Permeability, Soil compaction, Measuring instruments, Waterproofing. 42-1627

Influence of the cooling regime of a bituminous-concrete disphragm in an earth dam, under severe climatic conditions. [Vliianie rezhima okhlazhdeniia asfal'-tobetona na skhemu vozvedeniia diafragmy gruntovol toetona na sknemu vozvecenia charagmy gruntovo plotiny v usloviiakh surovogo klimata, Gavrilov, S.V., Leningrad. Vsesoiuznyi nauchno-iselovatel skli institut gidrotekhniki. Izvestiis, 1986, Vol.189, p.35-39, In Russian. 2 refs. Hydraulic structures, Earth dams, Bituminous concretes, Cooling rate, Winter concreting, Charts.

Construction of ash dumps for thermal power plants at sub-zero air temperatures. (Osobennosti voz-vedeniia zolootvalov TES pri otritsatel'nykh tem-

vedenia Zoiodvislov IES pri ointsatei nyki temperaturakh vozdukhaj. Panteleev, V.G., et al, Leningrad. Vsesoiuznjonauchno-issledovateľ skú institut gidrotekhniki. Izvestiia, 1986, Vol.189, p.51-55, in Russian. 9 refs. Zholnerovich, V.G., Ogarkov, A.A., Ivanov, A.A. Electric power, Waste disposal, Tailings, Permañost beneath structures, Embankments, Drainage. 42.1620

Perennially frozen colian deposits in the eastern Arctic and the Subarctic, Kriogenno-colovye otloz-heniia Vostochnol Arktiki i Subarktiki,

Tomirdiaro, S.V., et al, Moscow, Nauka, 1987, 198p., In Russian. Refs. p. 193-197.

Cryogenic soils, Soil composition, Loess, Active layer, Permatrost structure, Lithology, Eolian soils, Cryo-genic structures, Ice wedges, Edoma complex. Polar regions. 42-1630

Ice thermal conditions and ice technology. [Ledotermika i ledotekhnikaj,

Liapin, V.E., ed, Leningrad. Vsesoiuznyi nauchno-is-Liapin, V.E., ed., Leningrad. Vsesoluzny naucnno-is-sedovatelski institut gidrotekhniki. Izvestiis, 1986, Vol.188, 85p., In Russian. For individual pa-pers see 42-1631 through 42-1643. Refs. passim. Zelenova, M.V., ed. Mathematical models, Hydravlic structures, Ice for-

mation, Ice mechanics, Icycanonic statutes, account mation, Ice mechanics, Ice control, Ponds, Icebound lakes, Electric power, Cold weather operation, Cold weather construction, Waste disposal.

42-1631 Possibility of controlling ice thermal regime in tail races of high-head hydraulic power plants. (Voz-

mozhnosti regulirovaniia ledotermicheskogo rezhima nizhnikh b'efov vysokonapornykh GES<sub>1</sub>, nizhnikh b'efov vysokonapornykh GES, Liapin, V.E., et al, Lenigrad. V sesoiuznyi nauchno-issledovatel'skh institut gidrotekhniki. Izvestiia, 1986, Vol.188, p.5-13, In Russian. 8 refs. Razgovorova, E.L., Tregub, G.A., Shatalina, I.N. Hydraulic structures, Ice formation, Ice control, 42.1632

Thermal regime of ice in tail races of hydroelectric power plants during heavy snowfall. [Ledotermi-cheskil rezhim nizhnikh b'efov GES v uslovijakh intensivnykh snegopadovy,
Tregub, G.A., Leningrad. Vsesoiuznyi nauchno-ii
sledovatel'skb institut gidrotekhniki. Izvestiia,
1986, Vol.188, p.13-18, in Russian. 8 refs. Vsesojuznyi nauchno-is-

Hydraulic structures. Ponds, Snowstorms, Ice conditions. Electric power.

Calculating the ice and thermal regimes in penstocks of pumped storage power plants. [Metodika rascheta termicheskogo i ledovogo rezhimov vodovodov

termichekogo i iedovogo reznimov vodovodov GAES, Bezmel'nitsyna, O.V., et al, Leningrad. Vsesoiuzny'n nauchno-isaledovatel'skh institut gidrotekhniki. Izvestiia, 1986, Vol. 188, p. 18-26, In Russian. 6 refs. Nikolaeva, E.I., Shatalina, I.N.
Hydraulie structures, Ponda, Cold weather operation,

Electric power.

Determining the scale factor for hydraulic simulation of ice particle motion in a water flow. Opredelenie masshtabnogo koeffitsienta pri gidravlicheskom modelirovanii dvizheniia chastits l'da v potoke zhid-

Veksler, A.B., et al, Leningrad. Vsesoiuznyi nauch-no-issledovatel'skii institut gidrotekhniki. Izvestiis, 1986, Vol.188, p.26-31, In Russian. 4 refs.

Mathematical models, Stream flow, Floating ice, Ice mechanics, Particle size distribution.

Ice breaking on rivers by choppy waves. Razrusheice breaking on rivers by choppy waves. (Razushe-nie ledianogo pokrova rek preryvnymi volnamij, Drobakhin, V.P., Leningrad. Vsesoiuznyl nauchno-issledovatel'ski institut gidrotekhniki. Izvestila, 1986, Vol.188, p.31-37, In Russian. 5 refs. Icebound rivers, Water waves, Ice breakup, Ice floes, Ice strength.

Determination of water levels in tail races of hydroelectric power plants in the presence of ice. [Opredelenie urovne! vody v nizhnem b'efe GES pri nalichii ledianogo pokrova, Sokolov, I.N., et al, Leningrad. Vsesoiuznyi nauch-

no-issledovateľ sků institut gidrotekhniki. Izvestiia, 1986, Vol.188, p.37-40, In Russian. 4 refa. Kovalevskii, S.I.

Ponds, Icebound lakes, Water level, Flood control, Ice conditions. Electric power.

92-103/ Specific features of ice regime in the Duepr-Bug Water Management Project and protection of its structures from ice damage. ¡Osobennosti ledovogo rezhima Duepro-Bugskogo gidrouzla i rekomendatsii po predotvrashcheniiu vozdeſstviia l'da na ege sooruzheniia<sub>1</sub>, Karnovich, V.N., et al, *Leningrad*.

Namovich, v.n., et al., Leningrad. Yssoiouzin nauchno-issledovatel'ski institut gidrotekhniki. Iz-vestiia, 1986, Vol.188, p.40-46, ln Russian. 4 refs. Solovy, I.N., Sudakova, N.V. Flooding, River basins, Hydraulic structures, Ice loads, Ice conditions, Valleys, Electric power.

Thermal design of slurry flows on the above-water Thermal design of siurry flows on the above-water slope of ash dumps of thermal power plants. [Termicheskil raschet potokov pul'py na nadvodnom otkose namysa na zolootvalakh teplovykh elektrostantsil, Panteleev, V.G., et al. Leningrad. Vessoiuznyl nauchno-issledovatel'skil institut gidrotekhniki. Izvestiia, 1986, Vol.188, p.47-54, In Russian. 8 refs. Ogarkov, A.A.

Electric power, Hydraulic structures, Waste disposal, Tailings, Cold weather construction, Thermal regime.

Ice (construction material).

Reinforcement of ice with disperse and fibrous glass materials. [Uprochnenie l'da dispersnymi i voloknistymi steklomaterialami, tynn skerioniaeriaanin, Vasil'ev, N.K., Leningrad. Vsesoiuznyi nauchno-is-siedovatel'skii institut gidrotekhniki. Izvestiia, 1986, Vol.188, p.54-58, In Russian. 12 refs.

Studying physical and thermophysical properties of ashes from coal in the Pechora basin. [Issledovanie fizicheskikh i teplofizicheskikh svoïstv merzlogo zoindication in the proportion of the proportion o

Procee-thaw of massive ground induced by air flow. [Promerzanie-ottaivanie gruntovogo massiva pod (Fromerzanie-ottalvanie grunovogo massiva povozdelstviem vozdushnogo potoka), Mukhetdinov, N.A., Leningrad. Vsesoiuznyl nsuch-no-issledovatel'ski institut gidrotekhniki. Izvestiis, 1986, Vol.188, p.65-70, In Russian. 9 refi. Soll freezing, Frost penetration, Moisture transfer, Heat transfer, Phase transformations, Stefan prob-

42-1642
Theoretical analysis of free convection of air in rock fills. [Analiticheskii raschet svobodnoi konvektsii vozdukha v kamennoi nabroske;, Gorokhov, E.N., et al, Leningrad. Vaesoiuznyi nauchno-issledovatel akli institut gidrotekhniki. Izvestiia, 1986, Vol.188, p.71-73, In Russian. 4 refs. Fevralev, A.B.
Hydraulic structures, Rock fills, Dams, Air flow, Convection.

Calculating thermal regime of rock-earth dams allow-ing for the accumulation of sublimated ice. (Metod rascheta temperaturnogo rezhima kamme

rascheta temperaturnogo rezhima kammenno-zemianot plotiny a uchetom sublimatsionnogo ledonako-pleniia v nabroske,
Gorokhov, E.N., Leningrad. Vsesoluznyi nauchno-iasledovstei'skii institut gidrotekhniki. Izvestila,
1986, Vol. 188, p.74-80, in Russian. 12 refs.
Earth dams, Rock fills, Thermal regime, Ice formstion, Sublimation, Analysis (mathematics).

42-1644 Motion and structural response of a hydroelastic semi-submersible model to waves and ice impacts. El-Tahan, H., et al, Journal of offshore mechanics and narian, r., ct a., Journal of offshore mechanics and arctic engineering, Feb. 1987, 199(1), p.35-42, 40 refs. Arockiasamy, M., Swamidas, A.S.J. Offshore structures, Ice loads, Ocean waves, Impact strength, Ice pressure, Models, Dynamic properties, Elastic properties, Tests.

42-1645

42-1045
Ice floe impact with sloping structures.
Luk, C.H., Journal of offshore mechanics and arctic engineering, Feb. 1987, 109(1), p.75-84, 5 refs.
Ice loads, Offshore structures, Ice floes, Wave propagation, Impact strength, Elastic waves, Flexural strength, Analysis (mathematics).

42-1646
Distribution of ice pressure acting on offshore pile structure and the failure mechanics of ice sheet. Tanaka, S., et al, Journal of offshore mechanics and arctic engineering, Feb. 1987, 109(1), p.85-92, 11 refs. Sacki, H., Ono,

Ice pressure, Offshore structures, Pile structures, Strains, Ice sheets, Distribution, Stresses, Ice cover thickness, Tests.

Apparent free surface method for determining the transient freezing around a buried pipe in a semiinfinite region.

Weinbaum, S., et al, Journal of offshore mechanics and arctic engineering, Feb. 1987, 109(1), p.93-101, 17

Zhang, G.-P., Jiji, L.M. Freeze thaw cycles, Underground pipelines, Bound-ary value problems, Analysis (mathematics).

Validation and quantitative assessment of the deterioration mechanisms of arctic leebergs. El-Tahan, M., et al, Journal of offshore mechanics and arctic engineering, Feb. 1987, 109(1), p.102-108, 24

Venkatesh, S., El-Tahan, H. Ice deterioration, Icebergs, Mass balance, Ice erosion, Ocean waves, Calving, Models, Melting. 42-1649

Reception of remote sensing satellites in Australian Antarctic Territory, a technical feasibility study: final

report.
Jeremy, R., et al, Australis. Commonwealth Scientific and Industrial Research Organization. Office of Space Science and Applications. COSSA publication, Jan. 1987, No.010, 58p., For selected paper (Appendix 6) see 42-1650 or C-36810. 7 refs. McCracken, K.G.

Research projects, Data processing, Spaceborne pho-tography, Mapping, Sea Ice, Cost analysis, Site sur-

veys.

This report covers a technical and cost study of the facilities which would be required to receive at an Australian antactic station, image and other data from the remote sensing satellites LANDSAT, SPOT and ERS-1. Subjects addressed in the study are: choice between Mawson, Davis, and Casey as the location for a receiving station; operational, scientific, and other uses (e.g. mapping) to which received data could be applied; data accumulation volumes, on-site processing, and potential transmission requirements; technical considerations (such as antenns size required); cost estimates for station acquisition and installation; operating cost estimates. (Auth.)

42-1650

42-1950
Benefits of a receiving station in AAT to Australia's antarctic glaciological research.
Allison, I., et al, Australia. Commonwealth Scientific and Industrial Research Organization. Office of Space Science and Applications. COSSA publication, Jan. 1987, No.010, p.48-56, 18 refs. Young, N.W.

Young, N.W.

Research projects, Sen ice, Ice sheets, Spaceborse photography.

In support of benefits to be gained from establishing the satellite data receiving station, the huge size (more than 4 million sq km) of the area to be surveyed is pointed out. Other countries are experiencing success and acquiring considerable knowledge of other areas under glaciological surveillance. To go forward with glaciological research in AAT requires the use of the data remotely sensed by satellite-borne equipment and the amount of data generated in this manner requires a direct readout and processing capability in Antarctica. The types of data expected, methods of obtaining data, and the types of satellites carrying the sensors are discussed.

Effects of water and ice layers on the scattering properties of diffuse reflectors.

Jezek, K.C., et al, Applied optics, Dec. 1, 1987, 26(23), MP 2301, p.5143-5147, 7 refs.

Koh, G.

Ice optics, Reflectivity, Scattering, Diffusion.

Automatic measurements of vertical ocean heat flux and ice mass balance. Untersteiner, U., et al, Washington. University Applied Physics Laboratory. Report, Feb. 1984, APL-UW-2-84, 17p. ADA-172 560/5/XAB. University. Thorndike, A.S.

See ice distribution, Mass belance, Heat transfer, Sea water, Floating ice, Boundary layer, Thermistors, Ice melting, Thermodynamics, Ice pressure.

42-1653
Eastern-western Arctic sea ice analysis, 1985.

\*\*Content Polar Oceanography Center, Washington, Eastern-western Arctic sea ice analysis, 1985. U.S. Naval Polar Oceanography Center, Washington, D.C., 1985, 110p. ADA-172 722/1/XAB. Sea ice distribution, Remote sensing, Ice conditions, Charts, Maps, Seasonal variations, Arctic Ocean, Great Lakes.

42-1654

Marine environmental assessment: Chesspeake Bay, December 1985-February 1986.

Kelly, K.L., et al, Gloucester Point, VA, Chesspeake Research Connortium, Inc., 1986, 40p., PB87-129

458/XAB, Also published as Virginia Sea Grant Coll. Program, Blacksburg, report No.VSG-86-03A.

Bashore, T.L., McDonald, K.L.

Sea ics distribution, Ice conditions, Ice forecasting, Oceanography, Climatic factors, Marine biology, Meteorological data, Marine transportation, Environmental impact.

Airphoto mapping of coarse tills. [Geobildtolkning

av grova moraenen, Viberg, L., Sweden. Statens geotekniska institutet. Rapport, 1984, SGI-23, 87p., PB87-125 571/XAB, In

Mapping, Glacial deposits, Moraines, Roads, Con-struction materials, Aerial surveys, Photointerpreta-tion, Road maintenance, Sweden.

42-1656
Field and laboratory study on the use of geotextiles and related products to bridge thermokarsts.
Kinney, T.C., Alaska. Dept. of Transportation and Public Facilities. Report, May 1985.
PHWA/AK/RD85/31, 140p. PB87-122 032/XAB.
Construction materials, Bridges, Thermokarst, Presse thaw cycles, Soil stabilization, Mathematical models, Tests, Excavation, Embankments, United States—Alaska.

42-1657

92-1837
Evaluation of snowplowable marker installation.
Agent, K.R., et al, U.S. Federal Highway Administration. Kentucky Transportation Research Program,
Lexington. Report, June 1986, UKTRP-86-16, 57p.
PB87-130 928. Pieman, J.G.

Markers, Snow cover effect, Pavements, Road maintenance, Engineering, Reflectivity.

Simulation of multistatic and backscattering cross sections for sirborne radar.
Biggs, A.W., Huntsville, Alabama University, July 1986, 11p. N87-18757/1/XAB.

1200, 11p. 1101/1/1/AB.
Airborne radar, See ice distribution, Glacier ice, Snow cover distribution, Backscattaring, Computer programs, Vegetation, Topographic features, Oceans, Sarface waters, Scattering.

42-1659
Shattle imaging radar—C science plan.
California. Institute of Technology, Pasadena. Jet
Propulsion Laboratory, U.S. National Aeronautics and
Space Administration. Contractor report, Sep. 1,
1986, NASA-CR-180241, 180p. JPL-PUB-86-29, N87-18697/9/XAB

Saow cover distribution, Geomorphology, Landforms, Erosion, Weethering, Computer programs, Polariza-tion (waves), Mapping, Vegetation, Oceanography, Radar echoes.

Self-contained electronic thermometers for field

Self-coatsheed electronic thermometers for field measurements. [Avtonomnyl izmeritel' temperatury dila naturnykh isaledovanii, Sakharov, G.G., et al, Leningrad. Vsesoiuznyl nauchno-isaledovatel'akti institut gidrotekhniki. Izvestiis, 1986, Vol.190, Avtomatizatsiia izmerenil v issledovaniiakh po gidrotekhnike (Automation of measurements in hydraulic engineering) edited by L.IA. Dubovik and R.N. Tinazova, p.36-38, In Russian. Voronov, G.G., Sergeeva, E.S.

Temperature measurement, Measuring instruments, Hydraulic structures, Cold weather construction.

42-1661
Design studies of thermal cracking resistance of concrete slabs in stilling basins of the Boguchary Hydroslectric Development, (Raschetnye issledovaniis temperaturno't treshchinostofkosti betonnykh plit vodobolnogo kolodtsa Boguchanskogo gidrouzla, Markevich, T.C., Leningrad. Vsesoluznyi nauchnosledovateľaki institu gidrotekhnik. Isvestia, 1986, Vol.191, Prochnost i ustofichivost' betonnykh inderpoktantyk konstruktav (RST TES i AES zhelezobetonnykh konstruktan GES, TES i AES (Strength and stability of concrete and reinforced con-(Strength and stability of concrete and reinforced cor-crete structures of hydroelectric, thermal and atomic power plants) edited by A.A. Khrapkov and R.N. Tinazova, p.23-29, In Russian. 9 refs. Concrete structures, Hydraulic structures, Frost re-sistance, Concrete strength, Design.

42-1662

Hot water heating of concrete using the repeated comentation system. [Gidroobogrev betons s ispol'cementation system. [Gidroobogrev betona s ispoi-zovaniem sistemy poviornoi tsementatsiin, Paromova, G.F., et al, Leningrad. Vsesoiuznyi nauchno-issledovatei!khi institut gidrotekhniki. Iz-vestiia, 1986, Vol.191, Prochnost' i ustoichivost' betonnykh i zhelezobetonnykh konstruktaii GES, TES i AES (Strength and stability of concrete and rein-forced concrete structures of hydroelectric, thermal and atomic power plants) edited by A.A. Khrapkov and R.N. Tinazova, p.51-54, In Russian. 5 refs. Skokov V.G. Sulimov V.S.

Skokov, V.G., Sulimov, V.S.
Concrete atractures, Joints (junctions), Grouting,
Concrete admixtures, Concrete heating.

Controlling temperature regime of water bodies in winter. [Regulirovanie temperaturnogo rezhima

wister. Regulirovanie temperaturnogo rezhima vodoema v zimnee vremia, Vasil'ev, N.K., et al, Leningrad. Vsesoiuzny'i nauchno-issledovatel'akh institut gidrotekhniki. Izvestiia, 1986, Vol.192, Sistemy vodosnabhenila teplovykh i atomnykh elektrostantsii (Water-supply aystems of thermal and atomic power planta) edited by I.I. Makarova and L.S. Osnovikova, p.37-43, In Russian. 7 refs. Vasil'eva, I.M., Shatalina, I.N.

Electric power, Water storage, Lake water, Cooling, Ecology, Environmental protection, Artificial snow, Water temperature, Temperature control, Snow (con-

struction material).

42-1664
Comment on 'Sea-Ice and the antarctic winter circulation: a numerical experiment' by J.F.B. Mitchell and T.S. Hills (October 1986, 112, 953-969).
Simmonds, I., et al., Royal Meteorological Society, London. Quarterly journal, Oct. 1987, 113(478), p.1396-1403, 8 refs. includes reply by Mitchell and Hills. For the article being commented on see 41-1474 (1-34782).
Dix, M., Mitchell, J.F.B., Hills, T.S.
Atmospheric pressure, Sea Ice, Ice cover effect, Mathematical models.

ematical models.

In the original article an experiment was conducted by Mitchell and Hills to test the sensitivity of a general circulation model to changes in antarctic sea ice extent. The results were in good agreement with those of Simmonds except in the sea level pressure parameter. In the present comment and reply the sea level pressure disagreement continues and is discussed at some

42-1665

Estimation of frost resistance of morainal loam. (Otsenka morozoopasnosti morennogo suglinka; Golli, O.R., Leningrad. Vsesoiuznyi nauchno-is-aladoustal'shit institut eidzetakhniki Izuasiiis

Solit, O.R., Leningrad. Vsesoluznyi naucino-is-sledovatel'skii institut gidrotekhniki. Izvestiia, 1986, Vol. 193, Osnovaniia i fundamenty gidrotekhni-cheskikh i energeticheskikh sooruzhenii (Bases and dited by D.D. Sapegin and T.M. Boravskaia, p.46-53, ln Russian. 14 refs.

Buildings, Foundations, Seasonal freeze thaw, Loams, Frost resistance, Frost heave, Bearing strength.

92-1000 Specific features of compiling a geothermophysical model for predicting geocryological conditions relat-ed to hydraulic structures. Osobennosti postroeniia geotepiofizicheskoi modeli dlia prognozirovaniia

geoteplofizicheskol modeli dlia prognozirovaniia geokriologicheskikh ulovil v sviazi s gidrotekhnicheskim stroitel'stvom, Krivonogova, N.F., Leningrad. Vsesoiuznyi nauchno-issledovatel'ski institut gidrotekhniki. Izvestiis, 1986. Vol.193. Osnovaniis i fundamenty gidrotekhnicheskikh i energeticheskikh sooruzhenii (Bases and foundations of hydraulic and electric power structures edited by D.D. Sapegin and T.M. Boravskaia, p.62-69. In Russian. 8 refs.

Hydraulic structures, Permafrost beneath structures, Permafrost thermal properties, Permafrost forecasting, Models.

42-1667

Using the seismic survey technique in studying weathering of frozen rock foundations. [Izuchenie zony vyvetrivaniia merzlykh skal'nykh osnovanii metodom

vyvetrivaniia merzlykh skal'nykh osnovanii metodom selsmorazvedki,
Voronkov, O.K., et al, Leningrad. Vsesoiuznyi nauchno-issledovatel'skii institut gidrotekhniki. Izvestiia, 1986, Vol.193, Osnovaniia i fundamenty gidrotekhnicheskikh i energeticheskikh sooruzhenii (Bases and foundations of hydraulic and electric power structures) edited by D.D. Sapegin and T.M. Boravskaia, p.69-79, In Russian. 9 refs.

Kuntsevich, S.P.
Bulldings, Foundations, Frozen ground strength,
Frozen rocks, Weathering, Seismic surveys.

42-1668

Changes in the intensity of frost weathering processes

with depth. (Izmenenie intensivnosti protaessov moroznogo vyvetrivaniia s glubinol). Ushakova, L.F., Leningrad. Vsesouzzyj nauchno-issledovatel'skii institut gidrotekhniki. Izvestiia, 1986, Vol. 193, Osnovaniia i fundamenty gidrotekhnicheskikh i energettineskikh sooruzhenii (Bases and foundations of hydraulic and electric power structures) edited by D.D. Sapegin and T.M. Boravskaia, p.79-82,

In Russian. 6 refs.
Frost weathering, Frozen rocks, Frost shattering,
Frost penetration, Freeze thaw cycles, Active layer,
Experimentation.

42-1669

Temperature regime of massive concrete structures built of rolled-concrete blocks at subzero air temperatures. Temperaturnyi rezhim betonnogo massiva vozvodimogo blokami iz ukatannogo betona pri otrit-

vozvodninogo olekami zu ustaninogo elecina pri otin-satel'nykh temperaturakh vozdukha, Ginzburg, S.M., et al, Leningrad. Vsesoiuznył nauch-no-issledovatel'akh institut gidrotekhniki. Izvestiia, 1986, Vol.194, Nadezhnost' betonnykh i zhelezobetonnykh energeticheskikh sooruzhenii (Reliability of concrete and reinforced-concrete electric power struc-tures) edited by A.V. Karavaev and E.N. Boravskaia, p.44-50, In Russian. 3 refs. Ovchinnikova, T.T., Sheinker, N.IA.

Winter concreting, Concrete placing, Concrete hard-ening, Temperature control, Concrete freezing.

Studies of long-range resistance of frozen concrete to compression. [Issledovanie dolgovremennogo so-protivleniis Rd zamorozhennogo betona pri szhatii, Logunova, V.A., et al, *Leningrad. Vsesoiuzny* nauchno-issledovateľskii institut gidrotekhniki. Izvestila, 1986, Vol.194, Nadezhnosť betonnykh i zhelezobetonnykh energeticheskikh sooruzhenii (Relisibility of concrete and reinforced concrete electric power structures) edited by A.V. Karavaev and E.M. Boravakaia, p.84-87, In Russian. 3 refs. Mikhalevakaia, I.V., Filippovich, I.N. Winter concreting, Concrete freezing, Compressive properties, Tensile properties, Concrete strength.

12-15/11 Iceberg sightings during the Chilean SIBEX-Phase II cruise in the Bransfield Strait, Antarctica, 1985. Schlatter, R., Santiago de Chile. Instituto Antártico Chilean. Serie científica, 1986, No.35, p.65-69, 5 Icebergs, Sea ice distribution, Antarctica—Bransfield

Strait. For Spanish version and abstract see F-35274 or 42-2812.

Assessing the usable life of an antarctic station. Hatcher, G.P., Antarctic journal of the United States, Dec. 1986, 21(4), p.6-9.

Cold weather construction, Structural analysis, Safety, Antarctica—Amundsen-Scott Station.

ty, Antarctica—Amundsen-Scott Station.

When to divert substantial funding from other projects and needs to build new facilities is a difficult decision. Such a decision-making situation is being anticipated with regard to Amundsen-Scott Station at the geographic south pole. The five factors affecting this decision are now being considered by the Naval Civil Engineering Laboratory. These factors are structural asfety, operational safety, required operational capability, habitability standards, and annual costs. Preliminary assessment of the dome structural safety problem will develop before the other four areas contribute more significant problems. If the other four areas were analyzed, a time for replacing the present station could be determined.

Nature and mechanism of clay swelling. Prirods i

Nature and mechanism of clay swelling. [Prirods t mekhanism nabukhaniia glin],
Osipov, V.I., et al, Inzhenernaia geologiia, Sep.-Oct.
1987, No.5, p.18-27, In Russian. 9 refs.
Babak, V.G.
Clays, Models, Clay soils, Clay minerals, Rheology,

Soil water migration, Swelling.

Seismicity as one of the basic factors for mass movement activation in the Baykal area. [Seïsmichnost kak odin iz osnovnykh faktorov aktivizatsii sklonovykh protecsov v Pribalkal'ej, Makarov, S.A., Inzhenernaia geologiia, Sep.-Oct. 1987, No.5, p.53-57, In Russian. 16 refs.

1201, 120.2, p.32-21, in Kussan. 16 refs. Slope processes, Mass movements (geology), Earthquakes, Landslides, Rock streams, Soil creep, Soiffreezing, Frost penetration, Freeze thaw cycles, USSR—Baykai Lake.

Studying phase composition of moisture in frozen grounds by a modified thermometric method. [Issledovanie fazovogo sostava vlagi v merzlykh gruntakh modifitsirovannym teplometricheskim meto-

domy,
Daniclian, IU.S., et al, Inzhenernaia geologiia,
Sep.-Oct. 1987, No.5, p.119-125, in Russian. 4 refs.
Kudriavtsev, E.A., IAnitskii, P.A.

Permafrost hydrology, Soil water migration, Unfroz-en water content. Phase transformations.

42-1676

Determining frost heave of freezing peat. [Opredele-Determining rost neave of recuring pear. (Dyrecter-nie pucheniia promerzaisuhchego torfa), Kliuev, P.I., et al., Inzhenernaia geologiia, Sep.-Oct. 1987, No.5, p.126-129, In Russian. 14 refs. Gevorkian, S.G., Zinov'ev, M.L., Zinov'eva, G.V. Organic soils, Peat, Frost penetration, Soil freezing, Frost heave, Soil water migration. Phase transforms-

42-1677

Frost resis unce of concrete in its early stages. Frost resis ance of concrete in its early stages. (Morozosto cest' betona v rannem vozraste), Sudakov, V.b., et al, Leningrad. Vsesoiuznyi nauchno-issledovatel'skh institut gidrotekhniki. Izvestiia, 1986, Vol. 1985, Dolgovechnost' i prochnost' betona i betonnykh sooruzhenii (Service life and strength of concrete and concrete structures) edited by V.B. Suda-kov and L.S. Osnovikova, p.22-27, In Russian. 2 refs. Karysheva, V.A.

Winter concreting, Concrete placing, Concrete hard-ening, Frost resistance, Freeze thaw tests, Concrete strength.

42-1678

Increasing the service life of massive hydraulic struc-Increasing the service life of massive hydraune structures built of concrete in freezing weather. (Povyshenie dolgovechnosti massivnykh gidrotekhnicheskikh sooruzhenii betoniruemykh vzimnikh usloviiakh, Matiushin, V.M., Leningrad. Vsesoiuznyi nauchnoissledovatel'ski institut gidrotekhniki. Izvestiia, 1986, Vol.195, Dolgovechnost' i prochnost' betona i betonnykh sooruzhenii (Service life and strength of concrete and concrete structures) edited by V.B. Suds-kov and L.S. Osnovikova, p. 33-37, In Russian. 9 refs. Concrete structures, Hydraulic structures, Winter concreting, Concrete hardening, Concrete freezing, Frost resistance, Concrete strength.

42-1679

Frost resistance of air-entrained concrete made of fine aggregates of different grain sizes. [Morozostoïkost' betonov s vovlechennym vozdukhom na melkom betonov s vovlechennym zapolnitele raznot krupnostij, Vsesoluznyi nauchno-is-

Bel', A.A., et al, Leningrad. Vsesoiuznyi nauchno-is-sledovatel'skii institut gidrotekhniki. Izvestiia, 1986, Vol.195, Dolgovechnost' i prochnost' betona i betonnykh sooruzhenii (Service life and strength of concrete and concrete structures) edited by V.B. Suda-kov and L.S. Osnovikova, p. 37-41, In Russian. 2 refs.

ROV and L.S. Oznovikova, p. 37-41, in Russiani. 2 reis. Bertov, V.M., Goriacheva, N.A. Winter concreting, Concrete aggregates, Concrete admixtures, Air entralnment, Frost resistance, Concrete hardening, Concrete strength.

Properties of concrete mixes and concretes with a higher content of alcohol-sulfite lye. (Svolstva betonnykh smesel i betonov s povyshennym soderzhaniem SDB<sub>1</sub>.

Morozova, G.V., et al, Leningrad. nauchno-issledovateľski institut gidrotekhniki. Iz-vestija, 1986, Vol.195, Dolgovechnost i prochnost betons i betonnykh sooruzhenii (Service life and strength of concrete and concrete structures) edited by V.B. Sudakov and L.S. Osnovikova, p.41-47, In Rus-11 refs.

Kostyria, G.Z., Shchinova, IU.A.

Winter concreting, Concrete aggregates, Concrete admixtures, Cements, Concrete strength, Prost resistance, Air entrainment, Tests, Laboratory techniques.

Durability of concrete containing surfactants depend-ing on the mineral and material composition of ce-ment. [Zavisimost' dolgovechnosti betons a dobav-kami PAV ot mineralogicheskogo i veshchestvennogo

sami FAV of mineralogicnessogo i vesicnesivennogo sostava tsementas, Miklashevich, N.V., Leningrad. Vsesoiuznyi nauchno-issledovatel'skh institut gidrotekhniki. Izvestiia, 1986, Vol.195, Dolgovechnost' i prochnost' betona i betonnykh sooruzhenii (Service life and strength of concrete and concrete structures) edited by V.B. Sudakov and L.S. Osnovikova, p. 47-50, In Russian. 3 refs. Cement admixtures, Concrete aggregates, Cements, Concrete admixtures, Surfactants, Concrete strength, Frost resistance, Composition, Freeze thaw cycles, Laboratory techniques.

coment mortars with superplasticizers for pressure grouting. [in"ektsionnye tsementno-peschanye rastvory s dobavkami superplastifikatorov],

rastrory's dobavkami superplastifikatorovy, Kudinov, V.A., Leningrad. Vessoiuznyi nsuchno-is-sledovatel'skii institut gidrotekhniki. Izvestiia, 1986, Vol.195, Dolgovechnost' i prochnost' betona i betonnykh sooruzhenii (Service life and strength of concrete and concrete structures) edited by V.B. Suda-kov and L.S. Osnovikova, p.82-88. In Russian. 22

Cements, Mortars, Grouting, Surfactants, Cement admivinge

47.1683

42-1083
Glacial geomorphology.
Gemmell, J.C., Progress in physical geography, Sep. 1986, 10(3), p.446-453, 26 refs.
Geomorphology, Glacial geology, Glacial hydrology, Meltwater, Glacier surges, Basal sliding.

42.1684

Weathering.
Whalley, W.B., et al, Progress in physical geography,
Sep. 1987, 11(3), p.357-369, 83 refs.
McGreevy, J.P.

Frost weathering, Erosion, Periglacial processes.

42-1685

Chemical composition of hoarfrost, rime and snow

Chemical composition of hearfrost, rime and shot during a winter inversion in Utah, U.S.A. Cerling, T.E., et al, Water, air, and soil pollution, Oct. 1987, 35(3-4), p.373-379, 17 refs. Alexander, A.J.

Snow composition, Hoarfrost, Air pollution, Temperature inversions.

42.1686

Integrated system for land navigation.

McMillan, J.C., Navigation, Spring 1987, 34(1), p.43-63. 3 refs. Nevigation

42-1687

500 m experimental range for propagation studies at millimetre, infrared and optical wavelengths.

Gibbins, C.J., et al, Institution of Electronic and Radio

Engineers. Journal, Sep.-Oct. 1987, 57(5), p.227-234. 11 refs.

Wave propagation, Attenuation, Snowfall, Snow optics, Fog.

42-1688

Droosedings

Proceedings.
International Symposium on Cold Regions Heat International Engineers, 1987, 270p., Refs. passim. For selected papers see 42-1689 through 42-1/16.
Cheng, K.C., ed, Lunardini, V.J., ed, Seki, N., ed.

Cateng, A.C., eq. Lunardini, V.J., ed. Seki, N., ed. Heat transfer, Ice formation, Ice melting, Soil freezing, Icing, Freet heave, Phase transformations, Ice water interface, Snow melting, Cold weather construction, Mathematical models.

Ground freezing and frost heave—a review. Nixon, J.F., International Symposium on Cold Re-Nixon, J.F., International Symposium on Cold Re-gions Heat Transfer, Edmonton, Alta, June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Me-chanical Engineers, 1987, p.1-10, 51 refs. Frost heave, Soll freezing, Frost penetration, Heat transfer, Underground pipelines, Forecasting, Mass transfer, Ice lenses, Capillary ice, Hydrodynamics, Engineering, Analysis (mathematics).

42-1690 Evolution of frazil ice in rivers and atreams; research

and control.

Daly, S.F., MP 2303, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society

of Mechanical Engineers, 1987, p.11-16, 35 refs.
Frazil ice. Ice control. Turbulent flow. Ice formation. Streams, Freezeup, Heat transfer, Ice crystals, River ice. Ice physics. Ice mechanics.

Ice, Ice physics, Ice mechanics.

This paper presents a selective overview of the research into frazil ice. The development of theory, instrumentation, and control structures has not proceeded on parallel course for all stages of frazil evolution. The earliest, dynamic stage of frazil formation is probably the best described, yet there has as yet been no application of this theory to a practical situation. A fundamental understanding of frazil formation could lead to means of disrupting the formation, such as by artificial seedings, modification of the fluid turbulence, etc. The development of instrumentation, has increased our ability to view and sample frazil, but as yet has not provided much benefit for the design and siting of ice control structures. To date, the successful use of ice control structures relies heavily on the insight of experienced field engineers. Theory or instrumentation has not

made their job easier, but the potential is large. A major task now is the synthesis of existing theory and instrumentation for application in ice control.

47-1601

Recent progress in the incorporation of convective heat transfer into cylindrical ice accretion models. heat transfer into cylindrical ice accretion models. Lozowski, E.P., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.17-24, 26 refs. Gates, E.M., Makkonen, L.

Icing, Ice models, Ice accretion, Heat transfer, Ice solid interface, Convection, Analysis (mathematics), Unfrozen water content.

Freezing and melting characteristics in internal flow Fukusako, S. et al. International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Eng.neers, 1987, p.25-38, 82 refs. Seki N

Freezing, Ice melting, Water flow, Ice formation, Tur-bulent flow. Phase transformations. Convection. Meltwater.

42-1693

Recent advances in the study of formation of ice-band structure in water-flow pipe.
Hirata, T., International Symposium on Cold Regions

Hirata, T., International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Me-chanical Engineers, 1987, p.39-45, 12 refs. Pipelline freezing, Water pipes, Ice water interface, Heat transfer, Water flow, Ice cover thickness, Ice

formation, Analysis (mathematics).

42-1604

Approximate solutions to Neumann problem.

Approximate solutions to Neumann problem.

Zarling, J.P., International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987.

Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.47-54, 15 refs.

Freeze thaw cycles, Mathematical models, Heat

transfer, Frost penetration, Phase transformations, Thaw depth.

42-1695

Some analytical methods for conduction heat transfer with freezing/thawing.
Lunardini, V.J., MP 2304, International Symposium

on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, Ameriociety of Mechanical Engineers, 1987, p.55-64, Refs. 61-64

Heat transfer, Freezing, Thawing, Heat balance, Phase transformations, Soil freezing, Permafrost, Freeze thaw cycles, Analysis (mathematics).

Preeze thaw cycles, Analysis (mathematics). One of the most difficult and yet most interesting areas of heat transfer is conduction (or convection) with freezing or thawing. The inherent non-linearity of the problem slong with the unknown moving interface precludes exact sclutions for most practical cases. This has spurred great effort to devise approximate solution methods which are accurate and of general application. Many of the known exact solutions are listed here along with a brief discussion of two approximate methods: the quasi-static and the heat balance integral. Space limitations rule out the inclusions of such useful variational methods as that of Biot or of a treatment in more detail.

Heat transfer and temperature distribution in asphalt during road paving operations under cold weather

conditions.

White, S., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta, June 4-6, 1987.

Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, 971-79, 8 refs.

Besant, R.W., Bergan, A.T.

Cold weather construction, Heat transfer, Bitumens, Roads, Paving, Temperature distribution, Temperature effects, Mathematical models.

42-1697

Computation of two-dimensional steady-state temperature distribution around a basement.

Krarti, M., et al, International Symposium on Cold

Narit, M., et al, international symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.81-87, 6 refs. Kreider IE

Kreider, J.P. Foundations, Heat transfer, Buildings, Soil tempera-ture, Analysis (mathematics), Heat loss, Temperature distribution, Heat flux.

42-1098
Study of the adherent layer on different types of ground in permafrost regions on the Qinghai-Xizang Plateau.

Plateau.
Zhu, L., International Symposium on Cold Regions
Heat Transfer, Edmonton, Alta., June 4-6, 1987.
Proceedings. Edited by K.C. Cheng, V.J. Lunardini
and N. Seki, New York, American Society of Mechanical Engineers, 1987, p. 89-93, 4 refs.
Permafrost heat transfer, Thermal diffusion, Soli air

interface, Humidity, Air temperature, Soli tempera-ture, Analysis (mathematics).

42-1600 Fundamental study on the solidification of super-

Fundamental study on the solidification of super-cooled liquid droplets.

Ichimiya, K., International Symposium on Cold Re-gions Heat Transfer, Edmonton, Alta., June 4-6, 1987.

Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Me-chanical Engineers, 1987, p.95-100, 17 refs.

Preezing, Supercooling, Drops (liquids), Ice forma-tion, Distribution.

42-1700

42-1700
Modelling trash rack freezeup by frazil ice.
Daly, S.F., MP 2305, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p. 101-106, 10 refs.
Preezeup, Frazil ice, Ice solid interface, Ice adhesion, Heat transfer, Ice formation, Mathematical models,

Drainage. Drainage.

The freezeup of trash racks by frazil ice occurs in a sequence that has not been quantitatively described. Because of the difficulty in observation and measurement, very little is quantitatively known about the concentration of frazil ice at the intake, the mechanism(s) of underwater ice adhesion, the deposition efficiency of frazil ice, the contribution of different heat transfer modes to the ice growth on the rack, and the relationship of the head loss through the rack to the flow velocity as a function of the mass of ice present. A comparison of the ice generation by conduction and convection with the mass of ice deposited on conduction and convection with the mass of ice deposited on the rack from the flow indicates that deposition is the most significant mode of ice formation on the rack. Based on this, and other assumptions, a first generation mathematical mode that describes the head loss through a trash rack during freezeup is developed. The mathematical model is developed for the case of a trash rack through which a constant discharge is maintained. The model is applied to laboratory data with good results. The laboratory data were obtained by modelling a section of a trash rack in a flume located in a cold room. First ice produced in the flume caused the rack to freeze up while a constant discharge was maintained. The mathematical model can be used to suggest means, both structural and operations). constant discharge was maintained. The mathematical model can be used to suggest means, both structural and operational, of extending the time until total freezeup of a trash rack occurs. Improvements in the mathematical model are suggested.

Growth rates of ice discs in slightly supercooled wa-

Forest, T.W., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta, June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.107-113, 12 refs. Sharma R.

Shaima, A. Ice growth, Supercooling, Water, Heat transfer, Mathematical models, Temperature distribution, Ice water interface, Phase transformations.

42-1702

Thermal control of spray ice accretion-de-icing. Horjen, I., International Symposium on Cold Regions Horjen, I., International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.115-121, 18 refs. Ice accretion, Heat transfer, Ice prevention, Spray freezing, Ice temperature, Thermal conductivity, Ice salinity, Ice density, Ice cover thickness.

42-1703

Use of an additive in sprayed sea water to accelerate ice structure construction.

ice structure construction.

Pare, A., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987.

Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.123-129, 16 refs.

Carlson, L.E., Bourns, M., Karim, N.
Sea spray, Artificial ice, Ice islands, Offshore structures, Heat transfer, Tensile properties, Sea water, Mass transfer, Lee formation.

Mass transfer. Ice formation.

Ice shapes produced by water droplets solidifying on inclined cables.

inclined cables.

Tinkler, J., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p. 131-135, 12 refs. Popplewell, N., Shah, A.H.

Power line icing, Transmission lines, Drops (liquids), Raia, Ice formation, Wind factors, Dumage, Counter-

ires, Ice prevention, Wind tunnals.

42-1705

42-1705
Design, instrumentation, and performance of a refrigerated marine icing wind tunnel.
Foy, C.E., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.137-142, 4 refs.
Gates, E.M., Lozowski, E.P.
Ship icing, What tunnels, Offshore structures, Heat transfer, See apray, Design, Forecasting, Ice accretion, Models, Thermodynamics, Computer applications.

42-1706

Measurement of the average convective heat transfer

coefficient around rough cylinders.
Szilder, K., et al. International Symposium on Cold Szilder, K., et al., international Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.143-147, 11 refs. Gates, E.M., Lozowski, E.P. Heat transfer, Surface roughness, Ice formation, Ic-ing, Ice accretion, Convection, Wind tunnels.

42 1707

Experimental study of freezing behavior in a 90 des

Experimental study of freezing behavior in a 90 deg curved pips.
Inaba, H., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987.
Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p. 149-154, 9 refs.
Oiwake, S., Fukuda, T., Sugawara, M.
Freezing, Water pipes, Fracturing, Ice growth, Ice formation, Water flow.

Preezing fracture of water pipes in low temperature. Saito. H., et al. International Symposium on Cold Re-Satio, H., et al, international symposium on Cole Kegions Heat Transfer, Edmonton, Alta, June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.155-160, 3 refs. Preexing, Water pipes, Fracturing, Heat transfer, Mathematical models, Deformation, Metals, Surface

temperature, Stresses

42,1700

Himuro type storage shed using the ice stored in win-

Kobiyama, M., International Symposium on Cold Re-Kobiyama, M., International Symposium on Cold Re-gions Heat Transfer, Edmonton, Alta, June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Me-chanical Engineers, 1987, p.167-170, 2 refs. Cold storage, Ice, Heat transfer, Design.

42-1710

Snow melting by showering squeous solution with low

Salow meeting by showering a aqueous solution with low solidification temperature.

Sugawara, M., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.183-187, 8 refs. Inaba, H., Saito, H.

Snow melting, Solutions, Cold weather tests, Temper-ature effects, Snow density.

Snow melting by heating from the bottom surface.

Aoki, K., et al, International Symposium on Cold Re-Aoki, K., et al, International Symposium on Cold Re-gions Heat Transfer, Edmonton, Alta, June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Me-chanical Engineers, 1987, p.189-194, 7 refs. Hattori, M., Ujiie, T. Saow melting, Heating, Stefan problem, Heat trans-fer, Ice lenses, Models, Surface drainage, Analysis (mathematics), Heat loss.

42.1712

Numerical methodology for multidimensional melting heat transfer problem involving natural convec-44.

Saitch. T., et al. International Symposium on Cold Saiton, T., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.207-214, 32 refs.

Kato, H.
Ice melting, Freezing, Heat transfer, Mathematical models, Convection, Boundary layer.

42-1713

Boundary element method for multidimensional heat conduction with phase change. Wang, C., et al. International Symposium on Cold Re-

wang, C., et al., international symposium on Cold averagions Heat Transfer, Edmonton, Alta, June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.215-220, 16 refs.

Tu. C. Freezing, Liquids, Permafrost heat transfer, Phase transformations, Temperature effects, Analysis transformations, Temperations, Conduction.

42-1714

Heat conduction in 1-D ice formation with temperature-dependent conductivity and time-dependent

boundary conditions. Wang, C., et al. Intern ... et al. International Symposium on Cold Rewang, C., et al, international symposium on Colo Avergions Heat Transfer, Edmonton, Alta, June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.221-225, 9 refs. Tu. C

Heat fransfer, Ice formation, Ice temperature, Boundary layer, Thermal conductivity, Conduction, Temperature distribution, Time factor.

42,1715

Effect of natural convection on ice formation around

Enect of natural coavection on ice formation around an isothermally cooled horizontal cylinder. Cheng, K.C., et al, International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.227-234, 18 refs. Inaba, H., Gilpin, R.R.

Ice formation, Heat transfer, Ice water interface, Water temperature, Temperature effects, Convection, Temperature distribution, Ice cover thickness, Anal-

42-1716

Integral solutions for phase change problems with inner/outer convective heat transfer boundary condi-

Wang, H.P., et al. International Symposium on Cold Wang, Fi.F., et al., international Symposium on Ceptage Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.135-240, 4 refs. Perry, E.M.

Ice formation, Heat transfer, Boundary layer, Freezing, Phase transformations, Mathematical models, Convection, Time factor.

42-1717

Cooperative model for orientational defects in ice:

continuum approach.
Kriachko, E.S., Chemical physics letters, Nov. 13, 1987, 141(4), p.346-349, 15 refs.
Ica crystal structure, Molecular structure, Hydrogen nds. Water structure.

42-1718 Some techniques and uses of 2D-C habit classification

software for snow particles.
Holroyd, E.W., III. Journal of atmospheric and oceanic technology, Sep. 1987, 4(3), p. 498-511, 11 refs.

Snow crystal structure, Classifications, Snowfall,
Falling bodies, Snow pellets, Cloud seeding.

42-1719 Trapping of gases by water ice and implications for icy bodies.

Bodies.
 Bar-Nun, A., et al, Advances in space research, 1987, 7(5), p.45-47, 4 refs.
 Prialnik, D., Laufer, D., Kochavi, E.
 Gas inclusions, Impurities, Extraterrestrial ice.

42-1720 42-1720
Europa, tidally heated oceans, and habitable zones around giant planets.
Reynolds, R.T., et al, Advances in space research, 1987, 7(5), p.125-132, 27 refs.
McKay, C.P., Kasting, J.F.
Extraterrestrial ice, Planetary environments, Cryobiates

Tidal dissipation in the satellites of a giant planet may provide sufficient heating to maintain an environment favorable to life on the satellite surface or just below a thin ice layer. In our own solar system, Europa, one of the Galliean satellites of Jupiter, could have a liquid ocean which may occasionally receive sunlight through cracks in the overlying ice shell. In such a case, sufficient solar energy could reach liquid water that organisms similar to those found under antarctic ice could grow. In other solar systems, larger satellites with more significant heat flow could represent senvironments that are stable over an order of Acoms and in which life could perhaps evoive. We define a zone around a giant planet in which such satellites could exist as tidally-heated habitable zone. This zone can be compared to the habitable zone which results from heating due to the radiation of a central star. In our solar system, this radiatively-heated habitable zone contains the Earth.

94-1/41
Radar-glory theory for icy moons with implications for radar mapping.
Eshleman, V.R., Advances in space research, 1987, 7(5), p.133-136, 16 refs.

Extraterrestrial ice, Radar echoes, Backscattering.

42-1722
Measurements of time-dependent neutron spectra
from low-temperature ice block.
Sakamoto, S., et al. Journal of nuclear science and
technology, Sep. 1987, 24(9), p.693-701, 13 refs.
Neutron probes, Ice physics, Laboratory techniques.

Utilities delivery in cold regions: Proceedings of sym-

Utilities delivery in cold regions; Proceedings of symposium held May 25 and 26, 1982.
Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 25-26, 1982, Canada. Environmental Protection Service. Water pollution Control Directorate. Economic and technical review report, Dec. 1982, EPS 3-WP-82-6, 419p., Refs. passim. For selected papers see 42-1724 through 42-1732.
Smith D.W. comp.

For selected papers see 42-1724 through 42-1732. Smith, D.W., comp. Utilities, Saaltary engineering, Permafrost distribu-tion, Water supply, Meetings, Waste treatment, Water treatment, Swage disposal, Fires, Economic

42-1724

Latest experiences with small-scale water systems in Greenland

Rauschenberger, K., Canada. Environmental Protec-Kauschenberger, K., Canada. Environmental Protec-tion Service. Water Pollution Control Directorate. Economic and technical review report, Dec. 1982, EPS 3-WP-82-6, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Aiza, May 25-26, 1982. Proceedings. Compiled by D.W. Smith, p.60-

Water supply, Permafrost distribution, Frost pene-tration, Underground pipelines, Utilities, Greenland.

42-1725

ervation in Barrow, Alaska.

Pollen, M.R., et al, Canada. Environmental Protection Service. Water Pollution Control Directorate. uon Service. water routuno Control Directoriae. Economic and technical review report, Dec. 1982, EPS 3-WP-82-6, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 25-26, 1982. Proceedings. Compiled by D.W. Smith, p.102-109, 3 refs. Smith, D.W.

Water supply, Utilities, Waste disposal, Water treatment, Maintenance, Equipment, United States— Alaska Barrow.

Operation and maintenance considerations for the de-

Operation and maintenance considerations for the design of arctic water systems. Mauser, M.W., Canada. Environmental Protection Service. Water Pollution Control Directorate. Economic and technical review report, Dec. 1982, E.P.S. 3-W.P-82-6, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 25-26, 1982. Proceedings. Compiled by D.W. Smith, p.180-199. Water supply, Cold weather operation, Design, Utilities, Maintenance.

42,1727

42-1727
Heating enclosed wastewater treatment facilities with heat pumps.
Martel, C.J., et al, Canada. Environmental Protection Service. Water Pollution Control Directorate.
Economic and technical review report, Dec. 1982, EPS 3-WP-82-6, MP 1976, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 25-26, 1982. Proceedings. Compiled by D.W. Smith, p.262-280, 13 refs.
Phetteplace. G. Phetteplace, G.

Waste treatment, Water treatment, Heating, Sani-tary engineering, Utilities, Pumps, Cost analysis, Winter maintenance.

Heat losses from the central heat distribution system

at Fort Walawright.

at Fort Wainwright.
Phetteplace, G., Canada. Environmental Protection
Service. Water Pollution Control Directorate. Economic and technical review report, Dec. 1982, EPS
3-WP-82-6, MP 2310, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 2526, 1982. Proceedings. Compiled by D.W. Smith,
p.308-328, 5 refs.
Heat loss, Heating, Utilities, Underground pipelines,
Air temperature, Temperature effects, Analysis
(mathematics), Computer programs, Soil tempersture, Seasonal variations.

42-1729 Solid waste management in remote Alaskan com munities.

Manifest.
Tilsworth, T., Canada. Environmental Protection
Service. Water Pollution Control Directorate. Economic and technical review report, Dec. 1982, EPS
3-WP-82-6, Symposium on Utilities Delivery in Cold
Regions, 3rd, Edmonton, Alta, May 25-26, 1982.
Proceedings. Compiled by D.W. Smith, p.329-344, 20 refs.

Waste disposal, Waste treatment, Solids, Land recla-mation. Permafrost. Environmental protection.

42-1730

Underground utilities in Barrow, Alaska. Cerutti, J.L., et al, Canada. Environmental Protection Service. Water Pollution Control Directorate.

Beconomic and technical review report, Dec. 1982,
EPS 3-WP-82-6, Symposium on Utilities Delivery in
Cold Regions, 3rd, Edmonton, Alta., May 25-26,
1982. Proceedings. Compiled by D.W. Smith, tion Service. Water Pollution Control Directorate.

1992. Proceedings. Compiled by D. w. Smith, p. 358-382, 4 refs.
Zirjacks, W.L., Hwang, C.T., Bruggers, D.E.
Underground pipelines, Permarkest distribution,
Utilities, Trenching, Design, Sewage treatment.

42-1731

Sewage pump station design for Barrow, Alaska. Robertson, W.A., et al, Canada. Environmental Pro-tection Service. Water Pollution Control Directortection Service. Water Pollution Control Directorate. Economic and technical review report, Dec.
1982, EPS 3-WP-82-6, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 2526, 1982. Proceedings. Compiled by D.W. Smith,
p.383-400.
Martin, R.W., III.
Sewage disposal, Permafrost distribution, Utilities,
Pumps, Design, United States—Alaska—Barrow.

42-1732

potable water reservoir, Tuktoyaktuk, Case study-Northwest Territories.

Nortawest Territories. Milburn, B., et al, Canada. Environmental Protection Service. Water Pollution Control Directorate. Economic and technical review report, Dec. 1982, EPS 3-WP-82-6, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta, May 25-26, 1982. Proceedings. Compiled by D.W. Smith, p.401-419, 13 2006.

Water supply, Reservoirs, Permafrost distribution, Utilities, Underground pipelines, Environmental im-pact, Dredging.

42-1733

Atmospheric mercury concentrations inside Scott

De Mora, S.J., et al, New Zealand antarctic record, 1987, 8(1), p.5-8, 12 refs.
Patterson, J.E., Bibby, D.M.
Air pollution, Chemical analysis, Antarctica—Scott Station.

Station.

A survey of mercury levels inside Scott Base was conducted as part of a study of atmospheric mercury in the Ross Dependency. Baseline concentrations of atmospheric mercury as tknown to be low in remote locations. Concentrations of the order of 1-2 ng/cu m are typically observed for clean air and even in urban environments tend to be well below 100 ng/cu m. Mercury in air samples at sites near Scott base was analyzed using a mercury detector within the base. Thus, the air survey within the base was a necessary precaution to check for local contamination. At the same time, sampling and analytical procedures could be tested, in particular ensuring suitable blanks and detection limits were attainable. Results of the collection and analysis of the air samples are discussed. (Auth.)

Environmental impact assessment in New Zealand's antarctic programme—where to from here? A pre-sentation to the NZARP Seminar on the 1986/87 Field Season.

Keys, H., New Zealand antarctic record, 1987, 8(1), p.9-17, 10 refs.
Environmental protection, Antarctics.

There is an increasing intensity and diversity of human activi-ties in the Antarctic. The 50% increase in the number of Con-

sultative Parties to the Antarctic Treaty since 1977 has meant sultative Parties to the Aniarctic Treaty since 1977 has meant more bases and other buildings have been constructed and more scientific programs and logistic support carried out. This increase is likely to continue since there has been a 210% increase in the number of states who have acceded to the Treaty since 1977. In addition, there is currently a growing number of independent expeditions. This increased activity is leading to an increased potential for significant environmental damage and described in the As a tool to be used to proceed the environment. 1977. In addition, there is currently a growing number of in-dependent expeditions. This increased activity is leading to an increased potential for significant environmental damage and degradation. As a tool to be used to protect the environment in the New Zealand Antarctic Research Program, the Environ-mental Impact Assessment is analyzed, its strengths and weaknesses are enumerated and its general approach is compared to that of SCAF.

Anteretic field tests on SARSAT nersonal locater

Space Administration. Technical memorandum, Oct. 1987, TM 4008, 15p. N88-10403.

Snow cover effect, Crevasses, Radio communication, Rescue operations, Antarctica.

Rescue operations, Antarctics. Field tests of SARSAT personal locater beacons were conducted in the Antarctic to sasess the viability of using these beacons to increase the safety of antarctic field parties. Data were collected on the extent to which dry or wet anow, melting conditions, crevasee walls and sone bridges affected the sbillty of the SARSAT satellite to calculate an accurate position of the beacon. Average response time between beacon turn-on and alert reception in McMurdo was between 4 and 5 hours for these tests. It is concluded that the SARSAT system is viable for antarctic operations and it is recommended that it be implemented for future field operations. Because obstruction of line-of-site between beacon and satellite degrades the accuracy of the location calculation (particularly in wet snow), it is further location calculation (particularly in wet snow), it is further recommended that field parties have sufficient numbers of beacons to insure that in an emergency, one will be able to operate from the surface. (Auth.)

42-1736

Development of methodology for design of snow roads and airstripe. Lee, S.M., et al, Houghton, Michigan Technological University, 1986, 37p. Haas, W.M.

Snow compaction, Snow mads, Runways, Cold weather construction, Antarc. a—Amundsen-Scott Station, Antarctica—McMurdo Station.

tion, Antarctica—McMurdo Station.

With the object of developing methods for improved runways in Antarctics, rammands profile measurements were made at selected sites of the roadways between McMurdo Station and Williams Afrifield and at several points in the Amundaen-Scott Station skiway, taxiway and construction sites. Snow pit date were collected at various locations at both stations. This report summarizes the following: the present status of the snow pit data analysis; a study simed at developing a suitable bindersnow mix and a method to process snow for higher compaction strength; and the current status of a field test in Houghton to try several binder-snow mix in situ. It is concluded that several layers of snow-binder mixture compacted, one layer at a time, on heat-treated base of hard ice will likely accommodate safe traffic and wheeled landing of sircraft during the sustral summer at South Pole Station and in McMurdo.

Some problems and achievements in destruction me-chanics. [Nekotorye problemy i dostizheniia mek-

haniki razrusheniia, Novozhilov, V.V., et al, Akademiia nauk SSSR. Vest-nik, Sep. 1987, No.9, p.96-111, In Russian. Slepian, L.I.

Ice strength, Ice cover strength, Fracturing, Crack propagation, Stresses, Metals, Steels, Loading, Periodic variations.

42-1738

42-1738
Fifty years of the drifting stations "North Pole".

[50-letic dreffuiushchikh stantsil "Severnyi polius"],
Treshnikov, A.F., Akademiis nauk SSSR. Vestnik,
Sep. 1987, No.9, p.133-141, In Russian.

Expeditions, Drift stations, Polar regions, Arctic

Seasonal thawing of the frozen soils of Transbalkalia. Kulikov, A.I., Soviet soil science, May-June 1987, 19(3), p.76-83, Translated from Pochvovedenie 1987, No.4, p.41-47. 21 refs.

Soil temperature, Permafrost thermal properties, Ecology, Active layer, Seasonal freeze thaw, Perma-frost hydrology, Soil water migration, Heat transfer.

Estimation of soil temperature profiles from remote microwave and IR measurements. (Otsenka profilia

mucrowave and as measurements. Ottenka profilis temperatury pochvy po dannym distantsionnykh SVCh- i IK-izmerenii, Reutov, E.A., et al, Issledovanie Zemili iz kosmosa, July-Aug. 1987, No.4, p.78-85, In Russian with English summary. 9 refs.
Shutto, A.M.

Soil temperature, Remote sensing, Measuring instru-

International Geosphere-Blusphere Program: the role of observations from space. [Mezhdunarodnaia geosferno-biosfernaia programma: Rol' kosmicheskikh

geosferno-biosfernaia programma: Rol' kosmicheskikh sredstv nabliudenij, Kondrat'ev, K.IA., *Issledovanie Zemli iz kosmosa*, July-Aug. 1987, No.4, p.104-118, in Russian with English aummary. 41 refs. Remote sensing, Geological surveys, Measuring in-

nemous sensing, Geological surveys, Acesauring instruments, Mapping, Oceanographic surveys, Ice surveys, Geobotanical interpretation, Spaceborne photography, Photointerpretation, Biogeography, Ecology, Spacecraft, Environments, Geologic processes.

42-1742
Studies of freezing potentials of natural and model dispersed media. [Izuchenie potentsialov zamerzaniia prirodnykh i model'nykh dispersnykh sred], Romanov, V.P., et al., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiis vysshikh uchebnykh zavedenii. Geologiia i razvedta, May 1937, No.5, p. 107-111, ln Russian. 18 refa. Bottsova, L.IU.
Soll fraezine. Ground thaving. Proet newstration.

Soil freezing, Ground thawing, Frost penetration, Freeze thaw tests, Interfaces, Electric potential, Ice formation, Soil water migration, Phase transforma-

42-1743

Introduction of conical strikers into frozen soil. Koshelev, B.A., et al, Soviet mining science, Nov.-Dec. 1986 (Pub. Sep. 87), 22(6), p.467-471, For Russian original sec 42-1499. 3 refs.

Chernikov, A.G.
Prozen fines, Physical properties, Tests, Projectile penetration, Impact strength.

42-1744

Thermal interaction of deep anodic ground plates

Thermal interaction of deep anodic ground plates with frozen soil.

Zuev, A.V., Protection of metals, Jan.-Feb. 87 (Pub. Sep. 87), 23(1), p. 137-140, Translated from Zashchita metallov 23(1) p. 176-180. 4 refs.

Underground facilities, Frozen ground, Metals, Cor-

Discovery of eightsen-branched snow crystals. Kikuchi, K., Meteorological Society of Japan. Journal, Apr. 1987, 65(2), p.309-311, 3 refs. Snow crystal structure.

42-1746

Arctic research of the United States, Vol.1. U.S. Interagency Arctic Research Policy Committee, MP 2306, Washington, D.C., Fall 1987, 121p. Bowen, S.L., ed, Valliere, D.R., ed.

Research projects, Polar regions, Research projects. This new journal provides an overview of Pederally funded research activities in Arctic regions and includes brief commentaries on specific programs being pursued by twelve departmentaries on specific programs being pursued by twelve departmental-level groups and thirteen sub-groups. The range of research topics includes minerals, geology, wildlife, land, parks, mines, atmosphere, oceans, biology, glaciology, earth sciences, sea ice, snow, ice, Arctic engineering, medicine, fisheries, weather forecasting, stumamia, ice edge, remote sensing, space plasma physics, permafrost, hydrology, tundra ecosystems, health, human services, cultural dynamica, archeology, ice breaking, iceberg reconnaissance, Arctic pollution, marine transportation, environmental protection, international Arctic coordination, forestry, soil conservation. Reports of meetings of the various committees and commissions involved in Arctic research Arctic Research and Policy Act of 1984, and Executive Order 12501 establishing the Arctic Research Commission and the Interagency Arctic Research Policy Commistee are included. Research projects, Polar regions, Research projects.

Polar deserts, their plant cover and plant production in the Caundian High Arctic.

Bliss, L.C., et al, *Holarctic ecology*, 1984, 7(3), p.305-324, 56 refs. Svoboda, J., Bliss, D.I.

Deserts, Plant ecology, Canada—Northwest Territories—Elizabeth Islands.

42-1748

Plant communities and plant production in the west-ern Queen Elizabeth Islands.

Bliss, L.C., et al, Holarctic ecology, 1984, 7(3), p.325-344, 54 refs. Svoboda, J.

Plant ecology, Canada—Northwest Territories-Elizabeth Islands.

42-1749

Ka-32 multimission helicopter designed to operate in harsh climate. Aviation week & space techi Sep. 2, 1985, 123(9), p.69. Helicopters, Ice prevention.

nparative study of the air-void stability in a nor-Comparative study of the sur-vote standing in a so-mal and a condensed ellica tume field concrete. Pigeon, M., et al, ACI materials journal, May-June 1987, 84(3), p. 194-199, 10 refs. Atticin, P.-C., Laplante, P. Preeze thaw cycles, Salting, Concrete durability,

Concrete placing.

Extinction behavior of dry snow in the 18-to 90-GHz

Hallikainen, M.T., et al, IEEE transactions on remanueu, M.1., et al, IEEE transactions on geo-science and remote sensing, Nov. 1987, GE-25(6), p.737-745, 26 refs. Ulaby, F.T., Van Deventer, T.E. Snow electrical properties, Dielectric properties, At-tenuation, Radiometry.

Toward snowmelt runoff forecast based on multisensory remote-sensing information.

Baumgartner, M.F., et al, IEEE transactions on

Baumgartner, M.F., et al, IEEE transactions on geo-science and remote sensing, Nov. 1987, GE-25(6), p.746-750, 7 refs. Sciedel, K., Martinec, J. Snowmelt, Meltwater, Runoff, Snow cover distribu-

tion, Mapping.

42-1753

Snow property measurements correlative to microwave emission at 35 GM.

Davis, R.E., et al. IEEE transactions on seo. and remote sensing, Nov. 1987, GE-25(6), p.751-757, 20 refs.

Dozier, J., Chang, A.T.C.

Snow cover structure, Microwaves, Absorption, Scattering.

42-1754

DC resistivity measurements of model saline ice

anceta.

Arcone, S.A., IEEE transactions on geoscience and remote sensing, Nov. 1987, GE-25(6), MP 2308, p.845-849, 16 refs.

Lee electrical properties, Electrical resistivity, Salt

42-1755

Antifreeze glycopeptides and peptides: interactions with ice and water.

DLC QP601.M49

With the same water.

Methods in enzymology, 1986, 127(0), p.293-303, 19 refs.

Antifreezes, Ice water interface, Freezing points, Melting points.

Melting points.

Survival in ice-laden seawater in cold-blooded vertebrates is linked to the presence of biological antifreeze compounds in their blood circulation and in most of the other body fluids. In almost all antarctic notothenioid fishes and arctic gadoid (cods) fishes, the antifreeze compounds are a series of glycopeptides of similar composition, but verying between 2,600 and 3,000 daltons in size. The composition and best available estimates of size for the antifreeze glycopeptides and peptides are given in a table for several cold-water species. Experiments on detection, isolation, and purification of the antifreeze proteins, and antifreeze interactions with ice, are reviewed.

Remote sensing: understanding the Earth as a system; Vols. 1 and 2.

International Geoscience and Remote Sensing Symposium (IGARSS '87), Ann Arbor, MI, May 18-21, 1987, New York, Institute of Electrical and Electron-

1987, New York, Institute of Electrical and Electronics Engineers, 1987, 1624p., Refs. passim. For selected papers see 42-1757 through 42-1770. Remote sensing, Sea ice distribution, Microwaves, Snow optics, Redar photography, Snow cover effect, Snow physics, River ice.

42,1757

Improved cloud analysis using visible, near-infrared, infrared, and microwave imagery.

D'Entremont, R.P., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.1, New York, Institute of Electrical and Electronics Engi-, 1987, p.51-56, 12 refs.

neers, 1987, p.51-36, 12 reis. Bunting, J.T., Felde, G.W., Thomason, L.W. Cloud cover, Remote sensing, Snow cover effect, Spectroscopy, Meteorological data, Microwaves, In-frared photography, Sea water.

42-1758

Diagnosis of under-snow radar images by three-di-mensional displaying technique in holographic imaging reder.

ki, Y., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.1, New York, Institute of Electrical and Electronics Engineers, 1987, p. 571-576, 9 refs.

1957, p.5/1-5/0, y fem.
Sakamoto, Y., Takhashi, Y.
Snow cover effect, Radar photography, Microwaves,
Equipment, Subglacial observations.

Evaluation of brightening effect in emission from snow-covered terrain using tower-based MOS-1 MSR.

Igarashi, T., Remote sensing: understanding the Earth as a system. International Geoscience and Remote as a system. International Georgenee and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.847-852, 7 refs.

Snow cover effect, Microwaves, Brightness, Wave propagation, Snow optics, Mathematical models, Snow depth.

42-1760

Retrieval of snow water equivalent from satellite microwave radiometer data.

Hallikainen, M., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, Ml, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.853-858. Jolma, P.

Snow water equivalent, Remote sensing, Microwaves, Radiometry, Brightness, Snow cover distribution.

Extinction coefficient of dry snow at microwave and

millimeterwave frequencies.

Hallikainen, M.T., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.859-864, 14 refs. Ulaby, F.T., Van Deventer, T.E. Ulaby, F.T.,

Snow physics, Microwaves, Wave propagation, Attenuation, Temperature effects, Remote sensing, Transmission.

Dielectric properties of mixtures with inhomogeneous scatterers: application to rain and hall modelling. Sihvola, A., Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1027-

Hall, Remote sensing, Dielectric properties, Scatter-ing, Ice water interface, Mathematical models, Rain,

Theoretical models for microwave remote sensing of

Theoretical models for microwave remote sensing of sanow-covered sea ice.
Lin, F.C., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1121-1125, 30 refs.
Kong. J.A., Shin. R.T. Kong, J.A., Shin, R.T.

Sea ice, Remote sensing, Microwaves, Scattering, Snow cover effect. Mathematical models.

42-1764

Theoretical and experimental study of the radar backscatter of arctic ses ice.

Onstott, R.G., Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MJ, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1127-1129, 8 refs. Sea ice, Remote sensing, Microwaves, Backscattering, Melting points, Ice physics, Ice electrical properties, Surface roughness, Ice salinity. Earth as a system. Internation nal Geoscience and

Progress on digital algorithms for deriving sea ice

parameters from SAR data. Shuchman, R.A., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) 187), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1131-1133, 13 refs.
Sea ice distribution, Remote sensing, Analysis (math-

ematics).

42-1766

Observing rotation and deformation of sea ice with

yeahedic aperture radar.

Vesocky, J.F., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p. 1137-1145, 11 refs.

See i.cs, Remote sensing, Drift, Ice deformation, Ice

42-1767

Optimum use of dual frequency passive microwave measurements for ice/ocean interactions.

Rubinstein, I.G., et al, Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, Msy 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1147-1149, 12 refs.

Ramseier, R.O. Ice water interface, Remote sensing, Microwaves, Sea ice distribution, Sea water, Wind, Computer apnlications.

42.1768

Investigation of multi-dimensional algorithms using active and passive microwave data for ice concentration determination.

Cavalieri, D.J., et al, Remote sensing: understanding the Earth as a system. International Geoscience and the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1151-1153, 3 refs.

Burns, B.A., O: stott, R.G. Sea ice distribution, Remote sensing, Microwaves, Ice conditions, Ice mechanics, Ice floes.

Use of radars to measure the distribution of ice and frazil in rivers.

Toikka, M., Remote sensing: understanding the Earth as a system. International Geoscience and Remote as a system. International Deoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1405-1408, 2 refs.
River ice, Ice conditions, Remote sensing, Frazil ice,

Ice cover thickness.

42-1770

Pattern analysis technique for distinguishing surface and cloud types in the polar regions.

Best Cross types in the polar regions.

Ebert, E., Remote sensing: understanding the Earth as a system. International Geoscience and Remote Sensing Symposium (IGARSS) '87), Ann Arbor, MI, May 18-21, 1987. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1987, p.1611-1616. 18 refs.

Cloud cover, Supercooled clouds, Topographic fea-tures, Remote sensing, Detection, Radiometry, Polar regions. Snow cover effect. Ses ice.

42-1771

Characteristics of the ice and thermal regimes of hy-Canarcteristics of the ice and thermal regimes of and one-detric stations and pumped-storage stations. Gotlib, 1A.L., Hydrotechnical construction, Feb. 1937 (Pub. Aug. 87), 21(2), p.91-95, Translated from Gidrotekhnicheskoe stroitel'sivo. 17 refs. Electric power, Hydraulic structures, River ice, Ice

conditions, Ice surveys.

42-1772

Application of the plastic flow theory to solutions of boundary problems on interactions of stress fields with moisture in sagging loss soils. (Primenenie teorii plasticheskogo techeniia k resheniiu kraevykh za-dach vzaimodelstviia polei napriazhenii i vlazhnosti v lessovykh prosadochnykh gruntakh, Shadunta, K.Sh., et al, Russia. Ministerstvo vysshego

Shadunts, K.Sh., et al, Russia. Ministersivo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshiku uchebnykh zavedenii. Stroitel'sivo i arkhitektura, 1987, No.8, p.115-119, In Russian. 4 refs. Anikin, V.S.
Clay soils, Fines, Loess, Soil water migration, Settlement (structural), Mathematical models.

Results of experimental testing of the reliability of starting pneumo-percussion mechanisms at subzero temperatures. [Rezul'taty eksperimental nogo issledovaniis nadezhnosti zapuska pnevmoudarnykh mekhanizmov v usloviiakh otritsatel'nykh temperatury

Abramenkov, E.A., et al, Russia. Ministerstvo vys-Advamenkov, L.A., et al., Kussai. Ministersivo ya-shego i srednego spetsial nogo obrazovanila. Izvestila vyashikh uchebnykh zavedenii. Stroitel stvo i ark-hitektura, 1987, No.9, p.107-110, In Russian. Bogachenkov, A.G., Bryzgalov, V.P., Timofeev, G.F. Low temperature tests, Hammers, Vibration, Engine

Calculating the temperature of continuous heating of concrete mixtures in conveying electromagnetic pipes. [K raschetu temperatury nepreryvnogo na-greva betonnol smesi v transportiruiushchel elektromagnitnoi trubej, Pahonkin, N.G., et al. Russis. Ministerstvo vysshego

i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitek-tura, 1987, No.9, p.119-122, In Russian. 6 refs. Kvashnin, A.G.

Winter concreting, Concrete heating, Concrete aggregates, Transportation, Pipes (tubes), Prefabrication, Reinforced concretes.

42-1775

Critical comparison of moving average and cumulative summation control charts for trace analysis data. McGee, i.E., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1987, SR 87-21, 57p. ADA-188 312, 20 refs.

Grant, C.L. Waste disposal, Chemical analysis, Environmental Grant, C.L. Waste disposal, Chemical analysis, Eavironmental impact, Soil pollution, Isotope labeling, Detection. Percentage recovery estimates have been obtained for 15 analytes or autrogates of environmental concern by four commercial laboratories over a two-year period. These quality control analyses were performed using standardized methods on a control soil matrix. Over 100 lots of results were available for many of these analytes. This massive amount of data afforded an opportunity to compare the sensitivity of different quality control protocols for detecting "out-of-control" situations and also to compare the performance of the four laboratories. Recoveries averaged 90-100% for 11 of 15 analytes. Reproductibility of recovery estimates was surprisingly consistent from lab-to-lab. From a comparison of moving average control charts (n = 2 and n = 3) with cumulative summation charts the control optimal problems. Where duplicate recoveries were obtained with each lot, lot-to-lot variability or surplices were obtained with each lot, lot-to-lot variability was similar in magnitude to within-lot variability. To avoid an excessive number of out-of-control responses, control limits should be based on total variability rather than within-lot variability.

Composition of acidic meltwaters during snowmelt in the Scottish Highlands.

Tranter, M., et al, Water, air, and soil pollution, Nov. 1987, 36(1-2), p.75-90, 25 refs. Davies, T.D., Brimblecombe, P., Vincent, C.E. Meltwater, Snow composition, Water chemistry, Pol-

Invertebrate activity under snow in deciduous woods Merriam, G., et al, Holarctic ecology, Feb. 1983, 6(1), p.89-94, 34 refs.
Wegner, J., Caldwell, D.
Animals, Snow cover effect.

42-1778
Non-deterministic approach to anisotropic growth patterns with continuously tunable morphology: the tractal properties of some real unowflakes.
Nittmann, J., et al., Journal of physics A: mathematical and general, Dec. 1, 1987, 20(17), p.L1185-L1191, 12

Stanley, H.E. Snowfiskes, Snow crystal structura, Crystal growth.

Species patterns, edsphic characteristics, and plant water potential in a high-arctic brackish marsh. Dawson, T.E., et al., Canadian journal of botany, 1987, Vol.65, p.863-868, With French summary. 32 refs.

Bliss, L.C. Salinity, Plant ecology, Swamps, Meltwater.

Responses of Ranunculus sabinei and Paparar radica-tum to removal of the moss layer in a high-arctic mesdow.

Sohlberg, E.H., et al, Canadian journal of botany, 1987, Vol.65, p.1224-1223, With French summary. 14 refs.

Plant ecology, Plants (botany), Mosses, Soil water. 42-1781

Remote sensing of snow.

Foster, J.L., et al, American Geophysical Union. Transactions, Aug. 11, 1987, 68(32), p.681-684, 25

Hall, D.K., Chang, A.T.C.

Remote sensing, Snow optics, Microwaves, Snow water equivalent, Snow cover distribution.

Passive microwave data from snow and ice research: planned products from the DMSP SSM/I system. Weaver, R., et al, American Geophysical Union. Transactions, Sep. 29, 1987, 68(39), p.769, 776-777, 22 refs. Morris, C., Barry, R.G.

Sea ice distribution, Spacecraft, Radiometry, Mi-crowaves, Snow optics, Ice optics, Remote sensing.

Solifluction in the southern Canadian Rockies South, D.J., Canadian geographer, Winter 1987, 31(4), p.309-318, With French summary. 31 refs. Periglacial processes, Solifluction, Soil creep, Measuring instruments, Canada—Rocky Mountains.

Mantle rheology and satellite signatures from pre-sent-day glacial forcings.

Sabadini, R., et al, Journal of geophysical research,
Jan. 10, 1988, 93(B1), p.437-447, 55 refs.

Yuen, D.A., Gasperini, P.

Gravity, Glacier flow, Ice sheets, Anterctica.

By means of transient viscolastic modellins it has been demonstrated.

Gravity, Glacier flow, Ice sheets, Antarctica.

By means of transient viscolastic modeling it has been demonstrated that the longwavelength components of the Earth's gravitational field are sensitive to current glacial discharges and also to the growth of the antarctic ice sheet occurring today. In the model, corrections to the gravitational harmonic coefficient (GHC) value currently attributed solely to the Pleistocens deplaciation may be as large as 30%, depending on the magnitude of growth of the antarctic ice sheet. These effects would cause some uncertainties, no more than a factor of two or three, in the lower mantle viscosities extracted from the GHC data for the lower branch solutions. Although there are uncertainties in lower mantle viscosities extracted from the GHC data for the lower branch solutions. Although there are uncertainties in current glacial melting estimates, the contamination of the in-verted viscosity would be linearly proportional to the uncertain-ties in the input parameters, for errors in the small amplitude regime, Q(10%). Larger uncertainties would require detailed sensitivity analysis for assessing the impact on the inferred vis-cosity solutions. These results for the higher zonal harmonics reveal that Antarctics a mass balance may conceivably play an important role. (Auth. mod.)

42-1785 Particle flux beneath fast ice in the shallow south-

western Beaufort Sea, Arctic Ocean.
Carey, A.G., Jr., Marine ecology progress series,
Oct. 1987, 40(3), p.247-257, 54 refs.
Sea Ice, Fast Ice, Ocean currents, Particles.

42-1786

Resonant column testing of frozen Ottawa sand. Rosscher, P.J., et al. Geotechnical testing journal, Sep. 1987, 10(3), p.123-134, 12 refs. Nelson, D.L. Sands, Frozen ground, Foundations, Soil mechanics.

42-1787

Simplification of gas turbine intake anti-icing sys-

Excell, J.R., et al, Naval engineers journal, Jan. 1988, 100(1), p.45-52, 8 refs.

Killinger, A. Ice removal, Engines, Ships, Water intakes.

43-1788
Spectral light absorption and quantum yield of photosynthesis in sea ice microalgae and a bloom of Phaeocystis poschetti from McMurdo Sound, Antarctica. SooHoo, J.B., et al, Marine ecology progress series, Aug. 1987, 39(2), 78 refs.
Sea ice, Algae, Microbiology, Photosynthesis, Antarctica—McMurdo Sound.

tarctics—McMurdo Sound.

Measurements were made in Dec. 1984 for both congelation ice and platelet ice microalgae and for a bloom of the planktonic prymnesiophyte Phaeocystis poucheii from McMurdo Sound Profiles of spectral irradiance through the ice column demonstrated that the irradiance environment of sea ice was vertically and horizontally heterogeneous, changing from blue-dominated to green-dominated with depth in the column, and varying from to green-commance with cepts in the column, and varying from sist to site depending on snow cover and ice sigal patchiness. In response to reductions in irradiance, platelet ice microalgac consistently showed enhanced absorption of blue-green light relative to congelation ice microalgae. Samples of P. pouchetii from under the seasonal fast ice of McMurdo Sound size exhibited enhanced blue-green absorption relative to samples from open waters of the Ross Sea. The mean specific absorption co-efficient (mace), for sea ice microalgae ranged between 0.0058 and 0.0097 sq m/(mg chl a), values characteristic of microalgae in green productive waters. For P. pouchetii, mass was greatest for samples taken from open water at the ice edge and decreased for samples taken from under the seasonal ice of McMurdo Sound. The quantum yield of photosynthesis for these microalgae is given, with no algnificant differences found between congelation ice and platelet ice algae. (Auth. mod.)

42-1189

Flying conditions in the Arctic.

Atkeson, E., U.S. Naval Institute. Proceedings,
Sep. 1987, 113(9), p.85.

Climate, Polar regions.

Sorption of chemical agents and simulants: measure-ment and estimation of octanol-water partition coeffi-

Clear.
Leggett, D.C., U.S. Army Cold Regions Research and Engineering Laboratory, Sep. '987, SR 87-18, 15p., ADB-117 059, 14 refs.
Military operation, Chemical composition, Soil pollution, Water flow, Solubility, Time factor, Counternessures, Analysis (easthernatics), Polar regions.

measures, Amaysis (mathematics), Polar regions.
Octanol-water partition coefficients were determined experimentally for 8 simulants. These were supplemented with published fragment constants and water solubilities to predict log (Kow) values of several threat agents. These estimates can be used to predict sorption and transport in soils. If correct, organophosphorus agents are more mobile in soil water than previously expected.

42-1791
Foreign naval literature survey.
U.S. Naval Intelligence Support Center. Translation
Navscan, Jan. 1988, NISC translation Division, Navacan, Jan. 1988, NISC translation No.8500, 72p., List of translations p.48-52. Military operation, Military transportation, Legisla-

Reconnaissance of Noetak National Preserve and biosphere reserve as a potential site for inclusion in the integrated global background monitoring network. Wiersma, G.B., et al, June 1986, 84p., PB88-100037, Refs. p.80-82. Slaughter, J.H., McKee, A

Bougasters, Environmental protection, Vegetation, Pollution, Monitors, Algae, Biomass, United States—Alaska—Noatak National Preserve.

Physical optics theory of scattering from the ice cano-

py.

McDaniel, S.T., Acoustical Society of America.

Journal, Dec. 1987, 82(6), p.2060-1067, 11 refs.

Ice optics, Light scattering, Ice bottom surface, Sea ice, Surface roughness, Ice morphology, Pressure ridges, Backscattering, Analysis (mathematics).

42-1794

Gordon, A.L., et al, Reviews of geophysics, Mar. 1987, 25(2), p.227-233, Refs. p.232-233.

Owens, W.B.

Glaciers, Polynyas, Ice shelves, Ice air interface, Ice water interface, Sea ice distribution.

The progress in studies I ocean circulation, water mass forma-tion, and ocean-ice in eraction in both the southern ocean arction, and ocean-ice in eraction in both the southern ocean arctic in the Arctic region during the period 1933-86 is surveyed. This review places emphasis on U.S. publications, but other significant work is included. It is not meant to be a complete synthesis of polar oceanography of the last four years, but rather to provide an overview of progress. (Auth.)

42-1795
Antarctic stratospheric chemistry of chlorine nitrate, hydrogen chloride, and ice: release of active chlorine. Molina, M.J., et al. Science, Nov. 27, 1987, 238(4831), p.1253-1257, 36 refs. Tso, T.L., Molina, L.T., Wang, F.C.Y. Ice crystals, Ice composition.

Ice crystals, Ice composition. The reaction rate between atmospheric hydrogen chloride (HCl) and chlorine nitrate (ClONO2) is greatly enhanced in the presence of ice particles. This reaction could play an important role in explaining the observed depiction of ozone over Antarctics, it releases photolytically active chlorine from its most abundant reservoir species, and it promotes the formation of HNO3 and thus removes nitrogen dioxide (NO2) from the gas phase. Hence it establishes the necessary conditions for the efficient catalytic destruction of ozone by halogenated free radicals. In the absence of HCl, ClONO2 also reacts irreversibly with ice with a collision efficiency of about 0.02 at 200 k; the product hypochlorous acid (HOCI) is released to the gas phase on a time scale of minutes. (Auth. mod.)

Reaction of chlorine nitrate with hydrogen chloride and water at antarctic stratospheric temperatures. Tolbert, M.A., et al, Science, Nov. 27, 1987, 238(4831), p.1258-1260, 20 refs.

238(4831), p.1258-1260, 20 refs.

Rossi, M.J., Malhotra, R., Golden, D.M.

Les crystals, Ice composition.

Laborstory studies of heterogenoous reactions important for toons depletion over Antarctica are reported. The reaction of chlorine nitrate (ClONO2) with H2O and hydrogen chloride (HCI) on nurfaces that simulate polar stratospheric clouds ice and nitric acid (HNO3)-les and sulfuric acid, are studied at temperatures relevant to the antarctic stratosphere. A reaction produced gas-phase hypochlorous acid (HOCI) and condensed-hase HNO3. HOCI underwent a secondary reaction on ice producing dichlorine monoxide (Cl2O). In addition to the reaction with H2O, ClONO2 reacted with HCI on ice to form gas-phase chlorine (Cl2) and condensed-phase HNO3. Esentially all of the HCI in the bulk of their can react with ClONO2 contains (HCC, Cl2O, and Cl2, could readily photolyze in the antarctic spring to produce active chlorine for ozone depletion. Purthermore, the formation of condensed-phase fixO3 could serve as a sink for odd nitrogen species that would otherwise scaveage the active chlorine. (Auth. mod.)

Radiation stability of organic matter in liquid and frozen H2O, NH3 and water-ammonia mixtures. Nebeling, B., et al, Advances in space research, 1986, 6(12), p.207-210, 15 refs.
Roessler, K., Schmitz, G.

Ice composition, Extraterrestrial ice, Solutions, Radiation.

42.1798

Molecular aspects of adaptation to extreme cold envi-

ronments.
Finegold, L., Advances in space research, 1986, 6(12), p.257-264, 40 refs.

Cold tolerance, Acclimatization.

Here are reviewed and summarized the strategies adopted by Here are reviewed and summarized the strategies adopted by living organisms to survive low temperatures, from a molecular and membrane point of view. Two prime examples of connec-tions between biological cold adaptation and the molecular level are autifreeze proteins in fash from cold sea water (the DNA sequence of the protein gene is now known) and the fluidity characteristics of cell membranes in a wide variety of organisms in model membranes of phospholipids, stabler + phases have In model membranes of phospholipids, stabler s-phases have recently been found to form at low temperatures. Antarctic endol...hie organisms, living just under the surface of rocks, are exposed to long periods of low temperatures, and may develop such phases in their membranes. In the saturated phosphatidyl cholines, only lipids with a restricted range of scyl chain lengths show simultaneously s-phases and a main transition: this restricted range is about the restricted range found in natural membranes. The s-phases also form in the presence of natural cryoprotectants, and may be connected with botanical vernalization. (Auth.)

42.1700

Antarctic cold desert and the search for traces of life

Friedmann, E.I., Adva. ces in space research, 1986, 6(12), p.265-268, 13 refs.

biology, Acclimatization, Microclimatology, ering, Cold tolerance, Antarctica—Asgard Weathering, Range.

Mange.

The cryptoendolithic microorganisms that live inside rocks in the frigid Rose Desert of Antarctica can serve as a terrestrial model for what may have happened to life forms on Mars when the planet became dry and cold. Trace fossils of microbial rock colonization exist in Antarctica, and similar structures could have formed on Mars. In some respects, such trace fossils could be an essier target for life-detection systems than fossils of cellular structures. (Auth.)

42-1800

Cold hardiness of forage grasses grown on the Canadi-

an prairies.
Limin, A.E., et al, Canadian journal of plant science,
Oct. 1987, 67(4), p.1111-1115, With French summary. 16 refs. Fowler, D.B.

Plant physiology, Frost resistance.

42-1801

Low-temperature stress in field and forage crop pro-

duction—an overview.

Andrews, C.J., Canadian journal of plant science,
Oct. 1987, 67(4), p.1121-1133, With Prench summary. 63 refs.

Plant physiology, Frost resistance.

42-1802

Low-temperature stress in Canadian horticultural

production—an overview. Quamme, H.A., Canadian journal of plant science, Oct. 1987, 67(4), p.1135-1149, With French summary. 45 refs.

Plant physiology, Frost resistance.

42-1803

Frost tolerance of wheat, onts, barley, canols and mastard and the role of ice-nucleating bacteria. Gusta, L.V., et al, Canadian journal of plant science, Oct. 1987, 67(4), p. 1155-1165, With French summary. 8 refs.

O'Connor, B.J.

Plant physiology, Frost resistance

42-1804

Impacts of freezing temperatures on crop production in Canada.

Brown, D.M., et al, Canadian journal of plant science, Oct. 1987, 67(4), p. 1167-1180, With French summary. 28 refs. Blackburn, W.J.

Plant physiology, Frost resistance.

42-1805

formsund test road. Part 4: summary report. Nordal, R.S., et al, Norway. Veglaboratoriet. Med-delelse, July 1987, No.58, 80p., 37 refs. Hansen, E.K.

Roads, Bearing strength, Subgrades, Freeze thaw cycles, Frost heave, Pavements, Design, Frost penetra-tion, Settlement (structural), Temperature effects, Thaw weakening, Tests.

42-1806

Summary report: drilling fluid additive use and waste discharge in Arctic marine waters north of 60 deg for

Edwarda, D.L.S., Yellowknife, N.W.T., Canada, Dept. of Indian and Northern Affairs, Water Resources Division, 1986, 42p., 3 refs.

Drilling fluids, Admixtures, Waste disposal, Water pollution, Mud, Hydrocarbons, Exploration, Arctic

42-1807

Examples of ice pack rigidity and mobility characteristics determined from ice motion.
Lewis, J.K., et al, College Station, TX, Science Applications International Corporation, Jan. 1988, 17p.,

SAIC-87/1869, 15 refs.

Englebretson, R.E., Denner, W.W.
Ice mechanics, Pack ice, Ice strength, Preeze than cycles, Remote sensing, Ice breakup, Velocity, Impact strength, Offshore structures, Seasonal varia-

42-1808

Sea ice kinematics: space and time scales. Lewis, J.K., et al, College Station, TX, Science Applications International Corporation, Jan. 1988, 35p., SAIC-87/1870, 10 refs.

Guffrida, M.R., Denner, W.W.
Ice mechanics, Sea ice distribution, Ice navigation,
Military operation, Time factor, Ice forecasting, Velocity.

42-1809

Types of weather and meteorological trends in winter 1985-1986 in Venetian mountains. [Tipi di tempo e andamento meteorologico dell'inverno 85/86 nella

montagna veneta<sub>1</sub>, Monai, M., Neve e valanghe, Oct. 1987, No.5, p.6-21,

Meteorological data, Snow accumulation, Winter, Mountains, Seasonal variations.

Aerial photointerpretation as an instrument in envi-ronmental and avalanche studies. La fotointeroretazione aerea quale strumento per lo studio ambientale e del fenomeno valanghivoj, Nevini, R., Neve e valanghe, Oct. 1987, No.5, p.22-29,

7 refs., In Italian.

Avalanches, Photointerpretation, Spectra, Measuring instruments, Topographic features.

42-1811

Temporary structures for stabilizing the snow cover: saow fences on Spinale Monstain. Opere tem-porance di stabilizzazione del manto nevoso: rastrel-liere da neve sul monte Spinale, Fait, P., Neve e valanghe, Oct. 1987, No.5, p.30-39, In

Italian.

Snow stabilization, Avalanche formation, Snow fences, Countermeasures.

42-1812

Electronic thermometer for measuring snow cover temperature. ¿Un termometro elettronico per la misura delle temperature del manto nevoso, Tomasi, G., Neve e valanghe, Oct. 1987, No.5, p.40-43. In Italian.

Snow depth, Snow temperature, Electronic equipment, Measuring instruments, Snow survey tools, Temperature measurement. 42-1813

Experimental evaluation of parameters affecting turbulent flow freeze blockage of a tube.

Thomason, S.B., International journal of heat and mass

transfer, Oct. 1987, 30(10), p.2201-2205, 6 refs

Freezing, Pipes (tubes), Turbulent flow, Heat transfer, Phase transformations, Temperature effects, Liquids, Computer applications.

42-1814

Holographic interferometry applied to the study of frost damage in concrete. Rastogi, P.K., et al, Journal of physics E: scientific

instruments, Dec. 1987, 20(12), p.1522-1525, 18 refs. Jacquot, P., Pflug, L.

Holography, Concrete freezing, Measuring instru-ments, Concrete durability, Concrete aggregates, Frost action, Damage, Temperature effects, Streezes, Microstructure.

Microwave signatures of sucw crusts: modelling and

Reber, B., et al, International journal of remote sensing, Nov. 1987, 8(11), p.1649-1665, 18 refs.
Mitzler, C., Schanda, E.
Snow crast, Microwaves, Remote sensing, Scattering,
Albedo, Snow electrical properties, Ice electrical
properties, Models.

Modelling of radar backscattering from low-salinity

ice with ice ridges.

Johansson, R., et al, International journal of remote sensing, Nov. 1987, 8(11), p.1667-1677, 12 rets. Askne, J.

Assue, J.
Ice surface, Radar echoes, Remote sensing, Ice conditions, Microwaves, Pressure ridges, Backscattering, Ice salinity, Analysis (mathematics).

Interpretation of Seasat radar-altimeter data over sea Interpretation of Seasar reast-autimeter and over sea ice using near-aimstituneous SAR imagery.
Ulander, L.M.H., International journal of remote sensing, Nov. 1987, 8(11), p.1679-1686, 20 refs.
Backscattering, Sea ice distribution, Radar schoes, Remote sensing, Ice conditions, Beaufort Sea.

Standard specification for cold weather concreting. American Concrete Institute. ACI Committee 306, Detroit, MI, June 1987, 4p. ACI 306.1-87. Winter concreting, Cold weather construction, Concrete freezing, Concrete strength, Standards, Concrete strength, Standards, Concrete curing, Temperature effects, Protection, Heating, Thermal insulation.

Optical methods of satellite hydrophysics. Environ-mental investigations from automatic satellites, (Opticheskie metody sputnikovol gidrofiziki. Issieuwys-nie okruzhajushcheł sredy s avtomaticheskikh ISZ<sub>1</sub>, Naukova dumka, 1986, Nelepo, B.A., et al, Kiev, Naukova dumka, 19

157p., in Russian with sbridged English table of contents enclosed. 196 refr Grishin, G.A., Klenko, ¿U.P., Koval', A.D. Spacccraft, Water transport, Environmental protection, Ocean currents, Remote sensing, Air water interactions, Infrared spectroscopy, Hydrophysics, Water temperature, Ocean environments.

Water temperature, Ocean environments.

After discussing technical aspects of studying the ocean in the optical range, methods and means of spaceborne surveys, and processing of video data, satellite observations of large-scale changes in ocean and atmosphers, wave dynamics, and the biooptical state of the ocean are discussed and illustrated. In the portion describing the large-scale changes in the ocean and atmosphere, the following concerns the Antarctic the cyclonic surface circulation of the southern ocean waters differs from that in the Northern Hemisphere. A map to that effect is presented of long period averages of global surface currents during the northern winter. Spaceborne data for the period Jan. 8-15, 1933, shows that cyclogenesis covers a period of 7 days, cyclone dimensions vary between 300 and 1200 km, and the speed of motion from 180 to 420 km/day. Upon reaching the coast, the cyclones become stationary. Also presented and discussed is an illustration based on satellite data showing bands of clouds over the Southern Hemisphere for the 1969-1971 period.

42-1820
Sliding with cavity formation.
Fowler, A.C., Journal of glaciology, 1987, 33(115), p.255-267, 39 refs.
Ics mechanics, Glacier flow, Basal sliding, Cavitation, Subglacial caves, Subglacial drainage, Glacier bods, Rheology, Stresses, Analysis (mathematics), Slope orientation, Velocity.

72-1921 On the significance of normal stress effects in the flow of glaciers.

or glacters.

Man, C.-S., et al, Journal of glaciology, 1987, 33(115), p.268-273, 22 refs.

Sun, Q.-X.

Glacier flow, Ice creep, Ice crystal structure, Shear flow. Mathematical models. Stresses.

42-1822

Strain-rate and grain-size effects in ice. Strain-rate and grain-size effects in Ice. Cole, D.M., Journal of glaciology, 1987, 33(115), MP 2311, p.274-280, 22 refs. Ice deformation, Ice crystal structure, Strains, Grain size, Tests, Stress strain diagrams.

size. Tests, Stress strain diagrams.
This paper presents and discusses the results of constant deformation-rate tests on laboratory-prepared polycrystalline ice. Strain-rates ranged from 0.000,000, to 0.1/s, grain-size ranged from 1.5 to 5.5 mm, and the test temperature was -5 C. At strain-rates between 0.000,000,1 and 0.001/s, the stress-strain-rate relationship followed a power law with an exponent of n=4.3 calculated without regard to grain-size. However, a reversal in the grain-rize effect was observed below a transition point near 0.000,004/s the peak stress increased with increasing grain-size. This latter trend persisted to the highest strain-rates observed. At strain-rates above 0.001/s the peak stress became independent of strain-rates. The unusual trends arbibited at the lower strain-rates are stributed to the influence stress became independent of strain-rate. In e unissist trends exhibited at the lower strain-rates are attributed to the influence of the grain-size on the balance of the operative deformation mechanisms. Dynamic recrystallization appears to intervene in the case of the finer-grained material and serves to lower the in the case of the timer-grained material and serves to lower the peak stress. At comparable strain-rates, however, the large-grained material still experiences internal micro-fracturing, and thin sections reveal extensive deformation in the grain-bound-ary regions that is quite unlike the appearance of the strain-induced boundary migration characteristic of the fine-grained meterial

Glacier flow in a curving channel. Behelmeyer, K., et al, Journal of glaciology, 1987, 33(115), p.281-292, 10 refs.

Kemb B

Glacier flow. Glacier beds, Stresses, Ve ocity, Analrais (mathematics). Shear stress.

42-1824

42-1824
Victoria Lower Glacier and Ross Sea glaciation, Dry
Valleys area, South Victoria Land, Antarctica.
China, T.J.H., Journal of glaciology, 1987, 33(115),
p.293-299, 22 refs.
Glaciation, Glacier flow, Glacier surfaces, Glacier survays, Ice structure, Antarctica—Victoria Lower Glacier, Antarctica—Ross Sea.

cier, Antarctica—Ross Ses.

Victoria Lower Glacier is a complex structure of ice from two distinct sources (Schultz Glacier to the north and a local seve of Victoria Lower Glacier) that join at a broad median shear zone. Evidence from the margins suggests that both are currently retreating. Algae in a block of frozen stratified sediment from within the ice of the terminal margin has a radiocarbon age of 20,200 year BP (NZ 6531 A), indicating that the glacier has advanced since that time. Superposition of ice levels of Ross Ses I glaciation on a radio echo-sounding profile of bedrock beneath the glacier indicates that it is unlikely that Ross Ses I ice entered the v.illey. The radiocarbon date supports this finding. (Auth.)

42-1825

42-1825 Observations on a debris-covered polar glacier "Whisky Glacier", James Ross Island, Antarctic Peninsula, Antarctica. Chinn, T.J.H., et al, Journal of glaciolegy, 1987, 33(115), p.300-310, Refs. p.309-310.

Rock glaciers, Glacier surfaces, Ice structure, Glacier de Anterctice-James Ross Island

"Mis. Antarctica—James Ross Island.
"Whis.y Glacier" on James Ross I, comprises a nêvê and clean ice trunk surrounded by an extensive area of debria-covered ice resembling a rock glacier. The debris-free trunk of the glacier abuts abruptly against the broad, totally debris-covered tongue at a number of concentric zones where debris-laden beds crop out at the surface in a manner similar to the "inner moraine" out at the surface in a manner similar to the "inner moraine" formations of many polar glaciers. Ice structures and foliation auggest that "Whisky Glacier" is a polythermal glacier which is wet-base! under the debris-free zone, and dry-based under the debris-free zone, and dry-based to dry-based conditions at the glacier sole is a powerful mechanism for entraining debris into a glacier and, in the case of "Whisky Glacier", for lifting debris to the surface. It is suggested that this may be a mechanism for forming some polar rock glaciers. (Auth. mod.)

Evidence for a till layer beneath Storglaciaren, Sweden, based on electrical resistivity measurements.

Brand, G., et al, Journal of glaciology, 1987, 33(115), p.311-314, 19 refs.
Pohjola, V., Hooke, R.L.
Glacial deposits, Subjectal observations, Electrical resistivity, Substrates, Glacier beds, Topographic features. Boreholes

74-1041 On the relation of net balance, ice flow, and surface lowering of Lewis Glacier, Mount Ke-19, East Africa, 1982-86.

Hastenrath, S., Journal of sisciology, 1987, 33(115).

rissteriati, S., Journal of glaciology, 1987, 33(115), p.315-318, 7 refs.
Glacier mass balance, Glacier flow, Glacier surfaces, Distribution, Topographic features, Mapping, Kenya Tawis Clarier

42 1020

Interpretation of radio-echo returns from internal water bodies in Variegated Glacier, Alaska, U.S.A. Jacobel, R.W., et al, Journal of glaciology, 1987, 33(115), p.319-323, 6 refs. Anderson S.K

Anderson, S.A. Glacial hydrology, Radio echo soundings, Subglacial caves, Wave propagation, Water, Glacier surges, Dielectric properties, United States-Alaska—Variegated Glecier

42,1820

Stable isotopes and debris in basal glacier ice. South

Georgia, southern ocean.
Sugden, D.E., et al, Journal of glaciology, 1987, 33(115), p.324-329, 9 refs.

Glacier beds, Glacier surfaces, Ice composition, Rock electers. South Georgie.

glaciers, South Georgia.

This paper combines a study of the rock debris and deltaD/deltaO-18 isotopic characteristics of basal ice sequences in 3 representative glaciers in South Georgia and concludes that the debris and ice has been entrained mainly by basal freezing. The size distribution of the rock debris is typical of crushing and abrassion, and reflects transport at the ice-rock interfee. The deltaD/deltaO-18 relationships show that clear ice associated with the debris has accreted through freezing. The white bubbly glacier ice has deltaD/deltaO-18 relationships typical of precipitation which demonstrates an altitudinal effect between glaciers. (Auth.)

Alrhoras river-ice thickness profiling with helicopter-borne UHF short-pulse radar. Arcone, S.A., et al, Journa of glaciology, 1987, 33(115), MP 2312, p.330-340, 14 refs. Delaney, A.J.

River ice, Ice cover thickness, Scattering, Remote sensing, Profiles, Equipment, Lake ice, Surface roughness, Frazil ice.

roughness, Frazil ico.

The loc-thickness profiling performance of a helicopter-mounted short-pulse radar operating at approximate center frequencies of 600 and 900 MHz was assessed. The antenna packages were mounted 1.2 m off the skid of a small helicopter whose speed and altitude were varied from about 1.8 to 9 m/s and 3 to 12 m. Clurier from the helicopter offered minimal interference with the ice data. Data were acquired in Alaska over lakes (as a proving exercise) and two rivers, whose conditions varied from open water to over 1.5 m of solid ice with numerous readily interpretable data were acquired when the ice or snow surface was smooth. Detailed surface investigations on the Tasana River revealed good correlations of echo delay with solid ice depth, but a insensitivity to frazil-ice depth due to its high water content. On the Yukon River, coinciding temporally coherent surface and bottom reflections were associated with solid ice and amooth surfaces. All cases of incoherent surface returns (scatter) occurred over cerubble. Rough-surface scattering was alway, followed by All cases of incoherent surface returns (scatter) occurred over to rubble. Rough-surface scattering was always, followed by the appearance of bottom scattering but, in many cases, including a hanging-wall formation of solid fazzil ice, bottom scattering occurred beneath coherent, smooth-surface reflections. Areas of incoherent bottom scattering investigated by drilling revealed highly variable ice conditions, including frazil ice. The minimum ice thickness that could be resolved from the raw data was about 0.2 m with the 600 MHz antenna and leas than 0.15 m with the 900 MHz antenna.

42-1831

Some observations on a recent surge of Peters Gla-

Some observations on a recent surge of Peters Glacter, Alaska, U.S.A.
Echelmeyer, K., et al, Journal of glaciology, 1987, 33(115), p.341-345, 14 refs.
Butterfield, R., Cuillard, D.
Glacier surges, Basal sliding, Glacier beds, Ice mechanics, Rheology, Water pressure, Meltwater, Glacier ablation, United States—Alaska—Peters Glacier ablation, United States—Alaska—Peters Glacier

42-1832

Environmental constraints on West Antarctic icesheet formation.

Lindstrom, D.R., et al, Journal of glaciology, 1987, 33(11f), p.346-356, 20 refs.
MacAyeal, D.R.

Sea level, Ice cover thickness, Ice sheets, Sea ice, Antarctica—West Antarctica.

Antarctics—West Antarctics.

The importance of sea-level, accumulation rate, and ice influx from the East Antarctic ice sheet in the re-establishment of the West Antarctic ice sheet from a thin cover is investigated using a time-dependent numerical ice-shelf model. Results show that a precursor to the West Antarctic ice sheet can form within 3000 years. Sea-level lowering caused by ice-sheet development in the Northern Hemisphere has the greatest environmental influence. Under favorable conditions, ice grounding oc-

curs over all parts of the West Antarctic ice sheet except up-atream of Thwaites Glacier and in the Ross Sea region. (Auth.

42-1833

Accumulation and temperature measurements on the James Ross Island Ice cap. Antarctic Peninsula. Antarctica.

tarctica.

Aristarain, A.J., et al, Journal of glaciology, 1987, 33(115), p.357-362, 19 refs.

Pinglot, J.F., Pourchet, M.

Snow accumulation, Snow temperature, Radioactive isotopes, Ice sheets, Antarctica—James Ross Island.

Basic glaciological measurements from the James Ross I. ice caper presented, including mean annual accumulation and firn temperature. In addition to the well-known radioactivity levels of Jan. 1955 and 1965 in antarctic anow, two new radioactivity levels corresponding to Jan. 1969 and Jan. 1974 are used in determining the accumulation values. The measurements reveal certain climatic features of this ice cap. (Auth.)

42-1834

72-1037 Calculation of mass balance of glaciers by remotesensing imagery using similarity of accumulation and ablation isoline patterns.

Krenke, A.N., et al, Journal of glaciology, 1987, 33(115), p.363-368, 6 refs.

Menshutin, V.M.

Glacier mass balance, Remote sensing, Glacier abla-tion, Glacier alimentation, Statistical analysis.

42-1835

Stress-strein relation for dry snow in Greenland and Antarctica. Ling, C.-H., et al, Journal of glaciology, 1987, 33(115), p.369-373, 16 refs.

Rasmussen, L.A., Benson, C.S.
Streas strain diagrams, Snow density, Age determine-

tion.

A stress-strain relation for dry snow in Greenland and Antarctica was derived. When this relation is integrated, it gives snow density as a function of time. For given surface density, temperature, and accumulation, the age of snow layers can be obtained as a function of lepth in the snow-pack. Calculations compare well with observations. With some knowledge of the temperature range in the upper layer of the snow-pack, calculation for density versus depth can also be improved over the results where such temperature information was not used.

42-1836

Microwave modelling of snow and soil.
Schanda. E., Journal of electromagnetic waves and applications, 1987, 1(1), p.1-24, 48 refs.

Microwaves, Scattering, Dielectric properties, Snow cover structure, Soil water.

42-1937

Introduction: the Laurentide Ice Sheet and its signifi-

Fulton, R.J., et al, Géographie physique et quaternaire, 1987, 41(2), p.181-186, With French summary. 18 refe Prest. V.K

Ice sheets, Quaternary deposits, Glacier oscillation, Clecial geology.

42.1838

Introduction to the continental record of the Lauren-St.-Onge, D.A., Géographie phys. we et quaternaire, 1987, 41(2), p.187-188, With French aummary.

rers. Ice sheets, Quaternary deposits, Gig. sar oscillation, Glacial geology.

42-1839

Sangamonian Stage and the Laurentide Ice Sheet. St.-Onge, D.A., Géographic physique et quaternaire, 1987, 41(2), p.189-198, With French and German summaries. 43 refs. summaries. 43 refs.
Ice sheets, Quaternary deposits, Glacier oscillation, Glacial geology.

42-1840

Early Wisconsinan history of the Laurentide Ice

Vincent, J.S., et al, Géographie physique et quater-raire, 1987, 41(2), p.199-213, With French and Ger-man summaries. 96 refs. Prest, V.K.

Ice sheets, Quaternary deposits, Glacier oscillation, Glacial geology.

42-1841

Middle Wisconsinan history of the Laurentide Ica

Dredge, L.A., et al, Géographie physique et quaternaire, 1987, 41(2), p.215-235, With French and German summaries. 155 refs. Thorleifson, L.H.

Ice sheets, Quaternary deposits, Glacier oscillation, Glacial geology.

Late Wisconsinan and Holocene history of the Lau-

rentide Ice Sheet.

Dyke, A.S., et al. Géographie physique et quaternaire,
1987, 41(2), p.237-263, With French and German
summaries. Refs. p.259-263.

Prest. V.K. Ice sheets, Quaternary deposits, Glacier oscillation, Glacial geology.

42-1843

Paleoenvironments along the eastern Laurentide Ice Sheet margin and timing of the last ice maximum and

De Vernal, A., et al, Géographie physique et quater-naire, 1987, 41(2), p.265-277, With Prench and Ger-man summaries. 54 refs. Hillaire-Marcel, C.

Ice sheets, Quaternary deposits, Glacier oscillation, Glacial geology.

42-1844

Conditions for growth and retreat of the Laurentide Ice Shect.

Budd, W.F., et al, Géographie physique et quaternaire, 1987, 41(2), p.279-290, With French and German summaries. 86 ref.s. Smith, I.N.

Ice sheets, Quaternary deposits, Glacier oscillation, Glacial geology.

42-1845

Effects of the Laurentide Ice Sheet on North Ameri-

can climate during the last glacial maximum.

Broccoli, A.I., et al, Géographie physique et quatermaire, 1987, 41(2), p.291-299, With French and German summaries. 20 refs.

Manabe, S. Ice sheets, Paleoclimatology, Quaternary deposits, Glacier oscillation, Glacial geology.

42-1846

Dynamics of the Laurentide Ice Sheet from the Sangamonian to the Holocene. [Dynamique de l'Inland-ais Laurentidien du Sangamonien à l'Holocène], sis Laurentidien du Sangamonien a l'holocenet, Occhietti, S., Géographie physique et quatermaire, 1987, 41(2), p.301-313, In French with English and German aummaries. Refs. p.311-313.

Ice sheets, Quaternary deposits, Glacier oscillation,

Glacial geology. 42-1847

Postface: the Laurentide Ice Sheet; research problems.

Andrews, J.T., Géographie physique et quaternaire, 1987, 41(2), p.315-318, With French summary. 4 refs.

Ice sheets, Quaternary deposits, Glacier oscillation, Glacial geology.

42-1848

Anchorage in massive permafrost. (Sposob ankerovki za massiv vechnomerzlogo grunta).
Kazakov, V.P., et al, Transportnoe stroitel'stvo, Dec. 1987, No.12, p.27-28, In Russian. 4 refs.

Poliakov, B.I., Goncharov, V.V.

Hydraulic structures, Moorings, Permafrost beneath structures, Anchors, Thermopiles.

42-1849

Heating devices used in bridge construction. [Pri-Heating devices used in pringe construction. (Primenenie nagrevatel'nykh priborov v proizvodstve mostovykh konstruktsii), Goriachev, S.I., Transportnoe stroitel'stvo, Dec. 1987, No.12, p.35-36, in Russian. Concrete structures, Bridges, Reinforced concretes, Permafrost beneath structures, Winter concreting,

Concrete heating, Concrete strength.

42-1850

Simulation of the present climate by a model of the

ocean-atmosphere-ice system.
Verbitskil, M.IA., et al, Akademiia nauk SSSR. vestiya. Atmospheric and oceanic physics, 1986 (Pub. Dec. 1986), 22(5), p.348-354, Translated from its Izvestiia. Fizika atmosfery i okeana. 17 refs. Chalikov, D.V.

Ice mechanics, Mathematical models, Climatology, Atmospheric circulation, Oceans, Hydrodynamics, Land ice.

42-1851

Non-uniqueness of climate in an ocean-atmosphereice system model.

Verbitskii, M.IA., et al, Akademiia nauk SSSR. Izvestiya. Atmospheric and oceanic physics, 1986 (pub. Dec. 1986), 22(8), p.686-690, Translated from its zvestija. Fizika atmosfery i okeana.

Climatology, Ocean environments, Atmospheric circulation, Land ice.

42-1852

Determination of the maximum ice-forming activity of metal oxides. Effect of modification of the surface

of metal oxides. Effect of modification of the surface of metal oxides on their ice-forming ability.
Gorbunov, B.Z., et al, Colloid journal of the USSR, Sep.-Oct. 1986 (Pub. Mar. 87), 48(5), p.852-856, Translated from Kolloidnyi zhurnal. 23 refs. Kutsenogli, K.P., Safatov, A.S.

Cloud seeding, Aerosols, Artificial nucleation.

Effect of economic activity on heat and water regimes of individual developed territories of the eastern BAM route.

Novorotskii, P.V., Soviet meteorology and hydrology, 1987, No.6, p.78-85, Translated from Meteorologia i 10 refs. gidrologija.

Forests, Human factors, Swamps, Cryogenic soils, Meadow soils, Baykal Amur railroad, Radiation bal-ance, Surface temperature, Heat transfer, Solar radiation, Thermal regime, Soil water.

42-1854

Investigation of hall processes in the USSR. Abshaev, M.T., et al, Soviet meteorology and hydrology, 1987, No.7, p.27-33, Translated from Meteorolo-

gy, 197, 190, 192-193, Institute from Meteorologica is igiforlogia. 18 refs.
Fedchenko, L.M., Khorguani, V.G.
Supercooled clouds, Hatl clouds, Hallstone growth,
Hallstone structure, Hadatone electrification, Math-

Formation of landslides, mudflows and avalanches. Engineering protection of territories. (Formirovanie opolznei, selei i lavin. Inzhenernaia zashchita territorii),

Zolotarev, G.S., ed, Moscow, Universitet, 1987, 180p., In Russian with abridged English table of contents enclosed. Refs. p.176-178.

Grigorian, S.S., ed, Miagkov, S.M., ed. Mudflows, Avalanche engineering, Landslides, Slope processes, Avalanche formation, Avalanche triggering, Snow cover distribution, Snow depth, Models, Alpine landscapes, Charts, Maps.

42-1856

Heavy ice in the Baltic Sea. (Tiazhelyĭ led Baltiki), Kotliarskiĭ, M., Morskoĭ flot, 1987, No.11, p.35-37, In Russian.

Ice navigation, Ice cover thickness, Sea ice distribution, Ice breaking.

42-1857

In high latitudes. (V vysokie shiroty), Morskoi flot, 1987, No.11, p.38-43, In Russian. Ice navigation, Drift stations, Icebreakers, Explora-

tion, Oceanographic ships, Expeditions, Nuclear power, Arctic Ocean.

Phytomass of plant communities in the central part of eastern Taymyr and its spatial distribution. [Fito-massa rastitel'nykh soobshchesty tsentral'not chasti vostochnogo Taimyra i osobennosti ee prostrantsven-nogo razmeshcheniia; Pospelova, E.B., et al, *Ekologiia*, Sep.-Oct. 1987, No.5, p.28-37, In Russian. 13 refs.

Orloy, M.V.

Tundra, Plant ecology, Biomass, Distribution, Landscape types.

42-1859

Productivity of typical Taymyr Peninsula tundras. Produktivnost' tipichnykh tundr Talmyraj, Vil'chek, G.E., Ekologiia, Sep.-Oct. 1987, No.5, p.38-43, In Russian. 17 refs.

Tundra, Biomass, Plant ecology, Mosses, Landscape types, Lichens, Swamps, Cryogenic soils, Plant physiology, Roots.

42-1860

Results of studying biogeocenology and environmen-tal protection in 1986. [Itogi issledovanii po prob-lemam biogeotsenologii okhrany prirody v 1986 g., Nosova, L.M., Ekologiia, Sep.-Oct. 1987, No.5, p.57-65. In Russian.

Continuous permafrost, Tundra, Plant ecology, Envi-ronmental protection, Monitors, Subarctic land-scapes, USSR—Yamai Perinsula.

47-1861

42-1861
Ecologic problems of geobotanical mapping in the USSR. (Ekologicheskie problemy geobotanicheskogo kartografirovaniia v SSSR), Nikonova, N.N., Ekologiia, Sep.-Oct. 1987, No.5, p.70-75, In Russian. 14 refs. Mapping, Surveys, Geobotanical interpretation, Taiga, Tundra.

42-1862

Calculation of settling of embankment bases in the Far North. [Raschet osadok osnovanii nasypei na

Kannew Severey,
Kanaev, F.S., Transportnoe stroitel'stvo, Nov. 1987,
No.11, p.14-16, In Russian.
Dams, Embankments, Foundations, Permafrost
bases, Settlement (structural), Thermokarst, Design, Tundra, Forest tundra, Mesdows, Swamps, Sporadic

42-1863

Regularities governing snow accumulation at bridges in western Siberia. Nekotorye zakonomernosti

snegozanosimosti mostov v Zapadnoš Sibiris, Drobyshevskii, B.A., et al, Transportnoe stroitel'stvo, Nov. 1987, No.11, p.20-21, In Russian. Ashepa, A.L., IAkovlev, S.I.

Snow cover distribution, Bridges, Snowdrifts, Snow accumulation, Design.

42-1864
Old problems on new construction sites. ¡Starye problemy na novykh strotkakh<sub>1</sub>, Transportnoe stroitel'st-vo, Nov. 1987, No.11, p.34-36, In Russian. Railroads, Permafrost beneath structures, Construc-

tion equipment, Cold weather construction, Winter maintenance. USSR-Yamal Peninsula.

Today's responsibilities of construction-machine operators. Segodniashnie zaboty mekhanizatorov, Kazanovskaia, N.P., Transportnoe stroitel'stvo, Nov. 1987, No.11, p.37-40, in Russian. Embankments, Paludification, Hydraulic structures,

Construction equipment, Residential buildings, Permafrost distribution, Taiga, Baykal Amur railroad.

Artificial snow situation in France. (Bilancio dell'in-

nevamento artificiale in Francia). Canova, A., et al, Neve international, 1987, No.4, p.33-35, In Italian with French, German and English summaries.

Artificial snow, Snow manufacturing, Equipment, kis. France.

Organization of a safety and first aid service on ski slopes and collaboration with the military authorities. Organizzazione di un servizio di sicurezza e soccorso sulle piste da sci e collaborazione con l'autorità mili-

Allegra, F., Neve international, 1987, No.4, p.36-40, In Italian with French, German and English summar-

Avalanche formation, Safety, Accidents, Survival, Avalanche deposits, Skis, Protection, Injuries.

Snowfall and freeze forecasting system for Japanese highway management in winter. [Nevicate e sistema di previsione del gelo per la gestione delle autostrade giapponesi d'inverno<sub>j</sub>, Miyata, K., et al, *Neve international*, 1987, No.4, p.41-

48, In Italian with French, German and English summaries.

Snowfall, Road maintenance, Winter maintenance, Weather forecasting, Analysis (mathematics), Com-puter applications, Japan.

47.1869

Technology of building foundations, for supports of power lines up to 500 kv, under complicated natural and climatic conditions. (Tekhnologiia sooruzhenia) fundamentov opor VL napriazheniem do 500 kV slozhnykh prirodno-klimaticheskikh usloviiakh, Smirnov, V.N., Energeticheskoe stroitel'stvo, Oct. 1987, No.10, p.11-13, In Russian. Power line supports, Foundations, Permat beneath structures, Active layer, Paludification. Permetrost

Possibility of sea-water addition to concrete mixes. O vozmozhnosti primenenija morskoj vodv dlja zat-

(O VOZMOZNIOSTI Primenenia monator volty dnia Zarvoreniia betona), Rozental', N.K., Energeticheskoe stroitel'stvo, Oct. 1987, No.10, p.15-18, In Russian. 3 reis. Brines, Concrete agregates, Concrete structures, Reinforced concretes, Corrosion, Steels, Shores, Sea

Performance of statically indeterminate reinforced concrete elements under severe climatic conditions. [Osobennosti raboty staticheski neopred-limykh nelezobetonnykh elementov v rašonakh s surovymi

Zneiezoetoniyan elementov v raionaka s surovym klimaticheskimi uslovilami, Korbukh, A.A., et al, Energeticheskoe stroitel'stvo, Oct. 1987, No.10, p.70-72, in Russian. Denisova, V.N., Bulgakova, M.G., Guzeev, E.A. Concrete structures, Reinforced concretes, Frost action, Freeze thaw cycles.

42-1872

USAC aerosurvey: accelerating exploration of the Antarctic.

LeBrecque, J.L., Lamont-Doherty Geological Observatory of Columbia University. [Yearbook], [Palisades, NY,] 1987, p.52-59, 3 refs.

Aerial surveys, Gravity anomalies, Magnetic anomalies, Mapping, Antarctica—Antarctic Peninsula.

ies, Mapping, Antarctica—Antarctic Peninsula.

A joint survey of the Antarctic Peninsula and its surrounding basins by the U.S., Argentina, and Chile has operated during the sustral summers of 1986 and 1987. The survey intends to gather sufficient data over the region to provide detailed mapping of magnetic and gravity anomalies and from these to derive the structure, age, and evolutionary history of the region. Some details are provided of the progress thus far achieved for the Weddell and Scotia basins and the Bellingshausen margin.

42-1873

42-1873
Model of (ce rubble pileup.
Sayed, M., et al. Journal of engineering mechanics,
Jan. 1988, 114(1), p.149-160, 19 refs.
Frederking, M.W.
Ice models, Ice pileup, Pressure ridges, Floating ice,
Chan stars Analysis (mathematics).

Shear stress, Analysis (mathematics).

42-1874

Methods for the study of water in ice phases. Kuhs, W.F., Methods in enzymology, 1986, Vol.127, Biomembranes. Part 0: Protons and water; structure and translocation. Edited by L. Packer,

structure and transiocation. Edited by L. Packer, p.303-318, 66 refs. Ice physics, Ice crystal structure, Solid phases, Phase transformations, Ice water interface, Spectroscopy, Ice crystal anclei, Ice crystal growth, Temperature effects.

42-1875

Ice action on fixed offshore structures: a state-of-the-

Nessim, M.A., et al, Canadian journal of civil engineering, June 1987, 14(3), p.381-407, With French summary. Refs. p.405-407. Cheung, M.S., Jordsan, I.J. Ice loads, Offshore structures, Ice solid interface, Ice

mechanics, Design criteria, Ice conditions, Pressure ridges, Analysis (mathematics).

42-1876

Concrete—quo vadis?—pre and post-ICPIC '87. Raymond, J., Concrete, Sep. 1987, 21(9), p.16-20, 13

Concrete durability, Freeze thaw cycles, Concrete aggregates, Polymers, Resins, Road maintenance, Con-crete strength, Protective coatings.

42.1877

Effect of time and temperature on nitrogen minerali-

Zation in Arctic tundra solls.

Marion, G.M., et al, Soil Science Society of America.

Journal, Nov.-Dec. 1987, 51(6), p.1501-1508, 32 refs. Black, C.H. Tundra, Nutrient cycle, Soils, Mathematical models,

Time factor, Temperature effects.

42-1878

Technique and instrument for determining the thermophysical properties of foam-type insulation materi-

Shashkov, A.G., et al, Heat transfer—Soviet research, July-Aug. 1987, 19(4), p.138-143, 4 refs. Translated from Promyshlennaia teplotekhnika, 1986, 8(4), p.47-Translated

Voltenko, A.G.

Thermal insulation, Cellular plastics, Thermal properties, Physical properties, Measuring instruments, Analysis (mathematics).

42-1879

Rating system for unsurfaced roads to be used in maintenance management.
Eaton, R.A., et al, MP 2313, North American Confer-

ence on Managing Pavements, 2nd, Toronto, Ontario, Nov. 2-6, 1987. Proceedings, Vol.2, [1987], p.(2)51-(2)62, 24 refs.

Gerard, S., Dattilo, R.S. Road maintenance, Pavements, Drainage, Surface

A system has been developed and field validated for rating unsurfaced roads. The number obtained for each road by using

this system can be used to prioritize or compare road conditions to develop a maintenance program. This unsurfaced road rating system can be used by itself or to supplement current pavemanagement systems.

42-1880

Icebreaker: Chevron's ICE-B-GON makes winter driving safer.

Sachtleben, L., Chevron world, Winter 1988, 65(1),

p.10-11.
Road maintenance, Ice removal, Salting, Winter maintenance, Poliution, Chemical analysis, Cost analysis, Ice prevention.

42-1881

e4-1851
Pavement design for low-volume roads that considers
the antifrost effects of thickly packed snow.
Takeichi, K., et al, Transportation research record,
1987, No.1106, International Conference on LowVolume Roads, 4th, Ithaca, NY, Aug. 16-20, 1987.
Proceedings, Vol.1, p.237-243, 9 refs.
Kubo, H., Kasahara, A.
Pavements Snow cover effect. Front here. Cold.

Pavements, Snow cover effect, Frost heave, Cold weather construction. Road maintenance. Freezing indexes, Design, Frost penetration, Countermeasures.

Role of seasonal salt and water fluxes in the genesis

of Solometric B horizons.
Fullerton, S., et al, Canadian journal of soil science,
Nov. 1987, 67(4), p.719-730, With French summary. 28 refs.

Saline soils, Soil chemistry, Soil water migration, Ground water, Seasonal variations, Soil temperature, Canada—Alberta.

42-1883

Sound propagation in water-ethanol mixtures at low

temperatures. 1. Ultrasonic velocity. D'Arrigo, G., et al, Journal of chemical physics, Jan. 1, 1988, 88(1), p.405-415, 52 refs.

Paparelli, A. Sound transmission, Ultrasonic tests, Supercooling, Solutions, Water temperature, Wave propagation, Velocity, Compressive properties, Analysis (mathematics)

42-1884

Simultaneous determination of chloride, bromide and iodide in snow fall by XRF after the precipitation of their silver salts.

Yamamoto, T., Bunseki kagaku, Oct. 1987, 36(10), p.592-596, In Japanese with English summary. 6 refs. Snew composition, Chemical analysis, Laboratory

42-1885

Visualization of the boundary layer on the growing

Bednarz, G., et al, Crystal research and technology, Sep. 1987, 22(9), p.K145-K147, 5 refs. Krasinski, M.J.

Ice water interface, Solutions, Ice formation, Ice crystals.

42-1886

Beyond the ice sheet.

Barnes-Svarney, P., Earth science, Summer 1986. 39(2), p.18-19.

Periglacial processes, Ice sheets, Frost action.

Thermal modelling of cometary activity with a crystallized water ice nucleus.

Yabushita, S., et al, Earth, moon, and planets, Feb. 1987, 37(2), p.141-146, 18 refs.

Extraterrestrial ice, Models.

42-1888

Optical constants of the mixture of ices. Mukai, T., et al, Earth, moon, and planets, Oct. 1986, 36(2), p.145-155, 9 refs. Krätschmer, W.

Extraterrestrial ice, Ice optics.

42-1889

Calculational study of time-dependent neutron spectra in ice at low temperature.

Sakamoto, S., et al. Journal of nuclear science and technology, Nov. 1987, 24(11), p.872-880, 23 refs.
Neutron scattering, Ice spectroscopy, Lattice models.

Vector-controlled cycloconverter drive for an icebreaker.

Hill, W.A., et al, IEEE transactions on industry applications, Nov.-Dec. 1987, IA-23(6), p.1036-1042, 4 refs.

Furton, R.A., Dungan, R.J., Schwalm, C.L. Icebreakers, Engines, Propellers.

42-1891

Structure and dynamics of amorphous water ice. Laufer, D., et al., Physical review B, Dec. 15, 1987, 36B(17), p.9219-9227, 20 refs.
Kochavi, E., Bar-Nun, A.
Ice formation, Amorphous Ice, Ice structure.

Snapshot of the Labrador Current inferred from icafloe movement in NOAA satellite imagery. Peterson, I., Atmosphere-ocean, Dec. 1987, 25(4), p.402-415, With French summary. 14 refs. Ice floes, Drift, Ocean currents, Spaceborne photography.

Observation of sea-ice dynamics using synthetic aper-

Observation of sea-ter dynamics taking symmetric agriculture radar images: automated analysis. Vesecky, J.F., et al. *IEEE transarions on geoscience and remote sensing*, Jan. 2012, p. 38-48, 10 refs. Sea ice distribution, Drift, a daar tracking.

42-1894

Bedrock relief of Enderby Land, Mac. Robertson Land and Princess Elizabeth Land, East Antarctica. (Korennol rel'ef Zemli Enderbi, Zemli Mak-Robertsona i Zemli Printsessy Elizavety v Vostochnol An-

tarktide; Kurinin, R.G., et al, Antarktika; doklady komissii, 1987, No.26, p.62-65, In Russian. 4 refs. Aleshkova, N.D.

Maps, Tectonics, Bottom topography, Subglacial ob-servations, Antarctics—Enderby Land, Antarctics— Lambert Glacier, Antarctics—Mac. Robertson Land. Lambert Glacier, Antarctica—Mac. Robertson Land.
A map of the subglacial topography of Enderby Land, Mac.
Robertson Land, Lambert Glacier and adjacent areas, compiled
with data from seismic and radio-echo soundings carried out
between 1968 and 1977, is presented and discussed. The basic
morphology of the area is described, with the suggestion that it
had been determined by the nature of the regional tectonic
developments. The rising of sub-latitudinal and sub-meridional, deeply depressed, basins of Bnderby Land is linked to the ice
cover formation, which resulted in crustal cracking of the continental margins. The discussion of rifugenetic processes includes the Lambert Glacier region as an example.

42-1895

New data on ice sheet morphology, bedrock and bot-tom relief in the southern Weddell Sea basin, West Antarctica. ¡Novye dannye o morfologii ledovot tolshchi i rel'efe podlednogo lozha i morskogo dna v iuzhnol chasti basselna moria Ueddella (Zapadnaia

Antarktida),
Pozdeev, V.S., et al, Antarktika; doklady komissii,
1987, No.26, p.66-71, In Russian. 8 refs.
Kurinin, R.G.

Bottom topography, Ice cover thickness, Ice shelves, Antarctica—Weddell Ses.

Antarctica—Weddell Sea.

Maps of the ice cover and bottom topography of Weddell Sea, the ice cover thickness of Flichner and Ronne ice shelves and adjacent mountains and glaciers, are discussed. A relationship between height and depth of the ice shelf, and length of time of seismic and electromagnetic wave transmission through the ice. between height and depth of the ice anest, who who we seismic and electromagnetic wave transmission through the ice, is established. The possible causes of different morphological and structural forms of the bedrock topography are considered.

The possible causes of the conditional considered with the considered cause of the conditional causes of the conditional causes of the cause of the cau Evidence is found for brine infiltration into the inner the ice shelves, which distorts the true values of their

Ice rheology parameters from long term borehol-studies at Vostok Station. Otsenka reologicheskikh parametrov l'da po rezul'tatam mnogoletnikh nabliparametrov i da po rezultatam mnogoteinikn nabiu-udenil v skvazhinakh na st. Vostok v Antarkidej, Blinov, K.V., et al, Antarkitika; doklady komissii, 1987, No.26, p.95-106, In Russian. 15 refs. Dmitriev, D.N. Lec creep, Ice deformation, Rheology, Boreholes, Antarctica—Vostok Station.

ENTERM - VOSTOR STATION.

Lee creep curves, plotted from borehole wall deformation data obtained for the period 1974-1984, are analyzed. Basic rheological parameters of the flow law of ice are calculated for the area investigated, and it is shown that it is possible to use them to predict stress-induced ice deformations around boreholes.

Investigation of cavity formation in the ice sheet for liquid or gas sampling. [Issledovanie protsessa for-mirovaniia kaverny v ledovom massive dia otbora

mirovanija kaverny v iedovom massive una okoora proby zhidkosti ili gaza, chistiakov, V.K., et al, Antarkika; doklady komissii, 1987, No.26, p. 107-112, ln Russian. 2 refs. Chugun-v, V.A., Zemtsov, A.A.
Ice models, Ice melting, Cavitation, Heat transfer.

As part of a study of the dynamics of cavity melting in the ice sheet, to increase the effectiveness of liquid or gas sampling, an approximate mathematical model is discussed, and illustrated, of the process of heat and mass transfer in the circulation of a liquid convective heating agent. Theoretical and experimental results are shown to be in good agreement. 42-189E

42-1998
Average height, volume and thickness of antarctic ice (asw data). Sredniais vysots, ob"em i moshchnost" l'da Antarktidy (novye dannye), Suetova, I.A., Antarktika; doklady komissii, 1987, No.26, p.113-119, In Russian. 11 refs.

ROLD, p.113-117, in Russian. 11 reis.

Lee surveys, Topographic surveys.

Based on cartographic information obtained in the last 20 years, the following morphometric data on Antarctica are tabulated and discussed the average height of ice and rock surface, the ice volume and average thickness, and the amplitude of glacioustatic variations. The methods of measurement are described, and their accuracy is avaluated.

42-1899

42-1879

Ice sheet composition and structure in the Schirmacher Ponds area. (Sostav i stroenie materikovogo i'da v ralone oazisa Shirmakhera (Antarktida), Vtlurin, B.I., et al, Antarktika; doklady komissii, 1987, No.26, p.120-129, in Russian. 27 refs. Hermichen, W.D., Kowski, P.

Lake ice, Ice composition, Ice structure, Antarctica-Schirmscher Ponds.

Scairmacaser Ponds.

Study of isotope composition and structure of the ice sheet and shelf ice of Schirmacher Ponds shows that the basal layers of ice 10 or more meters thick consist of fossil ice thicker than the contemporary, post-Pisistocene ice cover of Queem Maud Land. The upper portion of the ice sheet north of the Wohlthat Mountains and the upper 150 m of Leazure Vice Shelf were formed by regional accretion of post-Pieistocene precipitation. 42-1900

Thermomechanics of icebergs. Termomekhanika

alsoergov. Krase, M.S., Antarktika; doklady komissii, 1987, No.26, p.130-147, in Russian. 32 refs. Icebergs, tet thermal properties, Iceberg towing, Ice mechanics.

review of thermal and physical properties of icebergs sho tat the meltwater under a freely floating iceberg can have est acreening effect. The ablation of surface ice of a tow that the menimater under a freely month receiver can have been seen seen and the street of a towed looberg, especially in view of underwater melting, significant decreases the strength of the ice. Under conditions of prolonged towing, the deterioration and final destruction of the colonger towing, the deterioration and final destruction of the colonger and the strength of the colonger of the col

42,1901

Ecological peculiarities of mycelial fund from antare-tic ice. (Ob ekologicheskikh osobennostiakh mit-selial nykh gribov iz tolshchi antarkticheskogo lednika,

Abyzov, S.S., et al, Antarktika; doklady komissii, 1987, No.26, p.157-160, In Russian. 25 refs. Beliakova, L.A.

Cryobiology, Ice cores, Antarctics-Vostok Station. Cryptiology, Ice cores, Antarctica—Vostok Station. Microbiological analysis of a core from Vostok Station disclosed a variety of species of mycelial fungi in a state of deep nabiosis contained in the ice at -55 C over a long period of time. A comparison of these microorganisms with samples from more temperatule studied established their sbillity to grow in a wide temperature range. However, the ability to thrive at very low temperatures is peculiar to samples collected in Antarctica. It is concluded that this is due to anabiosis which allowed those microorganisms to maintain their biological characteristics and to adapt to extreme conditions before their entrapment in the ice. trapment in the ice

42,1002

Atmospheric energetics in polar regions. (Energetika atmosfery v poliarnykh oblastiakh), Romanov, V.F., et al, Leningrad, Gidrometeoizdat, 1987, 296p., In Russian. Refs. p.282-294.
Ariskina, N.V., Vasil'ev, V.F., Lagun, V.E. Sea ica, Polynyas, Polar regions, Antarctica—Wed-

dell Sea.

dell Sea.

Experimental data collected during the POLEX program are reviewed and analyzed, covering the following: characteristics of spatial structure of the Antarctic Circumpolar Current, determined by analysis of long series of measurements of currents in the southern ocean; computed zonal mean zonal and meridonal components of wind speed representing different seasons; interactions of the atmosphere, i.e., and the oceans in polar regions, with smphasis on sea loc, the polar energy balance, and meridional heat exchange processes. Specific to Antarctica, the Soviet-American supedition to the Weddell Sea during Oct.-Nov. 1981 is described in Ch. 4. Atmospheric synoptic didles and energetics over the sea were studied, including ocean-atmosphere interrelationable such as atmospheric direction of the component of the students of the students of the students are developed to demostrate the generation of available potential energy due to turbulent transfer of tensible heat from the ocean to the atmosphere in an ocean cyclone. Charts of cyclone tracks and frequency of cyclones and anticyclones in the Southern Remisphere are presented.

42-1903

Sedimentation in ice-covered Lake Hours, Antarc-

Nedell, S.S., et al, Sedimentology, Dec. 1987, 34(6), p.1093-1106, 20 refs.
Andersen, T.W., Squires, S.W., Love, F.G.
Cryobiology, Lake ice, Sediment transport, Ice structure, Antarctica—Hears, Lake.

The sedimentation mechanisms that occur in ics-covered Lake Hoare are examined to determine how sediment enters the lake, and how the sedimentation pettern affects blue-slag algoreth at the lake bottom. The 3 m-thick ice cover contains pebbly sand as much as 2 m below the surface. Sediment with similar texture and mineralogy is found at the lake bottom. This evidence, together with the lack of sediment in the inflowing stream and the markedly different texture of sediment from the other terrains around the lake suggest that most of the sediment at the lake bottom comes in through the ice cover. Sand grains intermittently migrate through porous ice on the surface, waterfilled vertical gas-channels penetrating two-thirds of the ice cover, and possibly through crucks in the ice that set as conduits. The algae at the lake bottom are able to survive in part because sediment that comes through the ice cover does not obliterate them. (Auth.)

42-1904

mblages in anterctic pack ice and in ice-

Algal assembleges in anterent pack to and in the edge plantion.

Garrison, D.L., et al, Journal of phycology, Dec. 1987, 23(4), p.564-572, 37 refs.

Buck, K.R., Fryxell, G.A.

Sea ice distribution, Ice cover effect, Algae.

Sea ice distribution, Ice cover effect, Algae. Algal assemblages in ice and vater in the Weddell Sea during the austral spring of 1983 at a receding ice edge are compared with a well-developed ice edge bloom. The dynamics of these blooms appear to be closely related to aceaonal melting of sea ice. The high degree of similarity between ice and water column assemblages, the spatial and temporal patterns in the distribution and abundances of species, and preliminary evidence for the viability and growth of ice-associated species provide evidence for seeding from sea ice of some species in Antarctica. (Auth. mod.)

42-1905

Ice thickness distribution across the Atlantic sector

of the Antarctic Ocean in midwinter.
Wadhams, P., et al, Journal of geophysical research, Dec. 15, 1987, 92(C13), MP 2314, p.14,535-14,552, 9 refs.

Lange, M.A., Ackley, S.F.
Ice cover thickness, See ice, Ice floes, Photography. Ice cover thickness, See Ice, Ice Hoes, Photography.
The entire width of the anarctic sea ice zone was traversed in
the vicinity of 0 deg longitude from July 18 to Sep. 10, 1986.
Ice thicknesses were measured by direct drilling, by helicopter
profiling using an Esstar 100-MHz impulse radar system and by
serial photography. The results of the point measurements
drilling) are reported in this paper together with an indication
of how the radar and photography data will be used to extend
them so as to yield area-averaged ice thickness distributions.
The main ice type across the entire width of the ice cover was
consolidated papears ice occurring in year floes this formed out. The main ice type across the entire width of the ice cover was consolidated paneake ice occurring in vast floes; this formed out of a 250-km-wide band at the advancing ice edge which consisted a concentrated field of individual paneakes in a matrix of trazil ice. Preferred thicknesses of undeformed floes were 40-60 cm of ice covered with 5-15 cm of now. The individual paneakes attained almost all of this thickness before consolidation; subsequent congelation growth was slow, estimated at 0.4 cm/d. The floes contained much small-scale roughness on the cm/d. The troce contained much small-scale roughness on the upper and lower surfaces due to rafting of pancake at the time of consolidation, but pressure ridging was modest except in the far south. A few very thick (8-11 m) multiyear floes were ob-served embedded in the pack at latitudes beyond 665. (Auth.)

42-1906
Multiyear sea ice floe distribution in the Canadian

Arctic Ocsan. Hudson, R.D., Journal of geophysical research, Dec. 15, 1987, 92(C13), p.14,663-14,669, 5 refs. Sea ice, Ice floes, Aerial surveys, Arctic Ocean.

Anchor ice, seabed freezing, and sediment dynamics in shallow Arctic seas.

in snanow Arcuc seas. Reimnitz, E., et al, Journal of geophysical research, Dec. 15, 1987, 92(C13), p.14,671-14,678, 40 refs. Kempema, E.W., Barnes, P.W. Bottom ice, Sediments, Beaufort Sea.

Melataining frozen assets.
Wells, M., Defence, Dec. 1987, 18(12), p.776-779.
Military operation, Skis.

Sub-zero helicopter operations.
Witt, M., Defence, Dec. 1987, 18(12), p.780-783.
Military operation, Helicopters, Aircraft icing.

Holocene evolution of permafrost near the tree line, on the eastern coast of Hudson Bay (northern Que-

Allard, M., et al, Canadian journal of earth sciences, Nov. 1987, 24(11), p.2206-2222, With French sum-mary. 52 refs. Seguin, M.K.

Permafrost origin, Soil dating, Geomorphology, Forest tundre.

42-1911

Shallow sediment temperature perturbations and sediment thermal conductivities, Canadian Beaufort Shelf.

Taylor, A.E., et al, Canadian journal of earth sciences, Nov. 1987, 24(11), p.2223-2234, With French summary. 51 refs. Allen, V.

Subsea permafrost, Bottom sediment, Water temper-

42-1912

Drumlin formation by subglacial meltwater erosion. Shaw, J., et al. Canadian journal of earth sciences, Nov. 1987, 24(11), p.2316-2322, With French sum-Subglacial drainage, Glacial erosion, Subglacial

42-1913

Simulation of the statistical failure of snow slopes. Smith, F.W., et al, Simulation series, Jan. 1985, 15(1), Conference on Emergency Planning, San Diego, CA, Jan. 24-26, 1985. Proceedings. Edited by J.M. Carroll, p.29-33, 17 refs.

Sommerfeld, R.A. DLC HV553.C67

Computerized simulation, Avalanche formation, Slope stability, Snow cover stability, Shear strength, Snow strength, Forecasting, Snow density.

42-1914
Computerized streamflow forecasting model for Windy Cap Project, Colorado.

Eckhardt, J.R., et al, Simulation series, Jan. 1985, 15(1), Conference on Emergency Planning, San Diego, CA, Jan. 24-26, 1985. Proceedings. Edited by J.M. Carroll, p.125-127, 2 refs.

Leaf, C.F. DLC HV553.C67

Stream flow, Computerized simulation, Snowmelt, Snow cover effect, Forecasting, Hydrology.

Arctic science policy and development. Proceed-

UNESCO-MAB International Conference, Fairbanks, AK, Aug. 28-30, 1985, Washington, D.C., U.S. Man and the Biosphere Program, Dec. 1986, 104p., PB87-

218244, Refs. passim. Freeman, M.M.E., comp. Slaughter, C.W., comp. Research projects, Legislation, International cooper-ation, Polar regions, Ecosystems, Meetings.

42-1916

Electric field alignment of ice particles in thunderstorms.

Weinheimer, A.J., et al, Journal of geophysical re-search, Dec. 20, 1987, 92(D12), p.14,833-14,844, 44 refs. Few. A.A

Ice crystals, Thunderstorms, Electric fields.

42-1917

Analysis of ice forming phenomena and their applica-tions. (Hyoketsu gensho no kaiseki to sono oyo), Matsuno, R., Agricultural Chemical Society of Japan. Journal (Nippon Nogei Kagakukaishi), Sep. 1987, 61(9), p.1123-1125, in Japanese. 14 refs.
Liquid solid interfaces, Ice formation, Ice nuclei, Ice growth, Freezing.

Theoretical model for freezing process and ice crystal formation. Toketsu katei no tsuiseki to seisei koori

Miyawaki, O., et al, Agricultural Chemical Society of Japan. Journal (Nippon Nogei Kagakukaishi), Sep. 1987, 61(9), p.1126-1128, In Japanese. 22 refs. Yano, T.

Ice crystal size, Freezing rate, Freezing, Mathematical models. Food.

Secondary nucleation and growth of ice crystals for freeze concentration. [Koori shoketsu no niji kaku reeze concentration. (Acori anoxetsu no niji kaku hassei oyobi seicho to toketsu noshuku, Shirai, Y., Agricultural Chemical Society of Japan. Journal (Nippon Nogei Kagakukaishi), Sep. 1987, 61(9), p. 1129-1132, In Japanese. 9 refs.
Prozen liquids, Ice crystal growth, Condensation, Freezing rate, Ice crystal size, Freezing, Ice crystal nuclei, Mathematical models, Food.

Antifreeze substances. [Koori seisei sogai busshit-

Arai, S., et al, Agricultural Chemical Society of Japan. Journal (Nippon Nogel Kagakukaishi), Sep. 1987, 61(9), p.1133-1135, In Japanese. 22 refs. Watanabe, M.

Antifreezes, Surfactants, Ice crystal size, Freezing rate, Emulsions, Cells.

42-1921

Ice-nucleating bacteria. (Hyokaku kassei saikin), 109-nacionaling pactoria. (19) Okata, H. as de la Agricultural Chemical Society of Ja pan. Journal (Nippon Nogei Kagakukaishi), Sep. 1987, 61(9), p.1136-1138, In Japanese. 14 refs. Tokuyama, T.

Frost action, Plants (botany), Bacteria, Organic nuclei, Frost protection, Sterilizers.

42-1922

Cold acclin nation of perennial plants. (Koto shoku-

Cota accumation of personal plants. [Acto shock butsu no telon junka, Sagisaka, S., Agricultural Chemical Society of Japan Journal (Nippon Nogei Kagakukaishi), Sep. 1987, 61(9), p. 1139-1142, in Japanese. 13 refs. Plants (botany), Prost resistance, Acclimatization, Water content, Cold weather survival, Cells, Ex-

zvimes.

42-1923

In-place recycled surface course technique applied to strip paving. [Rojo hyoso saisei koho no reru biki e

no tekiyo, Hamaguchi, S., et al, Road construction (Doro kenset-su), May 1984, No.436, p.77-83, In Japanese. 9 refs. Yamada, M.

Pavements, Tires, Road maintenance, Bitumens, Heating, Damage, Compaction.

Obeyashi Road Construction Co. developed a low-cost technique to repair road erosion caused by studded tires. A pevenent repairing machine heats and scarlies uncorroded asphalt for on-site recycling. The width and the depth of strips to be repaired can be adjusted. Better joints (places where repaved surface meets the existing pavement) were obtained by heating the area of joints wider than the width of strips actually repaired.

42-1924

Embodded pipe snow melting systems. (Onsui paipu

Embodoed pips inow merting systems. (Onsur paipuy yusetsu),
Kodera, T., Nagaoka Technical College. Research reports (Nagaoka Kogyo Koto Senmon Gakko kenky kiyo), June 1985, 21(2), p.107-109, In Japanese.
Snow melting, Artificial melting, Heat pipes, Underground pipelines, Mathematical models, Roads, Sidewalka walks.

42-1925

Experimental plan of snow melting systems. [Yusetsu shisutemu jikken keikaku],
Koders, T., Nagaoka Technical College. Research
reports (Nagaoka Kogyo Koto Senmon Gakko kenkyu
kiyo), June 1985, 21(2), p.113-115, In Japanese. Trenching, Snow melting, Test equipment, Heat pipes, Artificial melting, Sprinklers, Roads, Water pipes, Sidewalks, Experimentation.

42-1926

Experiment on infiltration capacity of snow pack. Yuki no shintono ni kansuru jikken, Kodera, T., Nagaoka Technical College.

reports (Nagaoka Kogyo Koto Senmon Gakko kenkyu kiyo), June 1985, 21(2), p.117-120, In Japanese. Seepage, Snow permeability, Trenching, Snow densi-ty, Experimentation, Stream flow.

42-1927

On reducing operating costs of electric snow melting devices. Denki vusetsuki denki ryokin no setsugen

martices. [Denki yasetsian denki fyddin no seingen saku ni tsuite, Matsuura, H., Electric railways (Denki tetsudo), Dec. 1984, 38(12), p.11-13, In Japanese. Snow melting, Cost analysis, Artificial melting, Electric heating, Sprinklers, Japan-Hokuriku.

42-1928

Life and transportation in snowy regions. (Yukiguni no seikatsu to kotsu<sub>1</sub>, Anada, A., Rosd (Doro), July 1984, No.521, p.31-35,

In Japanese

Road maintenance, Winter maintenance, Transportation, Snow removal, Snow disposal, Japan-Toyama Prefecture.

42-1929

Road maintenance in a snowy region. [Gosetsuchi ni okeru doro no iji kanrij,

Kobayashi, Y., Road construction (Doro kensetsu), June 1985, No.449, p.68-69, In Japanese. Roofs, Snow removal, Avalanches, Snow disposal, Roads, Japan—Nilgata Prefecture. 42-1930

True state of winter transportation. [Toki kotsu no

jittai<sub>]</sub>, Yano, Y., Asphalt (Asufaruto), Dec. 1983, 26(138), 8-12, In Japanese

p.8-12, In Japanese. Tires, Snow removal, Transportation, Winter mainte-mance, Road maintenance, Roads, Accidents, Motor

42-1931

easures against road erosion in snowy, cold regions: studded tire problem. (Sekisetsu kanrei chii-ki ni okeru hoso no mamo taisaku—(supaiku taiya taisaku)3, Fuiishiro, Y.,

Asphalt (Asufaruto), Dec. 1983.

Tires, Pavements, Legislation, Road maintenance, Snow removal, Damage, Brakes (motion arresters).

Reed construction in cold regions. (Kanreichi ni okeru doro ga dekiru made<sub>1</sub>, Kubo, H., Soil mechanics and foundation engineering (Tsuchi to kiso), Jan. 1985, 33(1), p.17-21, in Japa-11 refs.

Roads, Pavements, Cold weather construction, Bitu-ments, Sidewalks, Frost heave, Tunnels, Embank-ments, Design, Pavement bases, Slopes, Volcanic ash, Sands, Visibility, Gravel, Subsurface drainage.

42-1933

Structure, origin and evolution of the ice-bearing loess formation in northern Asia. (Struktura, genezis i evoliutaiia lessovo-lednikovol formataii severa Azii), Tomirdiaro, S.V., et al, Tsiklichnost' novejshikh suba-eral'nykh otlozhenii. Nauchnye i prikladnye aspekty problemy (Cyclic nature of the latest subserial deposits. Scientific aspects and applications) edited by I.A. Volkov, Novosibirsk, Nauka, 1987, p.61-68, In Rus-Chernen'kil. B.I.

Choss, Polygonal topography, Geocryology, Permafrost distribution, Continuous permafrost, Permafrost structure, Ice veins, Edoma complex, Origin, Theories, USSR—Yakutia, USSR—Caukotskiy Penla-

42-1934

Ice roads with a thermal insulation layer. [Ledianye

los rosas with a thermal insulation arget, Lecusity dorogi a tepioizoliationnym aloemy, Razzhivin, M.E., Lesnaia promyshlennost', 1986, No. 10, p.21, In Russian. Ice rosas, Snow rosas, Roadbeds, Embankments, Pavements, Ice accretion, Construction equipment, Artificial ice, Ice (construction material).

Preparation of ground for winter excavation of pits. [Podgotovka gruntovykh kar'erov k razrabotke

zimol), Migliachenko, V.P., Lesnais promyshlennost', 1986, No.8, p.13, In Russian. Prozen ground, Pits (excavations), Frost protection, Thermal insulation, Snow cover effect, Antifreezes.

Construction and operation of temporary forest roads. [Stroitel'stvo i ekspluatataila vremennykh leso-

voznykh dorogi, Vishniakov, A.S., Lesnais promyshlennost', 1986, No.8, p.14, In Russian. Forest solls, Rosdbeds, Embankments, Ice rosds,

Winter maintenance, Artificial ice, Pavements.

42-1937

Service life of winter roads built for timber transportation. ¡Srok delstvija zimnikh lesovoznykh dorog], IAkovenko, IU.G., Lesnaja promyshlennost', 1986, No.3, p.14, In Russian.

Forest soils, Roads, Swamps, Roadbeds, Embank-ments, Frost penetration, Soil strength.

Roadbed construction in freezing weather. (Vozvedenie zemlianogo polotna v zimnil period), Migliachenko, V.P., Lesnaia promyshlennost, 1987, No.7, p.22-23, in Russian.
Forest solls, Roadbeds, Cold weather construction,

Winter maintenance, Prost penetration, Cements, Cement admixtures, Construction equipment.

42-1939

Operation of gas wells under permafrost conditions. Ekspluatasiia gazovykh skvazhin v usloviiakh mnogoletnemerzlykh porody, Vakhrushev, A.M., Bezopasnost truda v promyshlenosti, Sep. 1987, No.9, p.34, In Russian.

Gas wells, Frozen ground settiling, Permafrost, Active layer, Petroleum industry, Freeze thaw cycles.

42-1940

Dependence of freezing of massive rocks on the!: hy-drophysical properties: ¿Zavisimost' smerzaniia gor-nof massy ot ee vodofizicheskikh svofstv<sub>1</sub>, Panchenko, D.F., et al, Fiziko-tekhnicheskie problemy

razrabotki poleznykh iskopaemykh, July-Aug. 1987 No.4, p.115-117, in Russian. 3 refs. Vasilenko, L.I.

Frozen fines, Frozen rock strength, Clays, Porosity, Water content, Phase transformations, Experimenta-

42-1941

Gas-reconnaissance survey over snow-covered ground

one-recommission accounts and southern West Siberia. [Gazovaia s''emka po anegu na iuge Zapadnol Sibiri, Vyshemirskii, V.S., et al, Geologiia i geofizika, June 1987, No.6, p.17-23, In Russian with English summary. 3 refs.

Stepheney, V.P.
Exploration, Surveys, Hydrocarbons, Gases, Snow composition, Chemical analysis, Petroleum products, Petroleum industry.

42-1942

Useful experience in mapping permatrost-hydrogeological conditions, Poleznyl opyt otobrazhenia merziotno-gidrogeologicheskikh uslovili, Pinneker, E.V., et al, Geologiis i geofizika, May 1987, No.5, p. 134-136, In Russian.

Alekseeva, L.P.

Naleds, Mapping, Permafrost depth, Permafrost dis-tribution, Permafrost hydrology, Permafrost structure. Ground ice.

42-1943

Applying electromagnetic soundings to the study of bedrock rellet in permatrost areas. ¡Primenenic elek-tromagnitnykh zondirovanii dlia izucheniia rel'efa korennykh porod v ralonakh razvitiia mnogoletnet

koremyan policie merzloty, merzloty, Veshev, A.V., et al, Leningrad. Universitet. nik, Mar. 1987, 1(7), p.81-85, In Russian. 7 Beliakov, V.I.

Engineering geology, Electromagnetic prospecting, Permafrost physics, Electrical properties.

42-1944

Rheological properties of ice containing surfactant admixtures. [Reologicheskie svoïstva l'da s dobav-

kami PAV<sub>3</sub>, Dediulia, I.V., et al, *Kolloidnyi zhurnal*, May-June 1987, 49(3), p.559-563, In Russian with English summary. 6 refs

Churaev, N.V. Surfactants, Capillary ice, Ice formation, Ice structure, Water, Capillarity, Solutions.

42-1945

On the conditions required for heterogeneous ice nucleation from vapor. (O neobkhodimom uslovii geterogennoi nukleatsii l'da iz para], kim, N.S., et al, Kolloidnyi zhurnal, Mar.-Apr.

1987, 49(2), p.253-257, In Russian with English summary. 25 refs. Shkodkin, A.V.

Aerosols, Nucleation, Ice nuclei, Ice formation.

Analysis of space-based radar clutter spectra over different types of terrain and their effects on detection

performance.
Faubert, D., et al. Communications Research Centre,
Penort Nov. 21, 1986, Ottawa, Ontario. Report, Nov. 2 CRC-1408, 47p. ADA-178 066/7/XAB. Rook, B.J., Tam, W.

Radar echoes, Ice cover effect, Snow cover effect, Topographic features, Spectra, Computer applica-tions, Detection, Models.

47-1947

Lake ice occurrence as an early detector of climate perturbation: the potential for monitoring. Final report.

Barry, R.G., U.S. Dept. of Energy. Report, Jan. 1987, DOE/ER/60106-5, 29p. DE87-004 503/XAB. Lake ice, Ice formation, Climatic changes, Freezeup, Ice breakup, Temperature effects, Cloud cover, Seasonal variations.

42-1948

Study of the microwave brightness temperature of sea

Stogryn, A., Aerojet ElectroSystems Co., Azusa, CA. Report, Dec. 1986, AESC-8362, 60p. ADA-178 271/3/XAB.

Sea ice. Microwaves, Ice conditions, Remote sensing Brightness, Temperature effects, Dielectric proper-Brines, Electromagnetic properties, Analysis (mathematics).

42-1949
Workshop on Microwave Scattering and Emission from the Earth's Surface held in Washington, D.C., on 11-12 April 1985 (Final report).
Carver, K.R., et al., Amherst, Univ. of Massachusetts, Oct. 1986, 82p. ADA-178 269, 7/XAB.

Lang. R.

Remote sensing, Ice cover, Snow cover, Microwaves, Glaciers, Surface roughness, Scattering, Electromag-netic properties, Meetings, Solls.

42-1950

Physical and structural characteristics of Weddell Sen pack ice.

Sea pack ice.

Gow, A.J., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Aug. 1987, CR 87-14, 70p., ADA-188 189, 31 refs.

Ackley, S.F., Buck, K.R., Golden, K.M.

Pack ice, Ice physics, Ice structure, Sea ice, Ice salinity, Drilli core analysis, Frazil ice, Marine biology, Lumineacence, Antarctica—Weddell Sea.

During Feb. and Mar. 1980 the physical properties of Weddell Sea pack ice were investigated via core drilling of 66 floes located along a transact of 600 nautical miles from 64 S to 78 latitude at roughly 40 W longitude. These studies revealed widespread frazil ice in amounts not known to exist in arctic sea ice of comparable age and thickness. It is estimated from structure studies of 62 of the 66 floes that 54% of the total ice production in the Weddell Sea is generated as frazil. The disposition and exceptional thicknesses of the frazil show that production in the Weddell Sea is generated as frazil. The disposition and exceptional thicknesses of the frazil show that mechanisms other than surface trubulence effects are involved and imply that the circulation and structure of water in the upper levels of the Weddell Sea are significantly different from those in the Arctic basin. Salinities of both first-year and multi-year flocs are notably higher than those of their Arctic counterparts because summer surface melting is rare or absent in the Weddell Sea, in the Arctic, downward percolating meliwater flushes through the ice and lowers its salinity. Pluorescent was evaluated as a means of revealing biological activity in Weddell Sea, pack ice. It proved useful as an index of combined living and dead material in the ice, but measurements failed to establish any consistent relationship between fluorescence and alimity as suggested by earlier work in the Weddell Sea. (Auth.)

42-1951

Spatial and temporal distribution of Northern Hemi-

sphere saw cover.

Morse, B.J., et al, U.S. National Oceanic and Atmospheric Administration. NOAA technical report,
Oct. 1983, NESDIS 6, 32p., PB84-118 348, 7 refs.

Ropelewski, C.F. Snow cover distribution, Remote sensing, Seasonal variations, Synoptic meteorology, Charts.

Growth characteristics of hoarfrost with respect to

Growth Characteristics of nontrives with respect to avalanche occurrence.

Breyfogle, S.R., Washington. State Department of Transportation. Report, June 1986, WA-RD-90.1, 48p., PB87-133 641, For another version see 42-791.

Avalanche formation, Hoarfrost, Snow air interface, Avanache to matton, ribertives, Show at interace, ice crystal growth, Supercooled clouds, Snow surface, Snowfall, Surface roughness, Temperature effects, Snow water equivalent.

42-1953

Field observations of mine detection in snow using UHF short-pulse radar.

Arcone, S.A., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Oct. 1987, SR 87-19, 24p., ADB-117 360, 11 refs.

Delaney, A.J.

Military operation, Radar echoes, Snow depth, De-

Military operation, Radar echoes, Snow depth, De-tection, Polar regions, Freeze thaw cycles, Ex-perimentation, Metals.

The response to short-pulse radar of land mines emplaced in snow was observed throughout the winter of 1985-86 in Fair-banks, Alasks. The radar produced a pulse of a few nanos-conds duration with a spectrum centered near 900 MHz; resis-tively loaded dipole antennas were used at two polarizations. tively loaded dipole antennas were used at two polarizations. The mines—atsandard anti-armor types and a Pleziglas simulation of one of these—were emplaced at various orientations or above a cleared ground surface and monitored. There was intitle change in the mine responses that occur before the ground surface response under conditions of 0 and 35 cm of snow, the maximum depth achieved, as long as the snow was dry. Responses from the migrating freeze-thaw interface in the activaleyer masked some of the later mine responses. The radar detected no response from several of the mines when the pack began to thaw and temperature was nearly constant at 0 C. Some polarization sensitivity was always evident, depending on the orientation of the mine. In no case was there any response to the Plexiglas simulation. UHF short-pulse radar is an excellent mine detection technique in dry snow so long as mines are metallic, but is unsuitable for detecting small, plastic mines in snow.

42-1954

Short history of scientific investigations on glaciers. Clarke, G.K.C., Journal of glaciology, 1987, Special issue, p.4-24, Refs. p.18-24.

Glaciers, Research projects, History.

42-1955

94-1955 Progress in glacial geology during the less fifty years. Boulton, G.S., Journal of glaciology, 1987, Special issue, p.25-32, Refs. p.29-32. Glacial geology, Glacial erosion, Glacial deposits,

42-1956

Pifty years of progress in understanding ice sheets. Robin, G. de Q., et al, Journal of glaciology, 1987, Special issue, p.33-47, Refs. p.44-47. Swithinbank, C.

Ice sheets, Measuring instruments, Cl'mate, Ice mechanics, History.

chastics, History.

Both the form and extent of the surface features of ice sheets have been defined more clearly by the relatively recent use of satellite studies (imagery and altimetry). In an analogous way, radio echo-sounding has enabled the accurate calculation of ice thicknesses and the mapping of the sub-lice bedrock contours, and hence estimation of the ice volume. Studies on the dynamics of ice sheets have been enhanced by bore-hole ampling of deep ice and the determination of ice-temperature distributions, coupled with measurements of mass balance and both surface and internal ice movement. Internal deformation of ice sheets, varieties, and various flow theories are considered in relation to and internal ice movement. internal detormation of ice sneeds, surging, and various flow theories are considered in relation to recent modelling studies. Global geophysics inevitably includes the role of ice sheets, and therefore climatological studies and new atmospheric chemistry data, together with information on the distribution of meteorites on the antarctic ice sheet are on the distribution of meteorities on the antarctic tee sneet, a considered critically. Modern concepts of the evolution of it sheets have substantially modified earlier ideas of the glac geologists and have explained much that had previously mys fied them. (Auth.)

42-1957

Fifty years of progress in understanding sea ice. Lewis, E.L., Journal of glaciology, 1987, Special issue, p.48-51, 46 refs. Sea ice. History.

42.1958

Fifty years of progress in ice physics. Glen, J.W., Journal of glaciology, 1987, Special issue, p.52-59, 46 refs.

42-1959

Ice physics, Ice structure, History. History of snow-cover research.

Colbeck, S.C., Journal of glaciology, 1987, Special issue, MP 2316, p.60-65, 31 refs.

conocca, S.-C., Journal of giactoriogy, 1981, Special issue, MP 2316, p.60-65, 31 refs.

Snow cover, Snow hydrology, Avalanches, History. The history of snow-cover research is divided into 4 distinct periods. Before 1900 there were systematic observations of snow but the tools were just being developed to begin serious research. From 1900 to 1936, many investigations were made because of the practical considerations of snow hydrology and snow avalanches. Individuals began the assessment of snow water equivalent for forecasting run-off and the observation of snow structure and texture. Quantitative and physical investigations quickened after government-sponsored laboratories were established in 1936, the same year as the founding of the International Glaciological Society. From 1936 through the 1960s, many detailed investigations were made into snow's physical properties and behavior. Professional societies organized national and regional meetings, and published the results of snow research. Many more laboratories became involved as knowledge about snow was developed and applied to run-off forecasting and avalanche defense. Snow research surged again during the 1970s with the establishment of a new generation of snow scientists using more advanced theory, computers, and instrumentation. A demands continue for evolutions to span dating in 1970 with the exactionisment of a first genera-tion of snow scientists using more advanced theory, computers, and instrumentation. As demands continue for solutions to anow problems with new emphasis on old themes, anow re-search generates knowledge about snow for a wide variety of

42-1960

Technology in the advancement of glaciology. Zwally, H.J., Journal of glaciology, 1987, Special issue, p.66-77, 97 refs.

Spacecraft, History.

Spacecraft, History.

Many of the major advances in glaciology during the past 50 years have followed the development and application of new technology for viewing and measuring various characteriatics of ice. Microscopes to study ice crystals, radars to probe the internal structure of large ice masse, mass spectrometers to analyze the atomic composition of ice cores, and satellite sensors to measure the global distribution of ice are some of the tools readily adapted by glaciologists. Today, new tools include mireadily adapted by glaciologists. Today, new tools include microcomputers for automatic data logging, large-memory computers for data processing and numerical modeling, sensitive instruments for ice analysis, and satellite sensors for large-scale ice observations. In the future, continued advances in key technologies will help guide the evolution of science questions considered by glaciologists, expanding the view of ice, its fundamental properties, its interactions within the ice-occan-land atmosphere system, and its role in the evolution of the global environment. Use of the changing technology in Antarctica is described in text and photos. (Auth.)

42-1961

Pitty years of progress in ice engineering.
Gold, L.W., Journal of glaciology, 1987, Special
issue, p.78-85, 32 refs.
Ice loads, Ice (construction material), Icebreakers,

Bearing strength, Frozen ground, History.

42-1962

Impact of the International Glaciological Society on the development of glaciology and its future role. Weertman, J., Journal of glaciology, 1987, Special issue, p.86-90, 74 refs.

Organizations, Glaciology, Ice, History.

Silding friction and boundary lubrication of snow. Glenne, B., Transactions of the ASME. Journal of tribology, Oct. 1987, 109(4), p.614-617, 34 refs. Snow sildes, Snow mechanics, Friction, Snow com-

42-1964

Effects of placer gold mining on primary production in subarctic streams of Alaska. Van Nieuwenhuyse, E.E., et al, Water resources bulle-tin, Feb. 1986, 22(1), p.91-99, 41 refs. LaPerriere, J.D.

Water pollution, Suspended sediments, Turbidity, Placer mining, Biomass.

Submersible rig/mat unit drills first Arctic well.

Ocean industry, July 1987, 22(7), p.20-24, 3 refs.

Drills, Offshore structures.

Preliminary climatology of trajectories related to atmospheric CO2 measurements at Alert and Mould

Higuchi, K., et al, Atmospheric environment, 1987, 21(9), p.1915-1926, 12 refs. Trivett, N.B.A., Daggupaty, S.M. Atmospheric circulation, Air masses, Air pollution,

Carbon dioxide.

42-1967

Assists of halogenated polycyclic aromatic hydrocarbons in urban air, snow and automobile exhaust. Haglund, P., et al, Chemosphere, 1987, 16(10-12), p.2441-2450, 17 refs.

Alsberg, T., Bergman, A., Jansson, B.
Air pollution, Snow impurities, Hydrocarbons.

42-1968 Arctic haze and the radiation balance.

Valero, F.P.J., et al., U.S. National Aeronautics and Space Administration, Moffett Field, CA., Technical memorandum, Dec. 1985, NASA-TM-86784, 30p. N87-20146/3/XAB.

Ackerman, T.P.
Haze, Radiation balance, Ice optics, Aerosols, Air
pollution, Solar radiation, Ice melting, Albedo, Polar regions.

42-1969

Seismic indications of shallow gas in the northern Barents Sea.

Solheim, A., et al, Oslo. Norsk polarinstitutt. Rapportserie, 1987, No.36, 34 + 30p., Refs. p.29-34. Bibliography 30p. (appendix). Larsson, F.R.

Hydrates, Seismic surveys, Natural gas, Ocean bottom, Bottom sediment, Barents Sea.

Shallow geology and geophysics of the Barents Sea with special reference to the existence and detection

Elverhoi, A., et al, Oslo. Norsk polarinstitutt. Rapportserie, 1987, No.37, 71p. + appends., Refs. p.65-71.

Solheim, A.

Subsea permafrost, Sea ice distribution, Marine geology, Geophysical surveys, Ice conditions, Hy-drography, Ice scoring, Icebergs, Quaternary deposits, Barents Sea.

Outline of alternative solutions and the various ap-plications of expanded polystyrene as a light fill

plications of expanded polystyrene as a light fill material in Norway.
Frydenlund, T.E., Norway. Veglaboratoriet. Meddelelse, Aug. 1987, No.61, p.7-12.
Roads, Cellular plastics, Thermal insulation, Waterproofing, Frost protection, Construction materials, Compressive properties, Soil strength, Countermeasure, Counterm ures, Soil freezing.

42-1972

EPS-materials specifications.

Myhre, O., Norwsy. Veglaboratoriet. Meddelelse, Aug. 1987, No.61, p.13-16. Cellular plastics, Construction materials, Roads, Waterproofing, Chemical properties, Bearing

42-1973
EPS—design considerations.
Refudal, G., Norway. Veglaboratoriet. Meddelelse,
Aug. 1987, No.61, p.17-20.
Rood icing, Cellular plastics, Embankments, Construction materials, Pavements, Compressive proper-

42-1974

Thirteen years of experience with expanded polysty-rene as a lighweight fill material in road embank-

means.
Aabbe, R., Norway. Veglaboratoriet. Meddelelse,
Aug. 1987, No.61, p.21-27.
Embankments, Frost protection, Construction
materials, Roeds, Bearing strength, Compressive
properties, Deformation, Damage.

42-1975

Future trends for EPS use.

Reinal Comments of Er's use. Refisdal G., Norwsy. Veglaboratoriet. Meddelelse, Aug. 1987, No.61, p.29-32. Roads, Cellular plastics, Frost protection, Construction materials, Embankments, Settlement (atracturition materials

al).

42-1976

Approach to an economical evaluation of winter road services. Gedanken zu einer gesamtwirtschaftlichen

Beurteilung des Winterdienstes, Pichler, W., Strassen- und Tiefbau, Dec. 1987, 41(12), p.5-8, In German with English summary.

rers. Cost analysis, Road icing, Road maintenance, Salting, Snow removal, Ice removal, Aggregates, Pollution. 42-1977

Equipment and carriers for snow-clearing roads, squares and streets. Maschinen und Fahrzeuge zur Winterwartung von Wegen, Plätzen und Strassen, Kotte, G., Strassen- und Tielbau, Dec. 1987, 41(12), p.9-14, in German with English summary.

Snow removal, Equipment, Winter maintenance, Road maintenance, Design, Ice removal.

42-1978

Deterioration of concrete pavements due to frost. Frostschäden an Betonfahrbahnen und Kappen, Grunau, E.B., Strassen- und Tiefbau, Dec. 1987, 41(12), p.15-18, In German with English summary Pavements, Frost action, Concrete freezing, Chemical ice prevention, Damage, Salting, Porosity, Capillarity, Countermeasures.

42-1979

Influence of the composition of rolled asphalt on its behavior at cold temperature. Einfluss der Zusammensetzung von Walzasphalt auf das Verhalten bei

men. Kaltej, and, W

Arand, W., Strasse und Autobahn, Aug. 1987, 38(8), p.299-303, In German. 4 refs.

Bitumens, Cold weather construction, Composition, Temperature effects, Measuring instruments, Tests.

Winter MIZEX 87: operation overview

Horn, D.A., Naval research reviews, 1987, 29(3), p.15-

Ics water interface, Ice air interface, Ice edge, Ocea-nography, Remote sensing, Meteorology, Acoustics, Marine biology, Winter, Arctic Ocean.

42-1981

High-frequency structural relaxation in supercooled

Sridhar, S., et al, *Journal of chemical physics*, Jan. 15, 1988, 88(2), p.1170-1176, 24 refs. Taborek, P.

Liquids, Supercooling, Structural analysis, Physical properties, Phase transformations, Experimentation, Temperature effects, Wave propagation.

42-1982

Density functional theory of freezing for molecular liquids.

Smithline, S.J., et al. Journal of chemical physics.

Sminnne, S.J., et al, Journal of chemical pi Feb. 1, 1988, 88(3), p.2004-2014, 45 refs. Rick, S.W., Haymet, A.D.J. Liquids, Freezing, Mathematical models, transformations, Molecular structure, I Density (mass/volume).

42-1983

Mechanical properties and freezing and thawing re-sistance of high-strength concrete incorporating silica

Nume. Malhotra, V.M., et al, Cement, concrete, and aggregates, Winter 1987, 9(2), p.65-79, 2 refs. Painter, K.A., Bilodeau, A. Concrete strength, Frost resistance, Concrete aggre-

42-1984

Significance of interrupted testing on the freeze-thaw resistance of fly ash concrete by ASTM C 666(method A).

Langan, B.W., et al, Cement, concrete, a Winter 1987, 9(2), p.113-116, 11 refs. concrete, and aggregates, Ward, M.A.

Concrete strength, Frost resistance, Concrete aggregates.

42-1985

nanges in the under-ice characteristics of La Grande

Rivière plume due to discharge variations. Ingram, R.G., et al, Atmosphere-ocean, Sep. 1987, 25(3), p.242-250, With French summary. 18 refs. Larouche, P.

River flow, Ice cover effect, Subglacial observations.

42-1986

Mechanism of ice growth in a batch crystallizer with an external cooler for freeze concentration. Shirai, Y., et al., Agricultural and biological chemistry, Sep. 1987, 51(9), p.2359-2366, 10 refs. Ice crystal growth, Freezing, Cooling systems.

42-1987

Snowball's chance.

Riley, F., New scientist, Jan. 14, 1988, 117(1595), p.45-48.

Regelation, Snow physics, Ice physics, Cohesion, Hydrogen bonds.

42-1988

Forecasting the stress-strain states of massive, hard, perennially frozen rocks for underground construc-tion. Prognoz napriazhenno-deformirovannogo sostoianiia massivov merzlykh porod pri stroitel'stve pod-

zemnykh sooruzhenij, Freiberg, E.A., et al, Problemy mekhaniki gornykh po-rod. Materialy vos'moi vsesoiuznoi konferentsii po mekhanike gornykh porod (Problems of rock mechanics. Proceedings of the Eighth All-Union Conference on rock mechanics) edited by D.M. Bronnikov and I.I. Zurabishvili, Moscow, Nauka, 1987, p.244-249, In Russian.

Gol'din, A.L., Prokopovich, V.S.

Frozen rock strength, Excavation, Underground facilities, Design, Stress strain diagrams.

42-1989

Antarctic marine research in winter: the Winter Weddell Ses Project 1986. Hempel, G., Polar record, Jan. 1988, 24(148), p.43-48.

Sea ice. Ice mechanics. Marine biology, Antarctica Weddell Sea.

Weddell Sea.

Between June 27 and Dec. 1986 the West German research ship Weddell Sea.

Between June 27 and Dec. 1986 the West German research ship RV Polarstern completed Winter Weddell Sea Project, the first detailed winter survey of the pack ice, oceanology and biota of the offshore and eastern coastal Weddell Sea south to 76 deg S. This article briefly describes the ship and outlines the scientific program, which involved 137 scientists and technicians from 12 German and 16 non-German institutions. In the cruise of June 27-Sep. 17 research was centered on physical and chemical investigations of the structure and dynamics of water, ice and lower atmosphere, including growth and movement of the ice-field. The ship penetrated almost to the coast of Dronning Maud Land, failing, however, to find the Weddell Polynya which had appeared on satellite imagery in 1976-78. The cruise of Sep. 28-Dec. 14 added biological investigations to the program; crossing the main body of pack ice to investigate the eastern coastal polynya, the biology of sea ice, plankton, fish and bottom fauna, and the breeding and feeding of seals and enguina were rinvestigated. Use was made of a field station established on the mainland ice cliff. Helicopters extended the range of the work on both cruises. (Auth.)

42-1990

Sea ice conditions during an early spring voyage in the eastern Weddell Sea, Antarctica. Eicken, H., et al, Polar record, Jan. 1988, 24(148),

Grenfell, T.C., Stonehouse, B.

Sea ice, Wind direction, Marine biology.

Sea Ice, Wind direction, Marine biology.

During a late winter and early spring oceanographic voyage south into the Weddell Sea the icebreaker RV Polarstern first encountered patches and bands of loose flose at 585; these increased over the next 190 km to form closed ice pack which extended 1000 km to the coast. Along the coast the ship encountered amost continuous shore leads and polynyas that formed repeatedly despite persistently low air and sea temperatures. These areas of open water form under the action of strong offshore winds that carry the main body of pack ice west and southwest. Polynyas and leads narrow and disappear temporarily only when winds with northerly or westerly components bring the pack ice toward the land, and reform as soon as offshore winds predominate. Open water, often more than 15 km wide, was present close to the ship throughout the spring voyage, facilitating oceanographic work as far south as 775. Polarstern's full icebreaking capacity was needed only occasionally when winds temporarily pressed the pack ice against the coast. The presence throughout early spring of both fast and

pack ice, separated by a zone of thin ice or open water, essential to large populations of Weddell seals, emper penguins and whales in the area. (Auth. mod.)

42-1991

Grazing research at northern latitudes.

Gudmundsson, O., ed, NATO ASI series. Series A, Life sciences, Vol.108, New York, Plenum Press, 1986, 374p., Refs. passim. For selected papers see 42-1992 through 42-1998. NATO Advanced Research Workshop on Grazing

Research at Northern Latitudes, Hvanneyri, Iceland, Aug. 5-10, 1985.

Ecosystems, Plant ecology, Grasses, Grazing, Polar regions, Tundra, Vegetation, Agriculture, Climatic

42-1992

Arctic ecosystems: their structure, function and herivore carrying capacity.

Bliss, L.C., Grazing research at northern latitudes. Edited by O. Gudmundsson, NATO ASI series. Series A, Life sciences, Vol.108, New York, Plenum Press, 1986, p.5-25, Refs. p.20-25.

Ecosystems, Tundra, Grasses, Vegetation, Polar regions, Nutrient cycle

42-1993

Factors affecting production and stability of northern ecosystems.

ecosystems.
Fridriksson, S., Grazing research at northern latitudes.
Edited by O. Gudmundsson, NATO ASI series.
Series A, Life sciences, Vol. 108, New York, Plenum
Press, 1986, p.27-35, 7 refs.
Ecosystems, Vegetation, Climatic factors, Solar
radiation, Distribution, Polar regions, Iceland.

42-1994

42-1994

Effect of grazing on stability and development of northern rangelands: a case study of Iceland.

Thorsteinson, I., Grazing research at northern latitudes. Edited by O. Gudmundsson, NATO ASI series. Series A, Life sciences, Vol.108, New York, Plenum Press, 1986, p.37-43, 8 reg.

Vegetation, Grasses, Grazing, Climatic factors, Polar regions Agriculture. Iceland regions, Agriculture, Iceland.

42-1995

Plant response to defoliation: hierarchical considera-

Archer, S.R., et al. Grazing research at northern latiseries. Series A, Life sciences, Vol. 108, New York, Plenum Press, 1986, p.45-59, Refs. p.56-59. lieszen, L.L

Vegetation, Plant physiology, Grazing, Growth, Polar regions, Plant ecology, Ecosystems.

42-1996

Grassland surveys in north Norway.

Grassland surveys in north Norway.
Nesheim, L., Grazing research at northern latitudes.
Edited by O. Gudmundsson, NATO ASI series.
Series A, Life sciences, Vol.108, New York, Plenum
Press, 1986, p.63-68, 3 refs.
Grasses, Blomass, Vegetation, Grazing, Climatic factors, Agriculture, Norway.

42-1997

Grazing effects on species balance and herbage production in indigenous plant communities.

Grant, S.A., et al, Grazing research at northern latitudes. Edited by O. Gudmundsson, NATO ASI series. Series A, Life sciences, Vol.108, New York, Plenum Press, 1986, p.69-77, 16 refs. Hodgson, J.

Plant ecology, Grazing, Seasonal variations, Polar re-

42-1998

Riparian responses to various grazing systems and to

Riparian responses to various grazing systems and to periodic lee floes. Buckhouse, J.C., Grazing research at northern latitudes. Edited by O. Gudmundsson, NATO ASI series. Series A, Life sciences, Vol.108, New York, Plenum Press, 1986, p.79-86, Refs. p.84-86. Grazing, Seepage, Ice erosion, Banks (waterways), Soil erosion, Streams.

42-1999

Local transformations to simulate crystal growth. Good, W., Pattern recognition in practice II. Proceedings of the International Workshop, Amsterdam, June 19-21, 1985. Edited by E.S. Gelsema and L.N. Kanal, Amsterdam, Elsevier Science Publishers, 1986, p.47-56, 21 refs. DLC Q327.P378 1986

Snow crystal growth, Snow crystal nuclei, Supersaturation, Temperature effects, Water vapor, Computer applications.

Nonuniformity of deep structure of the earth crust beneath oceans. ¡Neodnorodnosti glubinnogo stro-

entia zemnof kory okeanov<sub>1</sub>, Kiaelev, IU.G., et al, Leningrad, Sevmorgeologiia, 1986, 129p., In Russian. For selected paper see 42-2001. 5 refs. Kraev. A.G.

Earth crust, Geophysical surveys, Drift stations, Polar regions, Arctic Ocean.

Seismic surveys along the trajectory of the scientific drift station "North Pole-26" in 1983-1984. ¡Seismicheskie issledovaniia po trasse drelfa nauchnol stantaii

cheskie issledovaniia po trasse drefia nauchnol stantaii "SP-25" v 1983-1984 §].
Ashikhmina, E.A., et al, Neodnorodnosti glubinnogo stroeniia zemnol kory okeanov (Nonuniformity of deep structure of the earth crust beneath oceans) edited by IU.G. Kiselev and A.G. Kraev, Leningrad, 1986, p.68-74, In Russian. 5 refs.
Dik, G.G., Konovalov, V.V.

Drift stations, Seismic surveys, Earth crust, Arctic

42,2002

42-2002

Problems in hydrophysics. ¡Voprosy gidrofizikij,
Kaliuzinyi, i.L., ed, Leningrad. Gosudarstvennyi gidrologicheski institut. Trudy, 1986, Vol.308, 160p.,
In Russian. For selected papers see 42-2003 through
42-2007. Refs. passim.
Pavlova, K.K., ed.
Soil freezing, Soil temperature, Snow retention.

Frost penetration, Moisture transfer, Snow water equivalent, River basins, Snow cover distribution, Heat transfer, Snow permeability, Snow density, Runoff, Forecasting.

Theoretical basis for meltwater retention on agricultural fields. (Teoreticheskie osnovy zaderzhaniia ta-lykh vod na sel'skokhozialistvennykh poliakh, Kaliuzhnyl, I.L., et al, Leningrad. Gosudarstvennyl

gidrologichesků institut. Trudy, 1986, Vol.308, p.3-20, In Russian. 9 refs. Lavrov, S.A., Pavlova, K.K.

Ground thawing, Meltwater, Snow water equivalent, Snow retention, Soil temperature, Heat transfer, Mass transfer.

Mathematical modeling of freezing, thawing and water seepage processes in soils. (Matematicheskoe modelirovanie protsessov promerzaniia, citaivaniia i infil'tratsii vlagi v pochvej, Zaretskii, IU.A., et al, Leningrad.

Gosudarstvennyĭ gidrologicheskli institut. Trudy, 1986, Vol.308, p.20-39, In Russian. 23 refa.

Lavrov, S.A.

Soil freezing, Frost penetration, Soil water migration, Mathematical models, Seasonal freeze thaw, Ground ice, Ice content, Unfrozen water content.

Determination of moisture transfer parameters in frozen soils. rK voprosu ob opredelenii parametrov

Volgoperenosa merzlykh pochy, Lavrov, S.A., et al, Leningrad. Gosudarstvennyl gi-drologicheskii institut. Trudy, 1986, Vol.308, p.46-54, In Russian. 12 refs. Morozova, N.S., Pavlova, K.K.

Soil freezing, Frost penetration, Moisture transfer, Heat transfer, Soil temperature.

42.2006

Colculating snow density and water content during melting. Raschet vlazhnosti i plotnosti snega v peri-

meliting, (Nashuno) od anegotiainniis, Petropavlovskaia, M.S., Leningrad. Gosudarstven-losisheski institut. Trudy, 1986, Vol.308, nyi gidrologicheski institut. Trudy, 1986, Vol.308, p.133-142, in Russian. 4 refs.
Snow cover distribution, Snow depth, Snow water

equivalent, Snowmelt, Snow permeability, Snow density. River basins.

42-2007

Observations of snow water yield on water-impervious sites. ¡Rezul'taty nabliudenii za vodootdachei iz snega na vodonepronitsaemykh ploshchadkakhi, Shutov, V.A., Leningrad. Gosudarstvennyi gi-drologicheskii institut. Trudy, 1986, Vol.308, p.142-Shutov, V.A., Leningia drologicheskli institut. T 151, În Russian. 9 refs.

Snow depth, Snow density, Snow water equivalent, Forecasting, Runoff, Air temperature.

42-2008

Arctic and its wildlife.
Sage, B., New York, Facts on File Publications, 1986,

Sage, B., New 10th, Facts on File Publications, 1900, 190p., Refs. p.175-185.

Topographic features, Permafrost, Sea ice, Glaciers, Climate, Marine biology, Environments, Ecosystems, Vegetation, Animals, Polar regions.

Developing synoptic analogs for extreme mass bal-ance conditions on Queen Elizabeth Island ice cape. Alt, B.T., Journal of climate and applied meteorology, Dec. 1987, 26(12), p.1605-1623, 55 refs. Ice sheets, Mess balance, Synoptic meteorology, Canada—Northwest Territories—Queen Elizabeth

I alenda

42-2010

Observations of the dynamics and kinematics of the atmospheric surface layer on the Ross Ice Shelf, An-

Slotten, H.R., et al, Journal of climate and applied meteorology, Dec. 1987, 26(12), p.1731-1743, 15 refs. Stearna, C.R.

Weather stations, Remote sensing, Topographic effects, Antarctics—Ross Island.

Weather stations, Remote sensing, Topographic effects, Astractica—Rose Island.

Rose I. with its 3000 m volcanic peaks poses a prodigious barrier to the predominant southerly sirflow of the western Rose Ice Shelf. This study investigates the relationship of Rose I. other dynamics and kinematics of the strongshere using surface data from an array of 6 automatic weather stations on the Ross Ice Shelf just south of Rose I. After the actual horizontal pressure gradients had been determined, dynamical relations were obtained which confirmed previous related research. The value of geostrophic departure angle found in this study are in good agreement with the findings of other researchers. Furthermore, a previously determined tendency of the geostrophic departure angle to increase with increasing wind speed over open ice has been confirmed in the region far to the south of the influence of Rose I. Near the south side of Rose I, however, this relation does not apply. It is postulated that the forcing of Rose I on the dynamics of the lowest layers of the atmosphere is causing this difference to occur. Through an analysis of the individual terms in the equation of motion, further support was found for this hypothesis. On the assumption of a linear decrease of friction with height, the height for zero friction increases towards the south of Ross I. Pinnily, tentative evidence of higher pressure immediately to the south of the island has been found, which further supports the theory that the cold stable air advected northward by the predominant southerly flow is piling up on the south r.de Ross I. (Auth) 42.2011 42-2011

42-2011
Effect of Eurasian snow cover on global climate.
Barnett, T.P., et al, Science, Jan. 29, 1988,
239(4839), p.504-507, 33 refs.
Dumenil, L., Schlene, U., Roeckner, E.
Souw cover effect, Climate, Mathematical models,
Atmospheric circulation.

42-2012 Prediction and correlation of freezing point depres-

sion of aqueous solutions. Chen, C.S., et al, American Society of Agricultural Engineers. Transactions, July-Aug. 1987, 30(4), Engineers. Transac p.1176-1180, 20 refs.

Nagy, S. Freezing points, Supercooling, Solutions. 42-2013

Rain-snow boundaries over southern Ontario. Stewart, R.E., et al, Monthly weather review, Sep. 1987, 115(9), p.1894-1907, 26 refs.

King, P. Precipitation (meteorology), Snowfall, Radar echoes.

Use of enhanced IR/visible satellite imagery to deter-

mine heavy snow areas.
Beckman, S.K., Monthly weather review, Sep. 1987, 115(9), p.2060-2087, 37 refs.
Snowfall, Sysoptic meteorology, Spaceborne photography, Infrared photography.

Marine hydrological calculations and forecasts. (Morskie gidrologicheskie rasches) Abuziarov, Z.K., ed, Leningrad. Gidrometeorologi-cheskii nauchno-isidedovatel'skii tsentr SSSR. cheskii cheski nauchno-issiedovate/3ki tsent SSSK. Trudy, 1985, Vol.270, 88p., in Russian. For selected papers see 42-2016 through 42-2019. Refs. passim. Sea ice distribution, Ice cover thickness, Ice cover strength, Ice forecasting, Ice reporting.

Long-range forecasts of maximum ice thickness on southern seas of the USSR. [Dolgosrochnyl prognoz maksimal'nol tolshchiny l'da na iuzhnykh moriakh SSSR<sub>3</sub>,

Kutsuruba, A.I., Leningrad. Gidrometeoro kii nauchno-issiedovatel'skii tsentr SSSR. 1985, Vol.270, p.42-46, In Russian. 8 refs. Gidrometeorologiches-Sea ice distribution, Long range forecasting, Ice conditions, Ice cover thickness. 42-2017

Interrelations between sea-ice conditions and ice cover thickness in near-shore zones. [Vzaimosviaz] ledovitosti moria i tolshchiny l'da v pribrezhnol zone moria<sub>1</sub>, Karakash, A.I., Leningrad. Gidrometeorologicheskii

nauchno-isiedovatel'skit tsentr SSSR. Trudy, 1985, Vol.270, p.47-51, in Russian. 1 ref. Sea ice distribution, Ice navigation, Fast ice, Ice cover thickness, Ice cover strength, Ice forecasting. 42-2018

Forecasting the breakup of fast ice. [K prognozu vzloma pripaia, Skokov, R.M., Leningrad. Gidrometeorologicheskii neuchno-isaledovatel skii tsentr SSSR. Trudy, 1985, Vol.270, p.52-57, In Russian. 13 refs. Past ice, Ice cover thickness, Ice cover strength, Ice forecasting, Ice breakup, Arctic Ocean.

42-2019

Heat balance of water in southern Kola Bay. (Te-Heat balance of water in southern kola Bay. [1c-plovo] balan vod iuzhno! chasti kol'skogo zaliva, Zalkov, S.V., Leningrad. Gidrometeorologicheski nauchno-issledovateľski tsentr SSSR. Trudy, 1985, Vol.270, p.57-63, ln Russian. 6 refs. Sea ice, Ice conditions, Ice melting, Water temperature, Solar radiation, Ocean currents, Heat transfer, Heat balance.

42-2020

Aerial gamma-survey of snow cover and soil moisture. [Aviatsionnaia gamma-s"emka snezhnogo pokrova i

[Avistaonnais gaintias suita vidahnosti pochys, Nikiforov, M.V., ed, Vsesoiuznyi nauchno-is-sledovatel'skii institut sel'skokhoziaistvennoi meteorologii. Trudy, 1986, Vol.17, 128p., In Russian. For selected papers see 42-2021 through 42sian. For selected p 2031. Refs. passim.

Gamma irradiation, Remote sensing, Aerial surveys, Snow surveys, Soil surveys, Snow water equivalent, Water reserves, Measuring instruments, Mathematical models.

42-2021

Present state, application problems, and prospects for the development of airborne gamma-surveys of snow cover and soil moisture in the USSR. [Sovremennoe sostoianie, trudnosti (problemy) vnedreniia v SSSR i perspektivy razvitiis aviatsionnykh gammas"emok snezhnogo pokrova i vlazhnosti pochvyj, Nikiforov, M.V., Vsesoiuzny'i nauchno-isaledovatel'skh institut sel'skokhozialstvennoi meteorologii. Trudy, 1986, Vol.17, p.3-7, In Russian. 13 refs. Aerial surveys, Gamma irradiation, Snow physics, Snow cover distribution, Soil water, Remote sensing, Measuring instruments.

42.2022

Experience of introducing airborne gamma-surveys of snow cover in eastern regions of the USSR. [Opyt wedver in a seasors regions of the CSSR. [CPy):
vnedrenia aviatsionnykh gamma-s"emok snezhnogo
pokrova v vostochnykh rafonakh SSSR,
Stroganov, A.N., Vsesoiuznyi nauchno-issledovatel'skh institut sel'skokhoziatstvennol meteorologii.
Trudy, 1986, Vol.17, p.7-25, In Russian. 6 refs. River basins, Remote sensing, Gamma irradiation, Snow surveys, Snow cover distribution, Snow water equivalent, USSR—Yenisey River, USSR—Angara River.

42,2023

Introduction of gamma-surveying of snow cover in mountains and using the data obtained in forecasting mountain river runoff. Problemy vnedrenija gammas"emok snezhnogo pokrova v gorakh i ispol'zovanija ikh materialov v prognozakh stoka gornykh rek,, Getker, M.I., et al, Vsesoiuznyi nauchno-issledovatel'skii institut sei'skokhoziaistvennoi meteorologii. Trudy, 1986, Vol.17, p.25-41, In Russian. 10 refs. Shentsis, I.D. River basins, Snow cover distribution, Aerial surveys, Gamma irradiation, Snow surveys, Snow water

equivalent. 42-2024

Determining territorial non-radioactive pollution from airborne gamma-surveys of snow. ¡Ob ispol'-zovanii rezul'tatov samoletnoï gamma-s'emki snezhnogo pokrova dlia opredeleniia zagriazneniia territorii

neradioaktivnymi produktamij, Vasilenko, V.N., et al, Vsesoiuznyi nauchno-is-siedovateľski institut seľskokhoziaistvennol meteorologii. Trudy, 1986, Vol. 17, p.41-48, In Rus-

Nazarov, I.M., Pegcev, A.N., Fridman, Sh.D.
Air pollution, Soil pollution, Water pollution, Snow composition, Snow surveys, Remote sensing, Aerial

Using aerial gamma snow surveying data in forecast-ing spring water reserves in sells. O primenenii re-zul'tatov aviatsionnoï gamma-s'emki snezhnogo pokrova dlia prognoza zapasov vlagi v pochve na vesnu, Polevol, A.N., et al, Vsesoiuznyi nauchno-is-sledovateľskii institut seľskokhozialstvennol rolevol, A.N sledovateľskii sledovateľ skli institut seľ skokhoziaustvennou meteorologii. Trudy, 1986, Vol.17, p.48-56, In Rus-Virchenko, E.P.

Snow composition, Snow cover distribution, Snow water equivalent, Soil water, Water reserves, Aerial surveys. Gamma irradiation.

42-2026

Practical application of serial gamma-survey soil moisture data in the Rostov Weather Bureau. [Ispol'-zovanie dannykh aviatsionno! gamma-s"emki vlazhnosti pochvy v operativnol rabote Rostovskogo biuro

pogodyj, Svisiuk, I.V., Vsesoiuznyi nauchno-issiedovatel'skii institut sel'skokhozisistvennoi meteorologii. Trudy, 1986, Vol.17, p.56-59, In Russian.

Aerial surveys, Gamma irradiation, Soil water, Water content, Mapping.

42-2027

Experience of the northern UGKS in utilizing gamma-survey data on snow cover. Opyt Severnogo UGKS po ispol'zovaniju rezul'tatov gamma-a"emki

snežnnog pokrova, Chuvakina, Z.M., Vsesoiuznyl nsuchno-issledovatel'-skli institut sel'skokhozisistvennol meteorologii. Trudy, 1986, Vol.17, p.59-66, In Russian. 3 refs. Snow surveys, Aerial surveys, Route surveys, Gamma irradiation, Snow water equivalent.

42-2028

Possible metrological approaches to serial gamma-surveys of snow cover and soil moisture. ¡Vozmozh-nye priemy metrologicheskogo obespecheniia aviatsionnykh gamma-s"emok snezhnogo pokrova i vlazhnosti pochv<sub>j</sub>, Georgievskil,

V.F., Vsesoiuznyi nauchno-is-institut sel'skokhozisustvennoi Trudy, 1986, Vol.17, p.86-90, In Russledovateľ sků meteorologii. 3 refs.

Remote sensing, Aerial surveys, Gamma irradiation, Soil water, Snow cover distribution, Snow water equivalent.

42-2029

Optimizing some parameters in modeling serial gan ma-surveys of snow cover and soil moisture. [Optimizatsiia nekotorykh parametrov modelirovaniia aerogamma-s''emok snezhnogo pokrova i vlazhnosti

pochv<sub>1</sub>, Georgievskii, V.F., et al, Vsesoiuznyi nauchno-issledovateľ skli institut seľ skokhozialstvennoi meteorologii. Trudy, 1986, Vol.17, p.90-99, In Rus-

Murashova, L.N., Nikiforov, M.V., Shurupova, A.I. Gamma irradiation, Remote sensing, Aerial surveys, Soil water, Snow cover, Snow water equivalent, Mathematical models.

42-2030

Improved method of serial gamma-measurements of soil water content. [Usovershentwovanie sposoba samoletnof gamma-vlagometrii pochvy], Nikiforov, M.V., et al, Vsesoiuznyi nauchno-is-sledovatel'skii institut sel'skokhozialistvennoi

samorano Nikiforov, M.V., et al, Vsesoluznyi ususini siedovatel'skii institut sel'skokhozisistvennol meteorologii. Trudy, 1986, Vol.17, p.100-102, In Russian. 2 refs. Pegoev, N.N., Shkuratov, I.I.

Soil water, Remote sensing, Aerial surveys, Gamma irradiation, Measuring instruments.

42,2031

Experimental determination of snow water reserves Experimental determination of show water reserved for the Zalliyskiy Alatau Mountains using a remote sensing system, which registers attenuation of the flow of cosmic ray neutrons. Opyt opredelenia vlagozapasov snege v gorakh Zailińskogo Alatau s pomoshch'iu distantsionnol sistemy registriruiushchel oslablenie potokov neštronov kosmicheskikh luchej, Avdiushin, S.I., et al, Vsesoiuznyi nauchno-is-sledovatel'skii institut sel'skokhoziaistvennoi meteorologii. Trudy, 1986, Vol.17, p.106-114, In 2 refs. Russian.

Aerial surveys, Gamma irradiation, Snow water equivalent, Water reserves.

42.2032

Meteorological data of the Georg von Neumayer Sta-tion for 1983 and 1984. Gube-Lenhardt, M., Berichte zur Polarforschung,

1987, No.38, 108p., 1 ref.
Ice temperature, Glacial meteorology, Antarctica Georg von Neumayer Station.

This report describes the meteorological conditions at the Georg von Neumayer Station for the years 1983 and 1984. The data compiled, archived, and presented in this report are in The data compiled, archived, and presented in this report are in close agreement with the previous issue on this subject (Gube-Lenhardt and Obleituer, 1986). Specific topics briefly reported are: instrumentation, air temperature, pressure, humidity, cloudiness, wind speed and direction, vertical temperature gradient, temperature inversions, global radiation, long wave radiation flux, albedo, radiation budget, upper air temperature, mixing ratio, winds, layer thicknesses, and tropopause height.

42-2033
Winter expedition of FS Polarsters to the Antarctic
(ANT V/1-3). Die Winter-Expedition mit FS Polarstern in die Antarktis (ANT V/1-3),
Schnack-Schiel, S., ed, Berichte zur Polarforschung,
1987, No.39, 259p., in German and English with Eng-

lish and/or German summaries.

Expeditions, Heat flux, Marine biology, Oceanography, Sea ice, Remote seasing, Ocean currents, Ice air interface, Antarctics—Weddell Sea.

ENERGISCO, ANIMICALE—WESCHI DEB.
For the first time RV Polarizers spent the winter in the packice zone of the Antarctic starting on May 6 and ending on Dec. 14, 1985. The cruise consisted of 3 legs (VI), 2, 3) on which different multidisciplinary research programs were carried out. The first leg concentrated on 3 objectives in the Bransfield Strait reason; studies on the distribution and commenciation of twill find. The instance of the distribution and composition of krill; filar-ries research around Elephant I. to estimate blomass as well as to examine blomass as well as to examine food consumption and composition for antarctic fish; and blochemical studies on overcomposition for antarctic fish; and biochemical studies on over-wintering marine animals and growth experiments with krill. The second leg being the first part of the Winter Weddeil Ses Project (WWS)\*66) started on June 27, 1987. Studies on the interaction of sea ice on the oceanic and atmospheric circulation along a transact following the Greenwich Meridian through the pack-ice to the antarctic coast, formed a central part of the research program. Biological work concentrated on the inves-tigation of sea ice biota. Emphasis during the third leg (Sep. 25-Dec. 14, 1986) was put on studies of biological processes in the ice covered Weddeil Ses during winter and the beginning of spring bloom. Feeding and reproduction of Weddeil seals and Emperor penguins in an ice covered bay were investigated from the newly constructed Drescher Station. The volume consists of destailed renorts on activities during each leg, and descripthe newly constructed Drescher Station. The volume consists of detailed reports on activities during each leg, and descriptions of the scientific work, written by a number of the participants.

42-2034

Weather and synoptic situation during Winter Weddell Sea Project 1986 (ANT V/2) July 16-September 10, 1986.

Berichte zur Polarforschung, 1987, Rabe. No.40, 161p.
Ice navigation, Glacial meteorology.

Ice navigation, cliacial meteorology. The meteorological situation during the cuise of RV Polarstern into the deep antarctic ice pack in winter 1986 is described. Hand drawn analyses of surface pressure charts over the Atlantic sector of the southern ocean, radiosonde data and 3 hourly weather observations give an overview for each day from July 16 to Sep. 10. Typical periods in development and behavior of synoptic systems are discussed, and mean surface pressure charts and storm tracks are presented. (Auth.)

42-2035

Cryosphere -neglected component of the climate sys-

Barry, R.G., Toward understanding climate change. The J.O. Fletcher lectures on problems and prospects of climate analysis and forecasting, edited by U. Radok, Boulder, Westview Press, 1987, p.35-67, Refs. p.62-67. DLC OC981.8.C5T65

Ice sheets, Climatic changes, Snow cover distribution, Sea ice.

What is known about the extent and variability of the what is known about the extent and variability of the cryo-phere, particularly looking at land snowcover and sea ice, is summarized. Recent modelling studies on ice/albedo climate feedback and its magnitude relative to other feedbacks are re-viewed, and some of the observational evidence for such feed-back processes on synoptic to monthly time scales is consid-ered. The cloud problem, which is one of the complicating fac-tors in studying high-latitude snow and ice, is discussed and some aspects of predictability are reviewed. (Auth. mod.)

42-2036

Macquarie Island-Mt. Wilhelm: periglacial features of a subantarctic island and comparison with a tropi-cal mountain. (Macquarie Island—Mt. Wilhelm: cai moustain. (Macquarie island—Mt. Wilneim: Periglazialerscheinungen einer subantarktischen Insel und eines tropischen Hochgebirges im Vergleich), Löffler, E., Zeitschrift für Geomorphologie, Nov. 1986, Suppl. Vol.61, p.55-64, In German with English summary. 18 refs. Permaftoet, Soliffaction, Periglacial processes, Mac-

quarie Island.

quarte Island.
The often claimed similarity of the periglacial solifluction features between the Subantarctic and the humid tropical mountains is examined using 2 examples—Macquarie I. and Mt. Wilhelm (New Guines)—both areas being nearly isothermal in their climate regimes. It is shown that despits some similarities in surficial solifluction features the differences are more strking. On Mt. Withen the periglacial solifluction features are restricted to shallow screes and miniature patterned ground while Macquarie I. is dominated by thick solifluction debris which is differentiated into largely relict high terraces on lee-

ward slopes and highly mobile solifluction screes on windward slopes. The differences in solifluction features can be explained by the different geomorphological development of the two areas during the Pleistocene caused by the different frost regime. On Macquare L a relatively small temperature reasion changed the diurnal frost cycle to permafrost while Mt. Wilhelm it did not alter the diurnal regime of frost and thaw. (Auth.)

42-2037
Antarctic climates.
Carleton, A.M., Encyclopedia of earth sciences, volume 11, The encyclopedia of climatology, edited by J.E. Oliver and R.W. Fairbridge, New York, Van Nostrand Reinhold, 1987, p.44-64, Reft. p.60-63. DLC QC854.E525

Sea ice distribution, Albedo, Climate, Ice air interface, Polar regions.

The presence of ice as a climatic factor in polar regions opens this review, following with radiation climates and the energy balance, climatic variable, large scale atmospheric circulation, and synoptic processes. Numerous tables and illustrations, with data such as the physical environment of the Antarctic, distribution of global solar radiation, surface albedo, radiation balance, ice thickness distribution, surface albedo, radiation cover, wind speed, and geopotential height, are presented.

42-2038

Life on a deep freeze. Atkinson, K., Geographical magazine, Sep. 1987,

Permatrost beneath structures, Cold weather construction, Pile structures, Utilities, Canada—Northwest Territories-Innvik.

Determination of the contact area between ski and snow using a simple thermal conductivity meter.

Pihkala, P., et al, Helsinki. University. Department of Geophysics. Report series in geophysics, 1986, of Geophysics. No.22, 12p., 11 refs.

Spring, E. Metal snow friction, Snow thermal properties, Skia, Thermal conductivity, Snow surface, Measuring in-

struments.

42-2040

on the study of D.S.C. of the unexpected ice melting at 0 C of emulsified aqueous saline solutions.
Clausse, D., et al, Thermochimics acts, 1987, Vol.122, p.123-133, 12 refs.
Sifrini, I., Dumas, J.P.

Ice melting, Salt ice, Solutions, Crystals.

Energy transfer from uranyl nitrate hexahydrate to rare-earth ions in frozen solutions.

Kandpal, H.C., ct al, Journal of luminescence, 1987, Vol.39, p.45-48, 16 refs.

Joshi, K.C.

Solutions, Luminescence, Spectra.

Glacio-tectonic structures: a mesoscale model of thinskinned thrust sheets?. Croot, D.G., Journal of structural geology, 1987, 9(7), p.797-808, 30 refs.

Moraines, Periglacial processes, Tectonics, Glacial

geology, Icelar

Twenty-fifth Soviet Antarctic Expedition. Studies of the 1979/80 season. [Dvadtsat' piataia Sovetskaia

ortma 1979/90 sauson. Izvaciata piatana Sovetskais antarkticheskaia ekspeditaila. Sezonnye isaledovaniia 1979/80 g.j. Sovetskaia antarkticheskaia ckspeditsiia, Sovetskais antarkticheskaia ckspeditsiia, Trudy, 1984, Vol.79, 127p., In Russian. Refs. passim. For individual papers see B-36999, B-37000, H-37004, and I-37001 through I-37003. Kornilov, N.A., ed, Kozlovskii, A.M., ed, Leont'ev,

Expeditions, Ice navigation, Polar regions.

Experiences, the invegation, runar regions.

This volume contains information on observations and results of scientific efforts carried out by the 25th Soviet Antarctic Expedition in 1979-1980 sesson on the antarctic continent and aurrounding waters. Seasonal activities and organization of the expedition, including logistic support and contact with non-Soviet expeditions, are outlined in the first part of the book. Soviet expeditions, are outlined in the first part of the book. The second part consists of 6 individual papers giving the scien-tific results of projects in biology, meteorology, and studies on human adaptation to antarctic conditions.

42-2044

Static compression of H2O-ice to 128GPa (1.28 Mbar).

Mosar).
Hemley, R.J., et al, Nature, 24/31 Dec. 1987, 330(6150), p.737-740, 27 refs.
High pressure ice, Compressive properties, Ice structure, Hydrogen bonds.

42.2045

42-2043 Subpharic acid at grain boundaries in antarctic ice. Mulvaney, R., et al, Nature, Jan. 21, 1988, 331(6153), p.247-249, 14 refs. Wolff, E.W., Oates, K.

331(0133), p. 491-292, 191 (cis. Wolff, E.W., Oates, K. Ice composition, Chemical properties, X ray analysis, Antarctica—Antarctic Peninsula.

Antarctica—Antarctic Peninsuls.

It has been suggested that acids in the cold polar ice sheets may exist as aqueous mixtures at grain boundaries. This assumption can correctly predict the d.c. conductivty pf polar ice, but this does not prove the existence of acids or liquid veins at grain boundaries, and this remains controversial. In this study a scanning electron microscope (SEM) was used, equipped with a cold stage and an energy-dispersive X-ray microanalysis facility, to determine the location of sulphur in fice from the Antarctic Peninsula. As expected, sulphur was undetectable in the bulk of the ice. However, at the junctions where three grains met (triple-junctions), sulphur was found in concentrations greater than 1 M in areas of <1 sq micrometer. Calculations show that between 40 and 100% of the sulphure acid present in this ice was found at the triple-junctions, and would have been liquid at ice-sheet temperature. This finding, if general, has considerable implications for many of the physical properties of polar ice. (Auth.) ice. (Auth)

## 42,2046

Ice navigation properties of ships. ¡Ledovye kachestve sudov

va sudov, Popov, IU.N., ed, Leningrad. Arkticheskh i antarkti-cheskh nauchno-issledovatel'skh institut. Trudy, 1985, Vol.391, 176p., In Russian. For individual pa-pers see 42-2047 through 42-2068. Refs. passim. Faddeev, O.V., ed.

Marine transportation, Ice navigation, Shipe, Cargo, Icebreakers, Design, Mathematical models.

42-2047

Selection of basic elements of ice-navigation trans-port ships at the first design stage. (Osobennosti vybora osnovnykh elementov transportnykh sudov ledovogo plavanija v nachal'noi stadij proek-

rirovaniiaj,
Popov, IU.N., Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel'skii institut. Trudy,

1985, Vol. 391, p.5-15, In Russian. 8 refs.
Ice navigation, Ships, Ice breaking, Marine transportation, Design.

42.2049

42-2048
Influence of the mass of a ship on its speed of movement is ice fields. (O vilianii massy sudna na ego ledoprokhodimosi' v sploshnykh l'dakh<sub>1</sub>, Popov, IU.N., et al. Leningrad. Arkitcheskh i antarkticheskh nauchno-issledovatel'skh institut. Trudy, 1985, Vol.391, p.16-21, In Russian. 5 refs.
Kashtelian, V.I.
Kashtelian, V.I.

Ice navigation, Ships, Icebreakers, Velocity.

Estimating the effect of frame form and principal dimensions of an icebreaker on component redistribu-tion in the general ice resistance balance. Otsenka vliianiia formy korpusa i glavnykh razmerenii ledokola na pereraspredelenie sostavliajushchikh v obshchem

na pereraspreciente sostavantasanenkin v obsinenem balanse ledovogo soprotivlenija; Ionov, B.P., Leningrad. Arkticheskli i antarkticheskli nauchno-isaledovatel'skli institut. Trudy, 1985, Vol.391, p.22-30, in Russian. 3 refs. Icebreakers, Ice navigation, Ice breaking, Ice cover

thickness, Stresses, Ice loads.

42-2050

Ice breaking air-cushion vessels moving at low speeds. Rezrushenie i'da s pomoshch'iu sudna na vozdush-nof podushke pri malykh skorostiakh khoda, Amfilokhiev, L.B. Leningrad. Arkticheskh i antark-ticheskh nauchno-issledovatel'skh institut. Trudy, 1985, Vol.391, p.31-36, In Russian. 1 ref. Air cushlon vehicles, Ice breaking, Ice navigation,

Ships.

42-2051

Theoretical and experimental studies of propeller interactions with ice. [Teoreticheskie i eksperimental'nye isaledovanija vzaimodelstvija grebnogo vinta so

Nikitin, M.N., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel'skii institut. Trudy, 1985, Vol.391, p.37-47, In Russian. Pozniak, I.I., IAkonovskii, S.V. Ships, Propellers, Ice navigation, Icebreakers.

42-2052

Accounting for the scale effect when modelling the ice breaking process by icebreakers. ¡K voprosu otsenki masshtabnogo effekta pri modelirovanii protsessa

masshtabnogo effekta pri mozili ili ledokolomi, Kashtelian, V.I., Leningrad. Arkticheskh i antarkticheskh nauchno-issledovatel'skh institut. Trudy, 1982 Vol 301 n.43-50, in Russian. 4 refs. 1985, Vol.391, p.43-50, In Russian. Ice breaking, Models, Icebreakers.

42-2053

42-2053

Ramming methods of ice breaking in Antarctica. [O rabote sudov nabegami vo l'dakh Antarktiki),

Dubov, A.A., et al, Leningrad. Arkticheakli i antarkticheakli nauchno-isaledvatel'skli institut. Trudy,

1985, Vol.391, p.51-54, In Russian.

Icebreakers, Ice navigation. Ice breaking.

The use of cargo ships in antarctic ice and the advantages of the ramming technique of icebreaking are discussed. Testing has proved that the mean velocity of icebreaker movement increases when two icebreakers when two icebreakers when two icebreakers that the mean velocity of icebreaker movement increases when two icebreakers works simultaneously on parallel courses, using the ramming technique.

Determining the arrangements for formulas describ-Determining the arrangements for formulas describing the interaction between Ice cover and structures. Opredelenie struktury formuly dila otsenki vzaimodefatvija ledianogo pokrova s konstruktsiiami, Faddeev, O.V., et al, Leningrad. Arkticheskh i antarkticheskh nauchno-issiedovateľskh institut. Trudy, 1985, Vol.391, p.55-62, In Russian. 8 refs.

Received the Received Received

Using probability methods in processing the results of strain tests of ships in ice. [Obrabotka rezul'tatov tenzometricheskikh ispytanii sudov vo l'dakh s pomoshch'iu veroistnostnykh metodovi, Likhomanov, V.A., Leningrad. Arkticheskii i antark-ticheskii nauchno-issledovatel'skii institut. Trudy, 1985, Vol.391, p.63-70, In Russian. 5 refs. 1702, VOI.371, p.03-70, In Russian. 3 fers. Ice asvigation, Ships, Ice loads, Ice floes, Impact strength, Impact tests, Tensile properties, Math-ematical models, Ice pressure.

Stereomechanical model of ship's impact against an Stereomechanical model of shlp's impact against an ice floe of finite dimensions. (Stereomekhanicheskais model' udars sudna o l'dinu konechnykh razmerov, Khetsin, D.E., et al, Leningrad. Arkiticheski i antarkicheski nauchno-issiedovatel'ski institut. Trudy, 1985, Vol.391, p.71-78, In Russian. 4 refs. Popov, IU.N., Kurdiumov, V.A. Ice navigation, Shlps, Dynamic loads, Ice floes, Impact strength, Ice loads.

Accounting for the wear of the hull when preparing ice-navigation certificates for cargo vessels. [Uchet iznosa korpusnykh konstruktsii pri razrabotke ledoykh pasportov transportnykh sudov, Faddeev, O.V., Leningrad. Arkticheskh i antarkti-cheskh nauchno-issledovatel'skh institut. Trudy, 1985, Vol.39: ~.79-83, In Russian. 2 refs.

Ice navigation, Ships, Abrasion, Corrosion, Analysis

(mathematics).

On the mass and strength indices of different types of double-sided ships. ¿K voprosu o prochnostnykh i massovykh pokazateliakh razlichnykh tipov dvolnogo

Faddeev, O.V., et al, Leningrad. Arkticheskii i an-tarkticheskii nauchno-issledovatel'skii institut. tarkticheskii nauchno-issledovatel'skii institut. Trudy, 1985, Vol.391, p.84-95, In Russian. 3 refs. Irishin V.S.

Ice navigation, Environmental protection, Oil spills, nker shipe, Design, Ocean environments.

Analysis of experimental towing of cargo ships in the wake of icebreakers. [Analiz opyta provodki trans-portnykh sudov vo l'dakh v kormovom vvreze ledoko-

la, Likhomanov, V.A., et al, Leningrad. antarkticheskii nauchno-issledovatel'skii Trudy, 1985, Vol.391, p.97-100, In Russian. Popov, IU.N.

Ice navigation, Icebreakers, Cargo, Ships, Arctic

Processing and evaluation of experimental modeling results obtained in an ice basin. Obrabotks i otsenka rezul'tatov model'nogo eksperimenta v ledovom bas-

scine; section, Leningrad. Arkticheskh i antarkticheskh nauchno-issledovateľskh institut. Trudy, 1985, Vol.391, p.101-107, In Russian. 2 refs. Ships, Ice navigation, Icebreakers, Mathematical models, Ice cover thickness.

42-2061

42-2061
Estimating the homogeneity of model ice cover according to strength. (Otsenka odnorodnosti modelirovannogo ledianogo pokrova po prochnosti, lonov, B.P., Leningrad. Arkticheskhi antarkticheski nauchno-issiedovatel'skh institut. Trudy, 1985, Vol.391, p.108-111, in Russian. 2 refs.
Models, Ice cover strength, Elastic properties, Flexural strength, Temperature effects.

Characteristics of temperature regime for preparation of model ice in the ice basin of the Arctic and Antarctic Scientific Research Institute, Osobennos-Antarctic Scientific Research Institute. (Osobennos-ti temperaturnogo rezhima dia prigotovlenia modelirovannogo l'da v ledovom basseine AANII, Deduahkin, R.A., Leningrad. Arkticheskhi antarkti-cheskhi nauchno-issiedovatel'skhi institut. Trudy, 1985, Vol.391, p.112-114, In Russian. I ref. Artflictal Ice, Models, Ice strength, Water chemistry, Salinity

42-2063

Testing the heating of the frame of a powerful icebreaker during its performance. Naturnye ispytaniis obogreva korpusa moshchnogo ledokola pri ego rabote vo l'dakh<sub>1</sub>, Dubov, A.A., et al, *Leningrad. Arkticheskh i antark*-

Dubov, A.A., et al, Leningrad. Arkticheskii i antark-ticheskii nauchno-issledovatel'skii institut. Trudv. 1985, Vol.391, p.115-123, In Russian. 2 refs.
Popov, IU.N., Seliugin, N.G.
Heating, Icebreakers, Icing, Ice breaking, Ice accre-

42-2064

Icing of ship's frame during navigation in fall-winter seasons. ¡Oblipanie korpusa sudna l'dom pri plavanii

seasons. (Oblipanie korpusa sudna i dom pri piavanii vosenne-zimni periodi. Voevodin, V.A., Leningrad. Arkticheskh i antarkticheskh nuchno-issledovatel'skh institut. Trudy. 1985, Vol.391, p.124-128, In Russian. 4 refs. Ship Icing, Ice adhesion, Ice navigation, Ice conditions, Air temperature, Water temperature, Wind fac-

42.2065

Distortion of stress-curve forms on the bars of ship's electric power installations when powerful thyristor converters are at work, riskazheniis formy krivoš napriazhenija na shinakh sudovol elektroenergeticheskol sistemy pri rabote moshchnykh tiristornykh preo-brazovatelelj, Makashov, E.V., et al, Leningrad. Arkticheskii i an-

Tarkticheskii nauchno-issiedovatel'skii institut.
Trudy, 1985, Vol.391, p.129-136, In Russian. 4 refs.
Filas', I.P., IAgodkin, V.IA.
Icebreakers, Electric power, Propellers, Ice naviga-

Ice cover resistance to fracturing and its destruction by icebreakers. (Treshchinostofkost' i razrushenie dianogo pokrova ledokolamij,

Rodidahtein, R.V., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel'skii institut.
Trudy, 1983, Vol.391, p.137-157, ln Russian. 25 refs. Osipenko, N.M. Icebreakers, Ice breaking, Ice cracks, Crack propaga-

tion. Sea ice distribution.

42-2067

Determination of resistance forces during mooring Determination of resistance forces during mooring operations in ice. Opredelenie sil soprotivleniia pri shvartovnykh operatsiiakh vo l'dakh, Aliavdina, T.F., Leningrad. Arkticheskh i antarkticheskh nauchno-issledovatel'skh institut. Trudy, 1985, Vol.391, p.158-161, In Russian. 1 ref. Ice navigation, Mathematical models, Sea ice distribution.

42-2068

Preventing the icing of ship's hull, rK voprosu o pre-Preventing the icing of sinp's null. (A voprosu o predotvrashchenii oblipaniia l'dom korpusov sudovi, Gavrilo, V.P., et al, Leningrad. Arktichesk'h i antarktichesk'h naucho-issledovatel'sk'h institut. Trudy, 1985, Vol.391, p.162-165, In Russian. 3 refs.
Nikitin, V.A., IUnak, A.B. Ice navigation, Artificial ice, Ship icing, Water chemistry, Salinity, Ice prevention, Tests, Models.

42-2669

Snow and avalanches in the Swiss Alps, winter 198586. Schnee und Lawinen in den Schweizer Alpen, Winter 1985/86<sub>1</sub>, Davos, Switzerland. Eidgenössisches Institut für Schnee- und Lawinenforschung, Jts Winterberichts, No.50, Davos, Switzerland, 1987, 207p., In German. For selected papers see 42-2070 through 42-2075. Avalanche formation. Snow accumulation. Snowfell. Avalanche formation, Snow accumulation, Snowfall, Snow depth, Accidents, Damage, Snow cover stability, Switzerland-Alps.

42,2070

Show and avalanches in the Davos region. [Schnee und Lawinen in der Region Davos]. Föhn, P., et al, Davos, Switzerland. Eidgenössisches Institut für Schnee- und Lawinenforschung. Winter-

berichte, 1987, No.50, p.30-45, In Germ Reck E.

Avalanche formation, Snow depth, Snow accumula-tion, Avalanche deposits, Switzerland—Davos.

42-2071

Snow and avalanche conditions in the Swiss Alps. Schnee- und Lawinenverhältnisse im schweizerisc-

hen Alpengebiet<sub>1</sub>, Meister, R., et al, Davos, Switzerland. Eidgenössisches Institut für Schnee- und Lawinenforschung. Winterberichte, 1987, No.50, p.46-110, In German. Gliott, S., Heinzer, B.

Avalanche formation, Snow surveys, Snowfall, Snow accumulation, Snow water equivalent, Snow depth, Seasonal variations, Switzerland—Alps.

42-2072

Accidents and damage due to avalanches in the Swiss Alps. Durch Lawinen verursachte Unfälle und Schäden im Gebiet der Schweizer Alpen, Etter, H.-J., Davos, Switzerland. Eidgenössisches In-stitut für Schnee- und Lawinenforschung. Winterberichte, 1987, No.50, p.111-165, in German.
Avalanche formation, Accidents, Damage, Statistical
analysis, Seasonal variations, Switzerland—Alps.

42-2073

Avalanche accidents outside the Swiss Alps. Lawinenunfille ausserhalb der Schweizer Alpenj, Gliott, S., Davos, Switzerland. Eidgenössisches In-stitut für Schnee- und Lawinenforschung. Winterberichte, 1987, No.50, p.166-174, In German. Avalanche formation, Accidents, Damage, Statistical analysis.

42-2074

Snow profiles in forests. [Schneeprofile im Wald], Imbeck, H., Davos, Switzerland. Eidgenössisches In-stitut für Schnee- und Lawinenforschung. Winter-berichte, 1987, No.50, p.177-183, 11 refs., In Ger-

Snow accumulation, Forest land, Snow depth, Profiles.

42-2075

Project Stillberg, snow and avalanches in experimen-tal areas. (Projekt Stillberg, Schnee und Lawinen auf der Versuchsfläche),

Rychetnik, J., Davos, Switzerland. Bidgenossisches Institut für Schnee- und Lawinenforschung. Winter-berichte, 1987, No.50, p.184-194, 20 refs., In Ger-

Avalanches, Snow accumulation, Snow depth, Mountains, Snow loads, Countermeasures, Switzerland-Stillberg.

42-2076

Proceedings, Vol.4.

International Conference on Offshore Mechanics and International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988, MP 2317, New York, American Society of Mechanical Engineers, 1988, 348p., Refs. passim. For individual papers see 42-2077 through 42-2119. Sodhi, D.S., ed, Luk, C.H., ed, Sinha, N.K., ed. Offshore structures, Ice loads, Ice mechanics, Ice physics, Engineering, Meetings, Ses Ice, Ice conditional Lepherskers.

tions, Icebreakers,

42-2077

Three-dimensional ductile constitutive equation for

Santaoia, K., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.1-9, 20 refs.

Ice crystal structure, Ice elasticity, Ice plasticity, Viscoelasticity, Ice deformation, Temperature effects, Analysis (mathematics), Shear stress, Strains. 42-2078

Structure and tensile behavior of first year sea ice and

laboratory-grown saline ice. Kuehn, G.A., et al, International Conference on Off-Kuehn, G.A., et al, International Conference on Off-shore Mechanics and Arctic Engineering, 7th, Hous-ton, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edit-ed by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.11-17, 7 refs. Lee, R.W., Nixon, W.A., Schulson, E.M. Ice structure, Offshore structures, Ice loads, Ice me-chanics, Sas Ice, Tensile properties, Salt Ice, Temper-sture effects, Experimentation, Ice strength.

Effects of temperature and strain rate on unlaxial compressive strength of naturally formed fresh-water

Shen, L., et al. International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p. 19-23, 6 refs. Zhao, S., Lu, X., Shi, Y.

Ice strength, Ice crystal structure, Stress strain diagrams, Compressive properties, Temperature effects, Impact strength, Ice cracks.

New concept of compact compression test specimen to study the K(I) and K(IC) for Bohai Sea ice.

Wu, S., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.25-29,

Li, H., Zhang, X., Ji, X. Ice strength, Ice physics, Compressive properties, Ice cracks, Stresses, Ice density, Fracturing, Sea ice.

Experimental results on the buckling of freshwater ice sheets.

Timco, G.W., et al, International Conference on Off-Shore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.31-38, 18 refs. Sinha, N.K

Ice loads, Offshore structures, Ice cracks, Ice deformation, Tests, Microstructure, Ice pressure.

42-2082

Flexure and fracture of macrocrystalline S1 type

Plexite and include the freshwater lee.

Dempsey, J.P., et al., MP 2318, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sindard, C.H. Luk and N.K. Sindard, Society of Mechanical Engineering. New York, American Society of Mechanical Engineers, 1988, p.39-46, 31 refs.
Nigam, D., Cole, D.M.
Ice strength, Flexural strength, Fracturing, Ice crys-

tal structure, Ice loads, Grain size, Ice cracks.

The four-poin-bend loading configuration is used here to study the flexural strength and fracture toughous of mercocrystalline SI type freshwater ice. The emphasis in this investigation was to minimize testing errors, prepare geometrically similar specimens milled to good accuracy, and to use a mechanical and repeatable method of notch formation. The question under study is: Would a wide exacter in flexural strengths and fracture toughness results still occur in SI ice if the inaccuracies in specimen preparation and variations in notch acuity were mini-mized, and if the specimen size were increased significantly? The basic tenet then is that any scatter would be predominantly due to crystal orientation effects, grain size effects, variations in the predominant c-axis orientations, as well as both specimen size and specimen geometry

42-2083

Growth of EG/AD/S model ice in a small tank. Borland, S.L., MP 2319, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers,

1988, p.47-53, 9 refs. Ice models, Ice strength, Flexural strength, Ice elasticity, Solutions, Freezing, Ice mechanics, Tests, Ice growth, Ice sheets, Tanks (containers).

growth, the sneets, lanks (containers).

A new type of refrigerated model ice was tested for flexural strength and elasticity in a small basin. This model ice, termed "EG/AD/S" ice by the developer, Timoo of NRCC, is produced by freezing a solution of three chemicals—ethylene glycol, aliphatic detergent, and sucrose. A small-scale laboratory investigation was conducted to determine some of the mechanical properties of the EG/AD/S ice and to make modification to the chemical formula as needed. The results of these tests to the chemical formula as needed.

vere found to compare well with Timco's results for EG/AD/S ice as well as with tests on urea ice grown in the same tank. Described are some of the problems with this new ice, including accessive suding and bacterial blooms, and the techniques used to try to alleviate them. Also discussed are several unique aspects of dealing with ice sheet growth and mechanical properties testing in a small tank.

42-2084

Experiments on anisotropic and rate sensitive strain ratio and modulus of columnar-grained ice. Sinha, N.K., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol. 4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.55-62, 14 refs.

Ice strength, Ice cracks, Ice crystal structure, Anistropy, Tests, Temperature effects, Stress strain diagrams, Loads (forces), Ice deformation.

42-2085

Simple beam tests on type S3 sea ice.

Borek, M., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.63-68, 8

arsons, B., Hill, B.

Ice strength, Loads (forces), Flexural strength, Ice salinity, Temperature effect, Tests, Stresses.

42.2086

Norton Sound and northeastern Bering Sea ice behavior: 1981-1982.

Pritchard, R.S., International Conference on Offshore Mechanics and Arctic Engineering, /th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.69-74, 22 refs.

Sea ice distribution, Drift, Ice models, Ice mechanics, Wind factors, Ocean currents, Tidal currents, Velocity.

42-2087

Statistics of sea ice motion, Fram Strait to North

Moritz, R.E., et al, International Conference on Off-shore Mechanics and Arctic Engineering, 7th, Hous-ton, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edit-ed by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988. 21 5 22 15 22 15 1988, p.75-82, 15 refs.

Colony, R. Ice mechanics, Drift, Sea ice distribution, Ice loads, Velocity, Statistical analysis, Wind factors, Ocean currents, Stresses.

42.2088

Mesoscale air-ice-ocean feedback mechanism for the ice drift in the marginal ice zone.

Chu, P.C., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.83-90, 20 refs

Drift, Ice mechanics, Ice edge, Ice water interface, Ice als interface, Air water interactions, Wind factors, Ocean currents, Temperature gradients, Ice conditions.

42.2089

Inferring ice/ocean surface roughness from horizontal current measurements.

McPhee, M.G., International Conference on Offshore

Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.91-98, 13 refs

Ice mechanics, Drift, Sea ice, Ice water interface, Stresses, Boundary layer, Surface roughness, Ice bottom surface. Turbulence.

42-2098

MIZEX '87 overview of the winter marginal ice zone

MILLEA '3/ overview of the winter marginal ice zone experiment in the Greenland and Barents seas.

Johannessen, O.M., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988. pp. 109 12 - 2-5. 1988, p.99-109, 12 refs.

Ice edge, Ice water interface, Ice air interface, Acouscics, Air water interactions, Remote sensing, Ocean waves, Sea ice distribution, Boundary layer, Wind factors, Greenland Sea, Barents Sea.

Crushing and clearing of ice in fast spherical indenta-tion tests.

Jordaan, I.J., et al, International Conference on Off-Jordaan, I.J., et al, International Conference on Off-shore Mechanics and Arctic Engineering, 7th, Hous-ton, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edit-ed by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.111-116, 10 refs. Maes, M.A., Nadreau, J.P. Ice cutting, Ice solid interface, Fracturing, Loads (forces), Ice cracks, Ice mechanics, Tests, Ice defor-mation. Brittleness.

mation, Brittleness.

42-2092

Triaxial testing of freshwater ice at low confining

Nadreau, J.P., et al, International Conference on Off-Nadreau, J.P., et al, International Conference on Off-shore Mechanics and Arctic Engineering, 7th, Hous-ton, TX, Feb. 7-12, 1988. Proceedings, Vol. 4. Edit-ed by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p. 117-124, 20 refs. Mawwar, A.M., Wang, Y.S. Icebergs, Ice mechanics, Ice pressure, Ocean waves, Compressive properties, Tensile properties, Impact strength, Strains, Temperature effects, Tests.

42-2093

Influence of shape on iceberg wave-induced velocity statistics

statistics.

Lever, J.H., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New
York, American Society of Mechanical Engineers,
1988, p.125-132, 11 refs.
Sen, D., Attwood, D.
Icabergs, Drift, Ocean waves, Ice mechanics, Offshore structures, Models, Tests, Statistical analysis,

Velocity.

42-2094

Ice forces: current practices.

Ice forces: current practices.
Croasdale, K.R., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New
York, American Society of Mechanical Engineers,
1988, p.133-151, Refs. p.149-151.
Ice loads, Offshore structures, Loads (forces), Design

criteria, Ice strength, Surface properties, Ice cover

Ice pressure measurements using PVDF film.

ace pressure measurements using PVDF film.
Joensuu, A., International Conference on Offshore
Mechanics and Arctic Engineering, 7th, Houston, TX,
Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S.
Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.153158, 12 refs.

176, 12 fets.

Ice pressure, Offshore structures, Impact strength,

Dynamic properties, Experimentation, Measuring instruments, Tests.

Design ice forces on offshore installations. Tunik, A.L., International Conference on Offshore

Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, Ameri-

Sodin, C.H. Luk and N.K. Sinns, New Tork, American Society of Mechanical Engineers, 1988, p.159-163, 25 refs.

Ice loads, Offshore structures, Ice strength, Ice thermal properties, Ice pressure, Loads (forces), Seasonal variations, Brittleness, Design.

42-2097

Adfreeze strength of fresh and sea ice bonded to steel

Nelson, W.G., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston. TX, Feb. 7-12, 1988. Proceedings, Vol.4. Editshore Mechanics and Arctic Engineering, Ith, rous-ton, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edit-ed by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.165-169, 15 refs.

Phukan, A. Ice adhesion, Piles, Steel structures, Ice strength, Ice solid interface, Ice salinity, Tests, Loads (forces), Temperature effects.

42-2098

Ice force oscillator model and its numerical solutions. Xu, J., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.171-176, 6 refs.

170, 0 ren.
Wang, L.
Ice loads, Offshore structures, Oscillations, Ice solid
interface, Dynamic properties, Mathematical models,
Vibration, Time factor, Ice cracks.

Design, construction and verification of the Angasak

Design, construction and verification of the Angasek spray ice exploration island.
Weaver, J.S., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.177-183, 9 refs. Gregor, L.C.

Cregor, L.C.

Ice islands, Sea spray, Cold weather construction,
Loads (forces), Ice (construction material), Design
criteria, Exploration, Beaufort Sea.

Reinforced ice domes as temporary enclosures for cold regions.

Glockner, P.G., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.185-192, 12 refs.

Ice (construction material), Ice strength, Shear strength, Cold storage, Loads (forces), Tests.

42-2101

42-2101
Reinforced ice: mechanical properties and cost analysis for its use in platforms and roads.
Kuchn, G.A., et al, international Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Editsiore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edied by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p. 193-200, 22 refs.

Ice mechanics, Cold weather construction, Roads, Ice (construction material), Londs (forces), Bearing strength, Cost analysis, Tests.

42-2102

Dynamic response of "Molikpaq" to ice-structure interaction.

Jefferies, M.G., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol. 4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.201-220, 26 refs.

Wight, W.H. Ice solid interface, Offshore structures, Ice loads, Dynamic properties, Ice deformation, Crecking (fracturing).

Theoretical assessment of light structural damage due to ship collision with ice.

Moshaiov, A., et al, International Conference on Off-Mosnaiov, A., et al, international Conference on Offi-shore Mechanics and Arctic Engineering, 7th, Hous-ton, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edit-ed by D.S. Sochi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.221-227, 7 refs.

Ships, Ice loads, Ice solid interface, Ice strength, Off-shore structures, Damage, Design, Plastic properties, Mathematical models.

42-2104

Local impact pressures due to first year ice in the

marginal ice zone.
Zahn, P.B., et al. International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edit. d by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.229-238, 12 refs. Minnick, P.V.

Ice pressure, Offshore structures, Ice loads, Ice edge, Ships, Ice conditions, Design, Impact strength.

42-2105

Model tests of downward breaking conical structures

Meu, M., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol. 4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.239-247, 23 refs.

247, 23 rets.
Muggeridge, D.B., Williams, F.M.
Ice loads, Offshore structures, Ice models, Tests, Surface properties, Wind factors, Ocean currents, Loads (forces), Damage, Ice conditions.

42-2106

About some parameters influencing on ice tolerance of conting film for arctic use.

of coating film for arctic use.

Arita, M., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.249-253. 5 refe

253, 5 Feis.
Takashima, H., Maeda, T., Tamura, K.
Offshore structures, Protective coatings, Ships,
Metal ice friction, Strength, Tests, Damage.

42-2107

Priction panel measurements in full-scale and model-scale icebreaking ship tests.

Liukkomen, S., international Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.255-262, 8 refs.

Icebreakers, Metal ice friction, Ice pressure, Ice strength, Models, Tests, Velocity.

42-2108

42-2108

Estimate of ice breaking capacity by a moving load.

Kozin, V.M., International Conference on Offshore

Mechanics and Arctic Engineering, 7th, Houston, TX,

Feb. 7-12, 1988. Proceedings, Vol.4. Edited by DX,

Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.263-

Ice breaking, Ice navigation, Loads (forces), Gravity, Analysis (mathematics).

42-2109

Detailed study on relict iceberg scouring off mid-Nor-

way. Lien, R., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Peb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.267-274, 11 refs. Christophersen, H.P.

Ice scoring, Icebergs, Ocean bottom, Soil strength, Hydraulic structures, Pipelines, Engineering, Nor-

42-2110

Heat transfer performance of commercial thermosyphons with inclined evaporator sections.

Haynes, F.D., et al, MP 2320, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sindales. ha, New York, American Society of Mechanical Engineers, 1988, p.275-280, 14 refs.

Zaring, J.P.
Permafrost beneath structures, Heat transfer, Sub-grades, Wind tunnels, Measuring instruments, Wind velocity, Tests, Evaporation, Equipment, Thermosyphons.

Laboratory tests have been conducted with two full-size, two-Laboratory tests have been conducted with two full-size, two-phase commercial thermosyphona in a stmospheric wind tunnel at the U.S. Army CRREL. The test variables were wind apped and evaporator inclination angle. The air speed ranged from 0 to 5.2 m/s. The evaporator angles were varied from 0 to 12 deg measured from the horizontal. The effect of nearby walls on thermosyphon performance was also investigated. Tests were conducted with walls oriented parallel, at \$4\$ deg and at right angles to the air flow direction. The sir temperature for all tests was about -18 C. Test results are presented with thermal conductance of the thermosyphon as a function of wind apped and evaporator inclination angle. The heat transfer conductance was found to increasing with increasing wind speed and increasing evaporator inclination angle. increasing evaporator inclination angle.

42-2111
On the application of thermosyphone is cold regions.
Zarling, J.P., et al, MP 2321, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, T.X., Feb. 7-12, 1988. Proceedings, Vol.4.
Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York. American Society of Mechanical Engineers. York, American Society of Mechanical Engineers, 1988, p.281-286, 14 refs.

Haynes, F.D., Daly, S.F.

1985, p.281-286, 14 refs. Haynes, F.D., Daly, S.F. Lew temperature tests, Heat transfer Wind velocity, Temperature sefects, Equipment, Vater flow, Ice growth, Measuring instruments, Thermosyphons. The exposure of portable electronic data logging equipment to extreme low temperature usually leads to system failure. To evercome this difficulty at northern remote sites, the use of a thermosyphon to transfer energy stored in the ground to an insulated instrument shelter was tested. The results of the test showed that the thermosyphon maintained the instrument shelter well above the outdoor ambient air temperature during cold apells. Laboratory tests were conducted with two-phase full-size thermosyphons to freeze water in a test basin. The test variables were wind speed and water velocity. A \*rigle-phase thermosyphon was also tested for growing icc. The heat transfer conductances of the thermosyphons placed in rivers has been proposed to collect transported frazil icc to augment ice dam formation or prevent frazil icc from interacting with downstream hydraulic structures. Laboratory tests were conducted with model two-phase thermosyphons in a refrigerated funne to test this concept. Frazil icc was generated upstream of a thermosyphon array placed across the future perpendicular to the flow. The ability to collect frazil was determined by measuring the head loss across the array with time. Comparisons were made with an array of solid attunium rods with the same dimension as the model thermosyphons. The influence of wind was also investigated.

42-2112

Performance analysis of a reciprocating, polar Carnot cycle engine.

Lock, G.S.H., et al, International Conference on Off-shore Mechanics and Arctic Engineering, 7th, Hous-ton, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Editton, TK, Feb. 7-12, 1988. Proceedings, Vol. 4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.287-295, 13 refs.

Stanford, H.K., Jr. Engines, Thermodynamics, Models, Polar regions, Temperature effects, Analysis (mathematics).

42-2113

Maximum density effects on vortex instability of horizontal and inclined buoyancy-induced flows in porous media

Jang, J., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.297-305, 8 refs. Chang,

Porous materials, Water flow, Heat transfer, Buoyancy, Boundary layer, Sands, Density (mass/volume), Temperature effects, Flow rate, Analysis (mathematics).

42-2114

Three-dimensional plasticity and momentum model for ship resistance in level ice.

Luk, C.H., International Conference on Offshore Me-

chanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.307-315, 15 refs.

Ice strength, Ice loads, Shipa, Plasticity, Ice mechanica, Valocity, Ice breaking, Icebreakers, Mathematical models.

42-2115

Pinite-simulation error bounds for estimated k-year forces.

forces. Wang, A.T., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Peb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.317-322, 8 refs.

122, 6 1613. Ice loads, Offshore structures, Computerized simula-tion, Design, Time factor.

42-2116

42-2116
Crosp settlement of artificial ice islands.
Man, C.S., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol. 4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American 1988, pp. 3213-3214.

can Society of Mechanical Engineers, 1988, p.323-

Ice islands, Artificial islands, Ice creep, Settlement (structural), Bearing strength, Stresses, Mathemati-

42-2117

Deformation and fracture of arctic see ice during ki-

netic energy penetration. Swearengen, J.C., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Editsnore Mechanics and Arcuc Engineering, 7th, 100ton, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.331-336, 14 refs.

Ice strength, Ice deformation, Ice cracks, Ice me-chanics, Sea ice, Fracturing, Dynamic properties, Penetration, Experimentation.

Design of hull structures for ice-navigating ships. Design of sain structures for the-narryaning snips. Shemendiuk, G.P., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.337-341. Babtsev, V.A., Bratukhin, O.I.

Ice navigation, Ships, Icebreakers, Ice loads, Damage, Design, Cracks.

42-2119

On replacement of floating bulwarks for ones attached to sheer strake: (or how long for a misconception to exist?).

Barabanov, N.V., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.343-348, 5 refs. Bratukhin, O.I.

Ships, Ice navigation, Strength, Construction.

Ice floe collisions and their relations to ice deformstion in the Bering Sea during February 1983.
Martin, S., et al, Journal of geophysical research,
Feb. 15, 1988, 93(C2), p.1303-1315, 10 refs.

Becker, P. Sea ice, Ice deformation, Ice floes, Drift, Bering Sea.

Winter currents and hydrographic conditions on the northern central Bering Sea shelf.

Muench, R.D., et al. Journal of geophysical research, Jan. 15, 1988, 93(C1), p.516-526, 21 refs. Schumacher, J.D., Salo, S.A. Ocean currents, Sea ice, Hydrography, Bering Sea.

42,2122

On the ice and heat balance in Fram Strait. Untersteiner, N., Journal of geophysical research, Jan. 15, 1988, 93(C1), p.527-531, 30 refs. Sea ice, Ocean currents, Heat balance, Fram Strait.

Relationship between heat transfer to sea ice and temperature-salinity properties of Arctic Ocean wa-

Moore, R.M., et al, Journal of geophysical research, Jan. 15, 1988, 93(C1), p.565-571, 12 refs. Wallace, D.W.R.

Sea ice, Sea water, Salinity, Water temperature.

Study of climatic change and its implications for northern pipelines: Phase 1.

Born. C., et al., Carleton University, Ottawa, Ontario. Geotechnical Science Laboratories. Interim report, July 1982, IR 28, 86p., Refs. p.84-86. Rydén, B.E., Smith, M.W., Williams, P.J. Permafrost thermal properties, Climatic changes, Thermal regime, Frozen ground temperature, Models, Forecasting, Design, Snowfall, Paleoclimatology.

42-2125

Investigation of temperature-induced stresses and water movements in frozen soils. Torrance, J.K., et al, Carleton University, Ottawa, On-

tario. Geotechnical Science Laboratories. Interim report, Sep. 1983, IR 34, 78p., 4 refs. Wood, J.A.

Frozen ground mechanics, Frost heave, Soil water migration, Temperature gradients, Stresses, Experimentation, Ice lenses, Temperature variations.

Study of climatic change and its implications for permafrost: Phase 2. Smith, M.W., et al, Curleton University, Ottawa, On-

Geotechnical Science Laboratories. tario.

tario. Geotechnical Science Laboratories. Interim report, 1983, IR 35, 103p., Refa. p.100-103. Burn, C.R., Riseborough, D.W. Permafrost thermal properties, Climatic changes, Thermokarst development, Ground ice, Soil tempera-ture, Temperature variations.

42-2127

Analyses of stresses developed in pipelines buried in freezing ground.

Carleton University. Geotechnical Science Laboratories, Ottawa, Its Interim report, IR 36, Ottawa, Feb. 1984, 59p., 6 refs.

Soil freezing, Underground pipelines, Frost heave, Stresses, Ground thawing, Thermal regime, Deforma-tion, Soil creep, Air temperature, Soil temperature, Pheology.

Investigation of soil freezing in association with a buried chilled pipeline in a large-scale test facility: Phase 3. Expérimentation sur le gel d'un sol et d'une canalisation enterrée et refroidie dans une installation d'essai de grandes dimensions, 3-e phase, Carleton University. Geotechnical

dessai de grandes dimensions, 3-e phase; Carleton University. Geotechnical Science Laboratories, Ottawa, Its Interim report, IR 40, Ot-tawa, Sep. 1984, 68p., In French. 7 refs. Soil freezing, Underground pipelines, F-ost heave, Thermal regime, Soil water, Deformation, Stresses, Experimentation.

42-2129

Analyses of stresses developed in pipelines buried in Reezing ground.
Carleton University. Geotechnical Science
Laboratories, Ottawa, Ottawa, May 1985, 39p., 20

refs.
Soil freezing, Underground pipelines, Frost heave,
Frost resistance, Thermal regime, Stresses, Freeze
thaw cycles, Frozen ground mechanics, Models, Experimentation.

42,2130

42-2130

Ice conditions at Cape Hatt, Baffin Island.
Dickins, D.F., Arctic, 1987, 40(Suppl. 1), p.34-41,
With French summary. 8 refs.
Ice conditions, Fast ice, Oll spills, Ice breakup,
Freezeup, Sea ice distribution, Aerial surveys, Canada—Northwest Territories—Baffin Island.

Effects of oil and chemically treated oil on nearshore under-tee melofauna studied in situ. Cross, W.E., et al, Arctic, 1987, 40 (Suppl. 1), p.258-265, With French summary. 24 refs.

Martin, C.M.

Oli spills, Ice bottom surface, Marine biology, Fast ice, Chemical properties, Countermeasures, Canada —Northwest Territories—Baffin Island.

42-2132

43-2132 Effects of oil and chemically treated oil on primary productivity of High Arctic ice algae studied is situ. Cross, W.E., Arctic, 1987, 40 (Suppl. 1), p.266-276, With French summary. 66 refs.

Algae, Ice bottom surface, Oil spills, Biomass, Chemical construction Construction Confirmensures. Chiprophylia, Cans-

cal properties, Countermeasures, Chlorophylls, Canada—Northwest Territories—Baffin Island.

Low-temperature DSC investigation of hardened ce-

ment paste subjected to chloride action.

Beddoe, R.E., et al, Cement and concrete research,
Mar. 1988, 18(2), p.249-256, 9 refs.

Setzer, M.J.

Cements, Concrete hardening, Freezing, Salting, Low temperature tests, Temperature measurement, Ions, Solutions, Phase transformations.

Study of ice-formation phenomena on freezing of flowing water in a pipe. Hirata, T., et al, Journal of heat transfer, Nov.

Hirsta, 1., et al. Journal of neat transfer, Nov. 1987, 199(4), p. 965-970, 11 refs.

Matauzawa, H.

Ice form-tion, Water pipelines, Water flow, Heat transfer, Ice water interface, Turbulent flow, Temperature effects, Flow rate.

Analytical study of the effect of the Darcy and Pick Laws on the sublimation of a frozen semi-infinite por-

new medium.

Fey, Y.C., et al, Journal of heat transfer, Nov. 1987, 109(4), p.1045-1048, 8 refs.

Boles, M.A.

Freezing, Porous materials, Heat transfer, Sublimation, Freeze drying, Analysis (mathematics).

Surficial geology, permafrost, and physical processes. Brewer, M.C., U.S. Geological Survey. Bulletin, 1987, No.1778, Petroleum geology of the northern part of the Arctic National Wildlife Refuge, northeastern Alaska. Edited by K.J. Bird and L.B. Magoon,

ern Amster. Edited by K.J. Bittl and L.B. Magoon, p.27-36.
Permafrost distribution, Permafrost physics, Water reserves, Erosion, Geology, Seismology, Climatic fac-tors, Soils.

42-2137 Unsteady plane flow of ice-sheets: a parabolic problem with two moving boundaries. Hindmarsh, R.C.A., et al, Geophysical and astrophysical fluid dynamics, 1987, 39(3), p.183-225, 31 refs. 3

appends.
Moriand, L.W., Boulton, G.S., Hutter, K. Paleoclimatology, Polar regions, Ice models, Ice sheets, Ice creep, Rheology.

sheets, Ice creesp, Rheology.

Finite difference algorithms have been developed to solve a one-dimensional non-linear parabolic equation with one or two moving boundaries and to analyze the unsteady plane flow of ice-sheets. They are designed to investigate the response of an ice-sheet to changes in climate, and to reconstruct climatic changes implied by past ice-sheet variations inferred from glacial get/egical data. Two algorithms are presented and compared. Both agree with the limited solutions available, and agree between themselves on the test runs carried out for the case where no analytic solutions are available. (Auth. mod.)

laffuence of ice cover on the magnitude of apparent additional masses of elements of semi-submerged platforms. [Vliianie ledianogo pokrova na velichinu prisoedinemykh mass elementov polupoguzhennykh platform,

platform, Bol'shev, A.S., et al, Leningrad. Politekhnicheskä in-stitut. Sbornik nauchnykh trudov, 1986, No.415, p.44-48, In Russian. 3 refs. Matskevich, D.G., Skhinek, K.N. Offshore structures, Offshore drilling, Sea ice distri-

Geocryologic regionalization of the West Siberian

Geocryologic regionalization of the West Siberian platform, Geokriologicheskoe raionirovanie Zapadno-Sibirskof plitys,
Trofimov, V.T., et al, Moscow, Nauka, 1987, 221p., In Russian with abridged English table of contents enclosed. Refs. p.217-220.
Geocryology, Mapping, Maps, Primafrost distribution, Active layer, Soll temperature, Cryogenic soils, Ground ice, Permafrost structure, Permafrost thermal properties.

Reconstruction of hydrological and ice conditions and recent climatic variations in northern seas. [Rekon-

recest climatic variations in normers sees. (keconstruktisia ledovo-gidrologicheskik nalovil i sovremennye kolebaniia klimata severnykh morely, Dement'ev, A.A., et al, Komplekanye okeanologicheskie issledovaniia Barentseva i Belogo morel (Combined oceanologic investigations of the Barents and White seas) edited by V.S. Petrov, Apatity, 1987, p.14-20, In Russian. 6 refs. Zubakin, G.K.

Sea ice, Ice conditions, Climatic changes, Polar re

42-2141

Basic results of calculations of oil spill movements and transformations in arctic seas. (Osnovnye rezul'-taty raschetov peremeshcheniis i transformatsii nef-

tanyo zagriaznenia v arkticheskikh morishi, Potanin, V.A., et al, Kompleksnye okeanologicheski issledovaniia Barentseva i Belogo morei (Combined oceanologic investigations of the Barents and White seas) edited by V.S. Petrov, Apatity, 1987, p.95-97, In

Russian. 2 refs. Shcherbakov, O.N.

Ocean environments, Mathematical models, Petroleum transportation, Oil spills, Countermeasures,

1973-1980 winter test report(s).

U.S. National Safety Council. Committee on Winter Driving Hazards. Traffic Division, Stevens Point, WI, 1973-1980, 8 pieces, For 1969-1971 reports see

Winter maintenance, Tires, Road icing, Traction, Brakes (motion arresters), Safety, Equipment, Snow cover effect, Ice cover effect.

42-2143

Mechanism for the formation of the Weddell polynya in 1974.

N.cchanism for the formation of the Weddell polyaya in 1974.
Motoi, T., et al, Journal of physical oceanography, Dec. 1987, 17(12), p.2241-2247, 18 refs.
Ono, N., Wakatsuchi, M.
Ses ices, Polyayas, Sallisity, Heat transfer.
The formation of the Weddell Polyaya is investigated with a one-dimensional, convective mixed-layer model, using in situ data from late summer 1974 as initial conditions. It is proposed that a high-asilnity mixed layer in summer resulted in the formation of the Weddell Polyaya in 1974. The model results show that the high sallinity allows deep convection driven by surface cooling alone, and the resulting upward transfer of heat and salt prohibits sea-ice formation throughout the winter, subject to the freshwater input less than 0.4 m/yr. Because of the uncertainty of amount of the actual freshwater input in 1974, whether sea ice formed is ambiguous. However, the occurrence of the deep convection during the 1974 polynys formation is confirmed by summer data from 1975, showing the modification of deep water to be colder, fresher and richer in oxygen than in 1974. The upward heat flux through the deep convection resulted in the formation of the Weddell Polynys in 1974. (Auth.) 1974. (Auth.)

42-2144

Wave attenuation and wave drift in the marginal ice

weber, J.E., Journal of physical oceanography, Dec. 1987, 17(12), p.2351-2361, 27 refs.
Ocean waves, Sea ice, Ice edge, Viscous flow.

Hubbard Glacier is still on the move. Emery, P.A., et al, Geotimes, May 1987, 32(5), p.8-9. Seitz, H.R. Glacier flow, Glacier surges, Ice dams.

Polar communications: status and recommendations. Raport of the Science Working Group. Rosenberg, T.J., ed, MP 2322, Greenbelt, MD, U.S. National Aeronautics and Space Administration, Dec.

National Aeronauca and Space Administration, Dec. 1987, 29p., 3 refs. Jezek, K.C., ed. Spacecraft, Telecommunication, Design, Polar re-gions, Glaciology, Oceanography, Meteorology, Geo-

giona, Glaciology, Oceanography, Meteorology, Geo-physics.

This report summarizes the capabilities of existing communica-tion links within the polar regions, as well as between the polar regions and the continental United States. The report places these capabilities in the context of the objectives of principal cientific disciplines active in polar research and, in particular, of how discipline scientists both utilize and are limited by pre-sent technologies. Based on an assessment of the scientific ob-jectives potentially schievable with improved communication capabilities, the report concludes with a list of requirements on and recommendations for communication capabilities neces-sary to support polar science over the next ten years. (Auth.)

control methods of radiophysical investigations of glacial and water surfaces. [Radiofizicheski issledovanija lednikovoj i vodnoj poverkhnostej dis-

hasiedovania imetodami, Bogorodskii, V.V., ed, Leningrad. Arkticheskli ian-tarkticheskli nauchno-issledovateľsků institut. Trudy, 1985, Vol.395, 134p, In Russian. For in-dividual papers see 42-2148 through 42-2160. Refs.

Aerial surveys, Speceborne photography, Infrared reconnaissance, Sea ice distribution, Ice surveys, Measuring instruments, Remote sensing, Radio echo

42-2148

Determining ice conditions of polar seas from radar measurements made from serial and satellite ice sur-

tarkticheskli nauchno-issledovateľskli institut. Trudy, 1985, Vol.395, p.5-17, In Russian. 6 refs. Paramonov, A.I.

Aerial surveys, Spaceborne photography, Infrared reconnaissance, Sea ice distribution, Ice surveys, Measuring Instruments.

Estimating parameters of the analog-numerical transformations when using cepstrum method of measuring sea ice. ¡Otsenka parametrov analogo-tsifrovogo preobrazovanija pri kepstral'nom metode izmerenija tolshchiny morskikh l'dov,
Bogorodski, V.V., et al. Leningrad. Arkticheskii institut

tarkticheskit nauchno-issledovatel'skit institut. Trudy, 1985, Vol. 395, p.18-23, In Russian. 5 refs. Kozevich, O.P., Oganesian, A.G. Sea ice distribution, Ice floes, Thickness, Radar

42,2150 Measuring the velocity of vertical electromagnetic wave propagation in the antarctic snow cover, in the frequency ranges 3, 7 and 10 GHz. Izmerenie skorosti vertikal'nogo rasprostraneniia elektromagnitnykh voin diapazonov 3, 7 i 10 GGTs v antarktiches-

Nyki voli dispersion of the kom snezhnom pokrovej,
Trepov, G.V., et al, Leningrad. Arkticheskii i antarkticheskii nauchno-issledovatel skii institut. Trudy, 1985, Vol.395, p.24-35, In Russian.

1985, Vol.393, p.24-35, In Russian. \* reis. Pozniak, V.I. Radio echo soundings, Snow depth, Snow physics, Radio waves, Velocity measurement. Field measurements of vertical radiowave propagation velocities were made at five points, at distances of 44 to 376 km from sea shores. The least squares method was used supplemented with experimental relationships of the time interval between pulses reflected by snow surface and by a metallic reflector (a steel plate) buried in snow. Experimental relations and the cal-culation results are presented.

Experimental evaluation of the contribution of focusing factor in total attenuation of radar signals when sounding shelf glaciers. (Eksperimental nais otsenka vklada faktora fokusirovki v summarnoe oslablenie radiolokatsionnogo signala pri zondirovanii shel'fovogo lednikaj, Boiarskii, V.I., *Leningrad*.

Boiarskil, V.I., Leningrad. Arkticheskil i antarkti-cheskil nauchno-issledovateľskil institut. Judy. 1985, Vol. 395, p. 36-40, în Russian. 3 refs. Ice shelves, Remote sensing, Aerial surveys, Ice cover thickness, Radar echoes, Attenuation.

Scattering of the 3 cm range radar signals by sea ice at small (up to 10 degrees) slip angles. Rasscianic radiolokatsionnykh signalov trekhsantimetrovogo diapazona morskim l'dom pri nebol'shikh (do 10

diapazona morskim I'dom pri nebol'shikh (do 10 gradusov) uglakh skol'zheniia<sub>1</sub>, Bogorodskil, V.V., et al, Leningrad. Arkticheskli institut. Trudy, 1985, Vol.395, p.41-49, In Russian. 4 refs. Boiarskil, V.I., Pavlov, V.V. Sea ice, Ice surface, Aerial surveys, Radar echoes,

Application of polarization effects to the radiometry of ice. [Primenenic poliarizatsionnykh effektov v

of ice. [rinnenene polarizatsionnyan etiektov v radiometrii l'dov], Vagapov, R.Kh., Leningrad. Arkticheskh i antarkti-cheskh nauchno-issledovatel'skh institut. Trudy, 1985, Vol.395, p.50-67, In Russian. 6 refs. Ice physics, Microwaves, Radar echoes, Reflection, Radiometry, Measuring instruments.

42-2154
Studying the Altai mountain glaciers using the pulsed radar detection methods and superhigh frequency ellipsometry, [Jzuchenie lednikov Altais metodami impulsnoi radiolokatsii i SVCh-ellipsometrii, Niktiin, S.A., et al, Leningrad. Arkticheskli iantarkticheskli nauchno-issedovatel'skli institut. Trudy, 1985, Vol.395, p.68-80, In Russian. 15 refs. Mountain glaciers, Remote sensing, Radar echoes, Glacier beds, Glacier ice, Ice volume.

anges of radio-wave velocities with depth in subpolar glaciers, rizmenenija skorosti radiovoln po glubine subpoliarnogo lednikaj, Macheret, IU.IA., et al, Leningrad.

Arkticheskii i an-Macheret, 101.4, et al, Lemigrad. Arktoneskii i an-tarkticheskii nsuchno-issledovatel'skii institut. Trudy, 1985, Vol.395, p.81-89, in Russian. 15 refs. Vasilenko, E.V., Gromyko, A.N., Zhuravlev, A.B. Glacier ice, Radio echo sounding, Wave propegation, Velocity, Measuring instruments.

Regional distribution of cloudiness screening infrared radiation of Arctic seas. (Regional noe raspredelenie oblachnosti ekraniruiushchel IK izluchenie arktiches-

Obischinds: Wikh morely, Voevodina, S.V., et al, Leningrad. Arkticheskli i an-tarkticheskli nauchno-issledovateľskli institut. Trudy, 1985, Vol. 395, p. 90-94, In Russian.

Kirillov, V.A., Paramonov, A.I.
Ice surveys, See ice distribution, Spaceborne photography, Infrared reconnaissance, Cloud cover, Arctic Ocean.

42-2157

Remote sensing techniques of locating petroleum pol-Intion of waters. Distantsionnoe obnaruzhenie nef-

tianykh zagriaznenii vodą. Kropotkin, M.A., Leningrad. Arkticheskii i antarkti-cheskii nauchno-isəledovatel'skii institut. Trudy, 1985, Vol.395, p.95-107, In Russian. 17 refs. Water pollution, Oil spills, Radar photography, Aerial surveys, Measuring Instruments.

Cloud cover effect in the infrared radiometry of snowice covers on arctic seas. [Effekt oblachnosti pri IKradiometrii snezhno-ledianogo pokrova arkticheskikh morell,

Martynova, E.A., et al, Leningrad. Arkticheskli i an-tarkticheskli nauchno-issledovateľskli institut. Trudy, 1985, Vol.395, p.108-113, in Russian. 10 refs.

Aerial surveys, Sea ice distribution, Infrared recon-naissance, Infrared radiation, Mapping, Ice cover thickness, Snow cover structure.

Interpreting the airborne radar data on microwave radiation of sea ice. (Interpretatsiia rezul'tatov iz-merenii mikrovolnovogo izlucheniia morskogo l'da s

samoleta<sub>j</sub>, Bogorodskiĭ, V.V., et al, *Leningrad. Arkticheskiĭ i an*tarkticheskii nauchno-issiedovatel'akii institut. Trudy, 1985, Vol.395, p.114-119, in Russian. 2 refs. Darovskikh, A.N.

Aerial surveys, Microwaves, Mapping, Sea ice distri-bution, Ice physics, Airborne radar, Ice edge, Ice dating.

42-2160

Smoothing radar measurement readings of ice thickness. (O sglazhivanii pokazanii radiolokatsionnykh izmeritelei tolshchiny l'da, Bogorodskii, V.V., et al, *Leningrad. Arkticheskii i an*-

tarkticheskli nauchno-issledovatel'skli institut. Trudy, 1985, Vol.395, p.120-127, In Russian. 4 refs. Oganesian, A.G.

Ice surveys, Aerial surveys, Airborne radar, Ice cover thickness, Measuring instruments, Accuracy.

Lipid and protein changes in cold- and drought-hard-

Lipid and protein things.

Lipid and protein things.

Cloutier, Y., Phytoprotection, 1987, 68(2), p.87-96, With French summary. 19 refs.

Freeze drying, Water content, Plant ecology, Cold tolerance, Frost resistance, Agriculture.

Note on the presence of ice nucleation-active bacteria in roots of alfalfa grown in Quebec. Richard. C., et al. Phytoprotection, 1987, 6(2), p.127-129, With French summary. 16 refs.

Gagné, S., Antoun, H. Ice nuclei, Bacteria, Roots, Agriculture, Microbiolo-

42-2163

Experimental research on the sublimation of ice samples. Lambrinos. G., et al, Annales geophysicae, 1987,

5B(6), p.589-593, 9 refs. Aguirre-Puente, J., Sakly, M.

Ice sublimation, Heat transfer, Mass transfer, Freeze drying, Phase transformations, Models, Experimentation, Air flow, Temperature effects. 42-2164

Convection in thawing subsets permafrost.
Galdi, G.P., et al, Royal Society of London. Proceedings. Series A, Nov. 1987, 414(1846), p.83-102, 26

Payne, L.E., Proctor, M.R.E., Straughan, B. Subbes permafrost, Permafrost thermal properties, Bottom sediment, Convection, See level, Paleo-climatology, Mathematical models.

Effects of snow and ice on the annual cycles of heat and light in Saqvaqiuac Lakes.

Welch, H.E., et al, Canadian journal of fisheries and aquatic sciences, Aug. 1987, 44(8), p.1451-1461, With French summary. 32 refs.

Legault, J.A., Bergmann, M.A. Limnology, Plankton, Ice cover effect, Snow cover effect, Light transmission, Temperature distribution, Lake water, Heat balance, Biomass.

42-2166

senozov, Syktyvkar, Sep. 22-25, 1987, Syktyvkar, 1987, 189p., In Russian. For selected papers see 42-2167 through 42-2169. Refs. passim.

Puzachenko, IU.G., ed. Talga, Paludification, Subsurface drainage, Peat, Per-mafroat hydrology, Frost heave, Frost mounds, Or-ganic soils, Cryogenic soils, Forest soils, Forest tun-

Role of the hydrologic regime in the growth of com-mon pine on Yakutian massive sands subject to acoli-an action. [Rol' gidrologicheskogo rezhima v proizrastanii sosny obyknovennoj na tukulanakh IAkutiij, Bolchenko, A.M., Vsesoiuznoe soveshchanie Vliiani gidrologicheskogo rezhima na strukturu i funktsionirovanie biogeotsenozov, Syktyvkar, Sep. 22-25, 1987. Vol.1. (All-Union conference on the influence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.1) edited by IU.G. Puzachenko, Syktyvkar, 1987, p.53-54, In

Russian.
Mountains, Cryogenic soils, Sands, Thermal regime,
Vegetation, Plant ecology, Permafrost hydrology, Active laver.

42-2168

Forecasting the development of migratory frost mounds in the northern taign-forest tundra zone. Prognoz razvitiia migratsionnykh bugrov pucheniia

v zone lesotundry i severnol talgij, Evseev, V.P., Vsesoiuznoe soveshchanie Vliianie gi drologicheskogo rezhima na strukturu i funkt-sionirovanie biogeotsenozov, Syktyvkar, Sep. 22-25, 1987. Vol.1. (All-Union conference on the influence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.1) edited by IU.G. Puzachenko, Syktyvkar, 1987, p.55-56, In Rus-

Swamps, Peat, Permafrost structure, Frost heave, Ground ice, Ice growth, Frost mounds, Active layer, Taiga, Forest tundra.

Rational use of peat soils under northern taiga condi-tions, Komi ASSR. ¡K voprosu ratsional'nogo ispol'zovanija torfianykh pochv v uslovijakh severnol talgi

Komi ASSR<sub>1</sub>,
Kochetkova, V.L., et al, Vsesoiuznoe soveshchanie Vliianie gidrologicheakogo rezhima na strukturu i funktsionirovanie biogeotsenozov, Syktyvkar, Sep. 22-25, 1987. Vol.1. (All-Union conference on the in-25, 1987. Vol.1. (All-Union conference on the in-fluence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.1) edited by IU.G. Puzachenko, Syktyvkar, 1987, p.58-59, In Rus-

Taiga, Paludification, Peat, Surface drainage, Subsur-face drainage, Channels (waterways), Permafrost hy-

42-2170

Influence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.2. [Tezisy dokladov. Vol.2], Vsesoiuznoe soveshchanie Vlijanie gidrologicheskogo

rezhima na strukturu i funktsionirovanie biogeot-senozov, Syktyvkar, Sep. 22-25, 1987, Syktyvkar, 1987, 136p., In Russian. For selected papers see 42-2171 through 42-2175. Refs. passim.

Mathematical models, Tundra, Taiga, Climatic changes, Ecology, Biomass, Human factors, Soil water migration, Paludification, Forest soils, Drain-

42-2171

Influence of the hydrological regime of soils, related to drainage, on the structure, functioning and rational exploitation of cryo-arid biogeocenoses of the Central Asia type. [Vilianie gidrologicheskogo rezhima pochy, sviazannogo so stokom, na strukturu, funktsionirovanje i ratsional'nuju ekspluatatsiju krio-aridnykh biogeotsenozov tsentral'no-aziatskogo tipaj, Stebaev, I.V., et al, Vsesoiuznoe soveshchanie Vlijanie gidrologicheskogo rezhima na strukturu i funkt-sionirovanie biogeotsenozov, Syktyvkar, Sep. 22-25, 1987. Vol.2. (All-Union conference on the influ-ence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.2) edited by IU.G. Puzachenko, Syktyvkar, 1987, p.95-96, In Rus-

Arakcha, L.K.

Desert soils, Soil freezing, Plant ecology, Freeze thaw cycles, Steppes, Soil water migration.

42-2172

Method of mathematical modeling for studying ground water regime in drained bogs. [Metod matematicheskogo modelirovanija pri izuchenij rez-hima gruntovykh vod osushennykh lesnykh boloty, Vomperskil, S.E., et al, Vsesojuznoe soveshchanie Vliianie gidrologicheskogo rezhima na strukturu i funktsionirovanie biogeotsenozov, Syktyvkar, Sep. 22-25, 1987. Vol.2. (All-Union conference on the influence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.2) edited by IU.G. Puzachenko, Syktyvkar, 1987, p.110-111, In Russian. Rubtsov, V.V.

Forest land, Paludification, Forest soils, Drainage, Mathematical models.

Model of seepage flow in the active layer of a swamp. [Model' dvizheniia fil'tratsionnogo potoka v deiatel'-

nom sloe bolota, Rudnev, N.I., Vsesoiuznoe soveshchanie Vliianie gi-drologicheskogo rezhima na strukturu i funkt-sionirovanie biogeotsenozov, Syktyvkar, Sep. 22-25, 1987. Vol.2. (All-Union conference on the influence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktykar, Sep. 22-25, 1987. Summaries of papers. Vol.2) edited by IU.G. Puzachenko, Syktykar, 1987, p.112-113, In

Peat, Swamps, Water transport, Flow rute, Soil tem-perature, Mathematical models.

Mathematical modeling of water content of a catch-Mathematical modering or water convention ment section. [Matematicheskoe modelirovanie viagosoderzhaniia na uchastke vodosboraj, Zaldali ER Vassoiuznoe soveshchanie Vliianie gi-

drologicheskogo rezhima na strukturu i funkt-sionirovanie biogeotsenozov, Syktyvkar, Sep. 22-25, 1987. Vol.2. (All-Union conference on the influence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.2) edited by IU.G. Puzachenko, Syktyvkar, 1987, p.116-117, In

Soil water migration, Water content, Mathematical models, Ground water, Alimentation, Aeration, Evaporation, Transpiration.

Modeling structural and functional changes in the taigs and tundra biogeocenoses under man-induced climatic changes. [Modelirovanie strukturno-funktsional'nykh izmenenii taezhnykh i tundrovykh bi-ogeotsenozov pri antropogennykh izmeneniiakh

Bogatyrev, B.G., et al, Vsesoiuznoe soveshchanie Vliianie gidrologicheskogo rezhima na strukturu i funktsionirovanie biogeotserozov, Syktyvkar, Sep. 22-25, 1987. Vol.2. (All-Union conference on the in-fluence of the hydrologic regime on the structure and functioning of biogeocenoses, Syktyvkar, Sep. 22-25, 1987. Summaries of papers. Vol.2) edited by IU.G. Puzachenko, Syktyvkar, 1987, p.129-130, In Russian

Kirilenko, A.P., Tarko, A.M. Mathematical models, Climatic changes, Human fac-tors, Tundra, Taiga, Blomass, Soil temperature, Soil chemistry, Litter, Precipitation (meteorology).

Microbial degradation of hydrocarbon mixtures in a marine sediment under different temperature

Thorpe, J.W., et al, Environmental Studies Research Funds. Report, Sep. 1987, No.83, 78p., With French summary. 19 ref Hellenbrand, K.E. 19 refs.

Oll spills, Degradation, Bacteria, Hydrocarbons, Marine deposits, Countermessures, Temperature effects.

Prototype, mesoscale simulator for the study of oil weathering under severe conditions.

Pelletier, E., et al, Eurironmental Studies Research Funds. Report, Nov. 1987, No.86, 55p., With French summary. Refs. p.51-55.

Otl spills, Ice conditions, Weathering, Crade oil, Sea ice, Bacteria, Temperature effects, Chemical composi-

42-2178

Undercooled water in basaltic regoliths and implica-tions for fluidized debris flows on Mars. Gooding, J.L., *Icarus*, Dec. 1987, 72(3), p.519-527, 22

Supercooling, Extraterrestrial ice, Mars (planet).

42-2179

Nitrogen dynamics in a marginal sea-ice zone. Müller-Karger, F., et al, Continental shelf research, July 1987, 7(7), p.805-823, Refs. p.820-823. Alexander, V.

Ice edge, Plankton, Sea water, Water chemistry, Ma-rine biology, Nutrient cycle.

Seasonal variations in the modes of heat transfer in a moist porous thermal insulation in a flat roof. Hedlin, C.P., Journal of thermal insulation, July 1987, Vol.11, p.54-66, 8 refs.

Roofs, Thermal insulation, Porous materials, Heat transfer, Moisture.

42-2181

Studies of ground water runoff and naleds. [Issledovaniia podzemnogo stoka i naledeij, Popov, O.V., ed, Leningrad. Gosudars Popov, O.V., ed, Leningrad. Gosudarstvennyl gi-drologicheskii institut. Trudy, 1987, No.314, 176p., In Russian. For selected papers see 42-2182 through 42-2186. Refs. passim.

42-2180. Rets. passim. Sokolov, B.L., ed. River basina, Naleda, Permafrost hydrology, Subsur-face drainage, Ice formation, Ice cover thickness, Baykal Amur railroad.

42-2182

River naleds in the Baykal Amur railroad area. Rechnye naledi zony BAMa, Sokolov, B.L., et al. Leningrad. Gosudarstvennyl gidrologicheskii institut. Trudy, 1987, No.314, p.3-43,

In Russian. 38 refs. Lifshits, F.A., Markov, M.L.

age), Ice melting, Runoff.

Elisnits, T.A., Markov, M.L. River basina, Permafrost distribution, Permafrost hy-drology, Naleds, Alimentation, Ice formation, Ice cover thickness.

42-2183

Calculation of nases again and consumption of nases and consumption of nases and nases Calculation of naled hydrograph. [Raschet gidro-66, In Russian. 13 refs.
Naleds, Ice formation, Alimentation, Ice (water stor42-2184

Studies and the calculation of melting of ground-water naleds. [Issledovanie i raschet taianiia nalede]

podzemnykh vody, Deikin, B.N., Leningrad. Gosudarstvennyi gidrologi-cheskii institut. Trudy, 1987, No.314, p.67-89, In

Russian. 19 refs.
River basins, Naleda, Ice formation, Ice cover thickness, Ice melting, Heat balance, Water balance, Ice density, Ice optics.

Estimating the accuracy of measuring morphometric characteristics of naleds. Otsenka tochnosti izmereniia morfometricheskikh kharakteristik naledet, Kolotaev, V.N., et al, Leningrad. Gosudarstvenny? gidrologicheskli institut. Trudy, 1987, No.314, p.90-114, In Russian. 14 refs. Markov, M.L., Sokolov, B.L. Naleds, Geomorphology, Ice cover thickness, Ice ac-cretion, Ice volume.

Water-balance characteristics of the formation of ground-water runoff in river basins of folded mountain areas. O vodnobalansovykh osobennostiakh forareas. O vodnosiamsovyn osociamosiasu ni-mirovania rodzemnogo stoka v rechnykh bassetnakh gorno-akladchatykh oblastef, Amus'ia, A.Z., et al, Leningrad. Gosudarstvennyi gi-drologicheskli institut. Trudy, 1987, No.314, p.115-

135, In Russian. 16 refs.

Ratner, N.S.

River basins, Snow water equivalent, Water reserves, Glacier ice, Moraines, Permafrost distribution, Per-mafrost hydrology, USSR—Caucasus.

42-2187
Cloud physics. (Fizika oblakov),
Pastushkov, R.S., ed, Moscow. Tsentral'naia
aerologicheskaia observatoria. Trudy, 1987,
Vol.163, 134p., in Russian with English summary.
For selected paper see 42-2188. 7 rcfs.
Weather modification, Cloud physics, Cloud seeding,
Artificial nucleation, Artificial precipitation, Mathematical models. ematical models.

Modeling orographic clouds allowing for the microstructure of water and ice phases. [Modelirovanie orograficheskikh oblakov s uchetom mikrostruktury ka-

pel'noi i kristallicheskoi faz), Toroian, G.R., et al, Moscow. Tsentral'nais serologi-cheskais observatoriis. Trudy, 1987, Vol.163, p.81-92, In Russian with English summary. 7 refs.

Khvorost'ianov, V.I.
Mathematical models, Clouds (meteorology), Microstructure, Cloud droplets, Ice crystals.

42-2189

Proceedings of the Symposium: Snow Management for Agriculture, [1985]. Symposium: Snow Management for Agriculture, Swift

Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, 716p, Refs. passim. For selected papers see 42-2190 through 42-2224. Steppuhn, H., ed, Nicholaichuk, W., ed. Snow retention, Water retention, Plant ecology, Agriculture, Meetings, Snow water equivalent, Snow depth, Snow fences, Models.

42-2190

Snow management on the Great Plains and prairies of

North America.

Willis, W.O., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Stranuba and W. Michalichuk. Steppuhn and W. Nicholaichuk, p.3-6. Snow retention, Snow accumulation, Soil water,

Agriculture, Plant ecology, Snow cover distribution, Climatic factors.

42,2101

Snow erosion, transport, and deposition in relation to

Snow evolsto, transport, and esposition in relation to agriculture.

Tabler, R.D., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.11-58, Refs. p.52-58. Schmidt, R.A.

Blowing snow, Snow erosion, Snow mechanics, Snow accumulation, Agriculture, Snow physics, Surface roughness, Snowdrifts, Snow water equivalent, Snow fences. Snow retention.

42-2192

Snowdrift modeling in a wind tunnel.

Snowdritt modeling in a wind tunnel.

Iversen, J.D., Nebraska. University. Great Plains
Agricultural Council. Publication, 1986, No.120,
Symposium: Snow Management for Agriculture, Swift
Current, Saskatchewan, Canada, 1985. Edited by H.
Steppuhn and W. Nicholaichuk, p.59-72, 19 refs.
Snowdrifts, Wind tunnels, Snowstorms, Snow density, Mathematical models, Snowflakes, Wind velocity.

Physical modelling of blowing snow for agricultural

Physical modeling of blowing anow for agricultural production.

Pomeroy, J.W., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No. 120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.73-108, Refs. p.106-108. Male, D.H.

Blowing anow, Snow mechanics, Sublimation, Meteorological factors, Topographic features, Agriculture, Vegetation factors, Soil water, Math-

ematical models.

Potentials for harvesting water from snow.
Caprio, J.M., Nebraska. University. Great Plains
Agricultural Council. Publication, 1986, No.120,
Symposium: Snow Management for Agriculture, Swift
Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p. 109-131, 6 refs. Snow hydrology, Snow water equivalent, Snow depth, Snow density, Soil water, Precipitation (meteorology), Prozen ground, Frost penetration, Snowfall, Snow evaporation.

42-2195

42-2195
Probability of anow cover in North Dakota.
Enz, J.W., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.133-148, 12 refs. Larsen, J.K., Brun, L.J.

Snow cover distribution, Snowfall, Snow depth, Air temperature, Vegetation factors.

Possibilities for snow management in Saskatchewan. Possibilities for saow management in Sakkatchewan. De Jong, E., et al, Nebraska: University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agricul-ture, Swift Current, Sakkatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.149-166, 12 refe. 166. 12 refs. Kachanoski, R.G., Rapp, B.A.

Snowfall, Snow water equivalent, Snow accumula-tion, Snow retention, Soil water, Climatic factors, Runoff, Agriculture, Drainage, Vegetation factors.

42-2197
Snow management for agriculture: the macro view.
Veeman, T.S., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.167-182, 17 reis. Snow accumulation, Water supply, Snow retention, Soil conservation, Irrigation, Water reserves, Agriculture. Agriculture.

Application and evaluation of decision models. Snyder, J.R., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agricul-ture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.183-201. 8 refs.

Skold, M.D., Willis, W.O.

Snow retention, Snowfall, Snow hydrology, Soil water, Climatic factors, Models, Agriculture.

42-2199

Effect of snow depth and air temperature on soil tem-

Effect of snow depth and air temperature on soil temperature and winter wheat survival.
Brun, L.J., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.205-218, 8 refs. Larsen, J.K., Enz, J.W., Cox, D.J. Snow depth, Soil temperature, Snow cover effect, Air temperature, Agriculture, Statistical analysis, Models.

Importance of snewcover insulation for winter crops in Saskatchewan.

in Seakatchewan.

Fowler, D.B., et al, Nebraska. University. Great
Plains Agricultural Council. Publication, 1986,
No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985.
Edited by H. Steppuhn and W. Nichclaichuk, p.219-

Limin, A.E.

Snow cover effect, Thermal insulation, Snow depth, Air temperature, Agriculture, Cold tolerance.

42-2201

Influence of snow depth and soil moisture throughout the winter on alfalfa winter survival in southwestern Saskatchawan.

Saskatchewan.
Jame, Y.W., et al, Nebraska. University. Great
Plains Agricultural Council. Publication, 1986,
No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985.
Edited by H. Steppuhn and W. Nicholsichuk, p.235-

Lawrence, T., Steppuhn, H

Snow depth, Soil water, Cold tolerance, Snow cover effect, Agriculture, Air temperature, Frozen ground, Plant tissues, Damage, Frost heave, Thermal insula-

2-2202

Effect of fall stubble management on overwinter soil moisture storage and crop yield.
Patterson, G.W., et al, Nebraska. University.

Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchevan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.273-287, 13 refs.

De Jong, E., Kachanceki, R.G. Soll water, Vegetation factors, Water retention, Proz-en ground, Snow retention, Meltwater, Agriculture, Water balance, Soil temperature, Snow depth, Snow density.

42-2203

Study plan for heat and water transport in frozen soils, North Dakota.

Bolls, Notra Bacca.
Emerson, D.G., Nebraska. University. Great Plains
Agricultural Council. Publication, 1986, No.120,
Symposium: Snow Management for Agriculture, Swift
Current, Saskatchewan, Canada, 1985. Edited by H.
Steppuhn and W. Nicholaichuk, p.289-298, 19 refs. Frozen ground physics, Heat transfer, Water transport, Snow depth, Snow retention, Runoff, Models, Hydraulics, Agriculture.

42-2204

Snowmelt infiltration to uncracked, cracked and sub-

Showmest innitration to interactic, cracing and solid frozen soils.

Gray, D.M., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No. 120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.299-210 A zefe. 319. 4 refs

Granger, R.J., Nicholaichuk, W

Snowmelt, Frozen ground physics, Seepage, Soil water, Cracking (fracturing), Snow water equivalent, Meitwater.

42-2205

Snow management for moisture enhancement in central Alberta.

tral Alberta.

Chanssyk, D.S., Nebraska. University. Great
Plains Agricultural Council. Publication, 1986,
No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985.
Edited by H. Steppuhn and W. Nicholaichuk, p.321-330.

Snow water equivalent, Soil water, Water level, Snow retention, Vegetation factors, Agriculture.

42-2206

Snow water management for crop production.

Smika, D.E., et al, Nebraska. University. Great
Plains Agricultural Council. Publication, 1986,
No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985.

Edited by H. Steppuhn and W. Nicholaichuk, p.335-

Page, A.B., Mickelson, R.H.

Snow water equivalent, Snowmelt, Snow retention, Snowfall, Agriculture.

42-2207

Snew management and reduced tillage from a grain farmer's viewpoint.

McLean, L.A., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Saow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.369-373. Snow retention, Snow accumulation, Soil water, Agriculture.

Snow and fertilizer management for spring wheat

Snow and levimoning grown on zero till.

Campbell, C.A., et al, Nebraska. University. Greating Council.

Publication, 1986, and Agricu Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.375-399. 2 refs.

equivalent, Nutrient cycle, Soil water, Snow depth, Vegetation factors, Agriculture.

Benefits of snow management and N fertilization on

Besefits of snow management and it is interested assection trange.

Sturges, D.L., Nebrasks. University, Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by M. Steppuhn and W. Nicholaichuk, p.403-430, 21 refs. Snow retention, Soil water, Snow accumulation, Notice and Agriculture. Snawfall: Snow mechanics. trient cycle, Agriculture, Snowfall, Snow mechanics.

Shrubs for living snow fences on the central Great

Plains Agricultural Council. Publication, 1986, No. 120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p. 431-457, 17 refs. Shoop, M.C.

Snow retention, Snow fences, Plant ecology, Snowdrifts, Vegetation, Agriculture.

42-2211

Cropping system's dependence on snow management. Black, A.L., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.461-Asse, J.K.

retention, Precipitation (meteorology), Grasses, Soil water, Agriculture.

42-2212

42-2212
Snow management practices for trapping snow in a prairie environment.
Nicholaichuk, W., et al, Nebrasks. University.
Great Plains Agricultural Council. Publication,
1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada,
1985. Edited by H. Steppuhn and W. Nicholaichuk,
p.479-499, 10 refs.
Gray, D.M., Steppuhn, H., Dyck, F.B.

Snow retention, Snow cover distribution, Snow depth, Snow water equivalent, Snow accumulation,

Snow management and winter grain cropping sys-

Fowler, D.B., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.501-512, 13 refa. Snow reteation, Snow depth, Soll erosion, Countermeasures, Agriculture.

Snow management and cropping systems on the Erickson farm.

Erickson farm.

Erickson, D., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.513-521. Snow retention, Soil water, Snowfall, Agriculture, Water supply, Vegetation factors.

42-2215

Snow management in prairie grain production—a

Saow management in prairie grain production—a producer's report.
Reisnet, C., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.523-529. Snow retention, Soil water, Snow cover distribution Agriculture.

Skold, M.D., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No. 120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.534-554, 22 refs. Snyder, J.R., Willis, W.O., Olienyk, J.P.

Snow retention, Snow water equivalent, Economic analysis, Agriculture, Snow removal, Roads, Wind

42-2217

Economic potential of snow management in the Dako-

Snyder, J.R., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agricul-ture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.565-Skold, M.D., Willis, W.O.

Saow retention, Water supply, Soli water, Vegetation factors, Economic analysis, Agriculture.

Hydrologic implications of snow management.

Hydrotogic implications of asow management. Richards, D.R., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.585-597. Snow retention, Water retention, Snowmelt, Runoff, Water supply. Flood control. Agriculture.

42-219
Snow management and drought.

Dyer, J.A., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.599-611, 7 refs. Snow retention, Soil water, Water level, Monitors, Computer applications, Models, Grasses.

42-2220

Benefit/cost ratios for snow management techniques

Benefit/cost ratios for snow management techniques in semiarid climates.
Steppuhn, H., et al, Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.613-656, Refs. p.654-656. Erickson, D., Zentner, R.P., Nicholaichuk, W. Snow retention, Snowfall, Snow accumulation, Soil water, Cost analysis, Agriculture, Design, Snow depth, Snow water equivalent.

Colorado interagency living snow fence program. Colorado interagency living snow fence program.
Shaw, D., et al, Nebraska. University. Great Plains
Agricultural Council. Publication, 1986, No.120,
Symposium: Snow Management for Agriculture, Swift
Current, Saskatchewan, Canada, 1985. Edited by H.
Steppuhn and W. Nicholaichuk, p.657-660. ms. B

Snow hedges, Snow retention, Forest strips, Snow-drifts, Plants (botany), Agriculture.

42-2222

Energy conservation and management of snow. Rutherford, A.A., et al., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.663-679, 18 refs. Energy conservation and management of snow. Coxworth, E.W.

Snow retention, Soil water, Vegetation factors,

42,2223

Snow management for enhanced soil and water con-

Snow management for enhanced soil and water con-servation.

Luciuk, G.M., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agriculture, Swift Current, Saskatchewan, Canada, 1985. Edited by H. Steppuhn and W. Nicholaichuk, p.681-702, Refs. n 700-702

Snow retention. Water retention, Soil water, Snowmelt. Soil erosion. Countermeasures. Agriculture.

42.2224

Snow as an energy factor in western Canadian agricul-

Sawatzky, H.L., Nebraska. University. Great Plains Agricultural Council. Publication, 1986, No.120, Symposium: Snow Management for Agricul-ture, Swift Current, Saskatchewan, Canada, 1985. Sawatzky, Edited by H. Steppuhn and W. Nicholaichuk, p.703-715 20 refs

Snow retention. Soil water. Heat transfer. Snow depth, Soil erosion, Freeze thaw cycles, Frost pene-tration. Agriculture. Latent heat.

Studies, calculations and forecasts of ice phenomena on rivers and reservoirs. [Issledovaniia, raschety i prognozy ledovykh javienii na rekakh i vodokh-

prognozy ledovykh lavienii na rekakn i voudair-ranilishchakh, Donchenko, R.V., ed, Leningrad. Gosudarstvennyi gidrologicheskh institut. Trudy, 1986, Vol.323, 959., In Russian. For individual papers see 42-2226 through 42-2233. Refs. passim.

River ice, Ice cover thickness, Air temperature, Ice-bound rivers, Ice breakup, Ice jams, Flooding, Water level, Mathematical models.

42-2226

Methods of calculating water levels for ice-jams and ice blocking on regulated river reaches, (Metody rassee noceaing on regulates river reaches. (Metody fas-cheta zazhornykh i zatornykh urovnel vody na zaregulirovannykh uchastkakh rek, Donchenko, R.V., Leningrad. Gosudarstvennyh gi-drologicheskh institut. Trudy, 1986, Vol.323, p.3-18,

In Russian. 18 refs.

Ice breakup, Water level, Ice jams, Ice deterioration, Slush, Icebound rivers, Analysis (mathematics).

42-2227

Forecasting maximum water levels of the Severnaya and Zapadnaya Dvina rivers during ice Jams and ice clogging. ¡Prognozy maksimai'nykh zazhornykh i zatornykh urovnei vody rek Severnoi i Zapadnoi

Dviny, Buzin, V.A., et al. Leningrad. Gosudarstvenny'i gi-drologicheskii institut. Trudy, 1986, Vol.323, p.19drologicheskii institut. 1710y, 1900, voi.323, p.17-27, In Russian. 4 refs.
Chachina, N.S., Shanochkin, S.V.
Icebound rivers, Ice breakup, Ice jams, Water level.

42-2228

Calculating the parameters of break-through waves for ice jams. (Raschet parametrov voln proryva zato-

Bolotnikov, G.I., Leningrad. Gosudarstvenny) gi-drologicheskii institut. Trudy, 1986, Vol.323, p.28-30, In Russian. 1 ref. Icebound rivers, Ice breakup, Ice jams, Flooding, Ice surveys.

Estimated characteristics of ice regime in the lower tail-water of the Cheboksary Hydroelectric Power Plant. Prognoznaia otsenka kharakteristik ledovogo rezhina nizhnego b'efa Cheboksarskof GES<sub>1</sub>, Donchenko, R.V., et al, *Leningrad. Gosudarstvennyl* gidrologicheskh institut. Trudy, 1986, Vol.323, p.31-45, In Russian. 5 refs.

Filippov, A.M. Ice conditions, Ice cover thickness, Icebound rivers, Ice breakup, Ice jams, Electric power.

Calculating ice pileup in river beds. (Raschet navalov Calculating ice pieup in river beas, (Raschet havatov l'da v ruslakh reky, Kozitskii, I.E., Leningrad. Gosudarstvenny) gi-drologicheski institut. Trudy, 1986, Vol.323, p.46-50, In Russian. 2 refs. Icebound rivers, Ice breakup, Ice jams, Ice pileup. 43.3331

Accuracy of calculating ice thickness from the sum of subzero air temperatures. (Analiz tochnosti raschetov tolshchiny I'da po summe otritsatel'nykh temchetov tolshchiny I'da po summe otritsatel nykh tem-peratur vozdukhaj, Chizhov, A.N., et al, *Leningrad. Gosudarstvennyh gi-drologicheskh institut. Trudy*, 1986, Vol.323, p.51-56, In Russian. 3 refs. Alekseenko, R.IA. River Ice, Ice cover thickness, Analysis (mathemat-

ics), Air temperature.

42,2232

Snow cover effect on the accuracy of measuring ice thickness with radar frequency modulation meters. (Vilianie snezhnogo pokrova na tochnost' izmereniia tolshchiny l'da radiolokatsionnym izmeritelem s chas-

Chizhov A N

River ice, Ice cover thickness, Radar echoes, Ice surveys, Snow cover effect, Measuring instruments, Experimentation.

Changes in thermal regime of the Ob' and Irtysh rivers induced by flow control. Izmenenie termiches-kogo rezhima rek Obi i Irtysha pod vlijaniem

kogo rezhima iva-regulirovaniia stoka, Donchenko, R.V., Leningrad. Gosudarstvennyi gi-lani institut Trudy, 1986, Vol.323, p.81-

55; In Russian. 5 rets. Stream flow, Rivers, Water temperature, Thermal regime, Permafrost beneath rivers, Charts, Hydrolo-

Arctic ice in a seasonal thermodynamic climate model. [Arkticheskil led v sezonnol termodinamicheskol modeli klimataj,

Volovikov, S.A., et al, Moscow. Institut eksperimen-tal'nol meteorologii. Trudy, 1987, Vol.43, p.45-50, In Russian. 13 refs. Kolomeau M P

Sea ice distribution. Ice cover thickness, Ice growth. Pressure ridges, Drift, Phase transformations, Sea ice, Climatology, Polar regions, Mathematical mod-

42-2235
Analysis of the intensive Icing conditions at Saratov sirport during Dec. 1-7, 1981. Analiz uslovil voznik-novenita intensivnogo otlozhenita gololeda v aeroportu Saratov v period s 1 po 7 dekabria 1981 g.; Maksimovich, S.N., Leningrad. Gidrometeorologicheskh nauchno-isseleovstel'skh isentr SSSR. Trudy, 1987, Vol.288, p.92-99, In Russian. 4 refs. Alrports, Road icing, Pavements, Ice accretion, Icing rate, Meteorological factors, Synoptic meteorology.

Method of forecasting, one month in advance, the su of winter precipitation for the European USSR. [Sposob prognoza polia summ zimnikh osadkov v Evropeiskoi chasti SSSR s mesiachnoi zablagovremennost uj.
Simonov, A.A., Leningrad. Gidrometeorologicheskā
nauchno-issledovatel'skā tsentr SSSR. Trudy.
1987, Vol.287, p.115-127, In Russian. 7 refs.
Precipitation (meteorology), Snow, Ice forecasting,

Chemical data on soil samples from King George Is-Rey Jorge, islas Shetland del Sur,
Luzio, W., et al, Santiago de Chile. Instituto Antár Instituto Antártico Chileno. Serie científica, 1981, NO.30, p 150. In Spanish with English summary. 5 refs. tico Chileno. Serie cientifica, 1987, No.36, p.147-

Carrasco, A., Torres, T. Glacial deposits, Soil composition, Soil chemistry, Antarctica—King George Island.

Surface glacial sediments from 3 locations on King George I. pled for an exploratory study of their chemical proper The results show that these sediments have a high base sters. In creature show that these secuments have a high base saturation accounted for by a low-level leaching regime. These materials also have a high cation exchange capacity which, along with the low base leaching, would be an indication of the presence of some kind of smectite-type minerals. (Auth.) 43.2238

Estimating the neculiarities of thermal regime of soils Estimating the peculiarities of thermal regime of soils during cold periods. Otsenka osobennoste termicheskogo rezhima pochvy v kholodnyl period, Goryshina, N.G., Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy, 1986, Vol.502, Mezo-imikroklimatologiia (Meso- and microclimatology) edited by E.N. Romanova, p.77-85, in Russian. 6 refs. Soil freezing, Microclimatology, Thermal regime, Frost penetration, Seasonal freeze thaw, Organic soils, Sands, Peat, Clays, Loams.

42.2239

42-239
Mesoclimatic regionalization of the Krasnoyarsk area according to ice loads. Mesoclimaticheskoe raionirovanie territorii Krasnoiarskogo kraia po gololednym nagruzkamı.

Zakharov, A.G., Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1986, Vol.502, Mezo- i mikroklimatologiia (Meso- and microclimatology) edited by E.N. Romanova, p.119-126. In Russian.

Icing, Hoarfrost, Buildings, Structures, Ice loads, Topographic effects.

42-2240

Using the Pearson III distribution equation and its logarithmic modification in calculating dates of ice phenomena, rispol'zovanic raspredelenija Pirsona III tipa i ego logarifmicheskoi modifikatsii v raschetakh

tipa i ego loganitmicneskoi mountaassu vissenseska dat ledovykh iavleniij.
Zalesskii, V.F., Leningrad. Gidrometeorologicheskii nauchno-issledovatel'skii tsentr SSSR. Trudy, 1986, Vol.283, Voprosy gidrologicheskikh prognozov i raschetov (Hydrological forecasts and calculations) edited by A.V. Romanov, p.69-74, In Russian. 2 refs. Icebound rivers, Ice forecasting, Icebound lakes, Ice dating, Ice formation, Ice breakup, Analysis (math-

42-2241

Calculation and analysis of ice cover growth on reservoirs of the Upper and central Volga River, for ex-tending navigation periods. rRaschet i analiz rezhima narastaniia ledianogo pokrova na vodokhranilishchakh Verkhneĭ i Sredneĭ Volgi dlia tseleĭ prodleniia navigat-

Suj, Podsechina, T.V., Leningrad, Gidrometeorologi-cheskii nauchno-issledovatel'skii tsentr SSSR. Trudy, 1986, Vol.283, Voprosy gidrologicheskikh prognozov i raschetov (Hydrological forecasts and cal-culations) edited by A.V. Romanov, p.75-82, In Russian. 6 refs.

Icehound rivers Icehound lakes Ice navigation Ice cover thickness, Ice forecasting, Icebreakers.

Parametrization of microphysical processes allowing for crystalline phases of clouds and precipitation. for crystalline phases of clouds and precipitation. Parametrizatsiia mikrofizicheskikh protsessov s uchetom kristallicheskol fazy oblakov i osadkovą, Vel'tishchev, N.F., et al, Leningrad. Gi-drometeorologicheskii nauchno-issledovatel'skii tsentr SSSR. Trudy, 1986, Vol.284, Voprosy gi-drodinamicheskogo kratkosrochnogo prognoza pogody i mezometeorologiia (Hydrodynamic short-range weather forecasting and mesometeorology) edited by D.IA. Pressman, p.3-11, In Russian. 22 refs. Polezbaev A A

Cloud physics, Mathematical models, Supercooled clouds, Ice crystals, Snow crystals, Phase transformations, Water vapor, Crystal growth, Precipitation

(meteorology).

42-2243

Snow depth effect on the formation of mean monthly air temperature anomaly over the European USSR, western Siberia and Kazakhstan. (Viiianic vysoty snezhnogo pokrova na formirovanie anomalii srednel sneznnogo pokrova na tormirovanie anomalii srednet mesiachnoi temperatury vozdukha na Evropelskoi ter-ritorii SSSR, v Zapadnot Sibiri i Kazakhstane, Golubev, V.E., et al, Leningrad. Gidrometeorologi-cheski nauchno-issledovatel skii tsentr SSSR. Trudy, 1987, Vol.293, Metody dolgosrochnykh prognozov pogody (Long range weather forecasting methods) edited by N.I. Zverev, N.A. Bagrov and A.V. Popov, p.64-69, In Russian. 7 refs.

Air temperature, Snow cover effect.

Development and causes of the rise in chlorides in

Development and causes of the rise in chlorides in ground water. Beitrag zur Entwicklung und den Ursachen des Chloridanatiegs im Grundwasser, Bischofsberger, W., et al, Technische Universität, Munich, FRG. Lehrstuhl und Prüfumt für Wassergütewirtschaft und Gesundheitsingenieurwesen. (Bericht), 1986, REPT-63, 190p., TIB/A86-80561, In German. Weigelt, R., Klebe, S.

Ground water, Water chemistry, Meltwater, Snow melting, Salting, Ice melting, Road icing, Water pol-

42-2245

1969-1971 winter test reports.

U.S. National Safety Council. Traffic Division. Committee on Winter Driving Hazards, Stevens Point, WI, 1969-1971, 2 issues, For 1973-1980 reports see

Winter maintenance, Tires, Road icing, Brakes (mo-tion arrresters), Safety, Equipment, Snow cover effect, Ice cover effect.

42.2246

New approach for sizing rapid infiltration systems. Martel, C.J., Journal of environmental engineering, Feb. 1988, 114(1), MP 2323, p.211-215, 13 refs. Waste treatment, Water treatment, Seepage.

42-2247

Some models of ice melt on high level lakes in south-

Some models of ice melt on night level lakes in south-west Norway. Skorve, J., Photogrammetric engineering and remote sensing, Nov. 1987, 53(11), p.1565-1570, 10 refs. Ice melting, Lake ice, Remote sensing.

42-2249

93-2248 First offshore Alaskan Arctic pipelines nearing com-pletion for Endicott field. Greene, J.A., Oil and gas journal, Aug. 10, 1987, 85(32), p.33-40.

re structures, Pipelines, Pipeline supports,

42-2249

Applications of the interaction of microwaves with

Mattern and sow cover.

Matter, C., Remote sensing reviews, Oct. 1987, 2(2), p.259-387, Refs. p.380-387.

Snow electrical properties, Dielectric properties, Mi-

crowaves. Remote sensing.

42,2250

Bifurcated hydrogen-bond model of water and amorphous ice.
Giguère, P.A., Journal of chemical physics, Oct. 15.

1987, 87(8), p. 4835-4839, 44 refs.

Hydrogen bonds, Water structure, Amorphous ice,
Molecular structure.

42-2251

Hydrogeochemical zonality of western Yakutia. Gidrogeokhimicheskaia zonal'nost' Zapadnoĭ lAkutiij, Borisov, V.N., et al, Zemnaia kora i verkhniaia mantiia Vostochnoi Sibiri (Earth crust and the upper mantie of Fast Siberia) edited by M.I. Grudinin and A.I. Kiselev, Irkutsk, 1987, p.146-153, In Russian.

Alekseev, S.V., Klimov, A.IU., Pleshevenkova, V.A.

Permafrost distribution, Permafrost depth, Perma-frost hydrology, Subpermafrost ground water, Water chemistry, Composition.

42-2252

Dynamics of engineering-geological processes in economically developing regions of eastern Siberia. economically developing regions of eastern Siberia.

[Dinamiks inzhenerno-geologicheskikh protsessov v
osvaivaemykh raionakh iuga Vostochnol Sibiri,
Trzhtsinski, IU.B., et al, Zemnaia kora i verkhniaia
mantiia Vostochnol Sibiri (Earth crust and the upper
mantle of East Siberia) edited by M.I. Grudinin and
A.I. Kiselev, Irkutsk, 1987, p.153-161, In Russian. 12 refs.

Leshchikov, F.N.

Engineering geology, Permafrost structure, Ice volume, Rheology, Permafrost thermal properties, Slope processes, Freeze thaw cycles, Solifluction.

42-2253

Evaluating the dynamics of lake ice, snow cover and river floodwaters by remote sensing (a practical manual), rOtsenka dinamiki ozernykh l'dov, snezhnogo pokrova i rechnykh razlivov distantsionnymi

aredstvami (prakticheskoe posobie); Usachev, V.F., et al, Leningrad, Gidrometeoizdat, 1985, 104p., in Russian with English table of contents

Probacheva, V.G., Borodulin, V.V.
Lake Ice, Ice conditions, Ice breakup, Drift, Space-borne photography, Photointerpretation, Ice surveys,
River Ice, Snow cover distribution, Snow water equivalent, Snow line, Flooding.

Experimental calculation of masses of ice-hoarfrost deposits from indirect data. [Opytnyl raschet mass gololedno-izmorozevykh otlozhenil po kosvennym dannym<sub>1</sub>,

dannyun; Mytarev, M.N., Moscow. Tsentral'naia vysotnaia gi-drometeorologicheskaia observatoriia. Trudy, 1985, Vol.22, Pogoda i klimat Moskvy i Moskovskoi oblasti (Weather and climate of Moscow and the Moscow region) edited by F.IA. Klinov, p.78-83, In Russian.

Power line Icing, Hoarfrost, Ice loads, Ice accretion.

42-2255

44-2255 Seasonal freezing of ground on bare sections and under natural cover in Moscow (from data of the meteorological observatory of Moscow State Univer-sity). (Sezonnoe promerzanie gruntov na ogolennom uchastke i pod estestvennym pokrovom v Moskve (po dannym meteorologicheskoi observatorii MGU)<sub>1</sub>, Lipovetskais, O.N., et al, Moscow. Tsentral'nais zventrale, eideometeorologicheskais observatoriis vysotnala gidrometeorologicheskala observatorila. Trudy, 1985, Vol.22, Pogoda i klimat Moskvy i Moskovskoi oblasti (Weather and climate of Moscow and the Moscow region) edited by F.IA. Klinov, p.113-118, In Russian.

Foundations, Soil freezing, Soil temperature, Frost penetration, Vegetation factors, Seasonal freeze thaw, Snow cover effect, Frozen ground thermody-

Downslope stone transport by needle ice in a high

Downstops stone transport by needle ice in a night Andean area (Venezuela).

Pérez, F.L., Revue de géomorphologie dynamique, 1987, 36(2), p.33-51, With French and Spanish summaries. 59 refs.

Ice needles, Slope processes, Rocks, Mountains, Venezuela.

Periglacial processes and landforms in Britain and Ireland. Boardman, J., ed, Cambridge, University Press, 1987

296p., Refs. passim. For selected papers see 42-2258 through 42-2272. DLC GB588.43.P47 1987

Periglacial processes, Landforms, Geomorphology, Paleoclimatology, Landscape development, Pleisto-cene, Soil weathering, United Kingdom.

Periglacial forms of Svalbard: a review.

Akerman, J., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.9-25, Refs. p.23-25. Periglacial processes, Landforms, Geomorphology, Climatic factors, Distribution, Aerial surveys, Pat-terned ground, Thermokarst, Norway—Svalbard.

Periglacial processes and landforms in the western Canadian Arctic.

French, H.M., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.27-43, Refs. p.41-43. Periglacial processes, Landforms, Tundra, Deserts, Mountains, Climatic factors, Pleistocene, Permafrost, Canada.

Periglacial phenomena of northern Fennoscandia.
Seppala, M., Periglacial processes and landforms in
Britain and Ireland. Edited by J. Boardman, Cam-Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.45-55, 59 refs. Perfglacial processes, Discontinuous permafrost, Frost action, Geomorphology, Pingos, Frost mounds, Polygonal topography, Pleistocene, Distribution, Cli42-2261

Spatial and temporal trends in alpine periglacial studles: implications for paleo reconstruction.
Thorn, C.E., et al, Periglacial processes and landforms

in Britain and Ireland. Edited by J. B. bridge, University Press, 1987, p.57-65, 53 refs. Loewenherz, D.S.

Periglacial processes, Landforms, Climatic factors, Paleoclimatology, Geomorphology, Sediments,

42-2262

Pleistocene periglacial conditions and geomorpholo-

Pleistocene perigiacia: conditions and geomorphology in north central Europe.

Karte, J., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.67-75.

Periglacial processes, Pleistocene, Geomorphology,

Climatic changes, Landforms, Paleoclimatology,

42-2263

Welchselian periglacial structures and their environ-mental significance: Belgium, the Netherlands, and northern France.

Pissart, A., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.77-85, With French sum-Refs. p.83-85.

mary. Refs. p.83-85.
Periglacial processes, Paleoclimatology, Glaciation, Stratigraphy, Ice wedges, Frost mounds.

42-2264

Present-day periglaciation of upland Britain.
Ballantyne, C.K., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p. 113-126, Refs. p.124-

Periglacial processes, Climatic factors, Landforms, Patterned ground, Wind factors, Mountains.

42-2265

Frost weathered mantles on the Chalk.

Williams, R.B.G., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.127-133, 26 refs.
Froat weathering, Periglacial processes, Frozen rocks, Geomorphology, Paleoclimatology.

42.2266

Frost and salt weathering as periglacial processes: the results and implications of some labor-tary experi-

Derwood, L.C., et al, Periglacial processes and land-forms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.135-143, 10 refs. Robinson, D.A., Williams, R.B.G.

Frost weathering, Periglacial processes, Experimentation, Rocks, Freeze thaw cycles, Temperature effects.

42-2267

Periglacial features in the soils of north east Scotland. Fitzpatrick, E.A., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.153-162, 23 refs.
Periglacial processes, Paleoclimatology, Frost shattering, Solifluction, Slopes, Geomorphology, Rocks,
Frost heave, Age determination.

42-2268

Rock platform erosion on periglacial shores: a mod-ern analogue for Pleistocene rock platforms in Brit-

Dawson, A.G., et al, Periglacial processes and land-Dawion, A.O., et al, rerigiaciai processes and land-forms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.173-182. Matthews, J.A., Shakesby, R.A. Periglacial processes, Rocks, Shores, Frost shatter-ing, Lacustrine deposits, Erosion, Pleistocene.

42-2269

Ramparted ground ice depressions in Britain and Ireland.

Bryant, R.H., et al, Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cam-bridge, University Press, 1987, p.183-190, 32 refs. Carpenter, C.P.

Ground ice, Geomorphology, Paleoclimatology, Periglacial processes, Glaciation, Sediments, Distribution, Age determination.

42-2270

Distribution and age of pingo remnants in Ireland. Coxon, P., et al. Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cam-bridge, University Press, 1987, p.195-202, 32 refs. O'Callaghan, P.

Pingos, Periglacial processes, Paleoclimatology, Distribution, Age determination, Landscape types.

Role of thermokarst in landscape development in

eastern England.
Burton, R.G.O., Periglacial processes and landforms in Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p. 203-208, 28 refs.
Thermokarst, Landscape development, Paleocilimatology, Ground Ice, Ice wedges, Hydrology, Goology.

42-2272

Significance of periglacial features on Knocknadobar, south west Ireland.

south west Ireland.
Quinn, I.M., Periglacial processes and landforms in
Britain and Ireland. Edited by J. Boardman, Cambridge, University Press, 1987, p.287-294, 36 refs.
Periglacial processes, Landforms, Paleoclimatology,
Landscape types, Temperature effects.

42-2273

Satellite information for surface water research. [Sputnikovais informatsiis i izuchenie vod sushi], Sputiatovas monimuma i raterieme vod sustij, Kuprilanov, V.V., et al, Lezingrad. Gosudarivennji gidrologicheskli institut. Trudy. 1976, Vol.238, 144p., in Russian with abridged English table of con-tents enclosed. 164 refs.

tents enclosed. 104 rets.
Prokachevs, V.G.
Remote sensing, Hydrology, Runoff, Ice conditions,
Water reserves, Models, Floods, Precipitation
(meteorology).

42-2274

Ways of increasing the efficiency of working equip-ment designed for the North. (Metody povysheniia rabotosposobnosti tekhniki v severnom ispolnenii), Grigor'ev, R.S., et al, Novosibirsk, Nauka, 1987, 252p., In Russian with abridged English table of con-

252p., in Russian with abridged English table of con-tents enclosed. 277 refs. Larionov, V.P., Urzhumtsev, IU.S. Engineering, Mining, Equipment, Construction equipment, Climnic factors, Steels, Construction materials, Frost action, Brittleness, Mechanical tests, Low temperature tests, Subpolar regions. 42-2275

42-2275
Relation of placer gold to the autochthonous deposits in the cryolithozone. (Sviaz' rossypno'i korenno'i zolotonosnosti kriolitozony),
Davidenko, N.M., Yakutak, İnstitut merzlotovedeniia, 1987, 172p., In Russian with abridged English table of contents enclosed. Refs. p.160-170.
Lithology, Minerals, Gold, Origin, Alluvium, Placer melals. Parasthest.

mining. Permafrost.

42-2276

Ice conditions, state of the ice cover and fast ice the acteristics in Alasheyev Bight. (Ledovye u sostojanie ledianogo pokrova i nekotorye kharaktenitiki pripalnogo l'da v zalive Alasheeva,, Komilov, N.A., et al, Sovetskaia antarkticheskaia ek-

speditsiia. Informatsionnyi biulleten', 1987, Vol.109, p.18-28, In Russian. 4 refs.

Leont'ev, E.B., Fedotov, V.I

Leont'ev, E.B., Fedotov, V.I.

Ice strength, Fast ice, Ice navigation, Sen ice distribution, Ice composition, Antarctica—Alasheyev Bight.

Results of studies of ice conditions in Alasheyev Bight from

Dec. 1974 to Feb. 1976 are presented. Tabulated data includes

the following: water temperature, under the ice and at different

distances from the shore, for Jan.—Mar. 1975; thickness of one
year-old and 2-year-old fast ice in the coastal zone; ice cover
and snow cover thickness for Aug. 21-23, 1975; and monthly

salinity values of one-year-old fast ice from Nov. 1975 to Feb.

1976. Illustrations of seasonal stratigraphy and strength of

one-year-old ice show it to be at its weakest in the last 10 days

of Jan. and the first 10 days of Feb. It is recommended that

expedition ships navigate along the weatern coast of the Tange

Promontory and the southern coast of the bay.

42-2277

42.2277 Influence of liquid phase on strain-strength energy of ses ice. (O vlijanii zhidkol fazy na prochnost' i energiiu deformatsii antarkticheskogo morskogo l'da, Nazintsev, IU.L., et al, Sovetskaia antarkticheskaia ekspeditsiia. Informatsionnyi biulieten', 1987, Vol.109, p.35-42, ln Russian. 10 refs. Fedotov, V.I.

Fedotov, V.I. See ice, Liquid phases, Ice strength.

Data on the structure, composition, salinity, temperature and models of ice elasticity, from studies carried out on the research vessel Mikhail Somov in 1978-1981, as well as from studies at Molodezhnaya Station in 1971-1976, are examined, and a distinct relation between ice strength and structure, particularly in relation to the liquid phase component, is found.

42-227R

Snow-ice adhesion to ship's hull. O mekhanizme

Oblipaniia korpusa sudnay,
Vol, A.A., et al, Sovetskaia antarkticheskaia ckspeditsiia. Informatsionnyl biulleten', 1987, Vol.109, p.42-45, In Russian. 3 refs. Ionov, B.P., Lednev, V.A. Ice navigation.

Results of investigations on the effect of snow and ice adhesion on ships' speed, carried out on the Mithail Somov during the 26th and 27th Soviet Antarctic Expedition, are presented. Basic conditions to induce adhesion include: unfavorable sit emperature, the presence of ground and finely fractured ice, speed of ship less than 10-12 knots, the presence of snow on the ice surface, significant corrosion of the hull, and absence of protective hull cover. It is also found that adhesion takes place the presence of snow different areas of the hull. protective nun cover: It is also found that sadieston takes pinct unevenly over different areas of the huil, and that hydrometeorological and geographical conditions do not correlate with the severity and frequency of the adhesion, although its occurrence is more probable in sea water than in fresh water.

Studies of mountain lakes in the Unter-See region. Isaledovanie ozer gornogo oazisa Unter-Ze<sub>1</sub>, Klokov, V.D., et al, Sovetskais antarkticheskais ekspeditsiis. Informationny! bulleten', 1987, Vol.109, p.45-50, In Russian. 1 ref.

Simonoy, I.M., Kaup, E.B., Loopmann, A.A.
Lake ice, Ice cover thickness, Lake water, Hydrogeochemistry, Microbiology, Antarctics—Unter-See,

From Dec. 2 to Dec. 15, 1983, a complex investigation of 2 main lakes within the Unter-See region, in the Wohlthat Mountains, was carried out by bathymetric measurements along several profiles. The ice thickness, the vertical temperature distriterms profiles. The ice thickness, the vertical temperature unau-bution and the concentration of dissolved oxygen were studied. bution and the concentration of dissolved oxyses were studied. The distribution of the water mineralization and the pH values were measured. Samples were collected for determination of nutrient content and concentrations of main ions, heavy metals and oxygen isotopes (O-18). The distribution of chlorophyll and the primary production of phytoplankton were determined by C-14 measurements. The vertical distribution of photosetive radiation 330-710 mm] was noted. Samples of phytoplankton and phytobenthos were conserved for determination of species distribution. Sediment was sampled for chemical analysis. The morphology of the lakes Uniter-See and Ober-See and some chemical and bi-logical dats of fresh-water lakes, glaciers and snow of the oasis as presented in tables and figures.

Study of long period average accumulation of atmospheric precipitation in the Mirnyy Station area. [lasledovaniia arednemnogoletnel akkumuliatsii atmospheric precipitation area.] fernykh osadkov v rajone observatorii Mirnyj, Diurgerov, M.B., et al. Sovetskaia antarkticheskaia ek-

Speditiis. Informationny'i biulieten', 1
Vol.109, p.51-57, In Russian. 4 refs.
Korolev, P.A., Manevskif, L.N., Pukhov, V.A.
Ice cores, Snow accumulation, Antarctica—N

Station.

Station. Results of studies of firm-ice cores from 2 boreholes, carried out in the vicinity of Mirmyy Station during the 26th Soviet Antarcic Expedition in July-Aug. 1981, are discussed. Tables are presented showing respective location and characteristics of the boreholes (47.5 and 50.0 m above sea level, 16.38 and 31.16 m jerth, and -8.9 and -8.3 C temperature); 1955-1981 spring-summer net accumulation data; and snow and firm structure.

Hydrometeorological regime of the southern ocean in summer 1982-1983. [Gidrometeorologicheskii rez-

him Iluzhnogo okeana letom 1982-1983, Paviov, A.IU., Sovetskaia antarkticheskaia ekspeditsiia. Informatsionnyi biulleten', 1987, Vol. 109, p.80-83. In Russian. 6 refs.

83, In Russian. 6 refs.

Sea ice distribution, Icebergs, Snowfall.

Results of hydrometeorological investigations, carried out in the low pressure zone at 61-628 by the 28th Soviet Antarctic Expedition during Dec. 1982-Apr. 1983 are given as follows: lowest pressure, 969 mbar; wind speed, 25 m/sec; height of the swell, 7 m. Long period sverages for recurrence of basic hydrometeorological characteristics are compared to the expedition's data, which are tabulated and discussed. In considering navigation conditions, it is found that the higher the latitude, the lower the visibility, while precipitation increased from 29% at 40-50S, to 42% at 50-60S and to 50% south of 60S in relation to long-netical averages. The highest precipitation ratio was at 40-50S, to 42% at 50-60S and to 50% south of 60S in relation to long-period averages. The highest precipitation ratio was found in the coastal waters of the Pacific sector, where it exceeded 58%. Precipitation in the coastal areas of the continent consists of short snowfalls of 10-20 min. duration. Data on sea ice distribution show the highest concentration of icebergs to occur in the Davis Sea, where they drift at an average speed between 0.4 to 0.9 knots, but sometimes reaching 2 knots.

Unusual moraine. [Neobychnaia morena], Simonov, I.M., Sovetskaia antarkticheskaia ekspedit-

Informatsionnyi biulleten', 1987, Vol.109,

p.109-111, In Russian.
Lakes, Moraines, Glacial deposits, Antarctica—Unt-

Lakes, Moraines, Giscial deposits, Antarctica—Unter-See, Lake, Antarctica—Anuchin Glacier.

After a brief description of the location, geography, morphology, dimensions, ice cover features and water characteristics of Lake Unter-See, a moraine found by the 28th and 29th Soviet Antarctic Expeditions in Dec. 1983, located in the southwestern corner of the lake, next to the Anuchin Glacier, is described. The moraine consists of rocks 2-3 m in diameter, unlike those found slaewhere in the lake, and is approximately 300-500 m wide. Discussion centers on the possible processes contributing to the formation of the moraine.

Teeberg life expectancies in the Grand Banks and Labrador Sea. Venkatesh, S., et al, Cold regions science and tech-

nology, Feb. 1988, 15(1), p.1-11, 13 refs. El-Tahan, M.

Icebergs, Ice melting, Sen ice distribution, Ice conditions, Ice deterioration, Models, Labrador Sea, Canada.—Newfoundland—Grand Banks.

Study of the heat transfer process in fresh water at low temperatures.

Dutton, C.R., et al., Cold regions science and technology, Feb. 1988, 15(1), p.13-22, 9 refs.

Sharan, A.M.

Sharan, A.M.
Ice water interface, Heat transfer, Water tempera-ture, Boundary layer, Flow rate, Ice surface, Air water interactions, Analysis (mathematics), Velocity, Temperature distribution.

Measurement of saline ice thickness using a step frequency radar.

lizuka, K., et al, Cold regions science and technology, Peb. 1988, 15(1), p.23-32, 21 refs. For a different source see 41-4511.

Artificial ice, Ice salinity, Ice cover thickness, Radar echoes, Electromagnetic properties, Remote sensing, Experimentation.

Formation of slush on floating ice.

Knight, C.A., Cold regions science and technology, Feb. 1988, 15(1), p.33-38, 14 refs. Slush, Snow cover, Floating ice, Ice formation, Surface properties, Flooding.

On the determination of the average Young's modulus

for a floating ice cover.

Kerr, A.D., et al, Cold regions science and technology,
Feb. 1988, 15(1), MP 2324, p.39-43, 11 refs.

Haynes, F.D. Floating ice, Loads (forces), Ice elasticity, Analysis

Floating Ice, Londs (forces), Ice elasticity, Analysis (mathematics), Pressure.

First, the meaning of Young's modulus for a floating ice cover is discussed. A method often used for determining the average modulus of the cover, E(av), consisting of loading an ice cover vertically with a rigid disc, is then presented and a possible shortcoming of the calculation method used is pointed out. It is related to the fact that the contact pressure distribution between disc and ice cover is generally not known. To clarify this issue, a comparative study was conducted to establish the effect of related pressure distributions on the calculated E(av)-value. It was found that the limiting cases—like the uniformly distributed pressure distributions on the calculated E(av)-value. It was found that the limiting cases—like the uniformly distributed pressure and the uniform line distribution along the disc boundary—yield E(av) that are close to each other. Also for the range of parameters under consideration, the E(av) obtained using the solution for a concentrated force is close. The paper concludes by showing how the generated graphs may be used to simplify the calculation of E(av) for an ice cover.

Implications of salt fingering processes for salt move-Implications of said integring processes for said more ment in thewed coarse-grained subsea permafrost. Baker, G.C., et al, Cold regions science and technology, Feb. 1988, 15(1), p.45-52, 18 refs.

Oaterkamp, T.E.

Subsea permafrost, Ground thawing, Fluid flow, Salinity, Meltwater, Sands, Sediments, Experimentation, Boundary layer, Porosity.

Analysis for splitting of ice floes during summer im-

pact.
Bhat, S.U., Cold regions science and technology,
Feb. 1988, 15(1), p.53-63, 25 refs.

Offshore structures, Fracturing, Ice cracks, Ice breaking, Ice floes, Impact strength, Loads (forces), Ice mechanics.

42-2200

Spray evolution in Icing wind tunnels.
Gates, E.M., et al. Cold regions science and technology, Feb. 1988, 15(1), p.65-74, 11 refs.
Lam, W., Lozowski, E.P.

Wind tunnels, Icing, Drops (liquids), Ice accretion, Velocity, Models, Temperature effects.

42,2201

Effect of notch depth on the fracture toughness of

Effect of social depth on the fracture toughness of freshwater ice. Nixon, W.A., Cold regions science and technology, Feb. 1988, 15(1), p.75-78, 10 refs. Ice strength, Ice crystal structure, Fracturing, Tem-perature effects, Grain size, Tests.

42.2292

42-2292 Crack nucleation in polycrystalline ice. Cole, D.M., Cold regions science and technology, Feb. 1988, 15(1), MP 2325, p.79-87, 14 refs. Ice cracks, Ice crystal structure, Grain size, Crack

Ice cracks, Ice crystal structure, Grain size, Crack propagation, Anisotropy, Tests, Models. This paper examines in detail two likely mechanisms of microcrack formation in polycrystalline ice and pays special attention to the grain size dependencies of each mechanism. Under consideration are the Zener-Stroh dialocation pileup mechanism and an elastic mechanism based on the anisotropy of the ice lattice. Calculations for the pileup mechanism indicate that although the dislocation velocity is relatively low, a critical-sized pileup can form under plausible test conditions. Quantification of the elastic anisotropy mechanism indicates that it operate over approximately the same stress levels as the pileup mechanism and exhibits the same grain size dependency. The results of observations on the microcracking of laboratory-prepared freshwater ice having randomly oriented equiaxed grains are used to test the model predictions. The work gives detailed descriptions of the methods used to quantify each model. model

42-2293

Snow mass concentration and precipitation rate. Koh, G., et al, Cold regions science and technology, Feb. 1988, 15(1), MP 2326, p.89-92, 7 refs. acombe, J., Hutt, D.L.

Snow accumulation, Precipitation gages, Snowfall, Measuring instruments, Velocity.

42-2294

Glaciated coasts.

Giscated coasts.
Fitzgerald, D.M., ed, London, Academic Press, 1987, 364p., Refs. passim. For selected papers see 42-2295 through 42-2298.
Rosen, P.S., ed.
DLC GB582.G57

Glacial geology, Geomorphology, Landforms, Sedi-mentation, Coastal topographic features, Paleocliam-tology, Shoreline modification, Beaches, Tectonics, Periglacial processes.

42-2295

Geomorphology of a tectonically active, glaciated coast, South-Central Alaska.

Ward, L.G., et al, Glaciated coasts. Edited by D.M. Fitzgerald and P.S. Rosen, London, Academic Press,

ritzgerata and P.S. Rosen, London, Academic Press, Inc., 1987, p.1-31, 30 refs. Moslow, T.F., Finkelstein, K. Geomorphology, Glacial deposits, Coastal topographic features, Sedimentation, Tectonics, Shoreline modification, Paleoclimatology, United States—

42.2296

Coarse-grained beach sedimentation under paragla-cial conditions. Canadian Atlantic coast. Forbes, D.L., et al, Glaciated coasts. Edited by D.M. Fitzgerald and P.S. Rosen, London, Academic Press, Inc., 1987, p.51-86, Refs. p.82-86.

Geomorphology, Beaches, Periglacial processes, Coastal topographic features, Glaciation, Paleo-climatology, Canada.

42-2297

Holocene avolution of the South-Central coast of Ice-

Nummedal, D., et al, Glaciated coasts. Edited by D.M. Fitzgerald and P.S. Rosen, London, Academic Press, Inc., 1987, p.115-150, Refs. p.148-150. Hine, A.C., Boothroyd, J.C.

Geomorphology, Outwash, Coastal topographic fea-tures, Glaciation, Glacial deposits, Climatic changes, Paleoclimatology, Iceland.

42-2298

Controls and zonation of geomorphology along a gla-ciated coast, Gouldsboro Bay, Maine. Shipp, R.C., et al, Glaciated coasts. Edited by D.M. Fitzgerald and P.S. Rosen, London, Academic Press,

Inc., 1987, p.209-231, Refs. p.229-231. Staples, S.A., Ward, L.G.

Statics, S.A., ward, L.O.
Glacial deposits, Geomorphology, Coastal topographic features, Sedimentation, Glaciation, Beaches, United States—Maine.

42-2299

Correction of precipitation measurements.
ETH/IAHS/WMO Workshop on the Correction of Precipitation Measurements, Zurich, April 1-3, 1985, Zurcher geographische Schriften, 1986, No.23, 288p., Refs. pasaim. For selected papers see 42-2300 through 42-2306. Sevruk, B., ed.

Precipitation gages, Snowfall, Snow water equivalent, Snow accumulation, Accuracy, Meetings, Wind factors. Rain.

42-2300

Correction of winter precipitation data by computed

Correction of winter precipitation and by computer anow accumulation.

Martinec, J., Zurcher geographische Schriften, 1986, No.23, ETH/IAHS/WMO Workshop on the Correction of Precipitation Measurements, Zurich, April 1-3, 1985. Proceedings. Edited by B. Sevruk, p.67-71.

Snow accumulation, Snow water equivalent, Snow-fall, Snow depth, Precipitation gages, Computer ap-plications, Wind velocity, Accuracy, Winter.

42-2301

Density of new snow and its dependence on air tem-

perature and wind.

Meister, R., Zurcher geographische Schriften, 1986,
No.23, ETH/IAHS/WMO Workshop on the Correction of Precipitation Measurements, Zurich, April 1-3, 1985. Proceedings. Edited by B. Sevruk, p.73-79, 10 refs

Snow density, Snowfall, Snow accumulation, Air temperature, Wind velocity, Snow water equivalent, Mountains, Accuracy.

42-2302

Conversion of snowfall depths to water equivalents in

the Swiss Alps.

Sevruk, B., Zürcher geographische Schristen, 1986, No.23, ETH/IAHS/WMO Workshop on the Correction of Precipitation Measurements, Zurich, April 1-3, Proceedings. Edited by B. Sevruk, p.81-88, 24 refs.

w depth, Snowfall, Snow water equivalent, Measuring instruments, Mountains, Snow samplers, Seasonal variations, Switzerland—Alps.

42-2303

42-2303

Problems of precipitation measurements for water budget studies in the Highlands of Hessen.

Sokollek, V., Zürcher geographische Schriften, 1986, No.23, ETH/IAHS/WMO Workshop on the Correction of Precipitation Measurements, Zurich, April 1-3, 1985. Proceedings. Edited by B. Sevruk, p.89-94, 6 refs.

Precipitation gages, Snow accumulation, Snow water equivalent, Water supply, Wind factors, Rain.

42,2304

Canadian methods for precipitation measurement and

Canadian methods for precipitation measurement and corrections.

Goodison, B.E., et al, Zurcher geographische Schriften, 1986, No.23, ETH/IAHS/WMO Workshop on the Correction of Precipitation Measurements, Zurich, April 1-3, 1985. Proceedings. Edited by B. Sevruk, p.141-145, 12 refs. Louie, P.Y.T.

Precipitation gages, Snow accumulation, Snowfall, Temperature effects, Rain, Weather stations, Accuracy, Canada.

42-2305

Correction of precipitation measurements: Swiss ex-

perience.
Sevruk, B., Zurcher geographische Schriften, 1986, No.23, ETH/IAHS/WMO Workshop on the Correction of Precipitation Measurements, Zurich, April 1-3, 1985. Proceedings. Edited by B. Sevruk, p.187-196,

Precipitation gages, Snowfall, Air temperature, Rain, Wind factors, Accuracy, Seasonal variations, Weather stations, Switzerland.

42-2306

Quantitative model for operational point precipita-tion correction by use of data from standard meteoro-

logical stations.

Solantie, R., Zurcher geographische Schriften, 1986, No.23, ETH/IAHS/WMO Workshop on the Correc-tion of Precipitation Messurements, Zurich, April 1-3, 1985. Proceedings. Edited by B. Sevruk, p.197-202 3 refs.

Snowfall, Precipitation gages, Wind factors, Rain, Accuracy, Weather stations, Models, Finland.

Laboratory studies of sticking coefficients and heterogeneous reactions important in the antarctic stratos-

Leu, M.-T., Geophysical research letters, Jan. 1988, 15(1), p.17-20, 16 refs.

Ice water interface, Ice vapor interface, Ice crystal growth.

growth.

Laboratory studies of sticking coefficients of H2O, HCI, Cl2 and HNO3 on ice and heterogeneous reactions of CIONO2 with ice or HCI/ice have been performed in a fast flow reactor. A quadrupole mass spectrometer with electron impact ionization was used as a detector. The reaction probability of ClO-NO2 on ice was 0.06 while HOCI was observed as a sole product in the gas phase. With HCI present in ice, the reaction probability of ClONO2 is greatly enhanced, approaching 0.27

(+0.73, -0.13) while moleuclar chlorine was the major product in the gas phase. Another renation made in the gas phase. in the gas phase. Another reaction product was nitric acid which remained in the solid phase. Since the polar stratospheric clouds contain ice particles or possibly HCI/ice particles on the surface, the present results should be a major factor in producing the observed springtime ozone depletion in the an-tarctic stratosphere. (Auth. mod.)

Current problems in engineering geology and hy-drogeology of metropolitan and megalopolitan areas. Sovremennye problemy inzhenernol geologii i gi-drogeologii territorii gorodov i gorodskikh aglomerat-

Sergeev, E.M., ed, Moscow, Nauka, 1987, 408p., In Russian with abridged English table of contents en-closed. For selected summaries see 42-2309 through 42-2320

Koff, G.L., ed.

Urban planning, Environmental protection, Buildings, Foundations, Piles, Deformation, Frost heave, Swamps, Land reclamation, Soil stabilization, Organ-ic soils, Peat, Rheology, Permafrost beneath structures, Sporadic permafrost, Continuous permafrost, Permafrost hydrology, Statistical analysis, Maps,

42.2309

Geotechnical conditions of the Nizhniy Urengoy town area. Geotekhnicheskie usloviia territorii g. Nizh-

nego Urengoia, Karlova, V.P., et al, Sovremennye problemy inzhener-Nariow, V.F., et al., Sovremennye proteins in interest-nof geologii i gidrogeologii territorii gorodov i gorod-skikh aglomeratsii (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow, Nauka, 1987, p.130-131, In Russian.

Urban planning, Permafrost transformation, Perma-frost beneath structures, Permafrost hydrology, Su-prapermatrost ground water, Taliks, Water supply, 

Deformations of buildings and engineering structures in the Arctic settlement of Amderma and their causes. Deformatsii zdanii i inzhenernykh sooruzhenii v arkticheskom poselke Amderma i ikh prichiny, Labudzinskii, E.I., et al, Sovremennye problemy inz-

Laduuzinskii, E.I., et al, Sovremennye problemy inzhenemol geologii i gidrogeologii territorii gorodov i gorodakikh aglomeratsü (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow, Nauka, 1987, p.135-136, In Russian

Brushkov, A.V., Bychkov, S.N. Shores, Permafrost beneath structures, Frost heave. Houses, Buildings, Foundations, Deformation, Arctic

42-2311

Role of the dynamics of engineering-geocryological conditions in man-induced paludification (the Chita-Ingoda trough taken as an example). [Rol' dinamiki inzhenerno-geokriologicheskol obstanovki v tekhnogennom podtoplenii (na primere ob"ektov Chitino-In-

gedinskoj vpadiny), Shesternev, D.M., et al, Sovremennye problemy inz-henemol geologii i gidrogeologii territorii gorodov i gorodskikh aglomeratsii (Current problems in engigoroushkin agometasa careful policius in angu-neering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow, Nauka, 1987, p.155-156, In Russian

Pokrovskíř, D.S., Tsyganok, V.I.

Permafrost beneath structures, Paludification, Dis-continuous permafrost, Hydrothermal processes, Water pollution, Electric power, Industrial buildings.

Engineering-geocryological conditions in the East-Siberian economic region. [Inzhenerno-geokriologicheskie usloviia Vostochno-Sibirskogo ekonomiches-

kogo rajona,

Aleksandrov, A.S., et al, Sovremennye problemy inzhenernoï geologii i gidrogeologii territorii gorodov i gorodskikh aglomeratsii (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow, Nauka, 1987, p.166-167, In Russian

Shesterney, D.M.

Permafrost distribution, Economic development, Permafrost thickness, Permafrost structure, Industrial buildings, Residential buildings, Environmental protection. Human factors.

Evaluation of causes of the development of frost heave processes during seasonal freezing and thawing of rocks, the case of the Leningrad Region. Otsenka faktorov razvitija protsessa puchenija pri sezonnom promerzaniji porod (na primere Leningradsko) oblas-

ti),
Chesnokova, I.V., Sovremennye problemy inzhenernof geologii i gidrogeologii territorii gorodov i gorodskikh aglomeratsii (Current problems in engineering skith agiomeratis (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow, Nauka, 1987, p.192-193, in Russian. Soil freezing, Frost action, Frost heave, Seasonal freeze thaw, Fines, Clays, Sands, Pest.

42-2314

Formation of "man-induced" perched water tables on construction sites of western Siberia. [Formirovanie "tekhnogennol" verkhovodki na zastraivaemykh ploshchadiakh Zapadnoš Sibiri,

Ablavskii, F.N., Sovremennye problemy inzhenernoi geologii i gidrogeologii territorii gorodov i gorodskikh aglomeratail (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow,

Nauka, 1987, p.194-195, In Russian. Embankments, Water table, Earth dams, Human factors, Earth fills, Permafrost beneath structures, Sands, Loams, Peat.

Systems of urban areas in East Siberia affected by industrial activities. (Tekhnogennye sistemy gorod-skikh territorii Vostochnoi Sibiri),

Pisarskii, B.I., et al, Sovremennye problemy inzhener-nol geologii i gidrogeologii territorii gorodov i gorodnoi geologn i giorgeologn territoria gorodov i gorod-skikh aglomerata (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow, Nauka, 1987, p.277-278, In Russian. Dem'ianovich, N.I.

Urban planning, Economic development, Human fac-tors, Industrial buildings, Soil pollution, Water pollu-tion, Environmental protection.

42-2316

Problems of engineering geology of urban infrastruc-tures related to the West Siberian petroleum com-plex. (Problemy inzhenernoï geologii gorodskikh in-frastruktur pri formirovanii zapadno-Sibirskogo neftegazovogo kompleksaj, Puliaev, V.N., et al, Sovremennye problemy inzhener-

Pullacy, V.N., et al., Sovremennye problemy inznener-nof geologii i gidrogeologii territorii gorodov i gorod-skikh aglomerataii (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koft, Moscow, Nauka, 1987, p.281-283, In Russian.

Urban planning, Petroleum industry, Permafrost dis tribution, Permafrost beneath structures, Permafrost transformation, Buildings, Foundations, Environmental protection.

42-431" Principles of compiling models of clayer rocks for forecasting engineering-geological processes at the base of structures. Printsipy postroenia modelet glinistyth porod dia prognoza inzhenermo-geologicheskikh protecssov v osnovanii sooruzhenii,

Dashko, R.E., Sovremennye problemy inzhenernot geologii i gidrogeologii territorii gorodov i gorodskikh geologii i gidrogeologii territorii gorodovi gorodoskii a giomeratsii (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow, Nauka, 1987, p.318-319, In Russian. Clays, Clay soils, Rheology, Clay minerals, Deforma-tion, Mathematical models.

Using computers in forecasting thermal regimes of Osing Computers in total control of the property of the property of the program of the program of the program of the property sian

Rogatina, N.P. Permafrost distribution, Permafrost beneath struc-

tures, Permafrost thermal properties, Soil tempera-ture, Thermal regime, Stefan problem, Computer ap-

42-2319

Using some composition indices of recent flood-plain deposits in predicting settlement of buildings. [Ob ispol'zovanii nekotorykh pokazatelel sostava sov-remennykh polmennykh otlozhenii pri prognoze osadok zdanily,

Kozliakova, I.V., Sovremennye problemy inzhenernol geologii i gidrogeologii territorii gorodov i gorodskikh aglomeratsii (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow,

areas educato p. M. Sergeev and C.L. Koff, Moscow, Nauka, 1987, p. 361-362, in Russian. Sediments, Settlement (structural), Urban planning, Industrial buildings, Residential buildings, Founda-tions, Piles, Floodplains, Clays, Peat.

42-2320

Estimation and forecasts of engineering-geological processes in hydraulically filled earth, for designing residential buildings in the town of Surgut. [Otsenka i prognoz inzhenerno-geologicheskikh protsessov namyenykh gruntakh dlia proektirovaniia zhilishc-hnogo stroitel'stva v g. Surgute<sub>1</sub>, Kriveniuk, A.N., Sovremennye problemy inzhenernoï

geologii i gidrogeologii territorii gorodov i gorodskikh aglomeratsii (Current problems in engineering geology and hydrogeology of metropolitan and megalopolitan areas) edited by E.M. Sergeev and G.L. Koff, Moscow,

Nauka, 1987, p.365-367, In Russian. Swamps, Residential buildings, Land reclamation, Hydrothermal processes, Foundations, Soil stabiliza-tion, Concrete structures, Permafrost beneath structures, Sporadic permafrost, Organic soils, Peat, Subpolar regions.

Geocryological predictions for construction in new territories. [Geokriologicheskii prognoz pri stroitel!-nom osvoemi territorii], Baulin, V.V., ed, Moscow, Nauka, 1987, 104p., In Rus-

For individual papers see 42-2322 through 42-

sian. For individual papers see 12-222 and 12-2235. Refs. passim.

Permafrost distribution, Mapping, Economic development, Permafrost beneath structures, Permafrost control, Permafrost physics, Permafrost transformation. Forecasting.

42-2322

42-2322
Problems, methods and stages of geocryological forecasting. [Zadachi, metody i etapy geokriologicheskogo prognozirovaniia],
Ershov, E.D., et al, Geokriologicheskii prognoz pri
stroitel nom osvoenii territorii (Geocryological predictions for construction in new territories) edited by V.V.
Baulin, Moscow, Nauka, 1987, p.4-10, In Russian. 5

Garagulia, L.S., Maksimova, L.N. Economic development, Surveys, Permafrost distri-bution, Construction, Permafrost physics, Permafrost thermal properties, Foundations, Buildings, Earthwork, Forecasting, Permafrost transformation.

42-2323 Geocryological forecasts and the protection of geological environment, ¡Geokriologicheskiĭ prognoz i okhrana geologicheskoĭ sredy, Ershov, E.D., et al, Geokriologicheskiĭ prognoz pri stroitel nom osvoenii territoriĭ (Geocryological predictions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.11-15, In Russian.

Geocryology, Permafrost forecasting, Environmental protection.

42.2324

Structure of geological media as object of geocryologi-

Stricture or georgical media as object or georgy organical forecasting. (Struktura geologicheskol sredy kakob''ekt geokriologicheskogo prognoza), Mel'nikov, E.S., et al, Geokriologicheskil prognoz pri stroitel'nom osvoenii territorii (Geocryological predictions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p. 16-24, In Russian.

Goral'chuk, M.I.

Permafrost forecasting, Geologic structures, Perma-frost physics, Permafrost thermal properties.

Evaluation of man-induced changes in geocryological conditions. Maps for forecasting and evaluations. [Printsipy otsenkî tekhnogennykh izmenenîî geokri-ologicheskikh uslovîî. Prognoznye i otsenochnye karty),

Garagulia, L.S., et al, Geokriologicheskii prognoz pri stroitel nom osvoenii territorii (Geocryological predic-tiona for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.25-33, In Russian. Kondrat'eva, K.A., Parmuzin, S.IU., Romanovskit,

Permafrost transformation, Human factors, Economic development, Mapping.

42-2326 Experience and problems of studying cryogenic physical and chemical processes in research stations. Opyt i problemy statsionarnogo izuchenija kriogennykh fiziko-geologicheskikh protsessov<sub>1</sub>,

Chistotinov, L.A., et al, Geokriologicheskii prognoz pri stroitel'nom osvoenii territorii (Geocryological predictions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.33-37, In

Shur, IU.L., Cherniad'ev, V.P.
Permatrost, Hydrothermal processes, Geocryology, Research projects.

42-2327

Methods of forecasting thermal state of the ground. Metodika prognoza teplovogo sostolanila gruntov, Cherniad'ev, V.P., Geokriologicheskii prognoz pri stroitel'nom osvoenii territorii (Geocryological predictions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.37-46, In Russian. refs.

Frozen ground temperature, Freeze thaw cycles, Frost penetration, Stefan problem, Forecasting.

Mathematical modeling of thermal processes for geo cryological forecasting. [Matematicheskoe modelirovanie teplovykh protsessov pri geokri-

Minkin, M.A., Geokriologicheskii prognoz pri stroi-tel'nom osvoenii territorii (Geocryological predictioni for construction in new territories) edited by V.V. Bau-lin, Moscow, Nauka, 1987, p.46-57, In Russian.

Soil freezing, Hydrothermal processes, Forecasting, Mathematical models.

Improving the accuracy of estimating the stability of foundations of buildings and structures on thawing ground. Puti povysheniia dostovernosti prognoza ustošchivosti osnovanii zdanii i sooruzhenii na ottaivai-

which the gruntakh,
Ponomarev, V.D., et al, Geokriologicheskii prognoz
pri stroitel nom osvoenii territorii (Geocryological
predictions for construction in new territories) edited
by V.V. Baulin, Moscow, Nauka, 1987, p.58-63, In

Sorokin, V.A., Fedoseev, IU.G.

Active layer, Foundations, Permafrost beneath structures, Permafrost structure, Ground ice, Freeze thaw cycles. 42-2330

\*\*P-2350
Formation of bearing ground temperatures beneath buildings and structures of Yakutak City. ¡Formirovanie temperatury gruntov osnovanii pod zdaniismi i sooruzheniiami g. lAkutaka,
Pavlov, A.V., et al. Geokriologicheskii prognoz pri stroitel'nom osvocnii territorii (Geocryological predic-

tions for construction in new territories) edited by V. Baulin, Moscow, Nauka, 1987, p.63-70, In Russian. refs.

Korkina, S.IU., Roman, L.T.

Permafrost beneath structures, Continuous permafrost, Active layer, Soil temperature, Snow cover effect. Wind factors

42-2331

Analyzing the experience of building and operating apartment houses erected on permatrost in the Vorkuta industrial district. (Analiz opyta stroitel'stva i ekspluatatsii zhilykh domov vozvedennykh na mnogoletnemerzlykh gruntakh v vorkutinskom promyshlennom raione;, Belotserkovskaia, G.V., et al, Geokriologicheskii prog-

noz pri stroitel'nom osvoenii territorii (Geocryological predictions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.71-78. In

Ponomarev. V.D.

Permafrost beneath structures, Residential buildings, Foundations, Deformation.

Nature of frozen ground compressibility. [Prirods kompressionno's zhimsemosti merzlykh gruntov]. Ershov, E.D., et al. [Geokriologicheski prognoz pri stroitel'nom osvoenii territori' (Geocryological predictions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p. 78-84, In Russian.

Permatrost physics, Frozen ground strength, Com-pressive properties, Sands, Frost penetration, Un-frozen water content, Clays.

42-2333

Forecasting ground temperature, at depth, around a cylindrical model. Prognozirovanie temperatury mnogoletnemerzlogo grunta na glubine vokrug modeli

tallindricheskof formy, Kaverina, T.V., et al. Geokriologichesků prognoz pri stroitel'nom osvoenit territorů (Geocryological predic-tions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.85-89, In Russian. 3

Idnitakii, P.A., Daniclian, IU.S.
Permafrost thermal properties, Frozen ground temperature, Soil air interface, Heat transfer, Air temperature, Seasonal variations, Mathematical models.

Influence of the rigidity of structures above the foundations, on buckling of tapered piles. ¡Vlijanie zhest-kosti nadfundamentnykh konstruktsii na vypuchivanie

piramidal'nykh svalj, Shishkin, V.IA., et al, Geokriologicheskii prognoz pri stroitel'nom osvoenii territorii (Geocryological predictions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.90-94, In Russian.

Sazhin, V.S., Zekin, V.N. Experimentation, Permafrost beneath structures, Pile structures, Prost heave, Deformation, Design.

Numerical analysis of the ice accretion process on thermopile surfaces. Chislennoe issledovanie prot-sessa namorazhivaniia l'da na poverkhnosti termosvaiı.

vanj, Danielian, IU.S., et al, Geokriologicheskiì prognoz pri stroitel'nom osvoenii territorii (Geocryological predic-tions for construction in new territories) edited by V.V. Baulin, Moscow, Nauka, 1987, p.95-100, In Russian. 7 refs.

IAnitskii, P.A.
Mathematical models, Permafrost control, Thermopiles, Icing, Ice cover thickness, Hydrothermal

42-2336

Report on sea trials with the Soviet icebreaker "Mu-

dyug". Hoogen, N., et al, Marine technology, 1987, 18(4), p.125-129, With German summary. 3 refs. Delius, K.

Icebreakers, Ice breaking, Ice loads, Ice conditions, Design, Pressure ridges, Ice navigation.

42-2337

Annual carbon dioxide cycle in a montane soil: observations, modeling, and implications for weathering. Solomon, D.K., et al, Weather resources research, Dec. 1987, 23(12), p.2257-2265, 25 refs. Cerling, T.E.

Cering, 1.E. Snow composition, Soil chemistry, Weathering, Carbon dioxide, Soil temperature, Snow temperature, Mountains, Ground water, Snowmelt, Models.

Freezing and thawing of soils and permafrost contain

ing unfrozen water or brine.
Osterkamp, T.E., Water resources research, Dec. 1987, 23(12), p.2279-2285, 31 refs.

Permafrost thermal properties, Phase transforma-tions, Unfrozen water content, Soil freezing, Ground thawing, Brines, Latent heat, Temperature effects. Heat transfer, Analysis (mathematics).

Freezing of saturated and superheated liquid in porous media.

Chellaiah, S., et al, International journal of heat and mass transfer, Feb. 1988, 31(2), p.321-330, With French, German and Russian summaries. 25 refs. Viskanta, R.

Freezing rate, Liquids, Heat transfer, Saturation Porosity, Temperature effects, Tests, Density (mass/volume).

42-2340

Experimental study of natural convection effects on downward freezing of pure water. Brewster, R.A., et al, International journal of heat and

mass transfer, Feb. 1988, 31(2), p.331-348, With French, German and Russian summaries. 15 refs. Gebhart, B.

Freezing rate, Water, Heat transfer, Convection, Ice formation, Supercooling, Temperature effects, Flow rate, Experimentation.

42-2341

Graphite-nitrogen suspensions with selected herbicides applied to snow in management of winter wheat. Tindall, T.A., et al. Soil science, Sep. 1987, 144(3). .218-223, 10 refs. p.216-22., Dewey, S.A.

Dusting, Snow melting, Melting points, Snow cover effect, Protection, Agriculture.

Workshop on the U.S. Antarctic Meteorological Data

Worksnop on the 0.3. Assessed to the control of the politicery System.

Hanson, C.S., ed, World Data Center A for Glaciology. Glaciological Data. Report, Jan. 1988, GD-20, 76p., 8 refs. Includes comments by P. Dalrymple, D. Bromwich, W. Smythe, and G. Scharfen.

Spears, C.R., ed. Weather stations, Weather observations, Data proc-

essing. Data transmission.

Concerns over access to meteorological data from U.S. antarctic stations have been the subject of much discussion among organizations closely involved in weather matters. Several factors have apparently led to a somewhat confused picture of data access in the minds of potential data users delays in data receipt both at the ultimate archive(s) and at transmission static both at the ultimate archive(s) and at transmission stations along the route to the archive(s); non-standardized reporting methods and formate; no permanent archive for the data in question; no permanent source of funding to process and archive the data; and archive locations not widely known within the research community. This workshop was convened to address these problems. To that end, participants examined antarctic data inventories from the National Climatic Data Center, National Center, or Amrosphein Besearch, National tarctic data inventories from the National Climatic Data Cen-ter, National Center for Atmospheric Research, Naval Postgraduate School, Comprehensive Ocean-Atmosphere Data Set, U.S. Interim Climate Data Inventory, and the National Snow and Ice Data Center. About 25 recommendations emerged from the conference and these urged all interested parties to increase the antarctic meteorological measurement parties to increase the structure meteorological measurement capability, gather more data through wider and better—use of current technology, subject the data to rigid quality control processes, communicate the results to using agencies and archives, and let researchers and other users know who has what

Glaciology and paleoglaciology of the Cherskiy mountain system and the adjacent area in the northeastern USSR. [Gliatsiologiia i paleogliatsiologiia gorno] sistemy Cherskogo i sopredel'nykh rajonov Severo-

sistemy Cherskogo i supreuer nyan isandu severy Vostoka SSSR, Sheinkman, V.S., Moscow, Mezhduvedomstvennyi geofizicheski komitet pri prezidiume Akademii nauk SSSR. Rezul'taty issledovanii po mezhdunarodnym SSSR. Rezul'taty issledovanii po mezhdunarodnym geofizicheskim proektam (Academy of Sciences of the USSR. Soviet Geophysical Committee. Results of researches on the international geophysical projects) edited by B.I. Viturin, Moscow, 1987, 154p., in Russian with English table of contents enclosed. 167 refs. Glactology, Ice dating, Permafrost, Pleistocene, Ice formation, Mountain glacters, Glacter Ice, Glacter flow, Naleds, Glactal deposits, Moraines, Ground Ice, Climatic factors. Climatic factors.

Allowing for the peculiarities of plating wearout, revealed by flow detection, on iceworthy ships. [Uchet osobennosteľ iznosa obshivki sudov ledovogo plava-

niia pri defektatsii, Briker, A.S., Prochnost' sudov i zashchita sudovykh konstruktsil ot korrozii i obrastaniia (Strength of ships and protection of their structures from corrosion and sca-crust) of their structures from corrosion and sca-crust) edited by V.I. Peresypkin, Leningrad, Trans-port, 1987, p.66-70, In Russian. 3 refs. Ice loads, Ice navigation, Ships, Plates, Metals, Metal ice friction, Deformation.

42-2345

Design temperatures of hull-structures of icebreak-ing-carrying vessels. [Raschetnye temperatury korpusnykh konstruktsil ledokol'no-transportnykh sudov<sub>j</sub>,

Efimets, V.A., Prochnost' sudov i zashchita sudovykh konstruktsii ot korrozii i obrastaniia (Strength of ships and protection of their structures from corrossion and sea-crust) edited by V.I. Peresypkin, Leningrad, Transport, 1987, p.75-81, ln Russian. 4 refs. Ships, Ice navigation, Icebreakers, Cargo, Marine

transportation.

42-2346

New types of spherules from Antarctica: meteoritic

Impact origin?.
Tazawa, Y., et al, Geophysical research letters, Dec. 1987, 14(12), p.1199-1202, 20 refs.

rujn, 1.
Ice composition, Cosmic dust, Snow composition, Antarctica—Mizuho Station, Antarctica—Allan Hills. tarctics—Mizuho Station, Antarctics—Allan Hills. Spherules collected from aniarctic ice have been attudied by using instrumental neutron activation analysis, energy dispersive X-ray spectrometry and X-ray diffraction photography. Peculiar apherules, Ca-Ti-rich (perovskite) type (CTS) and Fe-CN-Ir-rich type (FCN), were found in the Mizuho ice core at depths of 32 to 33.5 m. Both types have rare earth element (REE) abundances. In the Allan Hills bare ice, only a "chomdritic" type without depletion of Au and S (CAS) was recognized. Size distributions and influx rates of apherules for these ices and the Mizuho surface snow indicate that antarctic apherules are composed of steady-falling and occasional populations. All the results combine to suggest that CTS and FCN may be droplets stream by the impact of a huge meteorite, and CAS must be debris from one of the chondrites that feli on the source region of the Allan Hills bervice are and survived terrestrial alteraregion of the Allan Hills bare ice and survived terrestrial altera-tions. (Auth. mod.)

42-2347

Effects of surface roughness and porosity on the riming of snowflakes.

Matsuo, T., Meteorological Society of Japan. Journal, Aug. 1987, 65(4), p.635-647, With Japanese summary. 14 refs.

Snowflakes, Surface roughness, Porosity.

The feedback of sea-ice change to the warming from CO2-doubling is estimated using the simulation of Washington and Meehl (1984). Without ice-snow albedo feedback, their global warming of 3.5 C would have been 2.2 C according to the present estimate of the ice-snow feedback. About 80% of the albedo change from ice and snow occurred in the Southern Hemisphere. Whether this change was an overestimate will require further study. (Auth.)

Glacier surge at Usherbreen, Svalbard. Hagen, J.O., Polar research, Dec. 1987, 5(2), p.239-252 14 refs.

Glacier surges, Ice volume, Norway-Syalbard.

Glacier mass balance investigations in the balance years 1984-5 and 1985-6.
Hagen, J.O., et al, *Polar research*, Dec. 1987, 5(2).

p.261-265. Liestöl, O.

Glacier mass balance, Norway.

Optimizing heat supply systems of settlements in Yakutla. (Optimizatsiia sistem teplosnabzheniia poselkov Iakutii), Kapitonov, V.N., et al, Yakutsk, Iakutskii filial SO AN SSSR, 1987, 88p., In Russian with abridged English table of contents enclosed. 144 refs. Kolodeznikov, R.P., Shadrin, A.P.

Electric power, Permafrost beneath structures, Heating, Nuclear power, Fuels, Natural gas, Electric heating, Residential buildings, Houses.

Stranded at the North Pole: a chilling adventure. Evans, J.L., Naval aviation news, Mar./Apr. 1988, 70(3), p.18-21. Cold weather survival, Rescue operations, North

Icebreaking theory development by segmented model tests: refinement of technique, Vols. 1 and 2. Godon, A., et al. Transport Canada. Report, Mar. 1987, TP 8498B, 2 vols., Vol. 2 contains appendices. 4 refs.

Nawwar, A. Ice breaking, Ice strength, Ice loads, Ice friction, Ice cover thickness, Models, Tests, Ice pressure.

Evaluation of the frost resistance of roller-compacted

concrete pavement.

Ragan, S.A., Transportation research record, 1986, No.1062, p.25-32, 6 refs.

Concrete durability, Pavements, Frost resistance, Freeze thaw cycles, Flexural strength, Compressive properties, Tests, Compaction.

Effects of superplasticizers on the engineering properties of plain concrete.

Park, S.B., et al, Transportation research record, 1986, No.1062, p.38-46, 13 refs.

Tia. M.

Concrete durability, Concrete aggregates, Freeze thaw cycles, Concrete strength, Flexural strength, Air entrainment, Tests.

42-2356

Effect of AC overlays on D-cracking in PCC pavements.

Janssen, D.J., et al, Transportation research record, 1986, No.1062, p.70-75, 15 refs.

Dempsey, B.J.

Pavements, Concrete durability, Crack propagation, Freeze thaw cycles, Concrete aggregates, Water content, Damage, Tensile properties, Tests.

Using soil temperatures to monitor thermosyphon

performance.

McFadden, T., Journal of cold regions engineering,
Dec. 1987, 1(4), p.145-157, 3 refs.

Cooling systems, Soll temperature.

42-2358

Geosynthetics supporting embankments over volds. Kinney, T.C., et al, Journal of cold regions engineering, Dec. 1987, 1(4), p.158-170, 15 refs. Connor, B.

Construction materials, Payament bases, Embank,

Sublimation of pore ice in frozen silt.

Subilination of pore ice in frozen sitt.
Huang, S.L., et al, Journal of cold regions engineering,
Dec. 1987, 1(4), p.171-181, 8 refs.
Aughenbaugh, N.B.
Ice sublimation, Dust control, Excavation, Mining.

Statistics on charge exchange and charge generation during single collisions of ice particles.

Stow, C.D., et al, Philosophical magazine A, Dec. 1987, 56(6), p.783-797, 12 refs.

Turner, G.J.

Electric charge, Cloud electrification, Ice crystals.

42-2361

42-2301
Tidal currents and glacial discharge, Laguna San
Rafael, southern Chile.
Reed, D.J., Journal of coastal research, Winter
1588, 4(1), p.93-102, With French and Spanish summaries. 11 refs.

Tidal currents, Glacial hydrology, Meltwater, Chile-Laguna San Rafael.

Winter ice in 1986/87 in the German coastal region between the Ems and Trave rivers. (Der Eiswinter 1986/87 im deutschen Küstengebiet zwischen Ems

und Travej, Koslowski, G., Deutsche hydrographische Zeitschrift, 1987, 40(3), p.115-123, 4 refs. Ice conditions, Winter, Weather.

42-2363

Arctic ambient noise in the Beaufort Sea: seasonal

relationships to sea kinematics.

Lewis, J.K., et al., Acoustical Society of America.

Journal, Feb. 1988, 83(2), p.549-565, 14 refs.

Denner, W.W.

Subglacial observations, Ice acoustics, Underwater

42-2364

Interpretation of a few ice event transients. Stein, P.J., Acoustical Society of America. Journal, Feb. 1988, 83(2), p.617-622, 6 refs.
Subglacial observations, Ice acoustics, Underwater

Micromorphology of taiga soils. [Mikromorfologiia

Rusanova, G.V., Leningrad, Nauka, 1987, 149p., In Rusanova, G.V., Leningrad, Nauka, 1987, 149p., In Russian with English table of contents enclosed. Refs. p.142-148

Porest soils, Taiga, Cryogenic soils, Podsol, Soil for-mation, Soil composition, Soil chemistry.

42-2366

42-2356 Hydrogeology and engineering geology of the Kirghiz SSR, rGidrogeologiia i inzhenemaia geologiia Kirgiz-skoi SSR<sub>1</sub>, Kashirin, F.T., ed, Frunze, Ilim, 1985, 223p., In Rus-sian. For selected papers see 42-2367 through 42-

2369. Refs. passim.

Tailpov, M.A., ed.
Alpine landscapes, Engineering geology, Mountain
glaciers, Nivation, Permafrost distribution, Glacial
deposits, Moraines, Loess, Permafrost structure, deposits, Moraines, Loess, Permafrost structure, Frozen fines, Thixotropy, Earthquakes.

Regional characteristics of engineering-geological conditions in the eastern part of Kirghizia. Regional nye osobennosti inzhenemo-geologicheskikh uslovil vostochnol chasti territorii Kirgizskol SSR1, usiovn vostochnon ensatt territorii Kirgizskoi SSR, Talipov, M.A., Gidrogeologija i inzhenernaja geologija Kirgizskoi SSR (Hydrogeology and engineering geolo-gy of the Kirghiz SSR) edited by F.T. Kashirin and M.A. Talipov, Frunze, Ilim, 1985, p.3-12, In Russian. 13 refs.

Engineering geology, Mountain glaciers, Nivation, Permafrost distribution, Glacial deposits, Moraines, Alpine landscapes.

42.2368

Space-time conditions of formation of sagging characteristics of loess in the Chuyskaya trough of northern Tien Shan. Ilssiedovanie prostranstvenno-vremen-nykh uslovii formirovaniia prosadochnosti lessovykh nyari ustovi formitovania prosadocinosti tessovyto-porod Chulskoi vpadiny Severnogo Tian'-Shaniaj, Usupaev, Sh.E., Gidrogeologiia i inzhenernaia geolo-giia Kirgizskoi SSR (Hydrogeology and engineering geology of the Kirghiz SSR) edited by F.T. Kashirin and M.A. Talipov, Frunze, Ilim, 1985, p. 33-39, In Rus-

Loess, Climatic changes, Permafrost distribution, Permafrost structure, Origin.

Factors influencing the time of thixotropy and hard-ening of water-saturated . dls. Faktory viliaiushchic na vremia razuprochneniia i uprochneniia vodona-

syshchennykh dispersnykh gruntovi, Kozhobaev, K.A., Gldrogeologiia i inzhenernaia geologiia Kirgizskof SSR (Hydrogeology and engineer-ing geology of the Kirghiz SSR) edited by F.T. Kashi-rin and M.A. Talipov, Frunze, Ilim, 1985, p.59-65, In Russian, 13 refs

Loams, Clay soils, Fines, Sands, Thixotropy, Deformation, Earthquakes.

42-2370

Movement of Halley, derived from SATNAV measurements 1986-1987.

Simmons, D.A., et al, British Antarctic Survey. Bulletin, Feb. 1988, 78, p.55-57, 3 refs. Lurcock, P.M.

Ice shelves, Drift, Ice navigation, Aerial surveys, Antarctica—Brunt Ice Shelf, Antarctica—Halley Sta-

Recent estimates of the velocity of the Brunt Ice Sheif have been based on fixing the position of the BAS station Halley, on shipborne observation of the ice front, and on comparison of features seen on Landsat images taken some 12 years spart. In Jan. 1986 a simple satellite navigation (astnav) receiver was installed at Halley and since then has been used to give regular position fixes. These indicate that the velocity of 740 m per annum found for the period 1972-1982 has been maintained in the period Jan. 1986 to July 1987. (Auth.)

Observations and model calculations of aerodynamic

drag on sea ice in the Fram Strait. Hanssen-Bauer, I., et al, Tellus, Mar. 1988, 40A(2), Ojessing, Y.T.
Sea ice, Wind (meteorology), Ice friction, Fram

Winter cities forum '86: Symposium proceedings. Winter cities forum '86: Symposium proceedings. International Winter Cities Symposium, 1st, Edmonton, Alberta, Feb. 15-19, 1986, Edmonton, Alta, 1986, 267p., Refs. passim. For selected papers see 42-2373 through 42-2375. Smith, M., ed, Martin, D.K., ed. Buildings, Thermal insulation, Road maintenance, Winter maintenance, Ice removal, Snow removal, Ice control, Meetings.

42-2373

42-2373
Sapporo's snow removal system.
Saito, S., International Winter Cities Symposium, 1st, Edmonton, Alberta, Feb. 15-19, 1986. Winter cities forum '86: Symposium proceedings. Edited by M. Smith and D.K. Martin, Edmonton, Alta., 1986,

Snow removal, Road maintenance, Equipment, Win-ter maintenance, Snowfall, Porecasting.

42-2374

Snow and ice control program in the city of St. Albert. Corrigan, D., International Winter Cities Symposium, 1st, Edmonton, Alberta, Feb. 15-19, 1986. Winter cities forum '86: Symposium proceedings. Edited by M. Smith and D.K. Martin, Edmonton, Alta., 1986, p.233-249.

Snow removal, Ice removal, Equipment, Ice control, Sanding, Salting, Winter maintenance, Road maintenance.

42-2375

Winter in Edmonton: a hindrance to traffic; a detri-

winter is Edmonton: a nancrance to traine; a destrment to the environment.

Maurer, A., International Winter Cities Symposium, 1st, Edmonton, Alberta, Feb. 15-19, 1986. Winter cities forum '86: Symposium proceedings Edited by M. Smith and D.K. Martin, Edmonton, Alta., 1986,

Road maintenance, Ice control, Winter maintenance, Snow removal, Ice removal, Salting, Sanding, Safety, Air temperature, Snowfall.

42-2376

Water quality simulations for tailings ponds in cold regions. Fällman, A.-M., Luleh, Sweden, University, Water

Fallman, A.-M., Liuca, Sweden. University. Water Resources Engineering. [Publication.] Series A, 1988, No.167, 63p., 20 refs. Tailings, Water pollution, Ponds, Decomposition, Mass balance, Climatic factors, Snowmelt, Runoff,

Sweden.

42-2377

Development of a method for estimating ship per-formance capabilities and identifying limiting conditions when transiting ice ridges.

Stubbs, J.T., et al, Transport Canada. Report, May 1987, TP 8275E, 81p. + appends, 62 refs. Wiefelspuett, R., Gordon, S., Fowlis, J. Ice navigation, Ice breaking, Pressure ridges, Ice mechanics, Ice strength, Mathematical models, Ice cover thickness, Ice friction, Tests.

42.2378

42-23/8
Soviet Arctic shipping (From Design to Operation).
Tertyshny, A., Falls Church, VA, Delphic Associates, Inc., 1987, 81p., 67 refs.
Ships, Design, Ice navigation, Icebreakers, Classifications, Arctic Ocean.

42-2379

Spectral and energy characteristics of hall. Tisov, M.I., et al, Soviet meteorology and hydrology, 1987, No.9, p.43-47, Translated from Meteorologia i igidr-logia. 5 refs. Khuchunaev, B.M. Ice formation, Hallstone growth, Hallstone electrifi-cation, Hail clouds, Storms.

42-2380

42-280
Ice fracturing at contact interactions.
Epifanov, V.P., Mechanics of solids, 1986, 21(6), p.171-179, Translated from Akademia nauk SSSR. Izvestiis. Mekhaniks tverdogo tela. 32 refs. Models, Ice hardness, Impact strength, Fracturing, Metal ice friction, Stresses, Distribution.

42.2381

Critical conditions for instability of an aqueous film on the surface of a stationary charged melting hailstone in an external electric field.

Grigor'ev, A.I., et al, Fluid dynamics, Jan.-Feb. 1987 (Pub. July 87), 22(1), p.7-11, Translated from Akademiia nauk SSSR, Mekhanika zhidkosti i gaza. 13 refs.

Doroshenko, D.N Thunderstorms, Hallstones, Ice melting, Electric charge, Charge transfer, Electric corons.

42-2382

Creep of an ice coating lying upon a hydraulic founda-

Creep of an ice coating jying upon a nyaraunc roundation under the action of a concentrated force.

Aleksandrov, V. M., et al, Journal of applied mechanics and technical physics, May-June 1987 (Pub. Nov. 87), 28(3), p.457-462, Translated from Zhurnal prikladnol mekhaniki i tekhnicheskof fiziki. 5 refa. Monosov, L.M., Tsybin, A.M., Shmatkova, A.A. Ice cover, Plates, Ice creep, Ice deformation, Mathematical models, Stresses, Strains, Ice physics.

47,7383

Experience in chemical stabilization of losss soils at

the base of bored injection piles.

Badeev, S.IU., et al. Soil mechanics and foundation engineering, Mar.Apr. 1987 (Pub. Sep. 87), 24(2), p.72-75, Translated from Osnovania, fundamenty i

mekhanika gruntov. 4 refs.
Soshin, M.V., Kuzin, B.N., Isaev, B.N.
Soil stabilization, Loess, Cements, Piles.

47.2384

Application of reliability theory to the computation of beds during construction using the method of perma-frost stabilization.

Frost stabilization.

Khrustalev, L.N., et al, Soil mechanics and foundation engineering, Mar.-Apr. 1987 (Pub. Sep. 87), 24(2), p.76-82, Translated from Osnovaniia, fundamenty i mekhanika gruntov. 6 refs. Nikiforov, V.V.

Nikiotov, v.v.

Buildings, Ventilation, Foundations, Active layer,
Permafrost beneath structures, Permafrost control,
Permafrost bases, Basements.

42.2385

Cell for low-temperature measurements on the acous-

tic parameters of crystals.

Antiukhov, A.M., et al, Instruments and experimental techniques, May-June 1987 (Pub. Dec. 87), 30(3, pt.2), p.750-751, Translated from Pribory i tekhnika eksperimenta. Kutukov, V.I.

Low temperature research, Crystals, Acoustic measurement, Ultrasonic tests.

42-2386

Melting of pore ice with the formation of an extended isothermal zone.

Medvedskii, R.l., Journal of engineering physics, May 1987 (Pub. Nov. 87), 52(5), p.525-529, Trans-lated from Inzhenerno-fizicheskii zhurnal. 5 refs. Porous materials, Ice formation, Ice melting, Phase transformations, Stefan problem.

42-2387

Gas hydrates in the oceans.

Panaev, V.A., International geology review, May 1987, Vol.29, p.596-602, Translated from Biulleten' Moskovskogo obsheheatva izpytatelel prirody, ot. geologicheskoe, 1987, Vol.62, No.3, p.66-72. 16 refs. Natural gas, Hydrates, Clathrates, Ocean bottom, Bottom sediment. 42-2388

Was there ice in the Arctic basin during the last glaciation maximum. [Byl li led v Arkticheskom basglaciation maximum. [59] ii led V Arkticheskom osaselne v period maksimuma poslednego oledeneniia, Kagan, B.A., et al, Akademiia nauk SSSR. Doklady, 1987, 296(6), p.1469-1472, In Russian. 14 refs. Riabchenko, V.A., Safrai, A.S. Sea ice distribution, Ice conditions, Climatic changes, Planetary environments, Albedo, Water temperature, Air water interactions, Arctic Ocean.

42-2389

Radiocarbon age of the Alpine mountain-meadow soils in northwestern Caucasus. Radiouglerodnys vozrast gorno-lugovykh al'přískikh pochv Severo-

Zapadnogo Kavkazaj, Grishina, L.A., et al, Akademiia nauk SSSR. Dok-lady. Sep.-Oct. 1987, Vol.296, p.218-220, In Russian.

o reis. Cherkinskii, A.E., Zhakova, O.E., Onipchenko, V.G. Cryogenic soils, Alpine landscapes, Soil formation, Deserts, Meadow soils, Radioactive age determination.

42-2390

Proposed terminology and reporting units for sea ice algal assemblages.

argan assemblages. Horner, R.A., et al, *Polar biology*, 1988, 8(4), p.249-253, Refs. p.252-253. Syvertsen, E.E., Thomas, D.P., Lange, C.

Sysetteen, E.E., Hollins, Dr., Lange, C.
Sea ice, Algae, Terminology.
Many terms and units are used to describe the algae associated
with sea ice. Most of these terms are open to misinterpretation
and have been frequently misused. The use of a number of difand have been frequently misused. The use of a number of dif-ferent units when reporting on experimental studies makes it difficult, if not impossible, to compare studies done by different investigators. In an attempt to avoid these ambiguities and to make comparisons easier, some standard terms and reporting units that should be used when discussing ice algal assemblages are suggested. (Auth.)

42,2301

Sea ice microbial communities (SIMCO). 9. Effects of temperature and salinity on rates of metabolism and growth of autotrophs and heterotrophs. Kottmeier, S.T., et al, *Polar biology*, 1988, 8(4), p.293-

304, Refs. p.302-304. Sullivan, C.W.

Microbiology, Ice salinity, Ice temperature, Algae, Sea ice, Antarctica—McMurdo Sound.

Sea ice microbial communities (SIMCO) grow luxuriantly within several microhabitate of sea ice, indicating that the microorganisms comprising these communities are well adapted to the physicochemical gradients which characterize sea ice. SIM-CO, obtained from the bottom of congelation ice in McMurdo Sound, were used to test the hypothesis that low temperature limits microbial productivity in polar oceans and also to investigate the effect of salinity on rates of autotrophic and heterotrophic metabolism. Substantial rates of carbon fixation, incorporation of thymidine, and uptake of glutamate occurred at the in situ temperatures of -1.9 C, with maximum rates at temperatures considerably warmer but below 15 C. Microalgae and bacteria of SIMCO are thus indicated to be psychrophiles. Data suggest that a recent hypothesia proposing the uncoupling of primary production and bacterial production in cold water, due to differential growth of phytoplankton and bacterioplankton at low temperatures, is effuted with respect to SIMCO. Maximum rates of carbon fixation by autotrophs of SIMCO occurred at salinities which haracterized the ice from which the SIMCO were collected. In contrast, heterotrophs of SIMCO exhibited a more stenohaline response to variable salinity. (Auth. mod.) 42-2392

Forecasting for the frigid desert of Antarctica.
Mullen, D.P., Weatherwise, Dec. 1987, 40(6), p.304-

Weather forecasting, Antarctica.

Weather forecasting, Antarctica.

A former forecaster with Operation Deep Freeze reflects on the problems and challenges of weather forecasting for flight operations at the terminals and en route within the continent and the N-S route between McMurdo and Christchurch. The lack of weather patterns, reporting stations, radar, and facsimalle chart data all emphasize the need for sound individual judgment on he part of the forecaster. A set of 27 forecasting rules has been developed and these, judiciously applied, in conjunction with improving satellite data have removed most of the dart-throwing aspects of weather forecasting in Antarctics.

42-2393

Behaviour and transport of oil under smooth ice. Puskas, J., et al, Canadian journal of civil engineering, Aug. 1987, 14(4), p.510-518, With French summary. 19 refs.

McBean, E., Kouwen, N. flow, Mechanical properties, Mathematical models, Boundary layer, Friction.

42-2394

Thermal pressure due to an ice cap in an elevated water tank.

Kong, W.L., et al, Canadian journal of civil engineer-ing, Aug. 1987, 14(4), p.519-526, With French sum-mary. 10 refs.

may. 10 refs.
Campbell, T.I.
Ice loads, Thermal properties, Ice pressure, Ice creep,
Reinforced concretes, Flexural strength, Mathematical models, Design, Stresses, Temperature variations.

494-2395

Effect of roadway salting on safety and mobility.

Brasksma, J.P., et al, Canadian journal of civil engineering, Aug. 1987, 14(4), p.527-533, With French summary. 3 refs.

Ridley, R.C., Jones, P.H.

Road icing, Salting, Snow removal, Ice removal, Safety, Winter maintenance, Road maintenance, Chemi-cal ice prevention, Trafficability, Accidents.

Estimates of snowmelt by a heat balance method. Kondo, J., et al, Seppyo, Dec. 1987, 49(4), p.181-191, In Japanese with English summary. 20 refs.

Yamazaki, T. Snowmelt, Heat balance, Solar radiation, Runoff, Analysis (mathematics).

42-2397

Studies of sea ice in the Okhotsk Sea by numerical nodel.

model.

Sato, K., Seppyo, Dec. 1987, 49(4), p.193-201, In
Japanese with English summary. 19 refs.
Ses ice, Ice growth, Ice melting, Ice edge, Ice mechanics, Thermodynamics, Seasonal variations,
Mathematical models, Heat transfer, Okhotsk Sea. 42-2398

Control of anowmelt rate with foam cover. Part 1: Field experiment.

Umemura, T., et al, Seppyo, Dec. 1987, 49(4), p 203-210, in Japanese with English summary. 6 refs. Snowmelt, Melting points, Cellular plastics, Thermal insulation, Snow cover, Ablation, Snow deformation, Snow water content. Air entrainment.

Light weight anow sampler improved from Kamuro-

Yoshida, M., et al, Seppyo, Dec. 1987, 49(4), p.211-214, In Japanese. 6 refs.

Suzuki, N., Takenaka, S., Ohnuma, T. Snow samplers, Snow surveys.

42-2400

Sun pillar observed at Nayore.

Munakata, H., et al, Seppyo, Dec. 1987, 49(4), p.215-216, ln Japanese. 1 ref.

Snow cover structure. Surface properties. Ice nuclei. Ice fog.

42-2401

Winter maintenance—the season's last step. Better roads, Feb. 1988, 58(2), p.36-38.
Winter maintenance, Road maintenance, Equipment, Snow removal. Ice removal.

42-2402

Salt—a guide to regulating its use. O'Toole, M.L., Better roads, Feb. 1988, 58(2), p.41-

Winter maintenance, Road maintenance, Ice removal, Selting, Sending.

42-2403

Salt-resistant sod solves erosion problems. Better roads, Feb. 1988, 58(2), p.48.
Road maintenance, Salting, Countermensures,

Grasses.

42-2404

Permafrost hydrology in North America.
Woo, M.-K., Atmosphere-ocean, Sep. 1986, 24(3), p.201-234. With French summary. Res. p.229-234.
Permafrost hydrology, Water flow, Freezeup, Ice breakup, River basins, Water balance.

42-2405

Real-time snow simulation model for the Monon-gaheln River basin.

gahela River basin.
Hoggan, D.H., et al, Water resources bulletin, Dec. 1987, 23(6), p.1141-1147, 7 refs.
Peters, J.C., Loehlein, W.
Reservoirs, Snowmelt, Runoff, Snow accumulation,

Porecasting.

42-2406

Estimating peak runoff for small natural catchments in Switzerland. (Abschätzung von Spitzenabflüssen in kleinen naturlichen Einzugsgebieten der Schweize, Kölla, E., Schweizer Ingenieur und Architekt, 1987, No.33-34, p.965-972, In German. 13 refa. Flood fore casting, Runoff, River flow, Models

42-2407

When glaciers suddenly accelerate. [Wenn Gletscher

pilotzlich schnell werden; Engelhardt, H., Geowissenschaften in unserer Zeit, Nov. 1987, 5(6), p.212-220, In German. 11 refs. Glacier surges, Glacier flow, Ice cores.

Thermal insulation: materials and systems. A conference sponsored by ASTM Committee C-16 on Thermal Insulation. Dallas, TX, 2-6 Dec. 1924. Conference on Thermal Insulation: Materials and Systems. American Society for Testing and Materials. Special technical publication, 1987. No.922, 755p.,

Refs. passim. For selected papers see 40-2549 and 42-2409 through 42-2416.

Powell, F.J., ed, Matthews, S.L., ed.
Thermal insulation, Heat transfer, Buildings, Thermal conductivity, Meetings, Materials, Heat loss, Cellular plastics.

42-2409

Design criteria for underground insulated piping systems.

Govan, F.A., et al, American Society for Testing and Materials. Special technical publication, 1987, Materials. Special technical publication, 1987, No.922, Thermal insulation: materials and systems. A conference sponsored by ASTM Committee C-16 A conference aponsored by ASIM Committee C-10
on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984.
Proceedings, Edited by F.J. Powell and S.L. Matthews, p.43-51, 6 refs.
Demetroulis, N.M.
Underground pipelines, Thermal insulation, Protective coatings, Design criteria, Waterproofing, Temperature effects, Maintenance.

Formed-in-place polyurethane form insulation sys-tem design and application for low-temperature stor-

age tanks.

Duff, M.P., American Society for Testing and Materials. Special technical publication, 1987, No.922, Thermal insulation: materials and systems. A conference sponsored by ASTM Committee C-16 on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984. Proceedings. Edited by F.J. Powell and S.L. Matthews, p.69-81, 6 refs.

Cellular plastics, Thermal insulation, Storage tanks, Cold storage. Polymers.

Cold storage, Polymers.

surement of the thermal resistance of office huildings

Pang, J.B., et al, American Society for Testing and Materials. Special technical publication, 1987, No.922, Thermal insulation: materials and systems. A conference sponsored by ASTM Committee C-16 on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984. [Proceedings]. Edited by F.J. Powell and S.L. Matthews, p.107-123, 5 refs.

Grot, R.A.
Thermal insulation, Walls, Buildings, Heat loss,
Thermal conductivity, Tests, Heat flux, Calorimeters, Temperature effects.

Measured insulation improvement potential for ten U.S. Army buildings.

Flanders, S.N., American Society for Testing and Materials. Special technical publication, 1987, No.922, MP 2327, Thermal insulation: materials and systems. A conference sponsored by ASTM Committee C-16 on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984. [Proceedings]. Edited by F.J. Powell and S.L. Matthews, p.202-220, 6 refs.

Thermal insulation, Buildings, Heat transfer, Military facilities, Convection, Heat flux, Accuracy, Ecoic analysis, Thermal conductivity.

nomic analysis, Thermal conductivity.

As-built drawings and handbook calculations of R values are often inadequate bases for investment decisions regarding improved insulation of U.S. Army buildings. Reported field and laboratory experience indicates that a technique employing surface-mounted heat flux sensors (HFSs) in conjunction with infeared thermography (RT) can yield reliable estimates of R values. This technique employs iRT to position HFSs and thermocouples at representative locations on walls and roofs or attics to acquire heat flow and temperature data for estimating R values. This paper reports on the application of this technique at Ft. Carson, Colorado, and Ft. Richardson, Alaska, to 8 family housing units, a temporary office building, and a barracks. Infrared thermography of these buildings detected few thermal anomalies, but measurement of several walls with HFSs and thermocouples (typically at 6 locations spaced vertically on thermia montaines out measurement of several walls with a ris and thermocouples (typically as 6 locations spaced vertically on each wall) revealed significant variation in estimated R values, this variation is attributable to convection, even within fully insulated walls. This is significant for proper placement of sensors and indicates that installed fibrous insulation can lack sensors and indicates that installed florous insulation can lack
the ability to quell convection. The insulating ability of walls
containing poorly installed mineral fiber but insulation was
much worse than would be indicated by the design handbook
values. Some attic insulation performed exactly as expected;
some was at least 40% worse than expected.

42-2413

Heat transfer characteristics of a masonry cavity well.

wall.

Van Geem, M.G., American Society for Testing and
Materials. Special technical publication, 1987,
No.922, Thermal insulation: materials and systems.
A conference sponsored by ASTM Committee C-16
on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984. [Proceedings]. Edited by F.J. Powell and S.L. Mat-thews, p.318-342, 15 refs.

Heat transfer, Walls, Thermal insulation, Buildings, Thermal conductivity, Masonry, Heat flux, Heat loss, Tests, Temperature effects.

42-2414

Anomalous behavior of water vapor retarders applied to spray-applied polyurethane foam insulation on

to spray-applied polyurethane toam insurance low-temperature outdoor storage tanks.

Batdorf, V., American Society for Testing and Materials. Special technical publication, 1987, No.922, Thermal insulation: materials and systems. A conference sponsored by ASTM Committee C-16 on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984. Proceedings). Edited by F.J. Powell and S.L. Matthews, p.463-474, 3 refs.
Cold storage, Thermal Insulation, Protective conings, Cellular plastics, Cold weather performance, Vapor diffusion, Water vapor, Temperature effects.

Development of experimental data on cellular plastic insulations under simulated winter exposure conditions.

Tye, R.P., et al, American Society for Testing and Mate ials. Special technical publication, 1987, No.922, Thermal insulation: materials and systems. A conference sponsored by ASTM Committee C-16 on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984. [Proceedings]. Edited by F.J. Powell and S.L. Mathews, p.518-537, 17 refs. Baker, C.F.

Cellular plastics, Thermal insulation, Cold weather performance, Thermal conductivity, Moisture, Tests, Cold exposure.

42-2416

Calorimeter for determining heat transmission characteristics of windows.

Bowen, R.P., et al., American Society for Testing and Materials. Special technical publication, 1987, No.922, Thermal insulation: materials and systems. A conference aponsored by ASTM Committee C-16 on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984. [Proceedings]. Edited by F.J. Powell and S.L. Matthews, p. 567-581, 3 refs. Solvason, K.R.

Heat loss, Heat transfer, Calorimeters, Windows, Thermal insulation, Temperature effects, Thermal conductivity.

42-2417

Saline ice penetration: a joint CRREL-NSWC test progra

Cole, D.M., et al, U.S. Army Cold Regions Research and Engineering Laboratory, July 1987, SR 87-14, 34p. ADA-189 206. Steves, H.K.

Military operation, Penetration tests, Ice strength, Floating ice, Ice salinity, Projectile penetration, Impact strength, Fracturing, Ice cover thickness.

pact strength, Fracturing, Ice cover thickness.
This paper reports on the response of a floating saline ice sheet to penetration and perforation by 25.4-mm-diameter projectities with 3 nose shapers a full cone, a truncated cone and a full flat. Impact velocity was varied to produce behavior ranging from slight penetration to complete perforation of the 210- to 280-mm-thick ice sheet. The extent of crushing and fracturing adjacent to the path of the projectile was quantified, indicating the existence of a zone of crushing extending 1 to 2 body diameters into the ice sheet from the cavity wall. A series of shots into free-floating largets indicated that for penetrations of roughly two-thirds of the sheet thickness, the depth of penetration did not vary significantly as the target size was reduced to 24 body two-tunes of the sheet thickness, the depth of penetration did not vary significantly as the target size was reduced to 24 body diameters. Tests on coated projectiles indicated that no sig-nificant abrasion occurred between the ice and the nose area of the projectile. Information is also presented on the effects of gun pressure, nose shape, average sheet temperature and angle of attack on the depth of penetration.

Analytical method for determining tetrazane in wa-

Walsh, M.E., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1987, SR 87-25. 34p., ADA-189 045, 15 refs. Jenkins, T.F.

Explosives, Ground water, Military operation, Chemical analysis, Water pollution.

Casemical analysis, water pointons.

An ion-pairing RP-HPLC method was developed to determine tetrazene in water. The method uses an LC-18 column and a mobile phase of 2/3 v/w methanol-water modified by 0.01 molar 1-decanesulfonic acid sodium salt. The mobile phase pH was adjusted to 3 with glacial acetic acid. The modified mobile phase was optimal for separating of tetrazene from potential theorem. nobile phase was optimal for separating of tetrazene from potential interferences by other explosive compounds such as HMX and RDX and for allowing elution of TNT within a 15-minute run time. The retention time for tetrazene was 2.8 minutes. The UV detector was set at 280 nm. A linear model with zero intercept was found to adequately describe the calibration data. The concentration range tested was 62-1238 microgram/L. A spike recovery test on each of 4 days gave an average recovery of 103%. A reporting limit of 7.25 microgram/L was estimated. The relative standard deviation was approximately 2% over the range tested. Tetrazene was found to be unstable in an aqueous medium at room temperature. Concentrations decreased by 96-100% over 24 hours. Chilled solutions were leas prone to degradation than room temperature solutions, and heated solutions (50°C) degraded completely within two hours.

Microwave and structural properties of saline ice.
Gow, A.J., et al, U.S. Army Cold Regions Research
and Engineering Laboratory, Oct. 1987, CR 87-20,
36p., ADA-189 307, Refs. p.32-34.
Arcone, S.A., McGrew, S.G.
Ice structure, Ice salinity, Microwaves, Ice electrical

properties, Dielectric properties, Tests, Temperature effects, Brines, Models, Sea ice, Structural analysis. The structure and salinity characteristics of saline ice slabs The structure and sainity characteristics of sainte ice siams removed from ice sheets grown in an outdoor pool have been studied and related to the complex relative disclertic permittivity measured with free-appear transmission techniques at 4.80 and 9.50 GHz. The saline ice closely simulated arctic sea ice in its structural and salinity characteristics, which were regularly monitored in a number of ice sheets grown during the winters of 1983-84 and 1984-85. In-stitu transmission measurements of 1983-84 and 1984-83. In-stru transmission measurements at similar frequencies were also made on the ice sheets themselves using antennas located above and beneath the ice. The slab measurements were made during warming from -29 to -2 C on slabs grown during the winter of 1983-84 (4.75 GHz) and during a warming and cooling cycle over a slightly larger temperature range on slabs grown during the winter of 1984-85 (4.80 and 9.30 GHz). perature range on sla (4.80 and 9.50 GHz).

Thermal instability and heat transfer characteristics

in water/ice systems. Yen, Y.-C., U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1987, CR 87-22, 33p., ADA-189 627, 33 refs.

Ice water interface, Heat transfer, Meltwater, Phase transformations, Water temperature, Temperature variations, Convection, Analysis (mathematics), Density (mass/volume), Temperature distribution.

This review discusses problems associated with the anomalous temperature-density relations of water. It covers a) onset of convection, b) temperature structure and natural convective convection, b) temperature structure and natural convective heat transfer, and c) laminar forced convective heat transfer in the water/fice system. The onset of convection in a water/fice ayatem was found to be dependent on thermal boundary conditions, not a constant value as in the classical fluids that have a monotonic temperature-density relationship. The water/fice system also exhibits a unique temperature distribution in the melt layer immediately after the critical Rayleigh number is exceeded and soon after it establishes a more or less constant temperature region progressively deepening as the melt layer grows. The constant temperature is approximately 3.2 C for water layers formed from above but varies for melt layers formed from below. The heat flux across the water/fice interface was found to be a weak power function and to increase linearly with temperature for melted layers from above and below, respectively. Both theoretical and experimental melting studies of ice spheres, cylinders, and vertical plates show a minimum heat flux in the water/fice system due to the density extremum of 4C. The inversion temperature was from 5.1 to 5.6 C. For the case of laminar forced convection melting heat transfer, the presence of an interfacial velocity (due to phase transfer, the presence of an interfacial velocity (due to phase transfer, the presence of an interfacial velocity (due to phase cartenant of the case of laminar forced convection melting heat transfer, the presence of an interfacial velocity (due to phase transition) reduces heat transfer in comparison with the case without phase change.

Dynamics of powder snow avalanches. Scheiwiller, T., et al, Annales geophysicae, 1987, 5B(6), p.569-588, 36 refs. Hutter, K., Hermann, F

Avalanche mechanics, Mathematical models.

Bayesian classification of surface-based ice-radar im-

Murthy, H.A., et al, IEEE journal of oceanic engineer-ing, July 1987, OE-12(3), p.493-502, 15 refs. Haykin, S.

Ice surface, Sea ice, Radar echoes, Classifications.

Microwave remote sensing of ice in Lake Melville and

Microwave remote sensing of ice in Land National Library in Land 1999. Argus, S.A., et al, IEEE journal of occasiic engineering, July 1987, OE-12(3), p.503-517, 30 refs. Hawkins, R.K., Singh, K.P. Remote sensing, Microwaves, Ice surveys, Labrador National Labrador 
Predicted snow loads in Alaska.

Leslie, L.D., Northern engineer, Winter 1986, 18(4), p.4-9, 3 refs. Snow loads, Snow density, United States—Alaska.

Qualitative approach to minimizing differential Stella, D.F., Northern engineer, Winter 1986, 18(4),

p.10-11, 5 refs. Frost heave, Damage, Countermeasures.

Performance of fiber optic cable at low temperatures. Roberts, T.D., Northern engineer, Winter 1986, 18(4), p.12-14, 4 refs.
Transmission lines, Tests.

Analysis of winter season precipitation bands over the Southern Plains.

Byrd, G.P., Norman, University of Oklahoma, 1987, 206p., Univesity Microfilms order No.DA8725316, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Feb. 1988, p.2" Snowfall, Synoptic meteorology.

Soil moisture and nitrate movement under freezing

Conditions.
Galinato, G.J., Jr., Ames, Iowa State University, 1987, 255p., University Microfilms order No.DA8721883, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Jan. 1988, p.2036.

Noteta Soil water migration, Nutrient cycle, Soil freezing,

Frozen ground.

### AP-2431

Hydraulic erosion resistance of thawing solls.

Van Klaweren, R.W., Pullman, Washington State University, 1987, 233p., University Microfilms order No-DA8724331, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Feb. 1988, p.2389-2390

Soil erosion, Water erosion, Ground thawing.

42-2430

Numerical simulation of the full two-dimensional

Numerical situation of the control o Ice removal, Electric heating, Aircraft icing.

42-2431

Vegetation and floristics of pingos, central Arctic

vegetation and horistics of pingos, central Arctic Coastal Plain, Alaska. Walker, M.D., Boulder, University of Colorado, 1987, 432p., University Microfilms order No.DA8723514, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Feb. 1988, p.2195.

Pingos, Plant ecology.

42-2432

Material of choice for the Arctic. [Matériau de choix

Pour l'Arctique, Altein, P.-C., Geos, Spring 1986, 15(2), p.22-25, In French with English summary. Winter concreting, Concretes.

42-2433

Dielectric properties of fresh-water ice at microwave

Mätzler, C., et al, Journal of physics D: Applied physics, Dec. 14, 1987, 20(12), p.1623-1630, 23 refs.

Wegmuller, U.

Ice electrical properties, Dielectric properties, Mi-

42-2434

Aircraft icing environment in low ceiling conditions near Washington, D.C.
Guttman, N.B., et al, Westher and forecasting, June 1987, 2(2), p.114-126, 5 refs.
Jeck, R.K.

Aircraft icing, Clouds (meteorology).

42-2435

42-2435 Cold air damming by the front range of the Colorado Rockies and its relationship to locally heavy anows. Dunn, L., Westher and forecasting, Sep. 1987, 2(3), p.177-189, 11 refs. Snowfall, Topographic effects.

42-2436

Winter forecast problems associated with light to moderate snow events in the mid-Atlantic states on 14

and 22 February 1986.

Homan, J., et al, Weather and forecasting, Sep. 1926, 2(3), p.206-228, 22 refs.

Uccellini, L.W.

Snowfall, Weather forecasting.

42-2437

entering the age of the Arctic. Opportunities and obligations of an Arctic nation. Report of the U.S. Arctic Research Commission to the President and the Congress of the United States of America for the period 1 October 1986-30 September 1987.

U.S. Arctic Research Commission, Los Angeles, CA,

Jan. 31, 1988, 54p. Logistics, Sea ice distribution, Research projects, Ocean environments, Ice navigation, Ecosystems, Legislation, Offshore structures, Polar regions, Ice

42-2438

Development of a vibrational ice control system for

transmission towers.

Dartmouth College. Thayer School of Engineering,
Hanover, NH, Jan. 14, 1988, 48p. + appends., IR 996, 4 refs.

Donaldson, R.J.F.

Icing, Power line supports, Ice control, Vibration, Ice removal, Ice prevention, Experimentation, Damage, Ice solid interface.

42-2439

Frost action and frost protection: experience from R&D work at SVI and VTI. [Tjäle och tjälskydd: Erfarenheter från FoU-verksamheten vid SVI och

VTI<sub>1</sub>, Ganddahl, R., Sweden. Ganddahl, R., Sweden. Statens väg- och trafikin-stitut. Meddelande, 1987, No.546, 135p., In Swedish with English summary. 87 refs. Frost action, Frost heave, Pavements, Frost penetra-

tion, Frost protection, Frost resistance, Ground thawing, Freeze thaw cycles, Damage, Thermal insulation.

42-2440

Soviet maritime Arctic; Proceedings.
Workshop on the Soviet Maritime Arctic, Woods Hole, MA, May 10-13, 1987, Woods Hole Oceanographic Institution. Technical report, Jan. 1988, WHOI-88-5, 67p., Contains 15 abstracts and an edited transcript of the concluding discussion session.

Ice navigation, Marine transportation, Natural resources, Meetings, Icebreakers, Polar regions, Ocean

environments.

Collapsible opening-closing net for zooplankton sam-

Diling through ice.

Macaulay, M.C., et al, Journal of plankton research, 1987, 9(6), p.1069-1073, 5 refs.

Sea ice, Drilling, Sampling, Plankton, Ice islands, Subglacial observations.

42-2442

Principal component analysis of satellite nessive microwave data over sea ice.

Rothrock, D.A., et al., Journal of geophysical research, Mar. 15, 1988, 93(C3), p.2321-2332, 21 refs.
Thomas, D.R., Thorndike, A.S.
Sea Ice, Microwavea, Radiometry, Remote sensing.

Ice breakup: observations of the acoustic signal. Waddell, S.R., et al, Journal of geophysical research, Mar. 15, 1988, 93(C3), p.2333-2342, 11 refs.

Farmer, D.M.
Ice breakup, Ice acoustics, Fast ice, Canada—Northwest Territories—Arctic Archipelago.

42-2444

Observations of the internal structure of sea ice by X

ray computed tomography.

Kawamura, T., Journal of geophysical research,
Mar. 15, 1988, 93(C3), p.2343-2350, 13 refs. F.

Japanese version see 41-3880.

Sea ice, Ice structure, X ray analysis.

42-2445

Separation of electrical charges during crystallization of water droplets.

Adzhiev, A.Kh., et al. Soviet meteorology and hydrology, 1987, No.8, p.48-52, Translated from Meteorologiia i gidrologiia. 8 refs.

Tamazov, S.T.

Precipitation (meteorology), Cloud droplets, Freezing rate, Electric charge, Charge transfer.

Quantitative theory of geocryological prognosis. Kolichestvennaia teoriia geokriologicheskogo prog-

Grigorian, S.S., et al, Moscow Universitet, 1987, 266p., In Russian with English table of contents. 313

Kiass, M.S., Guseva, E.V., Gevorkian, S.G.

Kiss, M.S., Guseva, E.V., Gevorkian, S.G. Soil freezing, Permafrost origin, Frost penetration, Permafrost thermal properties, Frost heave, Permafrost transformation, Thermokarst, Frost shattering, Geocryology, Forecasting, Frost action, Fracturing, Permafrost control, Frozen ground, Mathematical models.

42-2447

Pield experiment SEA ICE-85 in mid-winter in the Bay of Bothnia.

passim. For selected papers see 42-2448 through 42-2453.

Ice mechanics, Research projects, Sea ice distribution, Ice navigation, Ice crystal structure, Pack ice, Remote sensing, Ice thermal properties, Ice condi-tions, Oceanography, Heat transfer, Snow cover, Bothnia, Bay.

42-2448

Oceanographic observations.
Walden, J., Men, 1987, No.15, p.35-47.
Oceanography, Ice cover effect, Ocean currents,
Boundary layer, Salinity, Bothnia, Bay.

47-7440

Snow characteristics.

Kuusisto, E., Meri, 1987, No.15, p.49-56. Snow depth, Snow cover distribution, Snow density. Snow water equivalent, Snowdrifts, Pressure ridges, Bothnia, Bay

42-2450

Remote sensing.
Thompson, T., Mezi, 1987, No.15, p.57-63.
Remote sensing, Sea ice distribution, Snow cover, Ice
conditions, LANDSAT, Side looking radar, Bothnia,

42-2451

Remote sensing: IR thermometer and ship radar. Korhonen, O., Meri, 1987, No.15, p.65-68.

Remote sensing, Surface temperature, Snow cover effect, Infrared radiation, Measuring instruments,

42-2452

942-2452
Remote sensing: NOAA AVHRR imagery.
Kemppainen, H., Meri, 1987, No.15, p.69-75, 5 refs.
Remote sensing, Ice conditions, Sea ice distribution,
Snow cover distribution, Cloud cover, Ice edge, Temperature measurement, Bothnia, Bay. 42,2453

42-2435
Use of radar (SLAR) in mapping of sea ice.
Rauste, Y., Meri, 1987, No.15, p.77-98, 22 refs.
Sea ice distribution, Side looking radar, Remote sensing, Radiometry, Mapping, Backscattering, Ice conditions, Bothnia, Bay. 42.2454

Assessment of impacts from intensive-use on alpir tundra vegetation and soils in Cathedral Park. B.C.:

Van Barneveld, J.W., et al, British Columbia, Canada. Ministry of Environment and Parks. MOEP technical report, June 1987, No.26, 173p., 36 refs.

Kowall, R.C., Williams, R.J.
Alpine tundra, Environmental impact, Vegetation,
Solls, Climatic factors, Geomorphology, Landscapes,
Canada—British Columbia—Cathedral Park.

42-2455 Arctic zooplankton prefer living ice algae: a caution

for zooplankton excretion measurements.

Conover, R.J., et al, Journal of plankton research.

Mar. 1988, 10(2), p.267-282, 38 refs. Bedo, A.W., Spry, J.A. Plankton, Algae, Subglacial observations.

42-2456

Microwave remote sensing of snowpack properties:

potential and limitations. Bernier, P.Y., Nordic hydrology, 1987, 18(1), p.1-20, Refs. p.17-20.

Remote sensing, Microwaves, Snow water equivalent. 42-2457

Airborne UHF ladar sounding of glaciers and ice shelves, northern Ellesmere Island, Arctic Canada. Narod, B.B., et al, Canadian journal of earth sciences, Jan. 1988, 25(1), p.95-105, With French summary. 36 refs.

Clarke, G.K.C., Prager, B.T.

Ice surveys, Ice cover thickness, Aerial surveys, Radio echo soundings, Glacier thickness, Ice shelves. 42-2458

Ice cracked Miranda. New scientist, Nov. 19, 1987,

116(1587), p.34. Extraterrestrial ice, Clathrates.

42-2459

Problems in reclaiming stripped mined tundra lands on the North Slope, Alaska. Bandopadhyay, S., et al, Society of Mining Engineers. Transactions, 1986, Vol.280, p.2028-2033, 30 refs. Maneval, D.R.

Mining, Environmental impact, Revegetation 42-2460

Experience in building hydroelectric developments. Copyt stroite stvs gidrouzlovy, Erskhtin, B.M., Moscow, Energoatomizdat, 1987, 287p. (Pertinent p.165-217, 250), In Russian with

abridged English table of contents enclosed. Electric power, Hydraulic structures, Concrete struc-tures, Dams, Construction, Permafrost beneath structures, Cold weather construction, Winter concreting. 42-2461

Review of glaciological studies in the USSR in 1983-

1986. (Soobshchenie o nauchnykh rabotakh po gliatsiologii v SSSR v 1983-1986 gg<sub>1</sub>, Kotliakov, V.M., et al, Akademiia nauk SSSR. In stitut geografii. Materialy gliatsiologicheskikh is-sledovanh, May 1987, No.60, p.3-24, Prepared for the 19th General Assembly of IUGG. In Russian. 164 refs.

Glazovskii, A.F. Glaciology, Bibliographies, Research projects, Ice, Snow, Naleds.

42-2462

Workshop of the Glaciological Section and tutorial seminar in 1986. <sub>(</sub>Rabochee soveshchanie Sektsii gliatsiologii i shkola-seminar v 1986 g<sub>1</sub>, Glazovskii, A.F., Akademiia nauk SSSR. Institu

geografii. Materialy gliatsiologicheskikh is-sledovani, May 1987, No.60, p.24-33, In Russian. Meetings, Glaciology, Snow, Ice, Avalanches, Research projects.

Problems of radio sounding of glaciers in Spitsbergen.

Problemy radiozondirovanija lednikov Shpitsber-

Macheret, IU.IA., Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovani, May 1987, No.60, p.35-40, In Russian. Report on a discussion at the Scott Polar Research

Radio echo sonndings, Glacier thickness, Glacier surveys, Remote sensing, Norway—Spitsbergen.

Simple hydrodynamic model of nonstationary "ma-rime" ice sheet. ¡Prosteïshaia gidrodinamicheskaia model' nestatsionarnogo "morskogo" lednikovogo

pokrovaj, Mazo, V.L., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanii, May 1987, No.60, p.41-48, In Russian with English summary. 40 refs.

Ice sheets, Seaice, Ice cover thickness, Drift, Models.

42-2465

Mathematical model of meltwater filtration into snow-fira cover. ¡Matematicheskaia model' fil'tratsii talykh vod v snezhno-firnovo'i tolshche,, Bozhinskii, A.N., et al, Akademiia nauk SSSR. In-

stitut geografii. Materialy gliatsiologicheskikh is-aledovanti. May 1987. No.60, p.48-52.

Krass, M.S. Mathematical models, Snow cover, Firn, Meltwater,

42-2466

Evolution of the isotope composition of oxygen in the ocean-glaciers system in Late Pleistocene. [Evoliutsiia izotopnogo sostava kisloroda sistemy "okean-led-

sua izotopnogo sostava kisioroda sistemy "okean-ied-niki" v pozdnem pleistotiene, Nikolaev, V.I., et al, Akademiia nauk SSR. Institut geografii. Materialy giiatsiologicheskikh is-siedovanh, May 1987, No.60, p.53-61, In Russian with English summary. 54 refs.

Sea water, Chemical composition, Sea ice, Isotope analysis, Oxygen isotopes, Pleistocene, Paleo-

Glaciation and volcanism on Deception Island in the Subantarctic, Oledenenie i vulkanizm o. Desepshen

Subantarctic, Oledenenie i vulkanizm o. Desepanen v Subantarktike, Govorukha, L.S., Akademiis nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovani, May 1987, No.60, p.61-68, In Russian with English summary. 23 refs.
Mountain glacters, Glacter Ice, Degradation, Volcanic

ash. Volcanoes.

ash, Volcanoes.

Data obtained by the International Deception Island Expedition in 1970-71 on the present conditions of volcanism and glaciation are presented and discussed. Volcanic effects on glaciers of the island are described and main indices of the glacial regime compared to those of South Shetland Archipelago. Discussions include the effect of present volcanism on glaciers undergoing general degradation.

42-2468

Spread and formation conditions of glacial naleds in Spitabergen. (Rasprostranenie i usloviia formirovaniia lednikovykh naledet Shpitabergena, Gokhman, V.V., Akademiia nauk SSSR. Institut geografii. Materialy glistsiologicheskikh issledovanii, May 1987, No.60, p.68-76, In Russian with English

summary. 16 refs.

Mountain glaciers, Glacial hydrology, Naleds, Ice composition, Periglacial processes, Polar regions, Norway—Spitubergen.

Macro and meso-structures on the surface of the antarctic ice sheet from satellite radar images. ¡Makro-i mezostruktury poverkhnosti Antarkticheskogo led-nikovogo pokrova po sputnikovym radiolokatsionnym

izobrazheniiam<sub>j</sub>, Nazirov, M., et al, Akademiia nauk SSSR. geografii. Materialy gliatsiologicheskikh is-sledovanii, May 1987, No.60, p.76-84, In Russian with English summary. 26 refs.

Nikitin, P.A.

Glacier surfaces, Spaceborne photography, Surface structure, Radar echoes, Ice sheets.

Comparison of spaceborne radar images, obtained with the "Cosmos-1500" satellite, with traditional initial data, revealed a total agreement of catabatic wind flow lines in eastern Antarctica. Possible mechanism of the formation of eotian mesor tructures in snow cover are analyzed and the identification of six ice domes, based on the nature of radio signal scattering by the ice sheet (in the sector 2-26 deg E.Long.) are discussed.

Mechanism of the Abramov glacier surges in 1972-1975. Mekhanizm podvizhki lednika Abramova v 1972-1975 gg., Glazyrin, G.E., et al, Akademiis nauk SSSR. Institut

geografii. Materialy gliatsiologicheskikh is-sledovanii, May 1987, No.60, p.84-90, In Russian with

English summary. 11 refs.

Glacier surges, Mathematical models, Glacier surveys, Mass balance, Flow measurement, Flow rate.

Resources of river and meltwater runoff in the North American mountains (from data on the World Atlas of Snow and Ice Resources). [Resursy rechnogo i talogo Snow and ICS Resources), presumy rectanges, sucquestoka gornykh ralonov Severnol Ameriki (po materialam Atlasa snezhno-ledovykh resursov mira), Ananicheva. M.D., Akademiis nauk SSSR. Institut

geografii. Materialy glistaiologicheskikh is-sledovanii, May 1987, No.60, p.91-98, In Russian with English summary. 6 refs.

Mountain glaciers. River basins, Glacial hydrology,

Snow cover distribution, Snow water equivalent, River flow, Runoff, Maltwater, Mana.

42-2472

Regime of stable snow cover in North America. [Rezhim ustošchivogo snezhnogo pokrova na territorii Severnoš Ameriki<sub>i</sub>,

Ivanovskais, T.E., et al, Akademiia nauk SSSR. Institut geografii. Materialy gilatsiologicheskikh issiedovani, May 1987, No.60, p.99-115, In Russian with English summary. 20 refs. Kravchenko, G.N.

Maps, Meteorological data, Snow cover distribution, Snow depth, Snow cover stability, Forecasting, Snow

42-2473

now cover in the Andes. Snezhnyl pokrov v An-

dakh, Kadomtseva, T.G., Akademiis nauk SSSR. Institut Radomiseva, I. C., Akademia nauk SSSR. Institut geografii. Materialy gitatsiologicheskikh is-sledovanii, May 1987, No.60, p.116-125, In Russian with English summary. 30 refs. Snow cover distribution, Snow depth, Thermal regime, Meteorological data, Snow water equivalent,

Altitude, Landscape types, Maps.

42-2474

Characteristics of snow cover distribution in Western Europe. ¡Osobennosti raspredeleniia snezhnogo pok-rova na territorii Zapadnoi Evropy;, Loktionova, E.M., Akademiia nauk SSSR. Institu

geografii. Materialy gliatsiologicheskikh is-sledovanii, May 1987, No.60, p.125-133, In Russian

with English summary. 19 refs.
Maps, Snow cover distribution, Snow depth,
Meteorological data, Alpine landscapes, Snow water
equivalent, Snow cover stability, Thermal regime. 42-2475

Mathematical modeling of the dynamics of Golubin Glacier. Matematicheskoe modelirovanie dinamiki lednika Golubina, Alzin, V.B., et al., Akademiia nauk SSSR. Institut

geografii. Materialy gliatsiologicheskikh is-sledovanii, May 1987, No.60, p.135-141, In Russian with English summary. 7 refs.

Mathematical models, Mountain glaciers, Glacier bods, Glacier ice, Thermal regime, Mass balance, Glacler flow.

42-2476

Seismovolcanic situation on Ushakov Volcano and the surge of Bilchenok Glacier in 1980-1983. [Selsmovulkanicheskaia obstanovka na Ushakovskom vulkane i podvizhka lednika Bil'chenok v 1980-1983

Murav'ev, IA.D., et al, Akademiia nauk SSSR. stitut geografii. Materialy gliatsiologicheskikh is-sledovanli, May 1987, No.60, p.141-147, In Russian with English summary. 22 refs. Farberov, A.I., Chubarova, O.S., Pribylov, E.S.

Volcanoes, Mountain glaciers, Earthquakes, Glacier surges, Seismology, Glacier ice, Thermal regime.

42-2477 Changes in the Kyukyurtlu Glacier on Elbrus Moun-

Caanges in the ayaryarut claster on Elbrus Moun-tain for a quarter century, [Izmenenia lednika Kiuki-urtliu na El'bruse za chetvert' vekas, Vinnikov, L.P., et al, *Kademiin anuk SSSR. Institut* geografii. Materialy gliatsiologicheskikh is-siedovani, May 1987, No.60, p.147-152, In Russian with English summary. 5 refs.

Surveys, Glaciation, Glacier flow, Flow rate, Glacier oscillation, USSR—Caucasus.

Present state of Murkar Glacier. [Sovremennoe sos-

tolanie lednika Murkar, Tsomaia, V.Sh., et al, Akademiia nauk SSSR. Institut graffi. Materialy gliatsiologicheskikh is-lovanii, May 1987, No.60, p.152-155, In Russian geografii. with English summary. 16 re

Aliev, I.A.

Mountain glaciers, Glacier ice, Ice surveys, Expeditions, Glacier ablation.

42-2479

42-2479
Changes in the Severnaya Zemlia ice sheet during the 20th century. [Izmeneniia lednikovogo pokrova Severnol Zemli v XX stoletii, Govorukha, L.S., et al. Akademia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanh, May 1987, No.60, p.155-158, In Russian with English summary. 12 refs.
Maps, Mountain glaciers, Glacier mass balance, Glaciar (cs. Le volume.

cier ice. Ice volume.

Temperature distribution in the antarctic ice cover along the profile Mirnyy Observatory-Vostok Station. ¡Raspredelenie temperatury v tolshche led-nivovogo pokrova Antarktidy po profiliu observatoriia Mirnyl-stantsiis Vostok,

Blinov, K.V., et al, Akademiia nauk SSSR. Institut geografi. Materialy gliatsiologicheskikh is-sledovanh, May 1987, No.60, p.159-163, In Russian with English summary. 3 refs. Vostretsov, R.N., Dmitriev, D.N.

Ice sheets, Surveys, Ice drills, Drill core analysis, Isotope analysis, Glacier ice, Ice temperature.

Asotope analysis, Giacer Ice, a Ce temperature. Borehole measurements of ice temperature along the Mirnyy-Vostok profile revealed a distinct regularity, best expressed in marginal parts of the ice sheet, which governs variations of temperature gracient with depth in different regions. Interconnections among the temperature gradient distribution, physical properties of snow-firn deposits and global climatic changes are discussed.

42-2481

Gas hydrates in the ice of glacial covers. rGazovve

gidraty vo l'du lednikovykh pokrovov, Mitiaev, P.V., Akademia nauk SSSR. Institut geo-grafii. Materialy gilatsiologicheskikh issledovanh, May 1987, No.60, p.163-165, In Russian with English summary. 8 refs.

Ice sheets, Clathrates, Ice dating, Natural gas, drates, Ice cores, Ice composition, Impurities, Bub-

The presence of air in the form of gas hydrates at great depths of the antarctic ice was sustained theoretically and experimentally. Regarding gas formation as a phase transformation of ice tally. Regarding gas formation as a phase transformation of ice into crystalline lattice composed of water molecules and stabilized by the molecules of adsorbed gas, the thermodynamic Hibbs potential is evaluated according to given methematical formulas and its changes are discussed, with the conclusion, that gas hydrates might be present in ice sheets at temperatures and pressures existing at depths of 1100-1200 m. Short discussions on thermographic studies of ice cores are presented as an experimental proof of the existence of gas hydrates in ice, and the paleontologic significance of the results obtained (ice dating) is stressed.

Peculiarities of the development of Spitsbergen gla-ciers during the last 10,000 years. (Osobennosti razvitiia oledeneniia Shpitsbergena za poslednie 10 tysiach let<sub>1</sub>, Troitskil, L.S., Akademiis nauk SSSR.

grafii. Materialy gliatsiologicheskikh issledovanii, May 1987, No.60, p.166-168, In Russian with English

summary. 6 refs. Glaciation, Glacier ablation, Glacial hydrology, Mountain glaciers, Glacier ice, Flow rate, Polar regions, Accumulation, Mass balance, Norway—Spits-bergen.

42-2483

Dynamics of underground glaciation. Dinamika

podzemnogo oledenenijaj, Sukhodrovskii, V.L., Akademija nauk SSSR. Suknodroveki, v. L., Azademia nauk SSSA. Institut geografii. Materialy glassiologicheskish is-siedovanii, May 1987, No.60, p.168-170, In Russian with English summary. 14 refs. Permafrost distribution, Permafrost physics, Perma-frost transformation, Climatic changes, Erosion,

Space-time changes in the structure and strength of snow cover in the northern Tien Shan mountains. ¡Prostranstvenno-vremennaia izmenchivost' strukturno-prochnostnykh svoistv snezhnogo pokrova v gorakh Severnogo Tian'-Shania<sub>1</sub>, Girovka, N.N., Akademiia nauk SSSR.

Institut geografii. Materialy gliatsiologicheskikh issledovanii, May 1987, No.60, p.171-175, In Russian with English

summary. 8 rcfs.
Alpine landscapes, Snow cover distribution, Snow cover structure, Snow depth, Snow cover stability,
Avalanche formation, Avalanche triggering.

Temperature regime of the Kungey Alatau from den-drockrosological data. (Temperaturny) rezhim v Kungel Alatau po dendrokhronologicheskim dan-

nym<sub>1</sub>, Borshcheva, N.M., Akademiia nauk SSSR. rafii. Materialy gliatsiologicheskikh is-ovanii, May 1987, No.60, p.175-179, In Russian geografii. aledovani

with English summary. 7 refs.

Alpine landscapes, Landscape types, Vegetation,
Paleoclimatology, Paleoecology, Climatic changes,
Seasonal variations, USSR—Tien Shan.

42-2486

Rock glaciers—the sources of mudflow origin in the Chegem River basia. Kamennye gletchery—ochagi zarozhdeniia selef v basselne r. Chegem, Seinova, I.B., et al, Azdemiia nauk SSSR. Institut geografii. Saledoviani, Materialy gliatsiologicheskikh issledovani, May 1987, No.60, p.179-183, ln Russian with English summary. 5 refs. Mezenina, T.N.

Alpine landscapes, Thermokarst, Ice melting, Slope processes, Rock glaciers, Mudflows, USSR—Cauca-sus.

42-2487

Cryoperiphyton in the ice cover of the Amur River. (Kiloperifiton v ledianom pokrove r. Amur), ivanov, A.V., et al, Akademiis nauk SSSR. Institut geografii. Materialy gilastiologicheskikh issledovanii, May 1987, No.60, p.184-188, in Russian with English summary. 26 refs. IUI'ev, D.N., Lebedev, IU.M. River ice, Sea ice, Microbiology, Algae, Cryobiology.

42-2488

Possibilities of using different types of satellite photographs in studying nival and glacial processes. ¡Voz-mozhnosti ispol'zovanjia kosmicheskikh snimkov raznykh tipov dlia izuchenija nival'no-gliatsial'nykh prot-

kravtsova, V.I., Akademiia nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii, May 1987, No.60, p.189-193, In Russian with English

summary.

Mapping, Aerial surveys, Infrared photography, Spaceborne photography, Radio echo soundings, Gis-cier oscillation, Snow line, Ice cover thickness, Gis-cier Ice, Snow cover distribution, Seasonal variations.

Experience in using low-frequency radar for sounding Tien Shan and Spitsbergen glaciers. (Opyt primene-niia nizkochastotnoi radiolokatsionnoi apparatury dia zondirovaniia lednikov Tian'-Shania i Shpitsber-

gena, Vasilenko, E.V., et al, Akademiis nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh is-sledovanii, May 1987, No.60, p.193-199, In Russian with English summary. 23 refs. Gromyko, A.N., Macheret, IU.IA. Mountain glaciers, Glacier ice, Ice cover thickness,

42-2490

Using minicomputers in building a data base on glaciological cartography. ¡Ispol'zovanie minikomp'i-uterov dlia sozdaniia bazy dannykh po gliatsiologi-

cheskomu kartografirovanity,
Osokin, N.I., Akademiis nauk SSSR. Institut gerafii. Materialy gliatsiologicheskich issledovanit,
May 1987, No.60, p.200-205, in Russian with English 6 refs. summary.

Glaciology, Maps, Computer applications, Data processing. Data transmission.

42-2491

Ways of improving instruments for studying the penetration-shear properties of saow. [Puti sovershenst-vovaniia priborov penetratsionno-sdvigovykh is-sledovanii snezhnogo pokrova],

sledovanii snezhnogo pokrovs, Samollov, R.S., Akademiis nauk SSSR. Institut geo-grafii. Materialy gliatsiologicheskikh issledovanii, May 1987, No.60, p.205-209, In Russian with English summary. 9 refs. Snow physics, Snow hardness, Snow strength, Pene-

tration tests, Measuring instruments.

42-2492
Some remarks and proposals concerning the Glossary of Glaciology. Nekotorye zamechaniia i predlozheniia otnosiashchiesia k gliatsiologicheskoma slovariu (Leningrad, Gidrometeoizdat, 1984), Akkuratov, V.N., Akademiia nauk SSSR. Institut geografii. Materialy gliatsiologicheskikh issledovanh, May 1987, No.60, p.211-222, In Russian. Terminology, Glaciology, Dictionaries.

Surging as a potential response of ice sheets to CO2-

Surging as a potential response of ice sheets to CUI-induced changes in the polar environment. Progress report, Sep. 1985-Aug. 1986. Radok, U., et al, U.S. Department of Energy. Report, Aug. 1986, DOE/ER/60197-9, 23p., Refs. p.10-12. Lingle, C.S.

Ice sheets, Climatic changes, Glacier mass balance, Carbon dioxide, Glacier surges, Sea ice, Sea level. Carbon dioxide, Glacler surges, Sea ice, Sea level. The past year has brought the project within sight of its twin objectives—an assessment of the current potential for actarctic surges that would affect sea level, and the development of improved models for simulating the ice sheet behavior in response to CO2-induced warming. Revised plans for the conclusion of the project, during the remainder of 1986 and a 5 month no-cost extension, have been made both necessary by personnel changes and desirable for the full exploitation of results. Abstracts of ice sheet modelling studies carried out by W. P. Budd, B.J. McInnes, D. Jenssen and I.N. Smith, with the conclusion that the effects for sea level change could be substantial but manageable, are appended. (Auth. mod.)

Evaluation of disposable membrane filter units for sorptive losses and sample contamination. Walsh, M.E., et al, Environmental technology letters, 1988, Vol.9, MP 2328, p.45-52, 13 refs. Knapp, L.K., Jenkins, T.F. Pilters, Sampling.

42.2495

41-1493
Arctic and offshore research. U.S. Dept. of Energy.
Morgantown Energy Technology Center. Technolo-Morgantown Energy Technology Center. Technology status report, Jan. 1987, DOE/METC-87/0247, 32p., DE87001028, 17 refs.

Hydrocarbons, Sea ice distribution, Research projects, Offshore drilling, Natural resources, Ice scoring, Ice mechanics, Arctic Ocean.

Beaufort Sea Mesoscale Circulation Study: Hydrog-raphy USCGC Polar Star cruise, October 1986. Aagaard, K., et al, U.S. National Oceanic and Atmo-Asgasal, K., et al. C.S. Vasional Octains and Aministration. NOAA data report, July 1987, ERL PMEL-19, 83p. 6 refs.
Salo, S., Krogslund, K.
Water chemistry, Water temperature, Salinity, Temperature gradients, Statistical analysis, Suspended sediments, Plankton, Chlorophylla, Beaufort Sea.

Shape of creep curves in frozen soils and polycrystal-

Fish, A.M., Canadian geotechnical journal, Nov. 1987, 24(4), MP 2329, p.623-629, 12 refs. Soil creep, Ice creep, Frozen ground mechanics, Ice mechanics, Rheology, Mathematical models, Stresses, Temperature effects.

A new method was developed for determining creep parame-ters, particularly the time to failure, from a single linear plot in which an individual creep curve forms a straight line for primary which an individual creep curve forms a straight line for primary and tertiary creep. Secondary creep is considered to be a principal point on this line that predetermines the onset of failure can be predicted, even when creep tests are not complete, by extrapol ting information obtained for primary creep. Based upon T.H. Jacks's test data, prediction of creep strain was evaluated using the constitutive equation of A.M. Fish for entire creep and compared with the modified Sinha equetion of M.F. Ashby and P. Duval for attenuating creep as well as with models for primary and secondary creep. It is shown that the shape of the creep curves, and thus the creep parameters, varies with stress, temperature, and other factors. Hence, a family of creep curves cannot be described by a constitutive equation with a single set of creep parameters that do not take into account these variations without loss in the accuracy of the creep straun calculations. cy of the creep strain calculations

42-2498

Comparison of methanol and tetraglyme as extraction Comparison of methanol and tetragiyme as extraction solvents for determination of volatile organics in soil. Jenkins, T.F., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1987, SR 87-22, 26p., ADA-189 028, 23 refs. Schumacher, P.W. Soil chemistry, Waste disposal, Water pollution, Detection, Solubility.

tection, Solubility.

The abilities of methanol and tetraglyme to extract chloroform, benzene, toluene, and tetrachloroethylene from vapor-contaminated soils are directly compared. Comparisons are made both with respect to process kinetics and analyte recovery using an extraction procedure based on equilibration on a wrist-action shaker and determination using a purge-and-trap GC/MS. An equilibration period of 10 minutes is recommended for extraction using either methanol or tetraglyme. In all cases methanol was as good as or better than tetraglyme with respect to analyte recovery. This was even the case for soils contaminated with an oily residue. While commercial methanol and tetraglyme both contain measurable levels of volatile aromatics, simple rotary evaporation was successful in removing these contaminants to levels below detection limits for tetraglyme. Thus, for cases where every small amounts of the contaminate must be detected, degassed tegraplyme would be superior. Overall, however, methanol is considered the best choice for extraction of volatile organics where subsequent analysis is to be conducted by purge-and-trap GC/MS.

Austral spring microalgae across the Weddell Sea ice edge: spatial relationships found along a northward transect during AMERIEZ 83.

Fryxell, G.A., et al, *Deep-sea research*, Jan. 1988, 35(1A), p.1-20, Refs. p.16-19. Kendrick, G.A.

Ice cover effect, Algae, Microbiology, Antarctica-Weddell Sea.

Weddell Sea.

In the northwestern Weddell Sea and eastern Scotia Sea on a transect north from ice-covered, through ice-melt, to open-ocean stations, microalgase were compared to document an enhanced biological activity expected near the ice edge. The highest numbers of cells were found in open water, with 68, 700,000,000 cells/sqn morth of the ice edge. The dominant taxa under the ice and in the ice-melt stations were the pennate taxa under the ice and in the ice-melt stations were the pennate taxa under the ice and in the ice-melt stations were the pennate taxa under the lee and in the prescription of the interest 
Cumulation of chloroorganic insecticides by antarctic marine diatoms.

Lukowski, A.B., et al, Polish polar research, 1987, 8(2), p.167-177, 11 refs.

8(2), p.167-177, 11 refs.
Ligowski, R.
Sea water, Water pollution, Ice composition, Algae,
Antarctica—Admiralty Bay.
In summer :983-1984 samples of planktonic and attached distoma were collected in the Admiralty Bay as well as in the
region of South Orkneys, Drake Passage and Bransfield Strait.
Using gas chromatography, residues of chicrotragain pesticides
namely the compounds or the DDT group and HCH isomers,
were determined. It was found that the highest values of the
content of these compounds occurred in attached distoms comins from areas continuously washed with water from the melicontent of these compounds occurred in attached distorns coming from areas continuously washed with water from the meling glacier, in planktonic distorns from the samples of the Admirally Bay and from strongly glacisted regions. The hypothesis is put forward that, along with the direct atmospheric transport, the release of the deposits of these compounds from ice and glaciers during their melting is an additional source of input of chloroorganic biocides into antarctic waters. Distorns are good indicators of this process. (Auth.)

Snow fence handbook (Release 1.1).
Tabler, R.D., Laramie, WY, Tabler & Associates,
1988, 6 chapters, Refs. passim.

Snow fences, Blowing snow, Snowdrifts, Wind factors, Snow mechanics, Precipitation (meteorology), Design, Manuals.

42-2502
Technology of ice class ships. Possibilities for 1986.
[Technologie des navires de cote arctique. Possibilités actuelles—1986],
Melville Shipping, Ltd., Transport Canada. [Report], Mar. 1988, TP 8387F, 82p., In French with English summary.
Icebreakers, Ice navigation, Sea ice distribution, Ice conditions, Design, Marine meteorology, Radio communication. Safety

munication, Safety

Modeling solute segregation during freezing of peat-Kadlec, R.H., et al, Water resources research, Feb.

1988, 24(2), p.219-224, 20 refs. Li, X.-M., Cotten, G.B.

Solutions, Soil freezing, Peat, Liquid solid interfaces, Heat transfer, Mathematical models, Surface waters. 42-2504

Melting of polar ice cape. Barry, R.G., Weather, Feb. 1988, 43(2), p.60-61, 3 refs

Ice sheets, Ice melting, Isostasy, Climatic changes More data are added to an earlier response to F.E. Lumb's concern for a global rise in sea level due to glacier melting and thermal expansion of the ocean. Based on a 1985 report of the incrmal expansion of the ocean. Based on a 1985 report of the Polar Research Board, the possibility is suggested that by AD 2100 the sea could rise by 0.1-0.3 m from each of two causes: the collapse of the West Antarctic ice sheet because it is inse-curely grounded, and wastage of small glaciers produced by global warming.

42-2505

Emerging polar ship technology: as introduction. Brigham, L.W., Marine Technology Society journal, Sep. 1987, 21(3), p.3-5, 2 refs. Ships, Ice navigation, Icebreakers, Design.

42-2506

M.V. Arctic: Arctic vessel design and operations. I uce, M.P., Marine Technology Society journal, Scp. 1987, 21(3), p.6-11. Ships, Ice navigation, Design.

42-2507

Shirase and icebreaking ship technology in Japan. Akai, K., et al, Marine Technology Society journal, Sep. 1987, 21(3), p.12-19, 4 refs.

Icebreakers, Rescue operations, Propellers, Ice navigation, Design.

gation, Design.

The Shi sae is a combination icebreaker-research vessel. Experience accumulated over 18 years with the Fuji, its predecessor, went into the design of the new ship. The Shirase's main functions, hull form and structure, ice breaking performance, electric propulsion system, propellers, and hull fitting are described and fullstrated. Antarctic activities of the ship since 1983 are outlined, notably a successful rescue operation to free the Australian vessel Nella Dan that had been icebound for over 50 days.

42-2508

Safe shipping in the Canadian Arctic: risks and re-

sponsibilities.

Lamson, C., Marine Technology Society journal,
Sep. 1987, 21(3), p.20-28, 22 refs.

Ice navigation, Icebreakers, Marine transportation.

42-2509

Remote sensing in ice navigation. Leavitt, E.D., et al, Marine Technology Society journal, Sep. 1987, 21(3), p.29-36, 12 refs. McAvoy, G.

Ice navigation, Remote sensing, Ice conditions, Air-

42-2510

Solving icebreaker design problems using ice model basins.

basina. Free, A.P., Marine Technology Society journal, Sep. 1987, 21(3), p.37-47, 15 refs. Icebreakers, Design, Models.

42-2511

Design features and bi-polar operation of the ice-breaking resupply ship M/V Icebird. Coggriff, L.E., Marine Technology Society journal, Sep. 1987, 21(3), p.48-55.

Icebreakers, Design, Marine transportation, Ice navi-

gation.

M/V lebind, the world's first vessel purposely built for polar resupply, in 1984 ushered in a new era in polar transportation and scientific expedition support. lebind's design features and account of the condition of icorda a capability allow unescorded operation in ice condi-tions that would preclude the use of either conventional or merely "ice strengthened" vessels of low ice class. This article discusses *locbird* a principal features and reviews her perform-ance over the past three years in both the Arctic and Antarctic. (Auth.)

42-2512

Application of expert systems to ice piloting and ice navigation.

navigation. Vociker, R.P., et al, Marine Technology Society jour-nal, Sep. 1987, 21(3), p.56-63, 2 refs. Daley, C.G., Glen, I.F. Ice navigatioa, Icebreakers, Computer applications.

42,2513

Instrumentation for measuring forces on icebreakers. Ghoneim, G.A., Marine Technology Society journal, Sep. 1987, 21(3), p.64-74, 23 refs. Ice navigation, Ice pressure, Stresses.

42-2514

42-2314
Thyssen/Waas icenreaking hull form.
Milano, V.R., Marine Technology Society journal,
Sep. 1987, 21(3), p.75-87, 10 refs.
Icebraskers, Design, Stresses.

New Soviet Antarctic research ship Akademik Fedo-

FOR.

Brigham, L.W., Marine Technology Society journal, Sep. 1987, 21(3), p.88-91, 2 refs.

Ships, Icabreakers, Propellers.

Design characteristics and facilities of the new Finnish-built Soviet ship Akademik Fedorov are described and illustrated. The ship's primary mission is to resupply Soviet satisratic sations. A table comparing the features of several antarctic resupply and research ships is presented.

Evaporation from the surface of the snow cover. Results of the measurements made at the research station of Harzgerode. (Verdunstung von der Oberfläche der Schneedecke. Ergebnisse der and der Forschungsstation Harzgerode durchgeführten Messun-

gen, Rachner, M., Zeitschrift für Meteorologie, 1987, 37(5), p.285-290, In German with English summary.

Snow evaporation, Meteorological factors, Germany -Harzaerode

42-2517

94-1317
Electron spin-echo study of Cu(II)-(His)n in frozen aqueons solution.
Romanelli, M., et al, Chemical physics letters, Jan. 22, 1988, 143(4), p.404-408, 21 refs.

Solutions, Molecular structure.

42-2518

Caterpillars on ice. Kukal, O., Natural history, Jan. 1988, 97(1), p.36-41. Cryobiology, Animals.

Erosion of ices: physical and astrophysical discussion. Rocard, F., et al. *International journal of radiation effects*, Sep. 1986, 99(1-4), p.97-104, 13 refs. Extraterrestrial ice, Ice erosion, Films, Radiation.

42-2520

Comparative field study of calcium magnesium acetate and rock salt during the winter of 1986-1987.
Manning, D.G., et al, Downsview, Ontario, Ministry of Transportation and Communications, Sep. 1987, 32p. + 2 appends., ME-87-16, 3 refs. Crowder, L.W.

Chemical ice prevention, Snow removal, Ice control, Road maintenance, Winter maintenance, Wind factors, Equipment, Tests, Salting.

Testing of the 1:8 scale model of the R-class in level

Howard, D., et al, Transport Canada. Report, Dec. 1987, TP 8828E, 43p. + appends., With French summary R refs

Icebreakers, Ice breaking, Ice strength, Ice conditions. Tests. Models. Statistical analysis.

CIRED 1985; 8th International Conference on Electricity Distribution, Part 1-Full texts of contributions included in the programme.

International Conference on Electricity Distribution, 8th, May 20-24, 1985, Institution of Electrical Engineers. IEE conference publication, 1985, No.250, 471p., Refs. passim. For selected papers see 42-2523 through 42-2525.

Transmission lines, Power line icing, Power line sup-ports, Ice loads, Snow loads, Climatic factors, Com-puter applications, Meetings, Equipment.

Pindings and conclusions from snow disasters and their effects on the construction of medium-voltage overhead lines.

Brandt, E., et al, Institution of Electrical Engineers. IEE conference publication, 1985, No.250, International Conference on Electricity Distribution, 8th, May 20-24, 1985; CIRED 1985, p.160-164, 5 refs.

Power line icing, Transmission lines, Ice loads, Snow loads, Power line supports, Snowstorms, Design, Wet

42-2524

Protection of overhead lines against exceptional climatic hazards.

matic hazards.
Dalle, B., et al. Institution of Electrical Engineers.
IEE conference publication, 1985, No.250, International Conference on Electricity Distribution, 8th, May 20-24, 1985; CIRED 1985, p.165-171, 7 refs.
Gland, H., Lapeyre, J.L., Vieille, J.
Power line icing, Ice prevention, Ice loads, Wind factors, Protection, Snowfall, Temperature effects, Wet

snow, Design criteria.

42-2525

Planning and development of a 20 KV compact line for SCHLESWAG.

Boos, K.V., et al, Institution of Electrical Engineers. IEE conference publication, 1985, No.250, Interna-tional Conference on Electricity Distribution, 8th, May 20-24, 1985; CIRED 1985, p.175-179, 9 refs. Herzig, K.H.

Power line icing, Transmission lines, Ice loads, Cli-matic factors, Tests, Safety.

Field procedure for estimating soil thermal environments.

meents.
Flint, A.L., et al, Soil Science Society of America.
Journal, Sep.-Oct. 1987, 51(5), p.1326-1331, 17 refs.
Childs, S.W.

Soil temperature, Forest soils, Heat flux, Revegetation, Heat canacity, Thermal conductivity, Density (mass/volume). Soil water.

42-2527

Annotated hibliography on Soviet northern transport

North, R.N., University of British Columbia. Department of Geography. Department paper, 1987, No.38, 163p. Ice navigation, Transportation, Railroads, Pipelines,

Bibliographies, Polar regions.

42-2528

Surficial geologic map of the Anchorage B-7 NW quadrangle, Alaska. Yehle, L.A., et al, U.S. Geological Survey. Open-file report, 1987, 87-168, 11p. + maps, 24 refs.

Schmoll, H.R. Glacial deposits, Geological maps, Moraines, Paleo-

climatology, Meltwater, Pleistocene, United States -Aleske-Anchorage. 47-2520

On the acrodynamic roughness of sea ice areas in the Arctic. [Zur aerodynamischen Rauhigkeit arktischer Meereisflächen],

Meerensiaenen, et al, Meteorologische Rundschau, Aug. 1987, 40(4), p.97-107, In German with English summary. 7 refs. Kottmeier, C., Hartig, R., Stuckenberg, H.-U. Ice surface, Surface roughness, Wind (meteorology).

42-2530

Prospects for the development of marine radio-com-munication systems. Perspektivy razvitiia sistem

munication systems. (Perspektivy razvitiia sistem morskof radiosviazi),
Peresypkin, V.I., ed, Leningrad, Transport, 1986, 129p., In Russian. For selected paper see 42-2531. Ice navigation, Ice surveys, Remote sensing, Mapping, Radio communication.

42-2531 Principles of compiling an automated naval system for selecting optimal routes of ice navigation. Print-sipy postroenia sudovogo avtomatizirovannogo kom-pleksa vybora optimal'nykh putel ledovoí provodkij. lonikas, P.S., et al, Leningrad, Transport, 1986, p.14-22. In Russian. 4 refs.

Kapustin, A.N., Likhachev, A.V., IAkshevich, E.V. Sea ice distribution, Ice conditions, Ice navigation, Ice surveys, Ice reporting, Remote sensing, Mapping, Radio communication.

42-2532

Advanced types of marine transport vessels. Perspektivnye tipy morskikh transportnykh sudovy, Peresypkin, V.I., ed, Leningrad, Transport, 1986, 160p., In Russian. For selected papers see 42-2533 through 42-2535. Refs. passim.

Ice navigation, Transportation, Ships, Ice breaking, Icebreakers, Propellers, Design.

42-2533

AP-2533

Necessity of using controllable propellers on ice navigating vessels. (O neobkhodimosti ispol'zovaniis VRSh na sudakh ledovogo plavaniis, Ivanov, S.N., Perspektivnye tipy morskikh transport-nykh sudov (Advanced types of marine transport vessels) edited by VI. Perspektivnye tipy marine transport vessels) edited by VI. Perspektivnye transport vessels edited by VI. Perspektivnye transport vessels edited by VI. Perspektivnye transport vessels. sels) edited by V.I. Peresypkin, Leningrad, Transport, 1986, p. 45-53, In Russian. 8 refs. Ice navigation, Sea ice distribution, Ships, Propellers.

43-2534
Selection of the design regime for calculating propelers of ice navigating transport ships. (Vybor raschetnogo rezhima pri proektirovanii grebnykh vintov transportnykh sudov ledovogo plavaniia), Fomenko, IU.I., Perspektivnye tipy morskikh transportnykh sudov (Advanced types of marine transport vessels) edited by V.I. Peresypkin, Leningrad, Transport, 1986, P.79-85, In Russian. 2 refs. Ice navigation, Ships, Propellers, Design.

42-2535

Methods of determining rational parameters of large capacity icebreaking transport ships. [Metodologiia opredeleniia ratsional'nykh parametrov krup notonazhnykh ledokol'no-transportnykh sudovi,

notonazhnykh iedokol'no-transportnykh sudovi, Tsol, L.G., Perspektivnye tipy morskikh transport-nykh sudov (Advanced types of marine tranport ves-sels) edited by V.I. Peresypkin, Leningrad, Transport, 1986, p.106-109, In Russian. 3 refs. Ice navigation, Ice breaking, Icebreakers, Ships, De-

sign.

42-2536

Surface forces

Deriagin, B.V., et al, New York, Consultants Bureau, 1987, 440p. (Pertinent p.232-244, 409-426), Translation of Poverkhnostnye sily, Moscow, Nauka, 1985.

Churaev, N.V., Muller, V.M. DLC QD506.D4213 1987

Freezing points, Water films, Ice lenses, Hydrogen bonds, Ice water interface, Temperature effects, Anal-ysis (mathematics), Molecular structure, Surface properties.

42-2537

Causes of two slope-failure types in continental-shelf sediment, northeastern Gulf of Alaska. Schwab, W.C., et al, Journal of sedimentary petrology,

Jan. 1988, 58(1), p.1-11, 57 refs.

Lee, H.J

Slope processes, Glacial deposits, Marine deposits, Marine geology, Sediments, Earthquakes, Ocean waves, Shear strength, Soil erosion, United States— Alaska-Icy Bay.

42-2538

Model for striated boulder pavement formation on glaciated, shallow-marine shelves: an example from the Yakataga Formation, Alaska.

Eyles, C.H., Journal of sedimentary petrology, Jan. 1988, 58(1), p.62-71, 64 refs.

Glacial deposits, Striations, Marine deposits, Rocks, Models, Pleistocene, Glacier flow, United States—Alaska—Middleton Island.

November 13, 1985 eruption at Nevado del Ruiz (Central Cordillera, Colombia): relationships between eruptive dynamism, lee melting and the genesis of catastrophic lahars. rL'éruption du 13 Novembre 1985 au Nevado El Ruiz (Cordillère Centrale, Colombie): interactions entre le dynamisme éruptif, la fusion glaciaire et la genèse d'écoulements volcano-gla-

Thouret, J.C., et al, Académie des Sciences, Paris. Comptes rendus. Ser.2, July 30, 1987, 305(6), p.505-509, In French with English summary. 8 refs. Volcances, Ice melting, Slope processes.

42-2540

Amplifying mechanism for the climatic cycle: the "sea ice lid effect" controls the changes in atmospheric carbon dioxide. [Mécanisme d'amplification du cycle climatique global: l'effet de couvercie de la glace de mer contrôle le CO2 atmosphérique, Faure, H., Académie des Sciences, Paris. Comptes

rendus. Ser.2, July 30, 1987, 305(6), p.523-527, In French with English summary. 23 refs. Ice cover effect, Sea ice, Climatic changes, Carbon

source. Sea-ice extension at the end of a glacial cycle constitutes a CO2-tight lid on the cold oceanic surface waters of both hemispheres. Thus, the global ocean is no longer a sink for atmospheric CO2 because of this "sea-ice lid effect". The rapid increase of CO2 in the atmosphere, together with a rise in sea level is responsible for the accelerated temperature increase and sea-ice melting. The cold oceans, freed from their ice lid can become a CO2 sink. A new glacial cycle may thus be triagered. (Auth.)

42-2541

Distributioa, structure, and composition of freshwater ice deposits in Bolivian salt lakes.
Hurlbert, S.H.. et al, Hydrobiologia, Jan. 30, 1988, Vol.158, p.271-299, 36 refs.

Chang C.C.Y Underwater Ice, Permafrost beneath lakes, Ground ice, Ice lenses.

44-13-42
Model for glacial and proglacial sedimentation in the shield terrane of southern Ontario.
Kaszycki, C.A., Canadian journal of earth sciences, Dec. 1987, 24(12), p.2373-2391, With French summary. 38 refs.

Glacial deposits, Canada Ontario.

Dislocation climb in ice observed by etching and replicating.

Sinha, N.K., Journal of materials science letters, Dec. 1987, 6(12), p.1406-1408, 3 refs. Ice crystals, Ice creep, Scanning electron microscopy.

42-2344
Theory and methods of regional hydrogeological investigations (collection of scientific papers). Teoriia i metody regional nykh gidrogeologicheskikh issledovanii (Sbornik nauchnykh trudov), Frolov, N.M., ed, Moscow, VSEGINGEO, 1985, 1235p., In Russian. For selected paper see 42-2345.

Mapping, Permafrost distribution, Sporadic perma-frost, Discontinuous permafrost, Route surveys, Aerial surveys, Surveys.

Experience in combining methods of mapping perma-frost in the zone of its insular distribution (the case irost in the zone of its insular distribution (the case of Pribaykal'ye). ¡Opyt kompleksirovaniia metodov kartografifovaniia kriogennykh massivov v zone ostrovnogo rasprostraneniia (na primere Pribalkal'ia), trovnogo rasprostraneniia (na primere Pribaikal'ia), Gostev, A.N., Teoriia i metody regional'nykh gi-drogeologicheskikh issledovanii (Theory and methods of regional hydrogeological investigations). Edited by N.M. Frolov, Moscow, VSEGINGEO, 1985, p.51-58, In Russian. 8 refs. Mapping, Sporadic permafrost, Discontinuous per-mafrost, Permafrost distribution, Roste surveys, Aerial surveys, Baykal Amur railrosd, Surveys.

42-2546

Hydraulic and static studies of hydraulic structures. rayaranic and static studies of hydranic structures. Gidravlicheskie i staticheskie issledovaniia gidrotekhnicheskikh sooruzhenlij, Rzhanitsyn, N.A., ed, Moscow, Izd-vo Universiteta druzhby narodov, 1986, 179p., In Russian. For selected paper see 42-2547.

Concrete structures, Hydraulic structures, Thermal stresses. Frost action, Alpine landscapes

Temperature effect on concrete dams of high-mountain regions of Afghanistan. K voprosu o temperaturnykh vozdejatvijakh na betonnye plotiny v

peraturnykh vozdefstviiakh na betonnye plotiny v vysokogornykh rafonakh Afganistana), Fomin, B.G., Gidravlicheskie i staticheskie is-sledovaniia gidrotekhnicheskikh soorushenii (Hydrau-lic and static studies of hydraulic structures) edited by N.A. Rzhanitsyn, Moscow, Izd-vo Universiteta druzh-by narcdov, 1986, p.172-178, In Russian. Frost action, Hydraulic structures, Concrete freezing, Concrete structures, Dams, Thermal stresses, Design, Alulus landscapes.

Alpine landscapes.

Thermophysical studies of elements in power producing installations. [Teplofizicheskie issledovaniis elementov energeticheskikh ustanovok, Dolinski, A.A., ed, Kiev, Naukova dumka, 1986, 172p., In Russian For selected paper see 42-2549.

Electric power, Hydraulic structures, Earth dams, Permafrost control, Thermopiles.

42-2549

Probability model of thermopile performance in th mostatic control systems for frozen structures, rVe roiatnostnaia model' raboty termosifona v sistemakh termostatirovania merzlykh sooruzheniy, Glamazdin, P.M., et al, Teplofizicheskie issledovaniia

elementov energeticheskikh ustanovok (Thermophysical studies of elements in power producing installa-tions) edited by A.A. Dolinskii, Kiev, Naukova dum-ka, 1986, p.44-54, In Russian. 11 refs. Nikiforov, V.A. Thermopiles, Permatrost control, Frozen ground, Hy-

draulic structures, Mathematical models.

Russian-English glossary of geocryology. [Russkoangliiskaia terminologiia po geokriologii, Fedorov, I.S., Yakutak, 1984, 112p., In Russian. refs.
Dictionaries, Geocryology, Glaciology.

Airborne electromagnetic sounding of sea ice thick-

Airborne electromagnetic sounding of sen too the coness and sub-ice bathymetry.

Kovacs, A., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1987, CR 87-23, 40p., ADA-188 939, 21 refs.

Valleau, N.C., Holladay, J.S.

Valleau, N.C., Bounda sensing, Sen ice, Electro-

valiesu, N.C., Tollausy, J.S. Ice cover thickness, Remote sensing, Sea ice, Electro-magnetic prospecting, Sounding, Subglacial observa-tions, Airborne equipment, Analysis (mathematics). TIOMS, AFFORME equipment, ABRIYES (MERLEMBRICS).
A study was made in May 1985 to determine the feasibility of using an airborne electromagnetic sounding system for profiling sea ice thickness and the sub-ice water depth and conductivity. The study was made in the area of Prudone Bay, Alaksa. The multifrequency airborne electromagnetic sounding system consisted of control and recording electronics and an antenna. The electronics module was installed in a helicopter, and the 7-The electronics module was installed in a helicopter, and the 7-m-long tubular antenna was towed beneath the helicopter at about 35 m above the ice surface. For this electromagnetic system, both first-year and second-year sea ice could be profiled but the resolution of ice thickness decreased as the ice became rough. This decrease was associated with the large footprint of the system, which effectively smoothed out the sea ice relief. Under-ice water depth was determined, as was seawater conductivity. The results of the feasibility study were ennouraging, and further system development is therefore warranted.

42-2552
Naleda, [Naledi],
Alekseev, V.R., Novosibirsk, Nauka, 1987, 256p., In
Russian with English table of contents enclosed.
Refs. p.242-254.
Naleds, Ice physics, Glacial hydrology, Ice formation,
Alimentation, Ice accretion, Ice (water storage), Hydrothermal processes, Ice melting, Ground ice, Classifications, Terminology.

42-2553

81-1353 Bivariate self-modeling solutions of one-phase Stefan problems. (Dvumernye avtomodel'nye resheniia odnofaznoĭ zadachi Stefana; Anisiutin, B.M., et al. Akademiia nauk SSSR. Si-

birskoe otdelenie. Institut gidrodinamiki. Gi-drodinamika vzryva (Dinamika sploshnoi sredy). Sbornik nauchnykh trudov, 1986, Vol.78, p.10-20, In Russian. 10 refs.
Melrmanov, A.M.
Stefan problem, Melting, Mathematical models.

Snow and ice albedo from observational data and mathematical models. [Al'bedo snega i l'da po dannym nabliudenii i model'nykh raschetov], Kondrat'ev, K.I.A., et al, Leningrad, geofizicheskaia observatoriia. Trudy, Vol.509, p.33-59, In Russian. 77 refs. Ter-Markariants, N.E.

Atmospheric circulation, Climatology, Mathematical odels, Soil air interface, Snow air interface, Ice air interface, Hydrothermal processes.

Methods and some results of processing data on con-trasts of ice-water radiation obtained with a scanning airborne radiometer. [Metodika i nekotorye rezul'taty obrabotki kontrastov izlucheniia led-voda po dantary coraocial kontrastov izuchennia led-voda po da nym samoletnogo skanirzulushchego radiometra, Aleksandrov, V.IU., et al. Leniugrad. Glavna geofizicheskaia observatoriia. Trudy, 1986, Vol.509, p.162-178, lin Russian. 5 refs. Ice water interface, Radiometry, Aerial surveys.

42-2556

Numerical method of short-range forecasting of ice redistribution in the Barents Ses for spring-summer periods. [Chislenny! metod kratkosrochnogo prognoza pereraspredeleniia l'da v Barentsevom more dlia

vesenne-letnego perioda, Zubakin, G.K., et al, Leningrad. Gidrometeorologicheskii nauchno-issiedovatel'skii tsentr SSSR. Trudy, 1986, Vol.281, p.15-23, ln Russian. 11 refs.

Sea ice distribution, Ice forecasting, Ice conditions.

Long range forecasting of ice season duration in northeastern ports of the USSR. [K voprosu o dol-gosrochnom prognoze prodolzhitel nosti ledovogo sezona v portakh severo-zapadnykh morel SSSR<sub>1</sub>, Sheremetevskaia, O.I., Leningrad, dirometeorologicheski nauchno-issledovateľskii tsentr SSSR, Trudy, 1986, Vol.281, p.58-65, In Russian. 7 refs.

Sea water freezing, Ports, Ice conditions, Ice forecasting.

Water freezing temperature in the upper micro-layer (the case of the North Atlantic Ocean). [Tem-(the case of the North Atlantic Ocean), [1em-peratura zamerzaniia vody v poverkhostnom mik-rosloe (na primere Severnol Atlantiki), Mikhailov, V.I., et al. Moscow. Gosudarstvennyi okeanograficheski institut. Trudy, 1986, Vol.177, p.87-92, In Russian. 7 refs. Nazarenko, B.S.

Sea water freezing, Boundary layer, Air temperature, Air water interactions. Heat transfer, Water temper-

42-2559

Modeling the electromagnetic property trends in sea ice; Part 1.

ics; FET 1.

Kovacs, A., et al, Cold regions science and technology,
Oct. 1987, 14(3), MP 2330, p.207-235, 33 refs.

Morey, R.M., Cox, G.F.N.
Ice physics, Electromagnetic properties, Sea ice, Dielectric properties, Mathematical models, Electrical
resistivity, Ice cover thickness, Pressure ridges,

42-2560

Modelling of coupled heat, moisture and stress field

Mu, S., et al, Cold regions science and technology, Oct. 1987, 14(3), p.237-246, 24 refs.

Oct. 1967, 19(3), p.237-296, 24 feb. Ladanyi, B. Soil freezing, Heat transfer, Prost heave, Soil water migration, Stresses, Soil creep, Mathematical mod-els, Frost penetration.

42-2561

Constitutive model for ice as a damaging visco-elastic

material.
Sjölind, S.-G., Cold regions science and technology,
Oct. 1987, 14(3), p.247-262, 22 refs.
Oct. 1987, 14(3), p.247-262, 22 refs.

Ice physics, Viscoelastic materials, Ice cracks, Stress strain diagrams, Ice elasticity, Brittleness, Temperature effects, Theories, Damage, Thermodynamics, Analysis (mathematics), Ice creeps. 42-2562

Exponential smoothing to predict iceberg trajecto-

res. Moore, M., Cold regions science and technology, Oct. 1987, 14(3), p.263-272, 9 refs. Icebergs, Drift, Ice solid interface, Analysis (mathematics), Statistical analysis, Ice mechanics.

42-2563

Comparison of the creep behavior of saline ice and frozen saline Ottawa sand at -8 C. Pharr, G.M., et al, Cold regions science and technology, Oct. 1987, 14(3), p.273-279. Godavarti, P.S.

Ice creep, Soil creep, Sands, Frozen ground mechanics, Temperature effects, Saline soils, Sea ice, Rheology, Compressive properties, Stress strain diagrams. 42-2564

2.2564
Camp Century survey 1986.
Cundestrup, N.S., et al, Cold regions science and technology, Oct. 1987, 14(3), MP 2331, p.281-288, 24 refs.
Clausen, H.B., Hansen, B.L., Rand, J.H.
Boreholes, Surface migration, Remote sensing, Ice mechanics, Velocity, Topographic features, Drilling, Greenland—Camp Century,
Directional surveys of the bore-hole at Camp Century, Greenland were made in 1966, 1967 and 1999. From these surveys a surface velocity of 5.5 m/yr in the direction 240 deg was computed. The position of the 60 m enteorological tower near the bore-hole was measured in 1977 and 1986 with satellite avaigation equipment. These measurements show a surface velocity of 3.5 m/yr in the direction 235 deg. Measurement of the surface topography in 1986 shows whe bore-hole is situated on a local sloping fee divide. A differential magnetometer was used to locate the drill tower. Hand supering verified the location and showed the drill tower was buried 6.5 to 7 m beneath the 1986 snow surface as expected from the depth-age relation. The casing was not identified. Extension of the casing to the snow surface and resurvey of the bore-hole will provide urgently needed information on the variation of ice flow with depth.

42-2565

42-2565

Airborne electromagnetic sounding of sea ice thick-

Airborne electromagnetic sounding of sea ice trick-ness and sub-ice bathymetry. Kovacs, A., et al, Cold regions science and technology, Oct. 1987, 14(3), MP 2332, p.289-311, For another source see 42-2551. 21 refs. Valleau, N.C., Holladay, J.S. Ice cover thickness, Subglacial observations, Electro-magnetic prospecting, Airborne radar, Snow cover thickness, Ice conditions, Sounding, Sea ice, Profiles, United States—Alaska—Prudhoe Bay.

United States—Alaska—France Bay.

A study was made in May 1985 to determine the feasibility of using an airborne electromagnetic sounding system for profiling sea ice thickness and the sub-ice water depth and conductivity. The study was made in the area of Pruthoe Bay, Alaska. The

multifrequency airborne electromagnetic sounding system consisted of control and recording electronics and an antenna. The electronics module was installed in a helicopter, and the 7 m long tubular antenna was towed beneath the helicopter at about 35 m above the ice surface. For this electromagnetic system, both first-year and second-year see ice could be profiled, but the resolution of ice thickness decreased as the ice became rough. This decrease was associated with the large footprint of the system, which effectively smoothed out the sea ice relief. of the system, which effectively smoothed out the sea ice reies. Under-ice water depth was determined, as was seawater con-ductivity. The results of the feasibility study were encourag-ing, and further system development is therefore warranted.

Deformations and stresses in freezing and thawing

rocks. Deformatsii i napriazheniia v promerzaiush-chikh i ottaivaiushchikh porodakh, Ershov, E.D., ed, Moscow, Universitet, 1985, 168p., In Russian with English table of contents enclosed.

O/Tell
Permafrost physics, Ground ice, Ice physics, Active
layer, Seasonal freeze thaw, Cryogenic soils, Frost
action, Stress strain diagrams, Frost penetration, Soil
water migration, Frost heave.

42-2367
OTC '87 proceedings.
Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987, 1987, 490.s., Refs. passim. For selected papers see 42-2568 through 42-2580.
Offshore structures, Offshore drilling, Ice loads, Ice pressure, Meetings, Drift, Impact strength, Design, Ice conditions.

82-2308 SF-500 turret-moored icebreaker drillship. Williford, F.B., et al, Offshore Technology Confer-ence, 19th, Houston, TX, Apr. 27-30, 1987. Proceed-ings. Vol.1, 1987, p.25-33. Winkler, R.S.

Cebreakers, Offshore drilling, Offshore structures, Ice conditions, Sen Ice, Design, Environmental protection, Ice mechanics.

Arctic marine seismic acquisition feasibility: a case study.

study.
Sheline, H.E., Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol.1, 1987, p.161-168, 6 refs.
Offshore drilling, Ice conditions, Ses ice distribution, Pack Ice, Seismic surveys, Exploration, Floating ice, Remote sensing, Greenland Ses.

apt 2370
Influence of ice forces on the configuration and construction cost of arctic offshore structures.
Gulati, K.C., et al., Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol. 2, 1987, p. 9-17, 6 refs.
Hadley, R.D., Howard, M.

Offshore structures, Ice loads, Ice solid interface, Design, Construction materials, Ice pressure, Cost anal-

Removable bottom-founded structure for iceberg-infested waters.

Beskow, R.H., et al, Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol.2, 1987, p.19-30, 4 refs. Dunn, P.J., Metcalf, M.F., Benoit, P.S. Offshore structures, Sea ice distribution, Icebergs, Offshore drilling, Construction materials, Safety, Ice solid interface, Design.

Maidi-leg structures in sub-arctic seas.

Tatsuta, M., et al, Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol.2, 1987, p.31-38, 4 refs.

Offshore structures, Sea ice distribution, Ice loads, Design, Ice conditions, Tests, Ice models, Wind fac-

tors, Ocean currents.

Use of a 12-channel sel for shallow refraction surveying of ice-bearing sediments in the Canadian Beaufort

Fortin, G., et al, Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol.3, 1987, p.281-288, 9 refs. Good, R.L., Norminton, E.J., Hunter, J.A.

Subsea permatrost, Marine deposits, Seismic surveys, Ocean bottom, Seismic refraction, Marine geology,

Tools and techniques for manned submersible studies of sediment transport and ice scour on the eastern Canadian Continental Shelf.

Canadian Continental Shelf.
Collins, W.T., et al, Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol. 3, 1987, p. 289-294, 12 refs.
Parrott, D.R., Barrie, J.V., Imber, B.
Ice scoring, Sediment transport, Geophysical surveys, Soil erodon, Icebergs, Stability, Offshore structures,

Equipment.

New developments in cast arctic offshore steels. Hartikainen, H.O., Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol. 4, 1987, p. 15-19, 10 refs.

Offshore structures, Steel structures, Offshore drilling, Design, Temperature effects, Plasticity tests, Strength.

Wave attenuation in ice.

Rao, G.L., et al, Offshore Technology Conference,
19th, Houston, TX, Apr. 27-30, 1987. Proceedings.
Vol.4, 1987, p.403-411, 10 refs.
Vandiver, J.K.

Ocean waves, Ice cover, Wave propagation, Attenua-tion, Mathematical models, Ice edge, Ice floes.

Estimation of loads due to simultaneous occurrence of

waves and iceberg impacts.

Bolen, Z.K., Offshore Technology Conference, 19th,
Houston, TX, Apr. 27-30, 1987. Proceedings.

Vol.4, 1987, p.413-416.

Ice loads, Offshore structures, Ocean waves, Icebergs, Impact strength, Design, Models, Loads
(forces).

42-2578

Iceberg impact strength.

Johnson, R.C., et al, Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings. Vol.4, 1987, p.417-423, 3 refs.

Ice loads, Impact strength, Ice pressure, Offshore structures, Icebergs, Ice conditions, Compressive properties, Equipment, Ice physics.

42.2579

42-2579
Twisting-bending mode of ridge failure.
Gershunov, E.M., Offshore Technology Conference, 19th, Houston, TX, Apr. 27-30, 1987. Proceedings.
Vol.4, 1987, p.425-432, 36 refs.
Ice loads, Offshore structures, Pressure ridges, Ice solid interface, Drift, Ice floes, Ice pressure, Models,

42-2580

e.2-2380
Measurement of arctic sea ice using impulse radar.
Paulley, T.A., et al, Offshore Technology Conference,
19th, Houston, TX, Apr. 27-30, 1987. Proceedings.
Vol.4, 1987, p. 433-441, 2 refs.
Gehrig, G.F., Oswald, G.K.A.
Ice cover thickness, Airborne radar, Radar schoes,
Sea ice, Electromagnetic prospecting, Profiles, Ice
floes, Tests, Remote sensing, Velocity.

Modeling and prediction of geophysical proces (Modelirovanie i prognozirovanie geofizicheskikh

protessay, V.K., ed, Novosibirsk, Nauka, 1987, 199p., In Russian. For selected papers see 42-2582 through 42-2586. Refs. passim. Dem'ianovich, N.I., ed, Konovalenko, Z.P., ed. Paralacering geology, Mathematical

Shore erosion, Engineering geology, Mathematical models, Permafrost, Thermokarst, Frost heave, Slope processes, Baykal Amer railroad, Solifluction, Eco-nomic development, River basins.

Exogenic geological processes in eastern Siberia and the problems of studying them. ¡Eksogennye geologi-cheskie protsessy Vostochno! Sibiri i problemy ikh izu-

cheniia, Leshchikov, F.N., Modelirovanie i prognozirovanie geofizicheskikh protesssov (Modeling and prediction of geophysical processes) edited by V.K. Arguchint-sev, N.I. Dem'ianovich and Z.P. Konovalenko, Novosibirak, Nauka, 1987, p.9-16, In Russian. 17

Frost action, Permafrost weathering, Permafrost hydrology, Thermokarst, Frost heave, Slope processes, Solifluction, Permafrost thermal properties.

Space-time variations of ground water runoff in the Angara-Lena artesian basin. ¡Prostranstvenno-vre-

Augura-Jean arcessas Sanal. [Frostransvenno-vremennaia izmenchivost podzemnogo atoka Angaro-Lenakogo artezianakogo basseina,
Shen'kman, B.M., Modelirovanie i prognozirovanie
geofizicheskikh protessao (Modeling and prediction
of geophysical processes) edited by V.K. Arguchintsev, N.I. Dem'ianovich and Z.P. Konovalenko,
Novosibirsk, Nauka, 1987, p.17-30, In Russian. 8

River basins. Artesian water, Permafrost distribution, Permafrost hydrology.

Formation of shores of the Angara water reservoirs. [Formirovanie beregov angarskikh vodokh-

ranilishchy, Puliaevskii, G.M., et al, Modelirovanie i prognozirovanie geofizicheskikh proteessov (Modeling and prediction of geophysical processes) edited by V.K. Arguchintsev, N.I. Dem'ianovich and Z.P. Konovalenko, Novosibirsk, Nauka, 1987, p.39-46, In Russian. refs.

Ovchinnikov, G.I.

Frost ection, Shore erosion, Frost penetration, Slope processes, Frozen fines, Shoreline modification, Clays, Sands.

42-2585

Dynamics of seismic and electrical properties of ground during freeze-thaw. Dinamika seismicheskikh i elektricheskikh svoïstv gruntov pri ikh promerzanii i ottaivanii),

Dzhurik, V.I., et al, Modelirovanie i prognozirovanie geoffzicheskikh protesseov (Modeling and prediction of geophysical processes) edited by V.K. Arguchintsev, N.I. Dem'ianovich and Z.P. Konovalenko, Novosibirsk, Nauks, 1987, p.46-52, In Russian. 5 refa

IUshkin, V.I., Popov, L.G.

Engineering geology, Measuring instruments, Mathematical models, Discontinuous permafrest, Earthquakes, Permafrost beneath structures, Permafrost forecasting, Freeze thew cycles, Freet penetration, Elastic waves, Seismic velocity, Experimentation, Laboratory techniques, Frozen fines, Frezen sands, Gravel.

Prognosis and climatic evaluation for economic development of large basins in the Baykal Amur railroad zone. [Prognozno-klimaticheskaia otsenka osvoeniia

2008. (Prognozo-kumanceneskata ouemas cavormas bol'shikh koltovin v zone BAM), Ladetshchikov, N.P., et al, Modelirovanie i prognozirovanie geofizicheskikh protsessov (Modeling and prediction of geophysical processes) edited by V.K. Arguchintsev, N.I. Dem'ianovich and Z.P. Konovatikiet Nauka 1087, p. 170.179 in Russikiet Nauka 1087, p. 170.179 in Russik Arguchintsev, N.I. Dem'ianovich and Z.P. Konovalenko, Novosibirsk, Nauka, 1987, p.170-179, In Rus-9 refs.

sian. Mizandrontseva, K.N.

Economic development, Permafrost distribution, Discontinuous permafrost, Baykal Amur railroad, River basins, Valleys.

Service experience with sterntube bearings of the ice breaker Leafs. (Opty ekspluatasii deldvudnykh pod-shipnikov ledokola "Lenin", Babanin, V.F., et al, Sudostroenie, Nov. 1987, No.11, p.48-51, In Russian. 9 refs. Sokov, E.V.

Propellers, Icebreakers, Ice navigation, Engines, Performance, Ice breaking.

42-2588

Operating experience with ice-going ships. [Opyt ck-splustateii sudov ledovogo plavaniia, Barabanov, N.V., et al, Sudostroenie, Dec. 1987, No.12, p.3-6, In Russian. 6 refs.

Babtsev, V.A. Sea ice distribution, Ice navigation, Ships, Damage, Countermeasures, Design.

Improving the ice-going capability of the icebreaker Mudyag. Uluchshenie ledoprokhodimosti ledokola

"Mud'iug'],
Zakharov, B.N., et al, Sudostroenie, Dec. 1987,
No.12, p.6-10, In Russian. 2 refs.
Petrakov, E.V.

Icebreakers, Design, Ice navigation, Ice cutting, Sea ice distribution. Ice cover thickness.

42-2590

Technological effectiveness of building icebreakers with new hall forms. [Tekhnologichnost' postrolki ledokolov s novymi formami obvodovi, Vasil'ev, A.A., et al, Sudostroenie, Jan. 1988, No.1,

.32-34, In Russian. Sashtelian, V.I., Kuklin, O.S.

Icebreakers, Construction materials, Design, Ice navigation. 42-2591

Determining the ultimate bending strength of ice in the spring. (O metodike opredeleniia predela proch-

the spring. To metodise opredeterms predet production notil'ds na izgib v vesennil periody, Fomichev, B.S., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiis vysshikh uchebnykh zavedenih. Stroitel'stvo i arkhitek-

sniki ucheonyki zavetenii. Siroitei sivo i arkintes-tura, 1987, No.10, p.80-83, In Russian. 6 refs. Ice cover strength, Ice cover thickness, Ice elasticity, Ice temperature, Elastic properties, Tests.

42-2592

Preparation of road ditches for winter operation. ¡Podgotovka gruntovykh pritrassovykh kar'erov k ek-

spluatatsii v zimnii period<sub>i</sub>, Migliachenko, V.P., Russia. Ministerstvo vysshego i Miguachenko, V.P., Russis. Ministerstvo vyssnego i srednego spetsial'nogo obrazovaniis. Izvestiis vys-shikh uchebnykh zavedenh. Stroitel'stvo i arkhitek-tura, 1987, No.10, p.99-103, in Russian. 2 refs. Rods, Tranching, Winter maintenance, Construction equipment, Construction, Frozen ground, Excavation.

42.2593 To the North Pole. On the 10th anniversary of the

a's Arktiks voyage to the Pole. Kurnosov, M., Soviet shipping, 1987, 7(3), p.20-21. Ships, Expeditions, Ice navigation, Sea ice distribu-tion, Icebreakers, Ice breaking, Polar regions.

42-2594

Ice experiment of Mudyug icebreaker is over. Mikhallichenko, V., Soviet shipping, 1987, 7(3), p.36-Ice cutting, Ice navigation, Icebreakers, Tests, Design.

42-2595

Arctic shipping: strategy of development. Arikainen, A., Soviet shipping, 1987, 7(4), p.20-23. Ships, Ice navigation, Icebreakers, Ice breaking, Northern Sea Route.

Not only the power (problems of icebreaker design).

Ne tol'ko moshchnost' (O problemakh ledokolostroeniia), Mikhallichenko, V., Morskoi flot, 1988, No.1, p.23-27,

In Russian.

Icebreakers, Design, Ice navigation

42-2597

Air-guide needs help. [Vozdushnyĭ povodyr' nuzhd-

aetsia v pomoshchij, Burkov, G., Morskoi flot, 1988, No. 1, p. 34-37, In Rus-

Aerial surveys, Ice surveys, Helicopters, Airborne equipment, Ice navigation, Icebreakers, Expeditions, Airplanes, Polar regions, Arctic Ocean. 42-259R

Forecasting the efficiency of caterpillar rippers in frozen ground. ¡Prognozirovanie proizvoditel'nosti gusenichnykh rykhliteleï na razrabotke merzivkh runtov),

Kaliuzhi nyi, M.I., et al, Mekhanizatsiia stroitel'stva, Dec. 1987, No.12, p.17, In Russian. 2 refs. Surikov, V.V.

Construction equipment, Excavation, Forecasting, Frozen ground, Mathematical models.

42-2599

Antarctic earthquakes.
Adams, R.D., Nature, Feb. 25, 1988, 331(6158), p.665, 4 refs. For the item being critiqued see 42-144 (F-36587).

Ice sheets. Earthquakes.

A critique is made of a prior report which could have been interpreted to mean that no earthquakes had occurred in interior Antarctica. Occurrences of such earthquakes are pointed out showing their locations, the sntarctic stations which recorded the events, and the search methods used to locate the events. 42-2600

CO2 record in the Byrd ice core 50,000-5,000 years RP Neftel, A., et al. Nature, Feb. 18, 1988, 331(6157).

p.609-611, 21 refs.
Oeschger, H., Staffelbach, T., Stauffer, B.
Ice cores, Gas inclusions, Carbon dioxide, Antarctica Byrd Station.

Analysis of air in polar ice cores repealed 30% lower CO2 values during glacial periods than during interglacial periods. At pre-

sent this is confirmed by results from six different ice cores, two from Greenland and four from Antarctica. In all cores the CO2 change coincides with the change in the isotopic composition of the ice, expressed as either the deltaO-18 or deltaD ratio; both are indicators for the mean snnual surface temperature. A great number of samples have been studied from the deep ice core from Byrd Station, drilled in 1968. These measurements allow the reconstruction of the atmospheric CO2 concentration in the specified time period in great detail. (Auth.) 42-2601

Information on past solar activity and geomagnetism form Be-10 in the Camp Century ice core.

Beer, J., et al, Nature, Feb. 25, 1988, 331(6158), p.675-

679. 38 refs.

Ice cores, Solar activity, Geomagnetism, Greenland-Camp Century. 42-2602

Enclathration of helium in ice II: the first helium

August 10, 1988, 332(6160), p.141-142, 15 refs.
Kuhs, W.F., Finney, J.L.
High pressure ice, Gas inclusions, Hydrates.

42-2603

Extreme O-18 depletion in calcite and chert clasts from the Elephant Moraine on the east antarctic ice sheet.

Faure, G., et al, Nature, Mar. 24, 1988, 332(6162), p.352-354, 19 refs.

Ice sheets, Glacial geology, Rocks, Radioactive isotopes, Antarctica—Victoria Land.

topes, Antarctice—Victoria Land.
Two large morsines are presently forming near the margin of the east antarctic ice sheet west of Victoria Land where the flow of the ice sheet is disturbed by subglacial bedrock ridges of the Transantarctic Mountains. During the 1983-84 search for meteorites in this area several clasts, composed of black acicular calcite crystals, were collected from the Elephant Moraine (76.35; and 157.3E) where they are ablating out of the ice. Additional samples of this calcite were later collected from the Elephant Moraine during the 1984-85 and 1986-87 field seasons, but none was found at the Reckling Moraine at 76.25 and in C-13 in addition to being enriched in radiogenic SR-87 relative to sea water. These results suggest that the calcite precipiin -13 in addition to being enriched in radiogenic SR-87 rela-tive to sea water. These results suggest that the calcite precipi-tated from aqueous solutions discharged by hotsprings under the east antarctic ice sheet. (Auth. mod.)

42-2604

Methods and means of processing satellite dats on parameters of natural media. Series V. Metody i sredstva obrabotki aerokosmicheskikh dannykh o sredstva obrabotki aerokosinicijesaja. parametrakh prirodnoj sredy. Serija V<sub>1</sub>,

Karasev, A.B., ed, Leningrad. Gosudarstvennyl nauchno-issledovatel'skit tsentr izucheniia prirodnyth resursov. Trudy, 1987, Vol.29, 176p., In Russian. For selected papers see 42-2605 and 42-2606. Refs.

passim.
Snow surveys, Aerial surveys, Route surveys, Snow surveys, Aerial surveys, Route surveys, Snow surface. Measuring instrucover distribution, Snow surface, Measuring instru-ments, Spaceborne photography, Data processing. 42.2605

Studying snow cover over flatlands by remote sensing. [lssledovanie snezhnogo pokrova ravninnykh raĭonov kak ob"ekta distantsionnogo zondirovaniis<sub>1</sub>, Kariagin, P.M., et al, Leningrad. Gosudarstvennyl nauchno-issledovatel'skh tsentr izucheniia prirodnykh resursov. Trudy, 1987, Vol.29, p.50-56, in Russian. 8 refs.

Mordvintsev, I.N., Penina, I.V. Snow surveys, Remote sensing, Route surveys, Snow cover distribution. Snow surface. Data processing. 42-2606

Using the space-data base technique of numerical processing in determining snow cover distribution and comparing the results with overland measurements. [Ispol'zovanie bazovol metodiki tsifrovol obrabotki dlia opredelenija stepeni zasnezhennosti i sravnenje etikh dannykh s nazemnymi izmerenijami,

Asmus, V.V., et al, Leningrad. Gosudarstvennyi nauchno-issledovatel'skii tsentr izucheniia prirodnykh resursov. Trudy, 1987, Vol.29, p.57-72, ln Russian. 6 refs.

Plains, Snow cover distribution, Remote sensing, Snow surveys, Spaceborne photography, Measuring instruments. Data processing. 42-2607

Liquid sampler.

Rand, J.H., U.S. Patent Office. Patent, Aug. 1982, MP 2334, 4 col., USP-4,346,612, 10 refs. Patent, Aug. 31, Unfrozen water content, Frazil ice, Samplers, Measuring instruments. Design. 42-2608

Collapsible restraint for measuring tapes. Leda, H.T., U.S. Patent Office. Patent, Mar. 8, 1983, MP 2335, 12 col., USP-4,375,721, 19 refs. Lec over thickness, Measuring Instruments, Boreholes, Design. 42.2600

Protection of plants against frost injury using nucleation-inhibiting species-specific bacteriophages. Kozloff, L.M., et al, U.S. Patent Office. Patent, Mar. 8, 1983, 10 col., USP-4,375,734, 2 refs. Schnell R C

Plants (botany), Frost protection, Bacteria, Countermeasures, Damage, Frost resistance, Ice nuclei.

Apparatus and method for measuring concentrations

Apparatus and method for measuring cor of supercooled liquid water.
Hill, G.E., et al, U.S. Patent Office. P. 10, 1984, 18 col., USP-4,441,363, 8 refs. Woffinden, D.S., Chadwick, D.G. Patent, Apr.

Unfrozen water content, Supercooled clouds, Vibra-tion, Monitors, Measuring instruments, Ice accre-

42-2611
Apparatus for inserting a flexible bag into a fluid transmission line.
Brister, B.D., U.S. Patent Office. Patent, Apr. 9, 1985, 14 col., USP-4,509,343, 8 refs.
Motor vehicles, Freezing, Liquid cooling, Cold weather operation, Leakage, Countermeasures, Maintenance, Freeze thaw cycles, Equipment.

42-2612

Apparatus and method of cooling using stored ice slur-

ry. Ludwigsen, J.S., et al, U.S. Patent Office. Apr. 9, 1985, 10 col., USP-4,509,344, 11 refs. Ludwigsen, J.L., Gallagher, T.A.

Liquid cooling, Storage tanks, Freeze thaw cycles, Phase transformations, Equipment, Heat transfer.

Modular island drilling system.

Wetmore, S.B., U.S. Patent Office. Patent, Apr. 16, 1985, 40 col., USP-4,511,288, 32 refs. Offshore structures, Offshore drilling, Ice conditions, Ice loads, Reinforced concretes, Cellular materials.

Mobile offshore structure for arctic exploratory drill-

Ing.
Hale, D.R., et al, U.S. Patent Office. Patent, Apr.
23, 1985, 10 col., USP-4,512,684, 12 refs.
Owen, W.A., Orndorff, J.A., Jr., Ellyn, G.
Offshore structures, Offshore drilling, Floating structures, Ice loads, Exploration, Ocean bottom, Bearing

42-2615

Piling protector. Plung protector. Cosenza, M., U.S. Patent Office. Patent, Apr. 23, 1985, 4 col., USP-4,512,683, 8 refs. Pile extraction, Ice loads, Linings, Protection, Coun-

termeasures, Cellular plastics. 42-2616

Snow plow scoop.

Leininger, G., et al, *U.S. Patent Office. P.*Apr. 23, 1985, 4 col., USP-4,512,091, 10 refs. Patent Spector, G.

Snow removal. Design.

42-2617

Thermal protection apparatus.
Bennett, G.A., et al, U.S. Patent Office. P. Apr. 23, 1985, 4 col., USP-4,513,352, 10 refs. Patent.

Api. 25, 1863, 4061, USF-45, 13, 352, 10 fels. Elder, M.G., Kemme, J.E.
Thermal insulation, Borehole instruments, Heat pipes, Geothermy, Heat transfer, Ice thermal properties, Heat sinks, Protection.

42-2618

Method of heat treating steel wire. Nigol, O., et al, U.S. Patent Office. 30, 1985, 8 col., USP-4,514,237, 7 refs. Barrett, J.S. Patent, Apr.

Steel structures, Transmission lines, Ice loads, Strength, Thermal effects.

42-2619

Fall velocity indicator/viewer. Berthel, R.O., et al, U.S. Patent Office. Patent, Apr. 30, 1985, 8 col., USP-4,514,758, 14 refs. Plank, V.G., Jones, S.H., Matthews, A.J. Snowflakes, Snowfall, Snow physics, Measuring in-struments, Velocity, Monitors, Photography.

Ice monitoring system using neutron moderation. Skala, S.F., U.S. Patent Office. Patent, Feb. 24, 1987, 4 col., USP-4,646,068, 4 refs. Aircraft icing, Neutrons, Ice detection, Hydrogen, Monitors.

42.2621

72-2011
Traction devices for automotive wheels.
Ziccardi, P., et al, U.S. Patent Office. Patent, Feb.
17, 1987, 8 col., USP-4,643,251, 3 refs. Ziccardi, J.
Traction, Vehicle wheels, Snow cover effect, Ice cover

effect, Mud, Electromagnetic properties.

Method of adding propulsive force to ice breaker. Gohdo, S., U.S. Patent Office. Patent, Feb. 17, 1987, 4 col., USP-4,643,121, 10 refs. Icebreakers, Ice breaking, Ice strength, Sea ice, Velocity, Time factor.

42.2623

Underwater icewalker. Austin, M., U.S. Patent Office. 1987, 6 col., USP-4.642.932, 5 refs. Patent, Feb. 17, Ice bottom surface, Mechanical tests, Floating struc-

Method and apparatus for splitting ice masses.

Page, R.D., U.S. Patent Office. Patent, Feb. 3,

1987, 8 col., USP-4,640,552, 22 refs.

Ice breakup, Boreholes, Drills, Pressure, Fracturing.

Occurrence of an isoprenoid C25 diunsaturated alkene and high neutral lipid content in antarctic sea-ice diatom communities.

Nichols, P.D., et al, Journal of phycology, Mar. 1988, 24(1), p.90-96, 44 refs.
Sea ice, Algae, Cryobiology, Antarctics—McMurdo

Sound.

The lipid and hydrocarbon composition of natural population of diatom communities collected during the austral spring bloom of 1985 in the sea-ice at McMurdo Sound was analyzed. Sea-ice diatom communities were dominated by Amphiprors sp., Nitzschis stellats Manguin and Berkeleys sp. at Cape Armitage; N. stellats, Amphiprors, Pleurosigma, N. Kerguelensis (O'Meara) Hasle and some small centric diatoms adjacent to the Erebus letc Tongue; and Porosirs pseudodenticulate (Hustedt) Jouse at Wohlachlag Bay. Lipid distributions of the sea-ice diatom communities from the Cape Armitage and Erebus sites were characterized by high concentrations of triacyleycerol. A hydrocarbon from the Cape Armitage and Erebus sites were characterized by high concentrations of triacyleycerol. A hydrocarbon common in temperate diatoms, and an isoprenoid C25 disunsaturated alkene were the dominant hydrocarbons detected at these two sites. Hydrogenation of the C25 diene produced the known alkane 2, 6, 10, 14-tetramethyl-13-methyl-pentyl-pentadecane. The C25 diene is one of several structurally related hydrocarbons reported in many estuarine, coastal and oceanic sediments. It is proposed that certain species of diatoms are a likely source of these alkenes in sediments. (Auth. mod.)

42-2626

Remote sensing of drained ice areas around the breathing holes of ice-inhabiting seals.
Digby, S.A., Canadian journal of zoology, June
1984, 62(6), p.1011-1014, With French summary. 15 refs. Fast ice, Ice melting, Drainage, Remote sensing, Ani-

Free boundary problem associated with icing in a

Friedman, A., et al, Nonlinear analysis, theory, methods and applications, Apr. 1987, 11(4), p.501-526, 10 Stojanovic, S.

Boundary value problems, Icing, Channels (water-

Observations of the preferential loss of major ions conservations of the preferential loss of major ions from melting snow and laboratory ice. Brimblecombe, P., et al, Water research, Oct. 1987, 21(10), p.1279-1286, 26 refs. Snow melting, Snow composition, Ice melting, Ice composition, Ions.

42-2629

Applications of geophysical methods to resource development in northern Canada. LaFlèche, P.T., et al, Canadian Institute of Mining and Metallurgy. Bulletin, Sep. 1987, 80(905), p.78-87, 18

Judge, A.S., Taylor, A.E.

Natural resources, Economic development, Well logging, Geophysical surveys, Mines (excavations), Permafrost distribution, Soil temperature, Profiles. 42.2630

Remote-sensing studies of landscapes. Distantsion-

nye issledovanija landahaftovi, Isaev, A.S., et al, Novosibirsk, Nauka, 1987, 198p., In Russian with English table of contents enclosed. Refs. p.183-197.

IAnshin, A.L., ed, Solov'ev, V.A., ed.

IABBRIR, A.L., ed., Solove v. V.A., ed. Aerial surveys, Geological maps, Spacecraft, Geological surveys, Monitors, Geologic processes, Remote sensing, Geologic structures, Geocryology, Glaciology, Geobanical interpretation, Forestry, Geography, Geomorphology.

42-2631
Ways of efficient utilization of the soil, vegetational and animal resources of Siberia: proceedings of the conference dedicated to the 50th anniversary of the biologic-pedological faculty of the Tomsk University. Puti ratsional'nogo ispol'zovanija pochvennykh, ras-titel'nykh i zhivotnykh resursov Sibiri: materialy kon-ferentsii posviashchennot 50-letiiu biologo-pochvennogo fakul'teta Tomakogo universitetaj, Ioganzen, B.G., ed, Tomak, Universitet, 1986, 209p.,

loganzen, B.O., ed. 16msk, Universitet, 1906, 2079.
In Russian. For selected paper sec 42-263.2.
Cryogenic solis, Vegetation, Plant ecology, Plant physiology, Ecosystems, Tundra, Forest tundra, Taiga, Swampa, Arctic landscapes, Subarctic landscapes.

42-2632

42-2632
Specific characteristics of soll formation in the central taigs of the Tomsk area of the Ob' River region. (Spetsifika pochvoobrazovaniis v srednet taige Tomskogo Priob'ia),
Geras'ko, L.I., et al, Puti ratsional'nogo ispol'zovaniis pochvennykh, rastitel'nykh i zhivotnykh resursov Sibiri: materialy konferentsii posviashchennoi 50-letiiu biologo-pochvennogo fakul'teta Tomskogo universiteta. (Wava of efficient utilization of the soil, vegetational ologo-pochvennogo fakul'teta Tomakogo universiteta. (Ways of efficient utilization of the soil, vegetational and animal resources of Siberia: proceedings of the conference dedicated to the 50th anniversary of the biologic-pedological faculty of the Tomak University). Edited by B.G. loganzen, Tomak, Universitet, 1986, p.43-45, In Russian. Pologova, N.N.

Paludification, Cryogenic soils, Podsol, Soil forma-tion, Peat, Soil composition, Hydrothermal pro-cesses, Soil chemistry, Soil profiles, Tundra, Forest

tundra, Taiga. 42-2633

Geology and mineral deposits of eastern Siberia. Summaries of reports for the Regional Scientific Con-Summaries of reports for the Regional Scientific Con-ference. Geologia i poleznye iskopaemye Vostoch-nof Sibiri (tezisy dokladov k regional'nof nauchnof konferentail); Mandel baum, M.M., ed, Irkutsk, 1985, 138p., In Rus-

sian. For selected paper see 42-2634.

Permafrost distribution, Permafrost hydrology, Ther-

mokarst, Distribution, Topographic features, Tectoníca.

42-2634

Effect of aeotectonics on the development of karst in the cryolithozone (the case of western Yakutia), tVilianie neotektoniki na razvitie karsta kriolitozony (na primere Zapadnoi Jakutii),
Filippov, A.G., Geologiia i poleznye iskopaemye Vostochnof Sibiri. Tezisy dokladov k regional nof nauchnot konferentsii (Geology and mineral deposits of eastern Siberia. Summaries of reports for the Regional Scientific Conference) edited by M.M. Mandelbaum, Irkutak, 1985, p.80-82, In Russian.

Permafrost distribution, Permafrost hydrology, Thermokarst, Distribution, Topographic features, Tectonics.

42-2635

CRREL Hopkinson bar apparatus.

CRNEL HOPKINSON BUT apparatus.
Dutta, P.K., et al, U.S. Army Cold Regions Research
and Engineering Laboratory, Dec. 1987, SR 87-24,
29p., ADA-190 599, 21 refs.
Farrell, D., Kalafut, J.
Ice strength, Frozen ground strength, Measuring in

struments, Ice crystal structure, Low temperature tests, Brittleness, Dynamic loads, Construction materials, Impact strength.

materials, Impact strength. Most materials at low temperatures change their modulus and tend to become brittle. When using these materials in structural components that are likely to be subjected to impact it is important to understand their behavior at low temperatures under dynamic loading. The CRREL split Hopkinson Test Bar was designed and set up to conduct compressive strain rate tests (up to 1000 strains/s, i.e., in/in/ per s) at low temperatures (down to -100 C). The results provide dynamic stress-strain relationships of materials at low temperatures by considering the transmission of the stress wave through a test specimen andwiched between two clastic bars. The specimen is contained in a liquid-nitrogen-operated cooling environment.

During the test an elastic striker impacts the bar; as a result a stress wave passes down the bar. At the specimen a part of the wave is reflected and the rest is transmitted to the second bar. Strain gauges mounted on the bars record the wave shapes, which are analyzed to obtain the dynamic stress-strain relationships. The test bars are 1-1/2 in. in diameter and each is 8 ft. long. The apparatus is suitable for testing light metals, plastics, composites, rocks, ice, and frozen soil. The data exquisition and analysis system are completely automatic, using software developed at CRREL, so the system provides for a rapid and low-cost method for high strain rate behavior studies of materials.

42-2636

Meteorological conditions for dust formation on tail-

lags. Meteorologicheskie usloviia pyleobrazovaniia na khvostokhraniiishche, Talalaev, S.M., Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy, 1986, Vol.502, p.101-108, In

Russian. 5 refs.

Mining, Excavation, Tailings, Dust, Seasonal variations, Suow cover effect, Air pollution.

### 42-2637

Spectral measurements in a disturbed boundary layer

over anow.

Andreas, E.L., U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1987, CR 87-21, 41p., ADA-190 217, Refs. p.37-41.

Snow cover effect, Spectra, Boundary layer, Surface temperature, Turbulent flow, Humidity.

temperature, Turbulent flow, Humidity.

The subtor measured time series of longitudinal (u) and vertical (w) velocity and temperature (t) and humidity (q) fluctuations with fast-responding sensors in the near-neutrally stable surface layer over a sow-covered field. These series yielded individual spectra and u-w, w-q and t-q cospectra, phase spectra for nondimensional frequencies (fx/U) from roughly 0.001 to 10. This is, thus, one of the most extensive spectral sets ever collected over a snow-covered surface. With the exception of the u-w cospectra, all of the spectra and cospectra displayed the expected dependence on frequency in an inertial or inertial-convective subrange. All, however, contained significantly more energy at low frequency than the Kanasa neutral-stability spectra sand cospectra. This excess low-frequency energy and the erratic behavior of the u-w cospectra imply that the forested hills bordering the site on two sides were producing disturbances in the flow field at scales roughly equal to the height of the hills, 100 m. The phase and coherence producing disturbances in the now need as somes roughly expen-ted to the height of the hills, 100 m. The phase and coherence spectra suggest that internal gravity waves were also frequently present, since the atmospheric boundary layer generally had slightly stable stratification. Consequently, at this complex site, turbulence alone determines the spectra and cospectra at site, turbulence alone determines the spectra and cospectra at high frequency; at low frequency the spectra and cospectra reflect a combination of topographically generated turbulence and internal waves. From the measured temperature and humidity spectra and the t-q cospectra, the author computed refractive index spectra for light of 0.55-micron and millimeter wavelengths, the first such spectra obtained over snow.

Effects of frost on shaded and exposed spruce and pine seedlings planted in the field.

Lundmark, T., et al., Canadian journal of forest research, Oct. 1987, 17(10), p.1197-1201, With French summary. 24 refs. Hällgren, J.-E. Plant physiology, Trees (plants), Frost resistance,

Revegetation.

## 42-2639

Climatic change: a review of causes. Harrington, J.B., Canadian journal of forest research, Nov. 1987, 17(11), p. 1313-1339, With French sum-mary. Refs. p. 1334-1339.

mary. Refs. p.1334-1339. Climatic changes, Human factors, Ice age theory, Forestry.

# 42-2640

Performance in freezing tests and field experiments of

full-tib families of *Pinus sylvestris* (L.). Nilsson, J.E., et al, *Canadian journal of forest research*, Nov. 1987, 17(11), p.1340-1347, With French summary. 21 refs.

Plant physiology, Trees (plants), Frost resistance, Revegetation.

## 42-2641

Static and dynamic behavior of mechanical components associated with electrical transmission lines: II. Trainor, P.G.S., et al, Shock and vibration digest, Nov. 1986, 18(11), p.9-17, 60 refs.
Popplewell, N., Shah, A.H., Wong, C.K.
Power line icing, Ice loads, Transmission lines.

Peculiarities of air supply to diesel engines in ice-

recuisarines of air supply to dieset engines in ice-breakers, Cosobennosti vozdukhosnabzheniia dizelet na ledokolakh, Chernen'kil, V.A., Sudostroenie, Feb. 1988, No.2, p.28-30, In Russian. 5 refs. Icebreakers, Diesel engines, Design.

### 42-2643

42-2643
Lee forces on offshore structures on the shelf.

(Vozdeistvie l'da na morskie sooruzheniia shel'fa),
Tupolev, A.A., ed, Itogi nauki i tekhniki. Seriis Vodnyi transport, 1988, Vol. 13, 221p., in Russian with
English table of contents enclosed. 315 refs.
Lee physics, Ice breaking, Pressure ridges, Offshore
structures, Models, Ice pressure, Ice loads, Sea ice,
Ice breakup, Ice cover thickness.

Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 1. [Dolgovechnost' konstruktsii iz avtoklavnykh betonov. Tezisy dokladov VI Re-Summaries of reports presented at the orn Republican conference. Part I, Dolgovechnost konstrukt-sii iz avtoklavnykh betonov. Tezisy dokladov VI Re-spublikanskol konferentsii, Chast 1, Tetger, A., ed, Tallin, Valgus, 1987, 248p., In Russian. For selected summaries see 42-2645 through 42-2656.

Lightweight concretes, Cellular concretes, Concrete aggregates, Porosity, Capillary Ice, Concrete freezing, Frost shattering, Frost resistance.

Some aspects of frost resistance of autoclaved materials. (O nekotorykh aspektakh morozostolkosti avtok-

alls (V Deastury and Parallel savnykh materialov), Pinsker, V.A., Dolgovechnost konstruktsii iz avtok-lavnykh betonov. Tezisy dokladov VI Respublikan-skoi konferentsii, Chast' 1 (Service life of structures built of autoclaved concretes. Summaries of reports built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 1) edited by A. Te'ger and A. Kivi, Tallin, Valgus, 1987, p.204-207, In Russian. 17 refs. Concretes, Capillary ice, Concrete freezing, Concrete aggregates, Frost resistance, Frost shattering, Porosi-

42-2646

Changes in the viscous deterioration of cellular, water saturated silicate concrete during ice formation. [Izmenenie viszkosti razrusheniia vodonasyshchennogo silikatnogo iacheistogo betona pri l'doobrazovanii, Chernyshov, E.M., et al, Dolgovechnost' konstruktsii iz avtoklavnykh betonov. Tezisy dokladov VI Respublikanskoi konferentsii, Chast' 1 (Service life of spublication of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 1) edited by A. Telger and A. Kivi, Tallin, Valgus, 1987, p.208-210, In Russian. D'iachenko, E.I.

Construction materials, Mechanical properties, Frost shattering, Porosity, Ice formation, Cellular con-cretes, Lightweight concretes.

Methods of determining frost resistance. (O meto-

dike opredeleniia morozostolkosti, Amkhanitskii, G.I.A., et al, Dolgovechnost' konstrukt-sii iz avtoklavnykh betonov. Tezisy dokladov VI Re-spublikanskoi konferentsii, Chast' 1 (Service life of spunikanskoi konerentsii, Chast I (service lite of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part I) edited by A. Teiger and A. Kivi, Tallin, Valgus, 1987, p.211-213, In Russian. Bekisheva, L.K.

Construction materials, Lightweight concretes, Cellu-lar concretes. Frost registance. Tests.

42-2648

New method of determining the brand of materials designed for external enclosures, according to their frost resistance. [Novyl metod opredeleniia marki po morozostolkosti materialov dlia naruzhnykh ograzh-

daiushchik konstruktsilj, Aleksandrovskil, S.V., et al, Dolgovechnost konstruktsil iz avtoklavnykh betonov. Tezisy dokladov VI Respublikanskol konferentsil, Chast' I (Service life of structures built of autoclaved concretes. Summaror structures out to autocayed concretes. Summaries of reports presented at the 6th Republican conference. Part 1) edited by A. Telger and A. Kivi, Tallin, Valgus, 1987, p. 214-217, In Russian. Shtan'ko, A.E., Guzikov, M.N. Concrete aggregates, Prost resistance, Construction

materials, Tests.

## 42-2649

Instrument for quick evaluation of frost resistance. Pribor dlia ekspressnoi otsenki morozostolkosti,

Dikun, A.D., et al, Dolgovechnost' konstruktsii iz av-toklavnykh betonov. Tezisy dokladov VI Respub-likanskoj konferentsii, Chast' 1 (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 1) edited by A. Telger and A. Kivi, Tallin, Valgus, 1987, p.218-221, In Russian. Kudriavtsev, G.F.

Concretes, Frost resistance, Measuring instruments,

42-2650

Using regression analysis in clarifying the effect of separate parameters on qualitative and operational indices of autoclaved, slate-ash cellular concrete. (Ispol'zovanie regressionnogo analiza dlia vyiasneniia vlijanija otdel'nykh parametrov na kachestvennye i ek-

vinanna odei nykn parametrov na kachestvennye i ek-spluatationnye pokazateli avtoklavnogo slant-sevozol'nogo gazobetonaj, Galibina, E.A., et al, Dolgovechnost' konstru'tani iz avtoklavnykh betonov. Tezisy dokladov VI F.espub-likanskoj konferentsii, Chast' I (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Port I) edited by A. Telger and A. Kivi, Tallin, Valgus, 1987, p.222-227, In Russian. 1 ref.
Kremerman, T.B., Veretevskais, I.A.

Lightweight concretes, Cellular concretes, Cements, Concrete aggregates, Concrete strength, Frost resist-

### 42-2651

Studies of the frost resistance of gas-silicate concrete. (Issledovanie morozostojkosti gazosilikata),

Eskusson, K.K., et al, Dolgovechnost' konstruktsi' iz avtoklavnykh betonov. Tezisy dokladov VI Respub-likanskoj konferentsii, Chast' 1 (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference.
Part 1) edited by A. Teiger and A. Kivi, Tallin, Valgus,
1987, p.228-231, In Russian. 1 ref. Eskusson, I.IU., Kil'kson, A.E.

Cements, Concrete freezing, Freeze thaw cycles, Concrete aggregates, Sands, Concrete strength, Frost resistance, Lightweight concretes, Tests.

### 42-2652

Frost resistance of cellular concrete containing alkali-

rvas ressatance or centuar concrete containing attachana na shchelochezol nom viazhushchem, Bagrov, B.O., et al, Dolgovechnost' konstruktsti iz avtoklavnykh betonov. Tezisy dokladov VI Respublikanskof konferentsii, Chast' I (Service life of atructical containing attachana). tures built of sutoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 1) edited by A. Tejger and A. Kivi, Tallin, Valgus, 1987, p.232-234, In Russian. Vasil'eva, T.D.

Concrete aggregates, Lightweight concretes, Concrete strength, Cellular concretes, Frost resistance, Cements, Chemical composition.

Service life of materials composed of ash-zeolite comls. [Dolgovechnost' materialov iz zolotseolitnykh kompozitsiij, Ovcharenko, G.I., et al, Dolgovechnost' konstruktsii iz

avtoklavnykh betonov. Tezisy dokladov VI Respublikanskoi konferentsii, Chast' i (Service life of atrucittanskoi konterentsii, Chast: I (Service lite of atructures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part I) edited by A. Teiger and A. Kivi, Tallin, Valgus, 1987, p.235-237, In Russian. 3 refs.
Kozlova, V.K., Sviridov, V.L., Karakulov, V.M.
Concretes, Concrete aggregates, Chemical composition, Frost resistance, Concrete admixtures, Concrete Foaring. Concrete Admixtures, Concrete Foaring.

freezing. Concrete strength.

Influence of slack-fired ashes on frost resistance of concretes. ¡Vliianie nedozhoga v zolakh na morozos-

toľkosť betonaj,
Bazhenov, IU.M., et al, Dolgovechnosť konstruktsii iz avtoklavnykh betonov. Tezisy dokladov VI Respublikanskoi konferentsii, Chast' 1 (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 1) edited by A. Telger and A. Kivi, Tallin, Valgus, 1987, p.238-241, In Russian. 1 ref. ysotskaia, O.B., Danilovich, I.IU.

Concrete aggregates, Cements, Frost resistance, Concrete freezing, Concrete strength.

Increasing the service life of cellular concretes. (Povyshenie dolgovechnosti iacheistykh betonov), Sheĭkin, A.E., et al, Dolgovechnost' konstruktsiĭ iz avtoklavnykh betonov. Tezisy dokladov VI Respublikanskoi konferentsii, Chast' 1 (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 1) edited by A. Telger and A. Kivi, Tallin, Valgus, 1987, p.242-244, In Russian.

Dobshits, L.M., Baranov, A.T.
Lightweight concretes, Cellular concretes, Concrete admixtures, Frost resistance, Porosity, Ice formation.

Water absorption and frost resistance of cellular concretes saturated with organosilicon materials. Yodopogloshchenie i morozostofkost incheistykh betonov propitannykh kremn<sup>N</sup>orsen<sup>1</sup>

Betonov propressing an materialismi, Gurevich, N.I., et al, Dolgovechnost' konstruktañ iz avtoklavnykh betonov. Tezisy dokladov VI Respublikanskoï konferentsii, Chast' I (Service life of structuralism of service life of servi tures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference.
Part I) edited by A. Teiger and A. Kivi, Tallin, Valgus,
1987, p.245-248, In Russian. 3 refs.

Nikitin, M.K., Konorev, V.A. Lightweight concretes, Cellular concretes, Satura-tion, Waterproofing, Frost resistance.

Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republicas conference. Part 2, (Dolgovechnost' konstruktsti iz avtoklavnykh betonov. Tezisy dokladov VI Re-Summaries of reports presented at the 6th Republi-case conference. Part 2, [Dolgovechnoet' konstrukt-sil iz avtoklavnykh betonov. Tezisy dokladov VI Re-spublikanskol konferentsii, Chast' 2, Tefger, A., ed, Tallin, Valgus, 1987, 247p., In Russian. For selected summaries see 42-2658 through 42-2661.

Abo. L., ed.

Concrete structures, Lightweight concretes, Cellular concretes, Concrete aggregates, Concrete freezing, Frost resistance, Walla, Buildings, Thermal regime, Heat transfer. Moisture transfer

Thermal characteristics of external walls built of cellular concrets panels, under service conditions. [Issledovanie teplovykh kharakteristik naruzhnykh sten iz ischeisto-betonnykh stenovykh paneleï v ek-spluatatsionnykh usloviiakh,

Spinalasionnykn usiovanari, Zhudov, V.F., et al. Dolgovechnost konstruktsii iz av-toklavnykh betonov. Tezisy dokladov VI Respub-likanskoi konferentsii, Chast' 2 (Service life of structures built of autoclaved concretes. Summaries of re-ports presented at the 6th Republican conference. Part 2) edited by A. Teger and L. Abo, Tallin, Valgus, 1987, p.85-88, in Russian.

Popov, V.V., Davidenko, V.P. Concrete structures, Prefabrication, Panels, Light-weight concretes, Cellular concretes, Heat flux, Heat loss, Air temperature, Measuring instruments.

Ways of improving the properties of gas-ash-concrete walls. (Eksplustatsionnye svoistva gazozolobeton-nykh sten i puti ikh uluchsheniia, Zistinskais, T.V., et al, Dolgovechnost' konstruktsii zi avtoklavnykh betonov. Tezisy dokladov VI Respub-likanskoi konferentsii, Chast' 2 (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 2) edited by A. Teiger and L. Abo, Tallin, Valgus, 1987, p.89-92, In Russian. 3 refs.

Tsyss, A.A.
Lightweight concretes, Tests, Walls, Residential buildings, Prefabrication, Panels, Frost resistance.

Building enclosures with specified reliability level of thermal protection and service life. (Ograzhdaiush-chie konstruktsii zdanii s zadannym urovnem nadezhcme konstruktsu Zdami s zacannym urovnem nasoz-nosti ikh teplozashchi nykh svotstvi dolgovechnosti, IAsin, IU.D., Dolgovechnosti konstruktsi iz avtoklavnykh betonov. Tezisy dokladov VI Respublikansko'i konferentsi. Chast' 2 (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 2) edited by A. Teiger and L. Abo, Tallin, Valgus, 1987, p.118-121, In Russian. 3 refs.

Mathematical models, Buildings, Walls, Heat trans-fer, Heat loss, Moisture transfer.

42.2661

42-2661
Dependence of thermophysical properties of autoclaved cellular concretes on their density, humidity and the amount of cryophase. (Zavisimost' teplofizicheskikh svofaty vatoklavnykh iacheistykh betonov tik plotnosti, vlazhnosti i kolichestva kriofazy, LAsin, IU.D., et al, Dolgovechnost' konstruktaï iz avcklavnykh betonov. Tezisy dokladov VI Respublikanskot konferentsii, Chast' 2 (Service life of structures built of autoclaved concretes. Summaries of reports presented at the 6th Republican conference. Part 2) edited by A. Teiger and L. Abo, Tallin, Valgus, 1987, p.135-138, In Russian. 2 refs. Kuznetsova, N.N. Kuznetsova, N.N.

Concrete structures, Walls, Buildings, Humidity, Porosity, Mathematical models, Heat transfer, Computer applications.

42-2662
Fabrics of the ice cores from BHO on Law Dome ice

Li, J., et al, Kexue Tongbao, Feb. 1988, 33(3), p.216-220, 4 refs. Xie, Z., Huang, M.

Glacier ablation, Ice cores, Ice crystal size, Ice mi-crostructure, Antarctics—Law Dome.

crostructure, Antarctica—Law Dome.
Investigation of antarctic glaciers by Chinese researchers began in 1992 at Law Dome ice cap in the north of Wilkes Land, East Antarctica. In the ablation zone along the margin of the ice cap, melting takes place in summer, where the mean air temperature in Jan. is above 0 C; no melting can be seen in the recrystilization zone at Dome Summit. In 1993, several ice cores from the 430 m depth level on Law Dome were sent to China for analysis in detail. In this article, their microstructure and ice crystal orientation fabric are discussed. The core is divided into three layers, as follows: the deposition layer (upper 160 m) where the changes are mainly in the shape and size of ice crystals; the transition layer (180-300 m), where the fabric pattern variation is unstable; and the deep layer (below 300 m), with the greatest crystal size fluctuation. (Auth. mod.)

Après ski le déluge. Simona, P., New scientist, Jan. 14, 1988, 117(1595),

p.49-52.

Human factors, Environmental impact, Damage, Avalanches. Slope processes.

42.2664

Gas hydrates keep energy on ice. Ridley, I., et al, New scientist, Feb. 25, 1988, 117(1601), p.53-58. Dominic, K.

Hydrates, Permafrost, Subsea permafrost.

42-2665

Holocene history of the forest-alpine tundra ecotone in the Scandes Mountains (central Sweden). Kuliman, L., New phytologist, Jan. 1988, 108(1), p.101-110, 76 refs. Forest tundra, Alpine tundra, Sweden—Scandes

Mountains.

42-2666

Dynamics of Bierrum faults and protonic ice conductivity.

striy. Sergienko, S.I., Physica status solidi. Part B, Dec. 1987, 144(2), p.471-475, 13 refs. Ics electrical properties, Electrical resistivity, Water structure, Molecular structure.

Revestigation of the added mass phenomenon with a flexible model of the M.V. Arctic: Vols. 1, 2 and 3. Menon, B.C., et al, Transport Canada. Report, Mar. 1987, TP 8797E, 3 vols., With French summaries. Refs. passim. Howard, D.J., Phillips, L.D.

Tes asyigation, Icebreakers, Damping, Ice conditions, Tests, Hydrodynamics, Models, Mass balance, Flexural strength, Analysis (mathematics), Impact strength.

Solid aqueous solutions.

Klinger, J., NATO Advanced Study Institute on the Physics and Chemistry of Aqueous Ionic Solutions, Physics and Chemistry of Aqueous Ionic Solutions, Cargose, Corsica, France, June 22-July 5, 1986. Proceedings. Edited by M.-C. Bellissent-Punel and G.W. Neilson, NATO ASI Series. Series C: Mathmatical and physical sciences, Vol.205, Dordrecht, Holland, D. Reidel, 1987, p.441-446, 23 refs. DLC QD543.N38 1986

Freezing, Solutions, Ions, Ice growth, Ice physics, Molecular structure, Impurities.

Vitrification and crystallization of water.
Dupuy, J., et al, NATO Advanced Study Institute on
the Physics and Chemistry of Aqueous Ionic Solutions, Cargese, Corsica, France, June 22-July 5, 1986. Proceedings. Edited by M.-C. Bellissent-Funel and G.W. Neilson, NATO ASI Series. Series C: Mathematical and physical sciences, Vol.205, Dordrecht, Holland, D. Reidel, 1987, p.447-452, 12 refs. DLC OD543.N38 1986

Ice crystal structure, Solutions, Ions, Ice nuclei.

42-2070
Regulations for operational ice service in the merchant fleet and the practical experience from the ice winter 1986/87, Regulation be betrieblichen Eisdienstes der Handelsflotte und die praktischen Erfahrungen aus dem Eiswinter 1986/87, Molle, W., Seewirtschaft, Nov. 1987, 19(11), p.535-

536, In German Ice navigation, Ice conditions, Weather forecasting. 42-2671

Natural convection solid/liquid phase change in por-

Beckermann, C., et al, International journal of heat and mass transfer, Jan. 1988, 31(1), p.35-46, With French, German and Russian summaries. 31 refs. Viakanta, R.

Soil freezing, Heat transfer, Freeze thaw cycles, Phase transformations, Porous materials, Convection, Analysis (mathematics), Temperature effects.

Blistering of built-up roof membranes: pressure measuramenta

Korhonen, C., U.S. Army Cold Regions Research and Engineering Laboratory, Oct. 1986, SR 86-29, 22p., ADA-190 293, 13 refs.

ofs, Surface temperature, Protective coatings, Maintenance, Pressure, Damage, Temperature me prement.

Several blisters in built-up roof membranes were instrumented with pressure and temperature sensors. Internal bilister pres-sures varied from positive during the heat of the day to negative during the cool of the night; these pressure changes cause bils-ters to grow. Air is drawn into the blister at night. When ex-posed to sunshine, the sir rapidly expands before it can escape. posed to sunshine, the sir rapidly expands before it can escape. Water is not necessary to cause growth. Blisters grow between the days are hot and the nights are cool. Pressures apparently do not occur within the insulated space of a roof to cause blisters. Reflective coatings may help to slow blister growth. Growth can be stopped by using a miniature pressure relief

42-2673

ALEO 3 Auger bit for frozen fine-grained soil. Sellmann, P.V., et al. U.S. Army Cold Regions Re-search and Engineering Laboratory, Dec. 1986, SR 86-36, 13p., ADA-190 343, 5 refs. Brockett, B.E.

Augers, Frozen ground strength, Drills, Military enpeering, Penetration tests, Borcholes.

gineering, Penetration tests, Boreholes.

Auger bits 6.5 in. (165 mm) and 9.5 in. (241 mm) in diameter were modified to satisfy military and general engineering requirements for producing holes in frozen soil. A commercial bit was selected since it appeared to need only minor modification. Penetration tests were run in frozen fine-grained soils, one type containing some gravel. Modifications, which primarily involve changes in cutter relief angles, substantially improved performance. Penetration rates were as high as 5 ft/min (1.5 m/min), compared to 0-1.4 ft/min (0-0.4 m/min) for the unmodified bits.

Fabrics in polar ice sheets: development and predic-

Alley, R.B., Science, Apr. 22, 1988 240(4851), p.493-495, 31 refs.

Ice structure, Ice deformation, Viscosity, Stresses, Strains, Rheology, Antarctica—Byrd Station, Green-

Fabrics in polar ice sheets provide a record of deformational history and control the viscosity of ice during further deformation; they affect geophysical sensing of ice sheets and provide an accessible analogue to fabric development during deformation of other geological and engineering materials. A new synthesis of experimental and theoretical results shows that c-axis fabrics are quantitatively related to cumulative strain and stress state in ice sheets for the full range of likely flow patterns. Basal shear, divergent flow, and parallel flow cause c axes to rotate toward the vertical axis, whereas convergent flow causes c axes to rotate toward a vertical plane transverse to flow. (Auth.)

Solute effects on ice recrystallization; an assessment

Knight, C.A., et al, *Cryobiology*, Feb. 1988, 25(1), p.55-60, 10 refs.

Hallett, J., DeVries, A.L.
Recrystallization, Cryobiology, Antifreezes, Ice crys-

tal growth.

Reliable assessment of the effect of a solute upon ice recrystallization is accomplished with "splat cooling," the impaction of a small solution droplet onto a very cold metal plate. The ice disc has extremely small crystals, and recrystallization can be followed without confusing effects caused by grain nucleation. This method confirms the exceptionally strong recrystallization inhibition effect of antifreeze protein from antarctic fish and shows that grain growth rate is a sensitive function of both grain size and solute concentration. (Auth.)

43-2676
Thermal Ice pressure in cylindrical water tanks.
Kong, W.L., National Library of Canada. Canadian
Theses Services. Microfiche No.0-315-32196-2,
Kingston, Ontario, Queen's Unive.sity, Aug. 1986,
212p., Ph.D. thesis. With French summary. 58 refs.
Ice pressure, Ice formation, Tanks (containers), Ice
loads, Reinforced concretes, Cracks, Mathematical models, Ice creep, Flexural strength, Thermal regime.

Evaluation of MPB ice thickness measurement sen-

Rossiter, J.R., Transport Canada. Report, Sep. 1987, TP8810E, 19p. + appends., With French sum-

mary. 13 refs.
Ice cover thickness, Measuring instruments, Remote sensing, Sea ice, Spectra, Radar echoes, Tests.

42,2678

Surficial geologic map of the Anchorage B-7 NE quadrangle, Alaska.

Yehle, L.A., et al, U.S. Geological Survey. Open-file report, 1987, 87-416, 20p. + 2 maps, Refs. p.18-20.

Schmoll, H.R. Glacial deposits, Geological maps, Moraines, Glacier surges, Climatic changes, Lacustrine deposits, Pleis-tocene, Geology, United States—Alaska—Anchor-

Saow crystals and their metamorphosis. (Les cristaux de neige et leurs métamorphoses),
Pahaut, E., France. Météorologie nationale. Monographie, June 1975, No.96, 58p. + slides, In French. 8 refs.

Snow crystal structure, Metamorphism (snow), Temperature effects, Meteorological factors, Photography, Snow accumulation, Snow cover distribution.

42-2680

Construction and operation of oil and gas wells in perennially frozen rocks. (Stroitel'stvo i ekspluatatiis skvazhin na neft'i gaz v vechnomerzlykh porodakh, Medvedski, R.I., Moscow, Nedra, 1987, 230p., In Russian with abridged English table of contents en-closed. 30 refs. closed. 39 refs.

ciosed. 39 reis. Permafrost transformation, Permafrost physics, Per-mafrost thermal properties, Ground ice, Ice volume, Drilling fluids, Drills.

42-2881 Ice atlas 1985-1986: Mosongahela River, Allegheny River, Ohio River, Illinois River, Kankakee River. Gatto, L.W., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1987, SR 87-20, 367p. ADA-191

Daly, S.F., Carey, K.L. Ice conditions, River ice, Maps, Photointerpretation, Aerial surveys, Ice surveys, Ice reporting.

Ice conditions, River ice, Maps, Photointerpretation, Aerial surveys, Ice surveys, Ice acceptance. The ice maps in this atlas were prepared to document the 1985-86 ice conditions included in study ereas for the River Ice Management (RIM) Program, namely river mile 0 to 12 on the Monongahea River, mile 0 to 17 on the Aliegheny, mile 0 to 437 on the Ohio, mile 120 to 273 on the Illinois and mile 0 to 21 on the Kankakee. The maps were prepared from interpretation of vertical aerial video imagery taken from low flying air-oraft. The interpreted ice conditions were classified into 5 units and transferred to base maps by reference to navigation charts and topographic maps. Ice floes or frazil alush and pans (IPFSP) was the most common ice unit on the lower Monongahela. Pragmented ice cover (FIC) and FICOWA were the most extensive ice units above Hannibal Dam on the Ohio; ICFSP were predominant below. Solid ice cover (SIC, FIC and FICOWA were the most extensive ice types on the lake-like areas of the Illinois River, while FICOWA and IPFSP predominated elsewhere on the Illinois. SIC and FIC were the most common ice units on the Kankakee River. There were frequent cancellations of flights of the Ohio, Allegheny and Monongashed aduring the 1985-86 winter because of low cloud ceilings. Various options are being explored to get more frequent coverage in the future.

42-2682

Design of earth dams. [Proektirovanie gruntovykh

plotin, Gol'din, A.L., et al, Moscow, Energoatomizdat, 1987, 304p. (Pertinent p.223-275), In Russian with abridged English table of contents enclosed. 189 refs.

Raskazov, L.N.
Slope stability, Hydraulic structures, Dams, Earthquakes, Earth dams, Foundations, Permafrost beneath structures, Prost penetration, Blasting, Soil stabilization, Design.

Imaging radar contributions to a major air-sea-ice interaction study in the Greenland Sea.

Shuchman, R.A., JPL the 2nd Spaceborne Imaging

Radar Symposium. Proceedings, Dec. 1, 1986, p.114-118. N87-17150. Ice water interface, Ice air interface, Sea ice distribution, Remote sensing, Ice edge, Backscattering, Ice mechanics, Climatology, Greenland Sea.

42-2684

Primer of ice navigation. (Azbuka ledovogo plava-

niis, Arikainen, A.I., et al, Moscow, Transport, 1987, 224p., In Russian with abridged English table of contents enclosed. 33 refs.

Chubakov, K.N. Chudakov, K.N. Ice navigation, Ses ice, Icebreakers, Ships, Ses ice distribution, Ice conditions, Drift, Ice breaking, Ice floes, Impact strength, Damage.

42-2685

Volatilization rates of organic contaminants from riv-

ers.
Mackay, D., et al, Water pollution research journal of Canada, 1980, 15(1), p.83-98, 34 refs.
Yuen, T.K.
Water pollution, Ice cover effect.

42-2686 Velocity of linear crystallization of ice in mac-romolecular systems.

Blond, G., Cryobiology, Feb. 1988, 25(1), p.61-66, 11

Nucleation, Ice nuclei, Capillary ice, Ice crystals, Crystal growth, Cryobiology. 42-2687

Interaction of jet streak circulations during heavy snow events along the East Coast of the United

Uccellini, L.W., et al, Weather and forecasting, Dec. 1987, 2(4), p.289-308, 40 refs.
Kocin, P.J.

Snowstorms, Atmospheric disturbances, Synoptic meteorology.

42-2688 Operational forecasting of lake effect snowfall in western and central New York. Niziol, T.A., Weather and forecasting, Dec. 1987, 2(4), p.310-321, 20 refs.

Weather forecasting, Lake effects, Snowfall.

42.2689

Shape and internal structure of Mimas Dermott, S.F., et al, Icarus, Jan. 1988, 73(1), p.25-65,

70 refs. Thomas, P.C.

Extraterrestrial ice. Planetary environments.

42-2690

Gas-driven water volcanism and the resurfacing of Europa. Crawford, G.D., et al, *Icarus*, Jan. 1988, 73(1), p.66-

79, 33 refs. Stevenson, D.J.

Extraterrestrial ice.

42.2691

Equation of state of ammonia-water liquid: derivation and planetological applications. Croft, S.K., et al, *Icarus*, Feb. 1988, 73(2), p.279-293,

Lunine, J.I., Kargel, J. Solutions, Extraterrestrial Ice.

42-2692

Forest soils of the Lake Baykal basin. (Lesnye

pochyy basselna ozera Balkalj, Krasnoshchekov, IU.N., et al, Novosibirsk, Nauka, 1987, 145p., In Russian with abridged English table of contents enclosed. Refs. p.136-144. Gorbachev, V.N.

OGFORCHEY, V.N.
Lakes, Forest soils, Soil formation, Cryogenic soils,
Taiga, Permafrost distribution, Monatains, Classifi-cations, Permafrost depth, Active layer, Soil erosion, Forestry, Vegetation factors.

42-2693 Problems in economic development of floodplains of northern rivers. [Problemy osvoeniia poim sever-

northers rivers. Problemy osvoeniia polm severnykh rek, Syreechkovskii, E.E., ed, Moscow, Agropromizdat, 1987, 272p., In Russian. For selected papers see 42-2694 through 42-2698. Refs. passim. Taiga, Active layer, Cryogenic soils, Permafrost depth, Rivers, Permafrost hydrology, Plant ecology, Plant physiology, Eavironmental protection, Perma-frost distribution, Floodplains.

42-2694

Reclamation and economic development of flood-plain lands in Siberia and the Far North. [Melioratsiia i osvoenie polmennykh zemel' Sibiri i Severa, Demidov, N.P., Problemy osvoeniia polm severnykh rek (Problems in economic development of floodplains of northern rivers) edited by E.E. Syroechkovskii, Moscow, Agropromizdat, 1987, p.16-22, In Russian. Land reclamation, Hydraulic structures, Drainage, Permafrost beneath structures, Floodplains, USSR-

42-2605

Ecology and physiology of plant development on cold soils of the North. Ekologo-fiziologicheskie osoben-nosti rosta i razvitija rastenii na kholodnykh pochvakh

Korovin, A.I., Problemy osvoenija pojm severnykh rek (Problems in economic development of floodplains of northern rivers) edited by E.E. Syrocchkovskii, Moscow, Agropromizdat, 1987, p.77-84, In Russian. Cryogenic soils, Soil temperature, Active layer, Permafrost depth, Permafrost hydrology, Plant ecology, Plant physiology.

42-2696

Problems of forestry in northern river valleys and ways of solving them. [Problemy vedeniia lesnogo khozialstva v dolinakh rek Severa i puti ikh re-

sheniia, Rubtsov, M.V., Problemy osvoeniia poim severnykh rek (Problems in economic development of floodplains of northern rivers) edited by E.E. Syroechkovskii, Moscow, Agropromizdat, 1987, p.171-180, In Rus-

Taiga, Forest soils, Tundra, Forest tundra, Micro-climatology, Cryogenic soils, Protective vegetation, Human factors.

42-2697

Water preservation in the Lower Tunguska basin. [K.

okhrane vod basselna Nizhnel Tunguskij, Driukker, V.V., et al, Problemy osvoeniia polin severnykh rek (Problems in economic development of floodplains of northern rivers) edited by E.E. Syroech-kovskii, Moscow, Agropromizdat, 1987, p.218-225, In

Kovskii, Moscow, Agropromizoat, 1987, p.218-225, in Russian. 15 refs. Kuz'mina, A.E., Sorokovikova, L.M. River basina, Soil microbiology, Hydrology, Perma-front beneath rivers, Environmental protection, Water chemistry, Soil composition, Human factors.

42-2698

Natural resources in river valleys of northern West Siberia and their rational utilization. 10 prirodnykh resursakh dolin rek severa Zapadnoi Sibiri i ikh rat-

severnykh rek (Problems in economic development of floodplains of northern rivers) edited by E.E. Syroech-kovskil, Moscow, Agropromizdat, 1987, p.242-247, In Russian 3 refs.

River basins, Swamps, Soil composition, Cryogenic soils, Permafrost distribution, Frozen rock temperature, Alpine landscapes.

42-2699
Radar stations in geographic investigations. (Radiolokatsionnye stantsii v geograficheskikh is

Notiukh, A.A., Leningrad, Universitet, 1987, 152p. (Pertinent p.90-148), In Russian with abridged English

table of contents enclosed. 52 refs.

Radar, Icebergs, Sea ice distribution, Glacier ice, Ice
cover thickness, Ocean waves, I-feteorological factors

42-2700

Formation of artificial hail nuclei in supercooled convective clouds. (Ob obrazovanii iskusstvennykh zarodyshel gradin v pereokhlazhdennom konvektiv-

Khorguani, V.G., et al, Nal'chik. Vysokogorny'i geofizicheskii institut. Trudy, 1987, Vol.67, p.23-29,

geotizicheski institut. Trudy, 1987, Vol.67, p.23-29, In Russian. 4 refs.
Shoranov, R.A.
Artificial nucleation, Ice crystals, Ice crystal growth, Supercooled clouds, Artificial hailstones, Mathematical models.

42-2701

Isotope analysis as a method of studying the mechanism of origin and growth of hallstones (a review). [Izotopnyl analiz kak metod issledovaniia mekhaniz-

razuopnyi unaliz kak metod issledovanila mekhaniz-ma zarozhdenia i rosta grada (obzor); Malkarov, A.S., et al, Nal'chik. Vysokogornyi geofizicheskh institut. Trudy, 1987, Vol.67, p.30-47, In Russian. 44 refs. Khorguani, V.G.

Supercooled clouds, Artificial nucleation, Ice crystal growth, Ice structure, Impurities, Isotope analysis.

Contact electrification of crystallizing water drops. rKontaktnais elektrizatsiis kristallizuiushchikhsia ka-

pcl' vody, Adzhiev, A.Kh., et al, Nal'chik. Vysokogornyi geofizicheskii institut. Trudy, 1987, Vol.67, p.47-51, in Russian. 9 refs. Kazankova, Z.P., Tamazov, S.T. Drope (liquids), Ion density (concentration), Crys-tals, Cloud droplets, Freezing, Cloud electrification, Charge transfer, Water chemistry.

42-2703

Sediment transport characteristics of selected streams in the Susitna River basin, Alaska: data for water year 1985 and trends in bedload discharge,

1981-85.
Knott, J.M., et al, U.S. Geological Survey. Open-file report, 1987, 87-229, 51p. + charts, 18 refs. Lipscomb, S.W., Lewis, T.W. Sediment transport, River flow, Suspended sedimental, Particle size distribution, Velocity, Bottom sediment, United States—Alaska—Susitna River.

42-2704

Drumlin Symposium; Proceedings.

Drumlin Symposium, Manchester, Sep. 16-18, 1985, Rotterdam, Netherlands, A.A. Balkema, 1987, 360p.,

Menzies, J., ed, Rose, J., ed. Landforms, Glacial deposits, Geomorphology, Mo-raines, Glacier beds, Paleoclimatology, Meetings, Sediments.

42-2705

Rulat Island-Fastern Canadian Arctic

Klassen, R.A., et al, International Union for Quaternary Research (INQUA) Congress, 12th, July 31-Aug. 9, 1987. 12th INQUA Congress Field Excursion A-1, Ottawa, Ontario, National Research Council of Canada, 1987, 54p., Refs. p.52-54. Shilts, W.W.

Snuta, w.w. Quaternary deposits, Ice sheets, Geomorphology, Marine deposits, Glaciation, Glacial deposits, Paleocilimatology, Stratigraphy, Sea level, Canada—Northwest Territories—Bylot Island.

Research in Yukon.

Research in Tukon. Morison, S.R., et al, International Union for Quaternary Research (INQUA) Congress, 12th, July 31-Aug. 9, 1987. 12th INQUA Congress Field Excursion A20a and A20b, Ottawa, Ontario, National Research Council of Canada, July 1987, 110p., Refs. p.100-109. Smith, C.A.S.

Smith, C.A.S. Quaternary deposits, Permafrost distribution, Permafrost thickness, Geomorphology, Ground ice, Thermokarst, Pleistocene, Ecosystems, Periglacial processes, Canada—Yukon Territory.

42-2707

Cumberland Sound and Frobisher Bay, southeastern Baffin Island, N.W.T.

Andrews, J.T., et al, international Union for Quater-nary Research (INQUA) Congress, 12th, July 31-Aug. 9, 1987. 12th INQUA Congress Field Excursion C-

9, 1987. 12th INQUA Congress ricid excursion C-2, Ottawa, Ontario, National Research Council of Canada, 1987, 91p., Refs. p.85-91. Glacial deposits, Quaternary deposits, Glaciation, Moraines, Climatic factors, Sea ice distribution, Paleoclimatology, Vegetation, Sediments, Canada—Northwest Territories—Baffin Island.

42-2708

Drumlins and erosion marks in southern Ontario. Shaw, J., et al, International Union for Quaternary Research (INQUA) Congress, 12th, July 31-Aug. 9, 1987. 12th INQUA Congress Field Excursion C-25, Ottawa, Ontario, National Research Council of Canada, July 1987, 17p., 37 refs.

Sharpe, D. Landforms, Glacial deposits, Erosion, Subglacial drainage, Meltwater, Moraines, Paleoclimatology, Glacier heds.

42-2709

Glaciation of the Ross Sea and "facts" of S.M. Ming-kov. (Oledenenie moria Rossa i "fakty" S.M. Ming-

Grosval'd, M.G., Akademiia nauk SSSR. Materialy gliatsiologicheskikh is-Khronika obsuzhdeniia, 1979, Vol.36, geografii. sledovanii. p.242-249, In Russian with English summary. p.242-249, in Russian with English summary. 1srefs. A discussion of Miagkov's paper, 34-3147. Glaciation, Glacier flow, Sen ice distribution, Sediments, Glacial geology, Moraines, Historical geology, Paleocilimstology, History, Antarctics—Ross Sea. The present-day concept of the siscial history of Antarctica as developed by Mercer, Denton, Hughes, Thomas and others is

well documented and receives increasingly ample support from new field data. Criticisms aimed at the concept by Miagkov are analyzed and shown to be based upon inaccurate interpreta-tions. His conclusions are erroneous and should be disregardtions. His co

42-2710

Data of glaciological studies: chronicle discussions. Avsiuk, G.A., ed, New Delhi, Amerind Publishing Co., 1988, 486p., TT 81-52175, Translation of Akade-miia nauk SSSR. Institut geografii. Materialy gliat-siologicheskikh issledovanii. Khronika obsuzhdeniia, Vol.40, 1981. Refs. passim. For individual papers see 42-2711 through 42-2750.

Glaciology, Ice surveys, Snow surveys, Glaciers, Avalanches, Climatic changes, Classifications, Maps.

42-2711

Morphological-dynamic classification of ice sheets. Grosval'd, M.G., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.61-72, TT 81-52175, 17 refs.

Ice mechanics, Ice structure, Ice sheets, Classifica-tions, Dynamic properties.

42-2712

Numerical experiments on the hydrothermodynamics

of the East Antarctic and Greenland ice sheets.
Verbitskii, M.I.A., Data of glaciological studies.
chronicle discussions. Edited by G.A. Avsiuk, New
Delhi, Amerind Publishing Co., 1988, p.73-86, TT 81-52175, 21 refs.

52175, 21 reis. Ice sheets, Climatic changes, Ice mechanics, Heat transfer, Glacier flow, Mathematical models, Tem-perature effects, Hydrodynamics, Paleoclimatology, Greenland.

A three-dimensional thermodynamic model of a large stationary ice sheet is analyzed by the simultaneous solution of the heat-transfer and glacier dynamics equations. Atmospheric precipitation, surface temperature, and geothermal flux are preassigned in the computations. Surface topography of the ice sheets, their volume, temperature, and velocity distribution over a number of glaciers are calculated. The results of computations made of the present least the state of the present least the sta tations made for the present East Antarctic and Greenland ice sheets are in good agreement with the empirical data. Report-ed are the results of the computations of some parameters of the ed are the results of the computations of some parameters of the East Antarctic lee Sheet during its maximum spreading at the end of the Miocene and for the last glacial maximum. Computations reveal that climatic warming, which may occur in future under the influence of human activity, will not bring about significant changes in the volume of the East Antarctic lee Sheet, provided sir temperatures increase by no more than 10-12 C. With less warming, its volume may even grow due to the increase of atmospheric precipitation. Under conditions of greater warming ice sheet disintegration may begin. The temperature increase crucial for Greenland is 7 C.

42-2713

Approximate theory of climate in the Late Pleisto-

Kazanskii, A.B., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.87-95, TT 81-52175.

Glaciation, Water balance, Paleoclimatology, Runoff, Evaporation, Water level, Oceanography, Analysis (mathematics).

42-2714

42-2714
Simple model of the dynamics of snow-patch melting.
Mazo, V.L., Data of glaciological studies: chronicle
discussions. Edited by G.A. Avsiuk, New Delhi,
Amerind Publishing Co., 1988, p.96-102, TT 8152175, 7 refs.

Snow melting, Glacier melting, Ice air interface, Snow air interface, Snow cover distribution, Snow mechanics, Analysis (mathematics).

42-2715

Calculation of the response of Central Asian glacia-

Calculation of near response of Central Asian glacia-tion to possible climatic changes.
Glazyrin, G.E., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.103-110, TT 81-52175, 10 refs.

Glaciation, Climatic changes, Mountain glaciers, Paleoclimatology, Analysis (mathematics).

Reconstruction of mass balance, spatial position, and liquid discharge of Dzhankuat Glacier since the sec-ond half of the 19th century.

ond half of the 19th century.
Diurgerov, M.B., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.111-126, TT 81-52175, 17 refs.

Popovnin, V.V Glacier mass balance, Glacier heat balance, Glacial hydrology, Runoff, Profiles, Paleoclimatology, USSR

Stratigraphy of the Vaviloy Ice Dome in Severnava Zemlya using isotopic geochemical methods. Vaĭkmiae, R.A., et al, Data of glaciological studies:

realizations, R.A., et al. Data or graciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.127-135, TT 81-52175, 15 refs.

Punning, IA.-M.K., Romanov, V.V., Barkov, N.I. Ice structure, isotope analysis, Glacier alimentation, Ice cores, Stratigraphy, Drili core analysis, USSR— Severnava Zemlya.

Local variability of summer meteorological condi-tions in the mountain-glacter basins of Upper Syane-

Davidovich, N.V., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.136-148. TT 81-52175

Glacial meteorology, Mountain glaciers, Glacier abla-tion, Seasonal variations, Wind factors, Temperature distribution, Diurnal variations, USSR—Verkhnaya Syanetive.

Some time-series properties of components of the external mass and energy exchange in a mountain-gla-

Diurgerov, M.B., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.149-160, TT 81-52175, 5 refs.

81-32/73, 3 fcts. Zhuk, V.A., Pylev, I.V. Glacier mass balance, Mountain glaciera, Glacier heat balance, Runoff, Glacier melting, Air temperature, Time factor, Radiation balance, Analysis (mathemat-

ics), USSR-Cancasus.

42-2720

Change of river runoff with altitude on the Andes slopes in South America.

Karasik, G.IA., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.165-176, TT 81-52175, 9 refs.

River flow, Runoff, Snow melting, Glacier melting, Mountains, Watersheds, Altitude, Slope orientation, Air masses, Rain, Andes.

42-2721

Air temperature gradients in the high mountains of

Air temperature gradients in the nigh mountains of South America.
Kadomtseva, T.G., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.177-184, TT 81-52175, 8 refs.

Air temperature, Altitude, Mountains, Temperature gradients, Precipitation (meteorology).

43-2722
Hydrologic maps of the Great Caucasus for the World Atlas of Snow and Ice Resources.
Vladimirov, L.A., et al. Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.185-203, TT 81-52175, 12 refs.

Glacial hydrology, Runoff, River flow, Meltwater, Water reserves, Maps, Snow surveys, Ice surveys.

Amount of solid precipitation on Caucasus glaciers.
Tareeva, A.M., Data of glaciological studies: chronicle
discussions. Edited by G.A. Avsiuk, New Delhi,
Amerind Publishing Co., 1988, p.204-212, TT 81-52175, 17 refs.

Glacier surfaces, Glacier alimentation, Glacier mass balance. Snow cover distribution, Firm, Glacier melting, Avalanches, Air temperature, Glacier abiation, IISSR—Cancasus.

42-2724
Method of calculating maximum snow reserves in mountain glacier regions to compile maps for the World Atlas of Snow and Ice Resources.

Getker, M.I., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.213-228, TT 81-52175, 13 refs.

Snow accumulation, Mountain glaciers, Remote sensing, Snow surveys, Glacial meteorology, Maps, Firn, Analysis (mathematics).

Problems of compiling special maps on different scales for the World Atlas of Snow and Ice Resources (illustrated by maps of the morphology and regime of Swiss Alps glaciers).

Timofeeva, N.A., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.229-236, TT 81-

Maps, Mountain glaciers, Glacier mass balance, Glaciology, Switzerland—Alps.

42-2726

Program of comprehensive observations on aufeis polygons.

Alekseev, V.R., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.241-247. TT 81-52175.

81-721/7.
Sokolov, B.L.
Naleds, Permafrost, Geomorphology, Polygonal topography, Ice surveys, Snow surveys, Geochemistry, Geobotanical Interpretation.

42-2727

Direct measurements of the position of the lower surface of the Ross Ice Shelf, Antarctica. Zagorodnov, V.S., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.248-251, TT 81-52175, 1 ref

Ice temperature, Ice bottom surface, Ice shelves, Measuring instruments, Subglacial observations, Ulneasuring instruments, Subglacial observations, Ul-trasonic tests, Freezing, Antarctica—Ross Ice Shelf. In Dec. 1978, glaciologists of the Institute of Geography, USSR Academy of Sciences working on the Ross Ice Shelf Project, installed ultrasonic sensors and quartz thermometers under the ice shelf in the 1-9 camp. This equipment is intended to measure Ice freezing and temperature at the lower surface of the ice shelf. Measurements repeated after 11 months showed that 60 we not treezing and temperature at the lower surface of the ice shelf. Measurements repeated after 11 months showed that 60 mm of ice had frozen at the lower surface of the ice shelf, while the ice temperature 2 m from the lower surface was -2.26 C. Also presented are the scheme and description of the ultrasonic sensor installed in the borchole.

42,2728

Core drilling through Vaviloy Glacier, Severnaya Zemlye.

Zemlya. Morev, V.A., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.252-256, TT 81-52175, 2 refs. Pukhov, V.A., IAkovlev, V.M. Ice drills, Thermal drills, Ice temperature, Boreholes, Antifreezes, Equipment, Glacier (ce, USSR—Severanza Zemlya).

nava Zemlya.

Core drilling at Spitsbergen.
Zagorodnov, V.S., et al. Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.257-266, TT 81-52175, 4 refs.

Zotikov, I.A.
Ice drills, Thermal drills, Boreholes, Glacier ice, Ice coring drills, Norway—Spitsbergen.

42-2730

Contents of large-scale composite avalanche maps. Shcherbakov, M.P., Data of glaciological studies: chronicle discussions. Edited by G.A. Avaiuk, New Delhi, Amerind Publishing Co., 1988, p.267-273, TT

Avalanche deposits, Avalanche formation, Damage, Maps, Statistical analysis, USSR—Altai Mountains, USSR—Tien Shan, USSR—Pamir-Alai.

42-2731

Technique of mapping fissures and bandings on moun-

Technique of mapping fissures and bandings on mountain glacier surfaces.

Nikulin, F.V., et al, Dats of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.274-279, TT 81-52175, 3 refs.

Stulov, V.V., Tiulina, T.IU.

Mountain glaciers, Glacier surfaces, Ice structure, Mapping, Photographic techniques, Aerial surveys.

42-2732

Ice and meteorological observations on the ski route from Henrietta Island to the North Pole.

Khmelevskii, IU.I., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.283-290, TT 81-52175, 2 refs.

Chizhov, O.P.
Ice conditions, Sea Ice, Weather observations,
Meteorological data, Air temperature, Hummocks, Cloud cover.

42-2733

Variations of some trace impurities in the atmospher-

variations of some trace impurities in the atmospheric precipitation on Spitsbergen glaciers.

Punning, IA.-M.K., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.291-298, TT 81-52175, 11 refs.

Impurities, Glacier ice, Ice composition, Meteorolog-ical factors, Origin, Norway—Spitzbergen.

Water and ice balances of Spitsbergen glaciers during 1977-78.

Gus'kov, A.S., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.299-304, TT 81-

Glacial hydrology, Glacier mass balance, Water bal-ance, Meteorological factors, Seasonal variations, Norway—Spitsbergen.

42-2735

Experimental investigations on diffusion in the snow

cover of Yakutia.

Are, A.L., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p. 305-312, TT 81-52175, 15

Vapor diffusion, Snow surface, Depth hoar, Water vapor, Temperature effects, Snow density, Snow recrystallization, Meteorological factors, Soil water.

Structural peculiarities of the snow and ice accumula-tions in the Snezhnaya Propast' in the western Cauca-

Mavliudov, B.R., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.313-319, TT 81-52175, 8 refs.

Snow cover structure, Ice growth, Karst, Ice forma-tion, Ice accretion, Firn, Temperature distribution. USSR-Concasus.

Problems of structural analysis in the study of sufeis

Golubev, V.N., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.320-325, TT 81-52175, 5 refs.

Koreisha, M.M., Solomatin, V.I.
Naleda, Ice structure, Freezing, Leakage, Water,
Meteorological factors, Ice surface, Ice formatioa.

Some processes on the Khadata aufeis in the Polar Urals.

Urins, E.A., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.326-330, TT 81-52175, 8 refs. Naleds, Ice strength, River flow, Floods, Subglacial

charretions

42-2739

Artificial firn-ice dam.
Gokhman, V.V., et al, Data of glaciological studies:
chronicle discussions. Edited by G.A. Avsiuk, New
Delhi, Amerind Publishing Co., 1988, p.331-335. TT 81-52175.

Ice dams, Firn, Ice melting, Spray freezing, Floods, River crossings.

42-2740

Observations on the formation of water-snow flows in the Khibiny Mountains in 1979.

the Kandiny Mountains in 1979.

Freidlin, V.S., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.336-341, TT 81-52175 4 refs.

Water flow, Snow mechanics, Snow melting, Meltwater, Snow accumulation, Meteorological factors, Snow hydrology, Snow depth.

Correlation between the albedo of glacier surfaces and the optimal density of photographic images. Grinberg, A.M., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.342-346, TT 81-

52175, 1 ref. Glacier surfaces, Albedo, Photographic reconnais-sance, Surface rughness, Humidity, Ice optics, USSR—Caucasus. 42-2742

Current problems of engineering glaciology and the

Current problems of engineering glaciology and the economic activity of people.

Kotliakov, V.M., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.353-372, TT 81-52175, 57 refs.

Ushakov, A.I., Khodakov, V.G.
Glaciology, Engineering, Ice surveys, Snow surveys, Glaciers, River ice, Lake ice, Sea ice.

42-2743

Collection of materials in England and Norway for

Collection of materials in England and Norway for the World Atlan of Snow and Ice Resources.

Drefer, N.N., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.373-374. TT 81-52175.

Kotliakov, V.M.

Snow accumulation, Ice volume, Glaciology, Climatology, Maps, Natural resources, Norway, United Kingdom.

The authors, one of whom is editor-in-chief of the forthcoming World Atlas of Snow and Ice Resources, visited several institutions in Norway and Britain. Their experiences, information received and documents acquired are described.

Glaciological classifications and their interrelations

with terminologies. Smoliarova, N.A., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p. 377-391, TT 81-52175, 25 refs.

Glaciology, Terminology, Classifications, Climatic

42-2745

Cryogenic processes, phenomens and formations. Vtiurin, B.I., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, cle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.392-399, TT 81-52175, 19 refs. Vtiurina, E.A.

geocryology, Periglacial processes, Patterned ground, Terminology, Classifications.

42-2746

What is dead ice

What is dead ice.
Viturin, B.I., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.400-403, TT 81-52175, 7 refs.

Ground ice, Glacier flow, Ice mechanics

42-2747

Misconception about field methods of snow cover studies for forecasting avalanches.

Akkuratov, V.N., Data of glaciological studies: chroni-cle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.425-429, TT 81-52175, 7 refs.

Avaianche forecasting, Snow cover structure, Subli-

mation, Snow stratigraphy.

42-2748

Calculation of the total volume of ice in groups of mountain glaciers (in defense of our formulas). Likhacheva, L.I., et al, Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.430-439, TT 81-52175, 6 refs.

Glazyrin, G.E., Shchetinnikov, A.:

Ice volume, Mountain glaciers, Mathematical mod-els. Water reserves.

42-2749

Relation between glacier area and volume. Zhuravlev, A.B., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.440-446, TT 81-52175, 8 refs.

Glacier ice, Ice cover thickness, Ice volume, Ice cover, Mountain glaciers.

42,2750

Discussion on the Ross Ice Cover in the Wirm stage. Miagkov, S.M., Data of glaciological studies: chronicle discussions. Edited by G.A. Avsiuk, New Delhi, Amerind Publishing Co., 1988, p.447-455, TT 81-52175, 19 refs. For original paper see 34-3147 or 11F-23276. For discussion by M.G. Grosval'd see 42-2709 or F-37269.

Glacial geology, Glacial deposits, Ice sheets, Moraines, Ground ice, Antarctica—Ross Ice Shelf.

Geophysical, geomorphological, geochemical and paleontologi-Geophysical, geometric geometric and pareomosphical data contradicting the Ross Ice Sheet hypothesis are analyzed. It is believed that the extension of the West Antarctic Ice Sheet in Wurm did not reach further than the middle of the present Ross Ice Shelf, and that north polar exploration standards should be applied to Antarctica with allowance for the peculiarities of antarctic climate.

Snow crystal concentrations and size distributions measured at the ground: a comparison of an aspirated 2D-C with other techniques.

Deshler, T., et al, Conference on Weather Modifica-tion, 10th, Arlington, VA, May 27-30, 1986. Pro-ceedings, Boston, American Meteorological Society, 1986, p. 55-60, 7 refs.

Reynolds, D.W.
Snow crystals, Measuring instruments, Snowfall,
Cloud seeding, Models, Particle size distribution.

42-2752

Processes and causes of lake acidification during spring anowmelt in the West-Central Adirondack Mountains, New York.

Galloway, J.N., et al., Canadian journal of fisheries and aquatic sciences, Sep. 1987, 44(9), p.1595-1602, With French summary. 38 refs.

Lake water, Water chemistry, Snowmelt, Ions.

42-2753

Comments on "Hypersaline gradients in two Canadian High Arctic lakes" by K.M. Stewart and R.F. Plat-

Ouellet, M., et al, Canadian journal of fisheries and aquatic sciences, Sep. 1987, 44(9), p.1676-1680, 17 refs. Comments on 41-1222. Includes reply by K.M. Stewart and R.F. Platford, p.1678-1680. 16

Pagé, P., Stewart, K.M., Platford, R.F.

Lake water, Permafroat, Water chemistry, Salinity, Temperature gradients, Lake ice, Canada—Northwest Territories-Garrow Lake.

Pile load tests in saline permafrost at Clyde River, Northwest Territories.

Nixon, J.F., Canadian geotechnical journal, Feb. 1988, 25(1), p.24-32, With French summary. 14 refs. Pile load tests, Permafrost, Saline soils, Soil creep, Bearing strength, Rheology.

42-2755

Numerical analysis of temperature field in a thawing embankment in permafrost.

Mu, S., Canadian geotochnical journal, Feb. 1988, 25(1), p. 163-166, With French summary. 7 refs. Permafrost, Ground thawing, Embankments, Heat transfer, Mathematical models, Phase transformations. Temperature distribution.

Heat balance of the icy slope of Adelle Land, esstern

Antarctics. Wendler, G., et al. Journal of applied metcorology, Jan. 1988, 27(1), p.52-65, 30 refs. lahikawa, N., Kodama, Y.

Heat balance, Snow cover, Temperature variations, Wind (meteorology), Antarctics—Adélie Coast.

Heat balance, Snow cover, Temperature variations, Wind (meteorology), Antarctica—Adelle Coast.

A complete heat budget investigation was carried out in sumers at a site in Adelle Land, some 100 km from the edge of the antarctic ice sheet. For an average day, the all wave radiation budget, based on the fluxes toward the surface being positive, was positive for about 11 h, which is a short time considering that the sun was above the horizon between 22 and 24 h a day during the observational period. It is a result of the high abedo, which, on average, was about 83%. Furthermore, with increasing cloudiness, a more positive radiation budget was found, which is in contrast to most studies at lower latitudes. The heat flux in and out of the snow cover was small, and showed a typical sinusoidal diurnal variation. The mean daily values of snow heat flux were negative, as the snow cover was armed during the observational period. The latent heat flux was negative on the average, as sublimation took place for most of the time. Deposition was observed only on a few nights. The sensible heat flux was negative around noon, but positive for most of the day, which means that the sir above the surface was cooled, an inversion developed, and as the surface is inclined, gravitational flow (katabatic wind) started to occur. While the all-wave radiation balance had its minimum around midnight, the minimum temperature was observed some 3 h later, and the maximum wind speed occurred about 2 additional hours later. (Auth.)

42-2757

42-2757

Model study of upper ocean-sea ice interactions. Fichefet, T., et al, Journal of physical oceanography, Feb. 1988, 18(2), p.181-195, 56 refs. Gaspar, P.

Sen ice, Ice water interface, Thermodynamics, Models. Heat flux.

42-2758

Testing a coupled ice-mixed-layer model under su-barctic conditions.

Houssais, M.N., Journal of physical oceanography, Feb. 1988, 18(2), p. 196-210, 36 refs. Sea ice distribution, Sea water, Heat flux, Ice cover

thickness, Models,

42-2759

Density functional theory of freezing for hexagonal Density functional theory of freezing for nexagonal symmetry: comparison with landau theory.

Laird, B.B., et al, Journal of chemical physics, Mar. 15, 1988, 88(6), p.3900-3909, 48 refs.

McCoy, J.D., Haymet, A.D.J.

Crystal growth, Freezing, Density (mass/volume), Phase transformations, Analysis (mathematics), Liquids.

42-2760

Effect of maximum density of water on freezing of a

water-asturated horizontal percent layer.
Sugawara, M., et al, Journal of heat transfer, Feb.
1988, 110(1), p.155-159, 14 refs.
Inaba, H., Seki, N.

Preszing rate, Density (mass/volume), Water, Porous materials, Heat transfer, Convection, Analysis (mathematics).

42-2761

New structures and the technology of subgrade con-struction. [Novye konstruktsii i tekhnologiia sooruz-

heniia zemlianogo polotna; Peshkov, P.G., ed, Moscow, Transport, 1987, 78p., In Russian. For selected papers see 42-2762 through 42-2766. Refs. passim.

Railroads, Construction materials, Embankments, Earth fills, Foundations, Permatrost beneath struc-tures, Earth dams, Rock fills, Clays, Soil stabilization, Thixotropy, Fibers, Countermeasures.

42-2762

Prospects of using geotextiles in railroad construction. [Perspektivy primeneniia geotekstilia v zhelez-nodorozhnom stroitel'stve],

Zhorniak, S.G., et al, Novye konstruktsii i tekhnologiia sooruzheniia zemlianogo polotna (New structures and the technology of subgrade construction) edited by P.G. Peshkov, Moscow, Transport, 1987, p.3-11, In Russian.

Russian.
Peshkov, P.G., IAkovieva, E.A.
Earth dams, Solifluction, Soll stabilization, Construction materials, Fibers, Railroads, Clay solls, Freeze thaw cycles, Embankments.

42-2763

Use of geotextiles for soil reinforcement on slopes. Primenenie geotekstilia dlia armirovaniia otkosovi, Pesov, A.I., et al, Novye konstruktsii i tekhnologiia sooruzheniia zemlianogo polotna (New structures and the technology of subgrade construction) edited by P.G. Peshkov, Moscow, Transport, 1987, p.11-16, In Russian. 9 refs. Tselikov, F.I., IAkovleva, E.A., Biriukova, L.M

Roadbeds, Earth dams, Solifluction, Soli stabiliza-tion, Construction materials, Fibers, Embankments,

42-2764

Experience in using geotextiles in roadbed construction. [Opyt sooruzheniia zemlianogo polotna s ispol'zovaniem geotekstilia<sub>j</sub>, Orlov, E.P., et al, Novye konstruktsii i tekhnologiia

sooruzheniia zemlianogo polotna (New structures and the technology of subgrade construction) edited by P.G. Peshkov, Moscow, Transport, 1987, p.16-22, in

Tsernant, A.A.

Earth dams, Freeze thaw cycles, Construction materials, Thixotropy, Fibers, Sands, Countermeasures, Clays.

Using nonwoven materials in preventing roadbed deformation. Primenenic netkanykh materialov v protivodeformatsionnykh konstruktsiiakh zemlianogo

polotnaj, Dydyshko, P.I., Novye konstruktsii i tekhnologiia sooruzhenija zemlianogo polotna (New structures and the technology of subgrade construction) edited by P.G. Peshkov, Moscow, Transport, 1987, p.22-33, In Rus-5 refs.

Embankments, Soil stabilization, Roadbeds, Freeze thaw cycles, Frost heave, Railroads, Deformation, Experimentation.

42-2766

Evaluating the measures and means designed to prevent deformation of earth dams built under complicated permafrost conditions in the BAM zone. Ottenka raboty protivodeformatsionnykh meropriiatii i us-trolatv v nasypiakh vozvodimykh v slozhnykh merzlotno-gruntovykh uslovijakh trassy BAMaj, Merenkov, N.D., et al, Novye konstruktsii i tekh-

nologiia sooruzheniia zemlianogo polotna (New structures and the technology of subgrade construction) edited by P.G. Peshkov, Moscow, Transport, 1987,

p. 51-58, In Russian. A refs.
Guletskii, V.V., Minailov, G.P.
Earth dams, Ground ice, Settlement (structural), Permafrost beneath structures, Baykal Amur railroad, Design, Embankments, Deformation, Ice melting, Countermeasures.

Influence of size distribution of ice grains on thermal emission of snow cover. [Vliianie raspredeleniia ledisnykh zeren po razmeram na teplovoe izluchenie snezh-

nogo pokrova, Dmitriev, V.V., 184y, 1987, 297(6), p. 1363-1366, in Russian. 5 refs. Kliorin, N.I., Mirovskii, V.G., Etkin, V.S. Snow cover structure, Snow physics, Thermal radia-tion, Snow crystals, Grain size.

42-2768

Complex radar investigation of fresh-water ice covers.

(Komplek saus investigation in treat-water te cover-(Kompleksape radiolokatsionnye issledovaniia pre-snovodnykh ledianykh pokrovov), Kondrat'ev, K.I.A., et al, Akademiia nauk SSSR. Doklady, 1988, 298(2), p.317-320, In Russian. 7 refs. River ice, Lake Ice, Aerial surveys, Spaceborne pho-tography, Side looking radar, Mapping, Ice surveys, Ice serveride looking radar, Mapping, Ice surveys, Ice reporting.

42-2769

Mathematical modeling of heat and mass transfer

Processes in geocryological forecasts.

Permiakov, P.P., Journal of engineering physics, July 1987 (Pub. Jan. 88), 53(1), p.840-844, Translated from Inzhenerno-fizicheskii zhurnal, 53(1):124-129.

Mathematical models, Fines, Freeze thaw cycles, Heat transfer, Mass transfer.

Thermal resistance of frost on a finned air cooler. Chepurnol, M.N., et al. Journal of engineering physics, Mar. 1987 (Pub. Sep. 87), 52(3), p.307-309, Translated from Inzhenerno-fizicheskii zhurnal, 52(3):421-425.

Shnalder, V.E., Lomakin, V.N., Siniuk, N.I.
Cooling systems, Hoarfrost, Ice accretion, Heat
transfer, Mass transfer, Measuring instruments.

42-2771 Freezing of water in vertical channels formed in a

frozen soil layer. Medvedskii, R.I., Journal of engineering physics, Aug. 1987 (Pub. Feb. 88), 53(2), p.954-959, Translated from Inzhenerno-fizicheskii zhurnal, Vol.53(2):290-6 refs.

Soil freezing, Frozen ground, Ground thawing, Well casings, Mathematical models.

42.2772

Necessary condition for heterogeneous nucleation of Necessary condition for neterogeneous necession of the WSSR, kin, N.S., et al. Colloid journal of the USSR, Mar.-Apr. 1987, 49(2), p.219-223, For Russian original see 42-1945. 23 refs.
Shkodkin, A.V. Aerosols, Dispersions, Ice formation, Ice nuclei, Heterogeneous nucleation.

Petrography of frozen rocks. [Petrografiia merzlykh

porodj, Ershov, E.D., et al, Moscow, Universitet, 1987, 311p., In Russian with abridged English table of contents enclosed. 58 refs.

Danilov, I.D., Cheverev, V.G.

Frozen rocks, Permafrost structure, Permafrost thermal properties, Ground ice, Frozen rock strength, Ice physics, Lithology, Cryogenic textures, Cryogenic structures, Geocryology, Permafrost physics, Composition. Chemical properties.

42-2774

Snow loads on sloped roofs.

Sack, R.L., Journal of structural engineering, Mar. 1988, 114(3), p.501-517, 18 refs. Snow loads, Roofs, Snow slides, Snow accumulation, Design, Thermal effects, Heat flux.

42-2775

Effect of freezing cycles on bond strength of concrete.
Shih, T.S., et al, Journal of structural engineering,
Mar. 1988, 114(3), p.717-726, 4 refs.
Lee, G.C., Chang, K.C.
Concrete strength, Freeze thaw cycles, Concrete
freezing, Adhesion, Reinforced concretes, Compressive properties, Temperature effects.

42-2776

Trost, S.E., et al., Journal of transportation engineering, Mar. 1988, 114(2), p.221-231, 15 refs. Heng, F.J., Cussler, E.L.

Chemical ice prevention, Ice removal, Road icing, Chemical analysis, Penetration, Experimentation, Mass transfer, Analysis (mathematics).

Winter maintenance in Europe. La viabilità invernale in Europa, Neve international, 1988, No.1, p.18-22, In Italian with French, German and English

summaries.
Road maintenance, Winter maintenance, Snow removal, Cost analysis.

42-2778

Rescue comes from the air. [La salvezza viene dall-

'aria, Jacobs, I., Neve international, 1988, No.1, p.41-42, In Italian with French, German and English summaries. Rescue operations, Avalanche formation, Helicopters, Rescue equipment.

42-2779

Legal aspects of the use of avalanche maps. [Aspetti giuridici dell'utilizzazione della cartografia delle va-

langhe<sub>1</sub>, Del Zotto, G., Neve international, 1988, No.1, p.43-46, In Italian with French, German and English summaries.

Avalanches, Maps, Distribution.

42-2780

Thermal expansion and piezoelectric response of PZT channel 5800 for use in low-temperature scanning

comment for the in involvemental scanning trunneling microscope designs.

Simpson, A.M., et al, Review of scientific instruments, Nov. 1987, 58(11), p.2193-2195, 7 refs.

Low temperature tests, Instruments, Thermal expansion, Temperature effects.

Characterization of Canadian fly ashes and their rela-

Characterization of Canadian by manes and their relative performance in concrete.

Carette, G.G., et al, Canadian journal of civil engineering, Oct. 1987, 14(5), p.667-682, With French summary. 5 refs.

Malhotra, V.M.

Concrete strength, Freeze thaw cycles, Rheology, Concrete admixtures, Concrete hardening, Chemical composition.

42-2782

Anchoring by injection of Portland cement in the Arctic. [Injection d'ancrages a base de ciment Portland

the (mjection of anonges a case de ciment Fortulated dans l'arctique),
Benmokrane, B., et al, Canadian journal of civil engineering, Oct. 1987, 14(5), p.690-693, In French with English summary. 3 refs.
Artein, P.-C., Ballivy, G.

Cold weather construction, Cements, Anchors, Active laver. Shear strength.

International Aircraft Icing Technology Work Shop. International Aircraft Icing Technology Work Shop. Cleveland, OH, Nov. 4-6, 1987, U.S. National Aeronautic and Space Administration—FAA-AIAA

—SAE, [1987], n.p., Unp. blished manuscript.
Aircraft icing, Ice removal, Ice control, Unfrozen water content, Protection, Meetings, Tests, Measuring instruments.

Frost protection of road pavements with insulating boards. Norwegian practice and experience. Refsdal, G., Frost i jord, Dec. 1987, No.26, p.3-10, 7

Frost protection, Pavements, Road icing, Thermal in-sulation, Design, Experimentation, Norway.

Permafrost in the Northern Hemisphere remairos an une ivortnera riemispaere. Flaate, K., Frost i jord, Dec. 1987, No.26, p.11-13. Permafrost thickness, Permañ ost distribution, Permafrost preservation, Natural resonaces, Air temperature, Precipitation (meteorology). 42-2786

Permafrost and hydropower development in Greenland

Langager, H.C., Frost i jord, Dec. 1987, No.26, p.15-

Permafrost, Electric power, Glacier melting, Precipitation (meteorology), Design, Meltwater, Climatic factors, Greenland.

42-2787

Dam Rieppejavri, Troms-dam foundation with permafrost.

marrost. I., Frost i jord, Dec. 1987, No.26, p.23-26. Earth dama, Foundations, Artificial thawing, Cold weather construction, Permafrost bases, Drilling, Frozen rocks, Ground thawing.

Preliminary analysis of climatic data from the perma-

rreiminary analysis of chanatic data from the perma-frost station at Svea, Spitsbergen. Bakkchöi, S., et al, Frost i jord, Dec. 1987, No.26, p.27-32, 5 refs. Bandis, C.

Permafrost thermal properties, Soil temperature, Ground thawing, Solar radiation, Air temperature, Forecasting, Meteorological data, Heat flux, Norway - Spitsbergen.

42-2789

Foundation design on permafrost. Gregersen, O., Frost i jord, Dec. 1987, No.26, p.33-42,

Permafrost beneath structures, Foundations, Cold weather construction, Climatic factors, Design, Tests, Thermal insulation.

Experiences from tunneling in Svalbard. Sondbö, L., et al, Frost i jord, Dec. 1987, No.26, p.43-

Orheim, A Tunneling (excavation), Permafrost, Mining, Ground water, Seepage, Climatic factors, Coal, Norway— Syalbard.

42-2791

Resistance of high-strength concrete to freezing

resistance of niga-strength concrete to treezing and thawing. Concrete construction, Mar. 1988, 33(3), p.344-347. Concrete strength, Freeze thaw cycles, Concrete freezing, Air entrainment, Water cement ratio, Con-crete admixtures.

42-2792

Unsteady flow simulation for an ice-covered river.

Balloffet, A., Journal of hydraulic engineering, Mar. 1988, 114(3), p.355-358, Discussion of a paper by Yapa and Shen, see 41-1086. Closure by P.D. Yapa and H.T. Shen. 4 refs.

Yapa, P.D., Shen, H.T.
River flow, River les, Ice cover effect, Ice conditions,
Ice water interface, Flow rate.

42-2793

Summary of proceedings: Northern and Offshore In-formation Resources Seminar Series, May 1985, Oct. 1985, Jan. 1986, Apr. 1986, Nov. 1986 and Apr. 1987. Clarke, E., ed, Calgary, Arctic Institute of North America, Jan. 1988, 14p. Goodwin, R., ed.

Organizations, Research projects, Data processing, Polar regions, Ocean environments, Meetings.

42-2794
Measurements of the atmospheric radiation distribution during snowfalls at 2.2 and 3.3 mm wavelengths.
Kuznetsov, I.V., Telecommunications and radio engineering, Dec. 1986, No.12, p.125-127, Translated
from Radiotekhnika, 1986, No.9, p.79-81. 6 refs.
Atmospheric physics, Radiation absorption, Snowfall, Radiometry, Snowfakes, Scattering, Measuring
instruments Snow cover. instruments. Snow cover.

Some characteristics of benthic algae from the Franz Josef Archipelago. [Nekotorye osobennosti flory bentosnykh vodoroslei arkhipelaga Zemlia Frantsalosifa).

Vinogradova, K.L., Botanicheskii zhurnal, 1987, 72(9), p.1203-1206, In Russian. 5 refs. Algae, Ocean environments, Plant ecology, Ecosys-

tems. Distribution, Arctic Ocean.

42-2796

Structure and dynamics of light forests growing beneath bald peaks and in sub-Alpine areas of the western Sayan Mountains. Struktura i dinamika podgol'tsovykh i subal plūskikh redkolesii Zapadnogo

podgol'tsovykh i subal'pliskikh redkolesii Zapadnogo Saiana, Vlasenko, V.I., Botanicheskii zhurnal, 1987, 72(9), p.1236-1245, in Russian. 34 refs. Alpine tundra, Alpine landscapes, Cryogenic solls, Vegetation patterns, Plant ecology, Snow cover effect.

Role of historical factor in plant adaptation to ex-treme climatic conditions of the Arctic tundra subzone (the case of Wrangel' Island). [Rol' istoricheskogo faktora v osvoenii rasteniiami ekstremai'nykh uslovil podzony arkticheskikh tundr (na primere ostrova

iovii podzony arkucheskih tundr (na primere ostrova Vrangelia), Botanicheskih zhurnal, 1987, 72(11), p.1436-1447, In Russian with English summary. Refs. p.1446-1447. Arctic lardscapes, Vegetation patterns, Alpine tundra, Plant ecology, Ecosystems, Mosses.

Observation of the "anomalous" spectra of Raman scattering of light during the water-ice phase transi-

Glushkov, S.M., et al, Soviet physics. Doklady, Dec. 1986, 31(12), p.982-984, 7 refs. For Russian original see 41-3686.

Planchishin, I.M., Fadeev, V.V.

Phase transformations, Water, Supercooling, Ice formation, Light scattering, Spectra, Measuring instruments.

42-2799
Stabilizing froat heave deformations of treatle-bridge piles. (Stabilizatsiis deformatii moroznogo vypuchivaniis opor svaino-estakadnykh mostov), Puskov, V.I., et al, Transportnoe stroitel'stvo, Mar. 1988, No.3, p.13-14, In Russian. 4 refs. Poliankin, G.N., Ivashkin, S.V., Kritskii, M.IA. Bridges, Foundations, Piles, Permafroat beneath structures, Froat heave.

42-2800

Spherically symmetrical scoustic propagation across a fluid/fluid boundary.

Buckingham, M.J., IEEE transactions on geoscience and remote sensing, Feb. 1988, 83(2), p.566-570, 8

refs.
Underwater acoustics, Ice edge, Noise (sound), Ice acoustics, Ice floes.

42-2801 Mössbauer spectroscopic study of the iron mineralogy of post-glacial marine clays. Torrance, J.K., et al. Clays and clay minerals, 1986, 34(3), p.314-322, 32 refs. Hedges, S.W., Bowen, L.H. Clays, Clay soils.

42-2R02

Frost testing by uni-directional freezing. Van der Klugt, L.J.A.R., British Ceramic. Tran-tions and journal, Jan.-Feb. 1988, 87(1), p.8-12. Transac-Freeze thaw tests, Clays, Frost resistar

Single-horn reflectometry for in situ dielectric measurements at microwave frequencies.

Arcone, S.A., et al, IEEE transactions on geoscience and remote sensing, Jan. 1988, 26(1), MP 2333, p.89-

92, 10 refs. Larson, R.W.

Dielectric properties, Reflectivity, Remote sensing, Ice physics.

42-2804

Plastic analysis of ice contact problems. Nordgren, R.P., Journal of applied mechanics, Mar. 1988, 55(1), p.73-80, 20 refs. Offshore structures, Floating ice, Ice pressure, Impact strength, Pressure ridges.

Delta built by ice rafting in outflow from a glacial lake.

Gilbert, R., et al, Geografiska annaler. Series A: Physical geography, 1987, 69 A(3-4), p.375-378, 8 refa Desloges, J.R.

Ice rafting, Glacier melting, Glacial lakes, Deltas, Sediment transport, Subglacial drainage, Ice dams,

Wind erosion and sand dune formation on high Lake Superior bluffs.

Marsh, W.M., et al, Geografiska annaler. Series A: Physical geography, 1987, 69 A(3-4), p.379-391, 24

Marsh B.D.

Wind erosion, Frost penetration, Sanda, Glacial deposits, Ice sublimation, Heat transfer, Water ero-sion, Lake water, Thermodynamics.

43.3807

Study of snow and ice temperatures on Vestfonna, Svalbard, 1956, 1957 and 1958.

Palosuo, E., Geografiska annaler. Series A: Physical geography, 1987, 69 A(3-4), p.431-437, 17 refs.

Snow temperature, Ice temperature, Snow melting, Snow temperature, Ice temperature, Snow melting, Glacier ablation. Heat balance. Norway—Syalbard.

42-2808

Mass balance of Storglaciaren during the 20th cen-

tury, Holmlund, P., Geografiska annaler. Series A: Physical geography, 1987, 69 A(3-4), p. 439-447, 17 refs. Glacter mass balance, Ice volume, Glacter surveys, Glacter melting, Maps, Climatic factors, Sweden—Storglaciaren.

42.2809

Preliminary development of a fiber optic sensor for

Thang, Y., et al, U.S. Army Cold Regions Research and Engineering Laboratory, Mar. 1988, SR 88-04, 16p., ADA-191 865, 6 refs. Seitz, W.R., Sundberg, D.C., Grant, C.L. Soil pollution, Detection, Ground water, Optical properties, Military research, Water pollution.

Research aimed at the development of a fiber-optic based sensor is described for in-situ detection of TNT in groundwater. Three approaches were evaluated in depth. All three involved use of a material to concentrate TNT in the field of view of an use of a material to concentrate TNT in the field of view of an optical fiber. The materials tested were 1) a concentrated destran solution isolated by a semi-permeable membrane; 2) a preservablen cross-linked polyviny! alcohol polymer; and 3) an amine-loaded PVC membrane. Another approach based on the formation of a colored TNT anion at high pH was also considered. The amine-loaded PVC membrane appears to have the most promise. Clear membranes were prepared which reacted with TNT to form a colored product. Measurement is made at 520 nm which is very convenient for fiber optic-based sensing. Various primary amines were assessed.

42-2810

Sea ice deformation in the Bothnian Bay off Hailuoto, Pinland, in March 1986.

Alestalo, J., et al, Bothnian Bay reports, 1986, No.4, p.51-63, 7 refs. Heikkinen, O., Tabuchi, H.

Ice deformation, Sea ice, Ice rafting, Pressure ridges, Ice growth, Pack ice, Fast ice, Ice edge, Ice conditions, Bothnia, Bay.

Water structure in crystalline solids: ices to proteins. Savage, H., Water science reviews, 1986, Vol.2, p.67-148, 143 refs.

Ice crystal structure, High pressure ice, Hydrogen bonds, Molecular structure, Phase transformations, X ray diffraction, Cubic ice, Water structure.

42-2812

Airphoto interpretation of changes to the position of tidewater glaciers and deltas along the NE Baffin coast.

Syvitski, J.P.M., Canadian data report of hydrography and ocean sciences, July 1987, No.54, Sedimentology of Arctic fjords experiment: data report, Vol.3. Compiled by J.P.M. Syvitski and D.B. Praeg, p.(14)1-(14)-11, 2 refs.

Glacier flow, Deltas, Photointerpretation, Ice conditions, Aerial surveys, Glacier surveys, Flow rate, Tides, Canada—Northwest Territories—Baffin Is-

42-2813

Systematic design of marinas for ice conditions.
Wortley, C.A., Conference on Innovations in Port Engineering and Development in the 1990's, Oakland, CA, May 19-21, 1986. Proceedings. Edited by P.H. Sorensen. Ports 86, New York, American Society of Civil Engineers, 1986, p. 453-465, 7 refs.

Ports, Ice loads, Ice conditions, Design criteria, Ice control, Soil strength, Piles, Piers, Docks.

42-2814

Bacterial ice nucleation: molecular biology and ap-

plications.
Warren, G.J., Biotechnology and genetic engineering reviews, Vol.5. Edited by G.E. Russell, Wimborne, Dorset, Intercept Ltd., 1987, p.107-135, Refs. p.132-

Ice nuclei, Organic nuclei, Bacteria, Ice formation, Molecular structure, Vegetation, Frost protection. Temperature effects.

47,7815

Water and frost-stability risks for embankments of fine-grained soils.

Ekström, A., et al, Symposium on Failures in Earthworks, London, Mar. 6-7, 1985. Proceedings. Failures in earthworks, London, Thomas Telford, 1985, p.155-166. Olofsson, T.

Embankments, Frost action, Stability, Soil creep, Ground water, Sliding, Drainage, Ground thawing, Water erosion, Cold weather construction, Sweden.

Diesel-electric ship Vitus Bering. [Dizel'-elektrokhod "Vitus Bering", Semenov, S., Morskoi flot, 1988, No.2, p.41-45, In

Ice navigation, Icebreakers, Ships, Marine transpor-

tation, Design.

Mathematical models of a three-stage orographic cloud system and its modifications by serosol genera-

Khvorost'ianov, V.I., et al, Soviet meteorology and hydrology, 1988, No.1, p.22-31, Translated from Meteorologiia i gidrologiia. 20 refs. Torolan, G.R.

Ice crystals, Cloud seeding, Smoke generators, Ice formation, Mathematical models, Weather modifica-

Practical use of formulas for calculating thickness of sea ice.

Kuznetsov, I.M., et al, Soviet meteorology and hydrology, 1987, No.11, p.73-78, Translated from Meteorologiia i gidrologiia. 20 refs.

Garmanov, A.L. Drift stations, Ice surveys, Ice cover thickness, Arctic

Glacial dischese model in the Swiss Alps.

Kang, E., et a. surnal of glaciology and geocryology, 1987, 9(1), p.1-14, 5 refs. In Chinese with English summary.

Jensen, H. Glacial hydrology, Glacier ablation, Drainage, Gla-cier melting, Snowmelt, Switzerland—Alps.

Runoff variations in Heihe River and their forecast. Lai, Z., Journal of glaciology and geocryology, 1987, 9(1), p.15-22, 3 refs., In Chinese with English

Runoff forecasting, River flow, Precipitation (meteorology), Mountains, Climatic factors, Seasonal variations, Hydrology.

Characteristics of debris flow caused by outburst of glacial lakes on the Boqu River in Xizang, China. Xu, D., Journal of glaciology and geocryology, 1987, 9(1), p.23-34, 8 refs., In Chinese with English

Glacial deposits, Glacial lakes, Moraines, Channels (waterways), River flow, Floods, Sediment transport, Grain size, Erosion, China—Xizang.

Numerical simulation analysis of heat and mass trans-An, W., et al, Journal of glaciology and geocryology, 1987, 9(1), p.35-46, 6 refs., In Chinese with English

summary. Chen, X., Wu, Z.

Frozen ground, Soil water, Heat transfer, Moisture transfer, Mass transfer, Soil freezing, Mathematical 42,2823

Attempt to map of the glaciers on Gongga Mountain using a combination of terrestrial and serial photogrammetry.

Chen, J., et al, Journal of glaciology and geocryology, 1987, 9(1), p.47-53, 8 refs., In Chinese with English summary.

Yang, C. Glacier surveys, Photogrammetry, Remote sensing, Mountain glaciers, Microwaves, Mapping, China— Gongge Mountain.

42-2824

Preliminary study of the rock glaciers in the Gongga Mt. area.

Li, S., et al, Journal of glaciology and geocryology, 1987, 9(1), p.54-60, 4 refs., In Chinese with English summary. ao. H

Rock glaciers, Glacier surveys, Avalanches, Snow line. Permafrost distribution, Geomorphology, Ground ice, Rheology, China-Gongga Mountain.

Grain-size characteristics of glacial debris, and explanation of the processes of glacial transports and sedi-ments at the Gongba Glaciers in Mt. Gongga. Kang, J., Journal of glaciology and geocryology, 1987, 9(1), p.61-68, 11 refs. In Chinese with English

summary.

Glacial deposits, Sediment transport, Glacier flow, Glacier melting, Grain size, Abrasion, China—Gongga Mountain.

Preliminary research on temperature regime in sea-sonal snow cover and its relation to frost penetration depth in Gongnaisi Valley, Tianshan Mountains. Zhang, Z., Journal of glaciology and geocryology, 1987, 9(1), p.69-79, 3 refs., In Chinese with English

Snow temperature Frost penetration Soil temperature, Thermal regime, Freezing indexes, Seasona variations, Temperature distribution, Heat transfer, Mountains, China—Tian Shan.

42.2827 Some fossil periglacial phenomena in the Shennongjia Mountains.

Zhou, Z., Journal of glaciology and geocryology, 1987, 9(1), p.81-86, 2 refs... In Chinese with English

Periglacial processes, Fossils, Geomorphology, Mountains, Climatic changes, Glaciation, Loess, Paleoclimatology, China—Shennongjia Mountains. Periglacial

Analysis of the harm and genesis of glacial debris flows along the China-Pakistan highway from Kashi to Tashikuergan.

Wang, J., Journal of glaciology and geocryology, 1987, 9(1), p.87-94, 2 refs., In Chinese with English

Glacial deposits, Sediment transport, Meltwater, Roads, Gullies, Damage.

42-2829

Information on U.S. Army Cold Regions Research and Engineering Laboratory.

Zhu, Y., Journal of glaciology and geocryology, 1987, 9(1), p.95-96, In Chinese. Organizations, Research projects, Bibliographies,

U.S. Army CRREL.

General characteristics of the Yinsugaiti Glacier. Yang, H., Journal of glaciology and geocryology, 1987, 9(1), p.97-98, 3 refs., in Chinese. Glacier surveys, Mountain glaciers, Statistical analysis, China—Yinsugati Glacier.

42.2831

Winter road sense.

Perry, A., et al, Geographical magazine, Dec. 1986, 58(12), p.628-631.

Symons, L., Symons, A.C. Winter maintenance, Road maintenance, Weather forecasting.

42-2832

Fluid dynamics kill Wyoming icicle. Grace, R.D., World oil, Apr. 1987, 204(4), p.45-53, 1

Wells, Ice loads, Drills, Icing, Countermeasures.

Size of bacterial ice-nucleation sites measured in situ by radiation inactivation analysis.

Govindarajan, A.G., et al, National Academy Proceedings, Mar. 1988, 85(5), p.1334-Sciences. 1338, 42 refs. Lindow, S.E.

Organic nuclei, Bacteria, Ice formation, Solutions, Molecular structure.

47.7814

Glacial resources and their distributive characteristics in the Tianshan Mountains of China.

Liu, C., et al, Journal of glaciology and geocryology, 1987, 9(2), p.99-107, 2 refs., In Chinese with English summary. Ding, L.

Glacier surveys, Ice volume, Mountain glaciers, Distribution, China—Tian Shan.

42-2835

Direct observation of basal sliding and deformation of basal drift at subfreezing temperatures.

Echelmeyer, K., et al, Journal of glaciology and geo-cryology, 1987, 9(2), p.109-122, 28 refs., In Chinese with English summary.
Wang, Z.
Glacier flow, Basal sliding, Subglacial caves, Ice tun-

nels, Temperature effects, Glacier thickness, Surface roughness, Viscosity.

42-2836

Effect of melt-water percolation on the temperature

of a glacier.
Cai, B., et al, Journal of glaciology and geocryology, 1987, 9(2), p.123-130, 9 refs., In Chinese with English summary (p.108). Xie, Z., Huang, M.

Glacier ice, Ice temperature, Seepage, Mass transfer, Heat transfer, Mathematical models, Temperature verietions

Calculation of glacial longitudinal sections under stable conditions—Glacier No.1 at the headwater of the Urumgi River, Tianshan Mt, as an example.

Cao, M., et al, Journal of glaciology and geocryology, 1987, 9(2), p.131-138, 8 refs., In Chinese with English summary.

Meier, M.F.

Glacier flow, Glacier surfaces, Glacier mass balance, Glacier thickness, Glacial hydrology, Slope orienta-tion, Velocity, Ice volume, China—Tian Shan.

42-2838

Numerical analysis of creep deformation and stress of

the artificial freezing shaft wall.

Shen, M., Journal of glaciology and geocryology, 1987, 9(2), p.139-148, 1 ref., In Chinese with English

Shafts (excavations), Walls, Artificial freezing, Rheology, Deformation, Soil creep, Analysis (math-ematics), Models, Stresses, Soil freezing.

Relationship between plateau plants and melting soil-layer in the frozen season in Tumen, Prefecture

Qin, Z., et al, Journal of glaciology and geocryology, 1987, 9(2), p.149-156, 5 refs., In Chinese with English summary.

Nic, W., Tong, B., Xie, Y.
Active layer, Vegetation, Ground thawing, Thaw
depth, Soil terzperature, Temperature effects, Climatic factors. Seasonal variations.

Sporo-pollen analysis of the Quaternary in the Northwest of the Chaidam Basin.

Wu, G., et al, Journal of glaciology and geocryology, 1987, 9(2), p.157-164, 6 refs., In Chinese with English summary.

Wang, K.

Quaternary deposits, Pollen, Geology, Palynology, Fossils, Paleoclimatology, Glaciology.

Preliminary research on the genesis and environment of the sediments in the Lushan Mountain from some of their microtextures and microstructures.

Tang, Y., Journal of glaciology and geocryology, 1987, 9(2), p.165-170, In Chinese with English sum-

Quaternary deposits, Sediments, Microstructure, Soil texture, Origin, Mountains, Rock mechanics, Sliding, China—Lushan Mountain.

Analysis of the frost damage to the testing subgrade on permafrost in the Fenghushan region on the Qinghai-Xizang Plateau.

Ye, B., Journal of glaciology and geocryology, 1987, 9(2), p.171-178, 2 refs., In Chinese with English sum-

Permafrost, Frost action, Subgrades, Frost heave, Ground water, Damage, Engineering, Slope stability.

Preliminary research on the artificial permafrost table of retaining dams.

Shang, J., Journal of glaciology and geocryology, 1987, 9(2), p.179-182, In Chinese with English summary.

afrost depth, Artificial freezing, Earth dams, Engineering.

42-2844

Primary investigation of the Juneau Icefield, USA. Yao, T., Journal of glaciology and geocryology, 1987, 9(2), p.183-186, In Chinese with English sum-

Glacier surveys, Distribution, Snow line, Mountains, United States Alaska Juneau.

42-2845

Numerical study of the response of the southern ocean and its sea ice to a CO2-induced atmospheric warming.

Van Ypersele, J.P., National Center for Atmospheric Research. Cooperative thesis, 1986, NCAR/CT-99, 135p., PB87-163218, Refs. p.110-135. Mathematical models, Sea ice distribution, Heat flux, Climatic changes, Carbon dioxide, Antarctics—Weddell Sea, Drake Passage.

A comprehensive coupled model of ocean circulation and sea ice has been developed to study a selected area of the southern ocean that includes the Weddell Sea and the Drake Passage. ocean that includes the Weddell Sea and the Drake Passage. An existing general circulation model of the ocean was configured for the geometry of the southern ocean domain and then improved by including robust-diagnostic forcing and allowing for coupling to a sea-ice model. When the model was initially tested without coupling, the ocean circulation corresponded well with the observed circulation. In addition, a dynamic-thermodynamic model of sea ice was developed and tested with a constant upward oceanic heat flux. (Auth. mod.)

Scheiner's halo: cubic ice or polycrystalline hexagonal ice?.

Weinheimer, A.J., et al, Journal of the atmospheric sciences, Nov. 1987, 44(21), p.3304-3308, 30 refs. Knight, C.A. Cubic ice, Ice crystals, Optical phenomena, Refrac-

42-2847

Interactions between glaciation, atmosphere and ocean. [Vzaimode'stvie oledeneniia s atmosferol i

Kotliakov, V.M., ed, Moscow, Nauka, 1987, 248p., In Russian with English table of contents enclosed. Refs. p.236-247.

Grosval'd, M.G., ed.

Glaciology, Ice growth, Snow cover effect, Oceanography, Ice deterioration, Planetary environments, Maps, Climatic changes, Meteorological charts, Land ice, Mass balance, Air temperature, Sea ice distribution. Solar radiation.

42-2848

Recent glaciation and climate. [Sovremennye ledniki i klimatı,

Krenke, A.N., Vzaimodelstvie oledenenija s atmosferol i okeanom (Interactions between glaciation, atmosphere and ocean) edited by V.M. Kotliakov and M.G. Grosval'd, Moscow, Nauka, 1987, p.6-33, In Russian.

Ice sheets, Ice deterioration, Ice shelves, Mountain glaciers, Sea ice distribution, Fast ice, Icebergs, Climatic factors, Maps, Land ice, Alimentation, Mass balance.

42-2849

Global climatic role of snow cover. [Global nais

Kilmaticheskaia rol's snezhnogo pokrova, Kotliakov, V.M., Vzaimodeľstvie oledeneniia r atmosferof i okeanom (Interactions between glaciation, atmosphere and ocean) edited by V.M. Kotliakov and M.G. Grosval'd, Moscow, Nauka, 1987, p.34-65, In Russian.

Snow line, Snow melting, Soil temperature, Snow cover distribution, Human factors, Solar radiation, Climatic factors, Meteorological charts, Maps, Snow surveys, Heat transfer, Landscape types, Planetary environments, Snow depth, Spacecraft, Mass trans-fer, Monitors, Phase transformations.

Sea ice and climate. (Morskie I'dy i klimat),

Zakharov, V.F., Vzaimodelstvic oledenenia s atmosferof i okeanom (Interactions between glaciation, atmosphere and ocean) edited by V.M. Kotliakov and M.G. Grosvall d, Moscow, Nauka, 1987, p.66-89, in

Climatic changes, Sea water freezing, Ice cover thick-ness, Icebergs, Sea ice distribution, Past ice, Ice shelves, Maps, Pleistocene, Meteorological charts, Water temperature, Salinity, Ice volume, Antarctica. Formation of sea ice in both hemispheres is discussed. tarctic glacial situation compared to the Arctic Ocean and physical causes of sea ice impact on climatic conditions, result-ing in major changes, are argued and illustrated with meteoro-logicat, oceanographic and glaciological data

42-2851

Glaciation, oceans and Pleistocene climates: a qualitative model. [Oledenenie, okean i lednikovye klimaty pleistotsena: kachestvennaja model'], Grosval'd, M.G., Vzaimodeistvie oledeneniia s atmos-

ferol i okeanom (Interactions between glaciation, at-mosphere and ocean) edited by V.M. Kotliakov and M.G. Grosval'd, Moscow, Nauka, 1987, p.90-117, In

Models, Pleistocene, Climatic changes, Sea ice distribution, Ice cores, Glacier alimentation, Isotope analysis, Glacier ablation, Glacier surges, Icebergs, Charts, Paleoclimatology, Water temperature, Maps, Glaciology, Ice temperature, Oceanography.

42-2852

Interactions between the ocean and ice sheets in marginal zones of continents. [VzaimodeIstvie lednikovykh pokrovov s okeanom v zone materikovykh okrain<sub>1</sub>.

Glazovskii, A.F., Vzaimodeistvie oledeneniia s atmos ferof i okeanom (Interactions between glaciation, atmosphere and ocean) edited by V.M. Kotliakov and M.G. Grosval'd, Moscow, Nauka, 1987, p.117-134, In Russian.

Ice sheets, Glacier beds, Fast ice, Shore erosion, Icebergs, Ice rafting, Water temperature, Air temperature, Land ice, Cooling rate, Glaciers, Ice erosion.

Sea level and the giobal climate. (Uroven' Mirovogo

okeana i global nyi klimati, Kazanskii, A.B., Vzaimodelstvie oledeneniia s atmosferol i okeanom (Interactions between glaciation, atmosphere and ocean) edited by V.M. Kotliakov and M.G. Grosval'd, Moscow, Nauka, 1987, p.135-151, In Russian.

Sea level, Sea ice distribution, Ice air interface, Air temperature, Climatic changes, Air water interactions, Ocean currents.

42-2854

Mass balance of mountain glaciers and climate. Balans massy gornykh lednikov i klimat<sub>1</sub>.

Diurgerov, M.B., Vzaimodeïstvie oledeneniia s atmos-

ferol i okeanom (Interactions between glaciation, atmosphere and ocean) edited by V.M. Kotliakov and M.G. Grosval'd, Moscow, Nauka, 1987, p.186-213, In Russian.

Mountain glaciers, Ice air interface, Heat transfer, Glacier mass balance, Climatic changes, Altitude, Climatology, Land ice.

42-2855

Climatic influence of a single glacier. [Vliianic otdel'nogo lednika na klimat<sub>1</sub>,

Krenke, A.N., et al, Vzaimodeïstvie oledeneniia s atmosfero i okeanom (Interactions between glaciation, atmosphere and ocean) edited by V.M. Kotliakov and M.G. Grosval'd, Moscow, Nauka, 1987, p.214-234, In Russian.

Voloshina, A.P., Arapov, P.P.

Glacier ice, Atmospheric circulation, Ice surface, Mi-croclimatology, Ice air interface, Heat transfer, Radiation balance, Heat balance.

Mechanization of pile construction in freezing weather. [Mekhanizatsija svalnykh rabot v zimnikh us-

loviiakhi, Bad'in, G.M., Leningrad, Strotizdat, 1987, 184p., In Russian with abridged English table of contents en-closed. 24 refs.

Concrete structures, Buildings, Foundations, Permafrost beneath structures, Piles, Construction equip-ment, Excavation, Permafrost thermal properties, Frozen ground strength, Active laver.

42.2857

Urban development in the Far North. Grados-

troitel stvo na Krainem Severe, IAkovlev, A.V., Leningrad, Strolizdat, 1987, 182p., In Russia, with abridged English table of contents enclosed. 51 refs.

Urban planning, Microclimatology, Winter mainte-mance, Residential buildings, Industrial buildings, Roads, Wind factors, Streets.

Acrodynamics of the Tu-134A-3(B-3) airplane. (Aero-dinamika samoleta Tu-134A-3(B-3), Ligum, T.1., Moscow, Transport, 1987, 261p. (pertinent p.135-139, 219-251), In Russian. Aircraft Icing, Aircraft landing areas, Cold weather performance, Cold weather operation.

47.7850

Impact of a single black snowfall on streamwater chemistry in the Scottish Highlands. caemistry in the Scottish Highlands. Tranter, M., et al, Nature, Apr. 26, 1988, 332(6167), p.826-829, 26 refs. Snowfall, Pollution, Water chemistry, Meltwater, United Kingdom—Scotland.

42-2860

Methane concentration in the glacial atmosphere was only half that of the preindustrial Holocene. Stauffer, B., et al. Nature, Apr. 28, 1988, 332(6167), p.812-814, 15 refs.

Lochbronner, E., Oeschger, H., Schwander, J. Ice cores, Ice composition, Atmospheric composition,

Greenland, Antarctica—Byrd Station. Air entrapped in bubbles of cold ice has essentially the same composition as that of the atmosphere at the time of bubble formation. Measurements on ice core samples from Byrd Sta-tion (Antarctics) and Dye 3 (Greenland) show that the atmospheric methane concentration was only about 350 parts per billion by volume (p.p.b.v.) during the last glaciation, compared with a mean preindustrial level of about 650 p.p.b.v. and a present value of 1,650 p.p.b.v. (Auth.)

42-2861

Collapse prediction analysis of South Pole dome due

Collapse presented analysis of south role dome due to foundation settlement.

Shugar, T.A., et al, U.S. Naval Civil Engineering Laboratory, Port Hueneme, California. NCEL technical note, Jan. 1988, N-1781, 34p. + 15p. appends., 31 refs.

Holland, T.J., Shoemaker, N.F.

Settlement (structural), Snow cover stability, Snow deformation, Foundations, Antarctics—Amundsen-Scott Station.

Scott Station.

The base of the peodesic dome sheltering the Amundsen-Scott South Pole Station is distorting due to movement in the compacted anow foundation. Determination of how much longer the dome can withstand ice field motion is sided by a nonlinear finite element analysis. A description of the base ring differential displacement is obtained by a least squarea analysis of foundation displacement data. The topology and geometry of the geodesic dom's have been reconstructed, and a one-to-one correspondence exists between the modeled and actual latticed framework. Two alternative approaches to structural modeling, based on the same topology, are developed and discussed. Computational results are obtained, and then displayed and analyzed using computer graphics. These results indicate that the South Pole Dome can withstand twice the load currently Computational results are obtained, and intent alipsayed an analyzed using computer graphics. These results indicate that the South Pole Dome can withstand twice the load currently induced by existing foundation settlement. The structure exhibits isolated group buckling but is in no danger of general collapse at that load level. The actual level of settlement at which general collapse could occur could not be calculated. (Auth.)

Mobile buildings and their combinations based on the principle of open structural systems. [Mobil'nye zdaniis i kompleksy na osnove otkrytykh konstruktiv-

nykh sistem, Karasev, N.N., Moscow, Strolizdat, 1987, 134p., In Russian with abridged English table of contents en-

closed. 25 refs. Modular construction, Permafrost beneath structures, Design, Theories.

Designing building foundations for randomly nonhomogeneous bases and creep. (Raschet fundamentov sooruzhenii na sluchaino-neodnorodnom osnovanii pri polzuchestij,

Makarov, B.P., et al, Moscow, Strolizdat, 1987, 256p., In Russian with abridged English table of contents enclosed. 51 refs.

Kochetkov, B.E.

Plates, Foundations, Bearing strength, Settlement (structural), Soil mechanics, Rheology, Models, Soil creep, Bases, Creep, Buildings, Concrete structures.

42-2864

On the phase diagram of ice. O fazovol diagramme Sirota, N.N., et al. Akademiia nauk SSSR. Dokiadv.

1987, 287(5), p.1112-1116, in Russian. 9 refs.
Bizhigitov, T.B.
Ice physics, Phase transformations, Ice temperature,

sure, Ice volume, Isotherms.

42-2865

Is there anything to change. [A nado li chto-to meniat"], Arikalnen, A., et al. Morskoi flot, 1988, No.3, p.36-39,

In Russian. Burkov. G.

Ships, Ice navigation, Design, Icebreakers, Ice breaking.

42-2866

Engineering geology, hydrogeology; rational use of geological media. ¡Inzhenernaia geologiia, gi-drogeologiia; ratsional'noe ispol'zovanie geologiches-

drogeologia; rational noe ispol zovanie geologicnes-kol sredyl, Sergecy, E.M., et al, Akademiis nauk SSSR. Izves-titis. Seriis geologicheakais, Nov. 1987, No.11, p.23-30, In Russian. 4 refs. Engineering geology, Hydrogeology, Geocryology, Research projects, Surveys, Mapping, Models.

42.2867

Road to the Yamal gas. Doroga k IAmal'skomu

gazus, Maslov, V.A., et al, Mekhanizatsiia stroitel'stva, Nov. 1987, No.11, p.23-25, In Russian. Talts. V.G.

Natural gas, Transportation, Railroads, Cold weather construction, Permafrost beneath structures, Em-bankments. Dams. Natural resources. Earthwork. Construction equipment, Tundra, USSR-Peninsula.

42-2868

Combined mechanization of construction-assembling work under difficult climatic conditions. [Kompleksnaia mekhanizatsiia stroitel'no-montazhnykh rabot v slozhnykh klimaticheskikh usloviiakh, Taits, V.G., Mekhanizatsiia stroitel stva, Oct. 1987, No. 10, p. 12-14, In Russian.

Permafrost beneath structures, Earthwork, Construction equipment, Winter maintenance, Transportation, Electric power, Baykal Amur railroad.

42.2860

Winter observations of iceberg frequencies and sizes

in the South Atlantic Ocean.
Wadhams, P., Journal of geophysical research, Apr. 15, 1988, 93(C4), p.3583-3590, 19 refs. Icebergs, Detection, Distribution, South Atlantic Ocean.

Ocean.

The numbers and apparent sizes of icebergs in the South Atlantic Ocean in midwinter were measured by radar and visually from FS Polarstern during the 1986 Winter Weddell Sea Projecture. Results show that in a heavy sea (sea state 7-8), icebergs have to be at least 115 m in diameter to be detected at and that detectability falls off severely for all bergs at ranges exceeding 8 n. mi. (15 km); that most bergs had diameters of ies exceeding 8 n. mi. (15 km); that most bergs had diameters of sea than 1 km with a preferred size of 400 500 m; and that a high density of icebergs in the latitude band 53-36S at longitude 19-30W contrasted with a virtual absence of bergs in the same latitude band at longitude 1-9E. The latter effect is ascribed or melt and wave-induced deterioration causing the disappearance of this iceberg population between the two sets of longitudes. (Auth.) (Auth.)

42-2870

Drift of icebergs under wind action.

Crépon, M., et al, Journal of geophysical research, Apr. 15, 1988, 93(C4), p.3608-3612, 17 refs. Housasis, M.N., Saint Guily, B. Icebergs, Drift, Wind (meteorology), Mathematical

The steady motion of an iceberg under wind action is studied in the presence of a mixed layer. Analytical solutions are tained when the iceberg depth is less than or much larger the tained when the iceberg depth is less than or much larger than the mixed layer depth. A few numerical examples are given. The results show that winds of medium or low strength have a limited effect on the motion of deep icebergs extending below the thermocline. Furthermore, the larger the horizontal scale of the iceberg the smaller the wind drift. Hence for winds of less than 10 mf as the trajectory of deep icebergs more than 1 km long is shown to be representative of geostrophic currents. The effect of a possible "lift" force is also estimated. Equations developed in this study are based on data collected from antarctic icebergs. icebergs. (Auth. mod.)

42.2871

Diagnostic study of the Fram Strait marginal ice zone during summer from 1983 and 1984 marginal ice zone experiment Lagrangian observations.

Gascard, J.C., et al, Journal of geophysical research, Apr. 15, 1988, 93(C4), p.3613-3641, 23 refs. Kergomard, C., Jeannin, P.F., Fily, M. Sea ice, Ice edge, Ocean currents, Ice floes.

42-2872

Densification process of snow/firs in the surface layer of the antarctic ice sheet.

Qin, D., Journal of glaciology and geocryology, 1987, 9(3), p.193-205, 25 refs., In Chinese with English summery

Snow density, Fira, Snow compression, Snow ice in terface, Ice sheets, Air temperature, Snow crystal growth, Antarctica—Wilkes Land.

growth, Astarctics—Wilkes Land.
The densification process of snow/firm in the surface layer of the antarctic ice sheet is affected by the environment. The process also is a summation of the variations in both macroscopic and incroocomic processes, and has a rich feature of geographic zonality. This process is divided into three types (warm, cold and transformed) on the basis of the studies of shallow snow/firm cores in Wilkes Land, Antarctica, and the studies of predecessors. Data on distribution and mean annual temperature of these types are presented. These three types of densification process are characterized by different macroscopic and microcomic features, such as the diagram of density versus depth, compactive viscosity coefficient, crystal size and crystal growth rate, Caxis orientation and elongation of snow/firm crystal in the snow/firm. (Auth. mod.)

Numerical classification of glaciers by means of spe-

cific relief parameters.
Kuhle, M., Journal of glaciology and geocryology,
1987, 9(3), p.207-214, With Chinese summary. 25 refr

clacier surfaces, Glaciology, Snow line, Surface prop-erties. Classifications, Glacier flow, Mountains.

Ice physics—one of the most common substances con-

nee paysics—one or the most common unstrances con-tinues to pose interesting problems.
Glen, J.W., Journal of glaciology and geocryology, 1987, 9(3), p.215-220, In Chinese.
Ice physics, Ice crystal structure, Molecular struc-Water structure, Ions.

Thaw-consolidation behavior of seasonally frozen soils.

Tong, C., et al, *Journal of glaciology and geocryology*, 1987, 9(3), p.221-228, In Chinese with English summary. Chen, E.

Thaw consolidation, Freeze thaw tests, Frezen ground settling, Loads (forces), Permafrost, Seasonal freeze thaw.

42-2876

Preliminary study of palaeovegetation and palaeo-climatic index in the later period of the Late Pleisto-cene in Northeast Plain of China.

Wang, M., Journal of glaciology and geocryology, 1987, 9(3), p.229-238, 17 refs., In Chinese with English summs

non tummay.

Geomorphology, Climatic changes, Vegetation, Pollen, Palynology, Paleoclimatology, Pleistocene, Radioactive age determination, China.

42-2877

Atlas (1:2,000,000) of seasonal frost depths in Jilin Province.

Zhang, X., et al, Journal of glaciology and geocryology, 1987, 9(3), p.239-250, In Chinese with English Li, Y., Song, Z.

Maps, Prost penetration, Snow cover effect, Seasonal variations, Altitude.

Quartz grain surface features of the Maxian Mountain in Lanzhou area and environment identification. Fang, X., et al, Journal of glaciology and geocryology, 1987, 9(3), p.251-256, 6 refs., In Chinese with English summary

nsn summary.

Mou, Y., Xi, X.
Glacial deposits, Surface properties, Scanning electron microscopy, Geomorphology, Sanda, Talus, Glaciation, Paleoclimatology, Mountains, China—Maxian Mountains.

First discovery of ice wedges in northeast China.

Jia, M., et al, Journal of glaciology and geocryology,
1987, 9(3), p.257-260, 2 refa., In Chinese with Eng-

1307, 3(3), p.237-200, 2 reis., in Chinese with English summary.

Yuan, F., Cheng, G.
Ice wedges, Discontinuous permafrost, Air temperature, Precipitation (meteorology), China.

Primary observations of the deformation of snow cormice.

Zhang, Z., et al. Journal of glaciology and geocryology, 1987, 9(3), p.261-266, 3 refs., In Chinese with Eng-DATY. Wang, W.

Snow cornices, Snow surface, Avalanche formation, Surface properties, Mountains, Snow deformation, Shear strees, Air temperature, Strains.

42-2881
Method of testing the horizontal frost-heaving force

of the retaining wall.
Sui, T., et al, Journal of glaciology and geocryology, 1987, 9(3), p.267-272, In Chinese with English summary. Na, W

Frost heave, Loads (forces), Walls, Tests.

42-2882

Compilation of glacier maps for some mountains in weet China.

Gu, P., et al, Journal of glaciology and geocryology, 1987, 9(3), p.273-278, In Chinese with English summary. Bu. J.

Mountain glaciers, Glacier surveys, Photography, Maps, Aerial surveys, Distribution.

Prewetting aids Canadian snow control. Better roads, Nov. 1987, 57(11), p.34-36.

Snow removal, Snow water content, Sanding, Salting, Road maintenance, Winter maintenance, Cold weather performance, Admixtures, Canada.

Kinetic approach to crystallization from ionic solution. 1. Crystal growth.

Chiang, P.P., et al., Journal of colloid and interface science, Mar. 1988, 122(1), p.230-250, 87 refs.

Science, Mar. 1700, 124(1), p. 200 121, Donohue, M.D. Crystal growth, Solutions, Ions, Phase transformations, Adsorption, Analysis (mathematics).

42-285
Kinstic approach to crystallization from ionic solution. 2. Crystal nucleation. 2. Crystal nucleation. Chiang, P.-P., et al, Journal of colloid and interface science, Mar. 1988, 122(1), p.251-265, 44 refs. Donohue, M.D., Katz, J.L.
Crystals, Nucleation, Solutions, Ions, Thermodynamics, Crystal growth, Mathematical models.

Statistics of the sea surface temperature of the Baltic Sea 21 October-1 March (1965-1986). Grönvall, H., et al, Finnish marine research. Supple-ment, 1987, No.254, 97p., With Finnish summary.

Sea water, Water temperature, Surface temperature, Ice conditions, Synoptic meteorology, Temperature distribution, Statistical analysis, Charts, See ice, Bal-

42,2887

Stability and deformation of bases beneath anchor foundations. [Ustoĭchivost' i deformiruemost' osnovanii ankernykh fundamentovy, Boldyrev, G.G., Moscow, Strotizdat, 1987, 81p., In

Russian. 21 refs. Anchors, Steel structures, Soil stabilization, Founda-tions, Sands, Design, Fines, Clays, Clay soils.

42.2888

Maintenance and reliable operating conditions on

Natitesanice and reliable operating conditions on highways. (Usloviis ekspluatatsii i nadezhnost rabo-ty avtomobil'nykh dorog). Slobodchikov, IU.V., Moscow, Transport, 1987, 128p., In Russian with abridged English table of con-tents enclosed. 52 refs.

Roads, Permafrost beneath structures, Paven Construction materials, Winter maintenance, Road icing, Frost heave, Roadbeds, Embankments.

Consumption of salt on roads during winter depending of the intensity of the winter. (Salzverbrauch beim Strassenwinterdienst in Abhängigkeit von der Win-

terintensität<sub>1</sub>, Speth, O., Strasse und Autobahn, Feb. 1988, 39(2), 50-56, In German. 5 refs.

p. 50-56, In German. 5 refs. Salting, Road icing, Ice removal, Snow removal, Win-ter maintenance, Road maintenance, Meteorological factors.

42-2890

Remote sensing and image interpretation.
Lillesand, T.M., et al, New York, John Wiley & Sons,
1987, 721p. (Pertinent p.264-284), Second edition. Refs

Kiefer, R.W.

Remote sensing, Photointerpretation, Glacier ice, Aerial surveys, Ice sheets, Landforms, Lacustrine deposits, Topographic features, Moraines, Outwash,

42-2891

Sea ice processes.
Lewis, J.K., et al, Science Application International Corporation. SAIC report, Jan. SAIC-87/1870, 18p., 15 refs. Giuffrida, M.R., Denner, W.W.

Sea ice, Ice mechanics, Ice forecasting, Thermodynamics, Mathematical models, Velocity, Seasonal variations, Heat flux, Snow cover effect.

42-2892

Vertically integrated snow/ice model over land/sea

vertically integrated snow/ice model over land/sea for climate models. I. Development.

Neeman, B.U., et al, Journal of geophysical research, Apr. 20, 1988, 93(D4), p.3663-3675, 25 refs.

Joseph, J.H., Ohring, G.

Sea ice, Snow heat flux, Ice heat flux, Climate, Mod-

Vertically integrated snow/ice model over land/sea for climate models. 2. Impact on orbital change ex-

periments.

Neeman, B.U., et al, Journal of geophysical research, Apr. 20, 1988, 93(D4), p.3677-3695, 55 refs.

Joseph, J.H., Ohring, G.
Sea Ice, Snow cover, Heat balance, Insolation, Climats, Models.

Under ice grazing by planktonic, calcanoid copepods in relation to a bloom of ice microalgae in southeastern Hudson Bay.

Runge, J.A., et al, *Limnology and oceanography*, Mar. 1988, 33(2), p.280-286, 19 refs.

Ingram, R.G. Plankton, Algae, Ice water interface, Canada—Hud-

Industrial activities and landscape transformation. (Tekhnogenez i transformatsiis landshaftov), Volkova, V.G., et al, Novosibirak, Nauka, 1987, 189p., In Russian with abridged English table of contents enclosed. Refs. p.181-186.

Davydova, N.D.

Electric power, Fuels, Pollution, Precipitation (meteorology), Chemical composition, Landscape types, Vegetation, Forest soils, Taiga, Cryogenic soils.

42-2896

Relationship between glacial mass balance equilibri-

um line and climate.
Yao, T., Journal of glaciology and geocryology,
1987, 9(4), p.289-300, 7 refs., In Chinese with English summary.

Albedo, Glacier mass balance, Glacier oscillation, Cli-

natic factors, Precipitation (meteorology), Temperature effects.

Primary study of the relationship between glacial mass balance and climate in the "July First" Glacier. Liu, C., et al, Journal of glaciology and geocryology, 1987, 9(4), p.301-310, 8 refs., In Chinese with English summary.

Glacier mass balance, Climatic factors, Mountains, Air temperature, Precipitation (meteorology), Gla-cier melting, Glacier ablation.

Approach to some problems on the alpine periglacial processes in continental climate.

Zhang, T., et al, Journal of glaciology and geocryology, 1987, 9(4), p.311-318, 17 refs., in Chinese with Eng-

lish summary.

Wang, S. Perigiacial processes, Altiplanation, Permafrost, Climatic factors, Mountains, Frost weathering, Slope processes, Air temperature. 42,2899

Division of the Holocene moraine strata and their chronology in Western mountainous area of Chine. Chen, J., Journal of glaciology and geocryology, 1987, 9(4), p.319-328, 19 refs., In Chinese with Eng

Initials summary.

Moraises, Glaciation, Glacier oscillation, Mountains,
Paleoclimatology, Climatic changes, Age determina-

Study of the uniaxial compressive strength of the Bohal sea ice. Meng, G., et al, Journal of glaciology and geocryology, 1987, 9(4), p.329-338, 8 refs., In Chinese with Eng-

Zhang, M., Li, Z., Yan, D.

Ice strength, Compressive properties, Sea ice, Ice crystal structure, Strains.

Preliminary experimental study of the quality of anti-heave coarse-bedding in canals. Li, Z., Journal of glaciology and geocryology, 1987, 9(4), p.339-346, 5 refs., In Chinese with English sum-

mary. Prost heave, Frost penetration, Frost resistance, Channels (waterways), Countermeasures, Damage,

Preliminary research on the Mid- and Late-Holocene glacial fluctuations in Tianger Peak II regions, Tianhan Mountains.

Chen, J., Journal of glaciology and geocryology, 1987, 9(4), p.347-356, 15 refs., In Chinese with English summar

Moraines, Glaciation, Glacier oscillation, Geomor-phology, Paleoclimatology, Mountains, Age determi-

Ice formation in solution and the electric potential at the freezing and melting point.
Liu, Z., et al, Journal of glaciology and geocryology,
1987, 9(4), p.357-362, 8 refs., In Chinese with Eng-

lish summary.

Ice formation, Solutions, Electric potential, Freezing points, Melting points.

42-2904

Discussion on the classification index of the frest heave of the canal base soil. Zhou, C., Journal of slaciology and geocryology, 1987, 9(4), p.363-367, 2 refs., In Chinese with Eng-

lish summary. Frost heave, Soil water, Frost resistance, Sands, Clas-

sifications, Water content, Drainage, Gravel.

Analysis of two blizzard synoptic regimes on the upper reaches of the Yili River in the Tianshan Moun-

Wang, C., Journal of glaciology and geocryology, 1987, 9(4), p.369-374, 1 ref., In Chinese with English summary. Snowstorms, Synoptic meteorology, Snow depth, Mountains, Wind velocity, China—Tian Shan.

Amino acida on ice.

Sykes, G.A., Chemistry in Britain, Mar. 1988, 24(3), p.235-240, 244, 28 refs. Age determination, Pleistocene, Paleoclimatology, Paleocology.

Relationship between hydrogen and sulphate ions in precipitation—a numerical analysis of rain and snow-fall chemistry.

Lefohn, A.S., et al, Environmental pollution, 1988, Vol.49, p.289-311, 21 refs. Krupa, S.

Precipitation (meteorology), Snow composition, Pollution, Ions.

Mathematical approach to crystal growth.
Caginalp, G., Superlattices and microstructures,
Nov. 1987, 3(6), p.595-598, 11 refs.
Crystal growth, Stefan problem.

Strategy of wind tolerance by Salix ava-ural, a tun-dram species of New Quebec (Canada). (Stratégie de tolérance au vent chez Salix ava-ural, une espèce de la

toundra du Nouveau-Québec (Canada), Bélisle, L., et al, Canadian journal of botany, Feb. 1988, 66(2), p.272-279, In French with English summary. 43 refs. Maillette, L. Tandra, Plant physiology, Wind factors.

42-2910

North America and adjacent oceans during the last deglaciation.

deglaciation.

Ruddiman, W.F., ed, Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, 501p. + 2 maps, Refs. passim. For selected papers see 42-2911 through 42-2925. Wright, H.E., Jr., ed. Glaciation, Ice sheets, Paleoclimatology, Oceans, Pleistocene, Ice dating, Climatic changes, Glacier os-cillation. Lee malting.

ciliation, Ice melting.

42-2911

Late Wisconsin Glaciation and deglaciation of the Laurentide Ice Sheet.

Laurentide Ice Smeet.
Andrews, J.T., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Ir., Geology of North America, Vol.K-3, Boulder, CO. Geological Society of America, 1987, p.13-37, Refs. p.33-37.

Glaciation, Ice sheets, Paleoclimatology, Ice conditions, Ice dating, Ice melting, Pleistocene, Climatic es, Distribution.

42-2912

Proglacial lakes and the southern margin of the Lau-

rentide Ice Sheet.
Teller, J.T., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America,

1987, p.39-69, Refs. p.66-69. Glacial lakes, Glaciation, Paleoclimatology, Ice sheets, Ice melting, Climatic changes, Lacustrine deposits, Quaternary deposits, Sedimentation.

42-2913

Timing and processes of deglaciation along the southern margin of the Cordilleran ice sheet.

era margia of the Cordilleran ice sheet.

Booth, D.B., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, Vol.K.-3, Boulder, CO, Geological Society of America, 1987, p. 71-90, Refa. p.88-90.

Gluciation, Climatic changes, Ice edge, Ice melting, Mountains, Glacier oscillation, Time factors, Ice sheet.

AL-1914
Lee core and other glaciological data.
Paterson, W.S.B., et al, North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.F. Wright, Jr., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.91-109, Refs. p.107-109. Hammer, C.U.

Ice cores, Ice dating, Ice sheets, Climatic changes, Pleistocene, Paleoclimatology, Glaciation, Oxygen isotopes, Precipitation (meteorology).

42,2915

Oxygen-isotope record of glaciation.

Mix, A.C., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.111-135, Refs. p.133-135.

Glaciation, Paleoclimatology, Ice dating, Climatic changes, Ice volume, Fossila, Oxygen isotopes.

42-2916
Northern oceans.
Ruddiman, W.F., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Ir., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.137-154, Refs. p.152-154.
Oceans, Sea ice distribution, Paleoclimatology, Meltwater, Ice conditions, Climatic changes, Pleistocene, Ice water interface.

Ice water interface.

42-2917

Glacial isostasy, mantle viscosity, and pleistocene cli-

Glacial Isocrasy, mantic viscosity, and pieutocene cin-matic change.

Peliter, W.R., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddi-man and H.E. Wright, Jr., Geology of North America, Vol.K.-3, Boulder, CO, Geological Society of America, 1987, p.155-182, Refs. p.180-182.

Ice sheets, Ice volume, Pleistocene, Paleoclimatolo-gray Climatic changes. Hoothery

gy. Climatic changes, Isostasy.

42-2918

Ice dynamics and deglaciation models when ice sheets

collapsed.

Hughes, T., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, Vol.K.-3, Boulder, CO, Geological Society of America, 1987, p.183-220, Refs. p.217-220.

Ice mechanics, Glaciation, Paleocilmatology, Geomorphology, Climatic changes, Ice sheets, Pleistocane Clareta cadillation.

cene, Glacier oscillation.

42-2919

42-2919
River responses.
Schumm, S.A., et al, North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Ir., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.221-240, Refs. p.239-240. Brakenridge, G.R. Glaciation, River flow, Paleoclimatology, Climatic changes, Hydrology, Channels (waterways).

42-2920
Physical record of lakes in the Great Basin.
Benson, L., et al, North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.241-260, Refs. p.258-260.

Thompson, R.S.
Lakes, Paleoclimatology, Ice cover effect, Ice sheets,
Climatic changes, Pleistocene.

Late Quaternary paleoclimate records from lacustrine ostracodes.

rorester, R.M., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Ir., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.261-276, Refs. p.275-276. Lacustrine depoeits, Quaternary deposits, Paleoclimatology, Fossila, Hydrology, Precipitation (meteorology), Pleistocene. Forester, R.M., North America and adjacent oceans

Patterns and rates of vegetation change during the deglaciation of eastern North America.

Jacobson, G.L., Jr., et al, North America and adjacent

Jacobson, C.L., Jr., et al, North America and supacein oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, 1987, p.277-288, Refs. p.287-288. Webb, T., III, Grimm, E.C. Vegetation, Glaciation, Climatic changes, Paleoecolo-

gy, Paleoclimatology, Palynology, Pollen.

Northwestern U.S. during deglaciation; vegetational history and paleoclimatic implications.

Barnosky, C.W., et al, North America and adjacent

Barnosky, C.W., et al, North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.289-321, Refs, p.318-321. Anderson, P.M., Bartlein, P.J. Vegetation, Paleocilimatology, Glaciation, Paleocology, Pleistocene, Alpine glaciation, Climatic changes.

42-2924
Synthesis; the ocean ice/sheet record.
Ruddiman, W.F., North America and adjacent oceans
during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America,
Vol.K-3, Boulder, CO, Geological Society of America,
1987, p.463-478, Refs. p.477-478.
Glaciation, Paleocilimatology, Ice water interface,
Oceans, Ice sheets, Ice volume, Oxygen isotopes,
Models, Pleistocene.

42-2925

Synthesia: the land south of the ice sheets.

Synthesis; the land south of the ice sheets. Wright, H.E., Jr., North America and adjacent oceans during the last deglaciation. Edited by W.F. Ruddiman and H.E. Wright, Jr., Geology of North America, Vol.K-3, Boulder, CO, Geological Society of America, 1987, p.479-488, Refs. p.487-488. Periglacial processes, Ice sheets, Permafrost distribution, Paleoecology, Climatic changes, Fossils.

Wetting of polystyrene and urethane roof insulations In the laboratory and on a protected membrane roof. Tobiasson, W., et al, American Society for Testing and materials. Special technical publication, 1988, No.922, MP 2011, p.421-430, Revision of 40-2549. 13 refs.

Greatorex, A., Van Peit, D. Roofs, Thermal insulation, Polymers, Cellular plas-tics, Moisture, Temperature gradients, Tests.

When subjected to a sustained temperature gradient in the presence of moisture in laboratory wetting tests, urethane and expanded polyatyrene roof insulations accumulate enough moisence of moisture in laboratory wetting tests, urethane and expanded polystyrene roof insulations accumulate enough moisture to reduce their insulating ability significantly. Extruded polystyrene is quite resistant to moisture in such tests. But the vapor drive is not as great in actual roofs, and it may reverse direction, thereby assonably drying the insulation. To determine how well the laboratory tests could predict the wetting rate of insulation in actual protected membrane roofs, extruded and expanded polystyrene and urethane insulations were insulated in a protected membrane roof in Hanover, New Hampshire. After three years of exposure, little moisture had accumulated in the extruded polystyrene, and it still retained essentially all of its initial insulating ability. Moisture progressively accumulated in 16-tg/cu m (1-b/cu f) and 30-tg/cu m (1-b/cu f) expanded polystyrene insulations, and at the end of the test they retained only about 30 and 40% of their initial intermal resistance, respectively. The urethane accumulated enough moisture to reduce its insulating ability to about 30% of its dry value. The laboratory tests provided available indication of the potential long-term moisture gain of these insulations when installed in protected membrane roofs in cold regions.

Gravity stresses in subantarctic landscapes: preliminary observations on Possession Island, Crozet Islands (French Austral and Antarctic Territories). ¿Les contraintes de gravité sur les paysages suban-tarctiques: observations préliminaires à l'île de la Possession, Archipel Crozet (Terres Australes et An-

Possession, Archipe Careta and A Bougers, J., Comer national transpass des recretions antarctiques. CNFRA, 1987, No.58, p.43-55, In French with English summary. 12 refs. Slope processes, Climatic changes, Frost weathering, Possession Island.

The influence of gravity streases on subantarctic landforms is examined, using Possession I. as an example, from 3 points of view: geology, biology and climate. Morphological evidence of processes which shaped alopes, cliffs and ledges is presented in the form of illustrations and photographs. Two dominant environmental factors, the low temperature and high wind velocity affecting the vegetation's population and type distribution, are considered.

42-2928

Soil characteristics and pedogenic processes of the fell-fields of Possession Island, Crozet Islands. Caractéristiques des sols et processus pédogénétiques sur les fell-field d'une île subantarctique: l'Ile de la Possession, archipel Crozet<sub>1</sub>. Frenot, Y., Comité national français des recherches

antarctiques. CNFRA, 1987, No.58, p.57-72, In French with English summary. Refs. p.70-72. Geocryology, Periglacial processes, Freeze thaw cycles, Possession Island.

cies, Possession Islama.

Results of studies of fellifield soil on Possession I., Crozet archipelago, are presented. The major pedogenic factors at altitudes over 150 m above sea level, such as wind, rain, and frequent freeze thaw cycles, which are responsible for the desert ground and some microtopographic features of the surface— stone nests and soil stripes similar to the patterned ground of the Northern Hemisphere—are discussed. Structural phenomena are illustrated and show that the chemical weathering of basalt is very active, particularly by the presence of avosite in fractions

Large scale changes in ice conditions of seas in the North-European Basin. (Krupnomasshtabnaia iz-menchivost' sostoianiia ledianogo pokrova more!

Zubakin, G.K., Leningrad, Gidrometeoizdat, 1987, 160p., In Russian with English table of contents enclosed. 217 refs.

Drift, Sea ice distribution, Ice conditions, Ice forecasting, Synoptic meteorology, Ice formation, Ice growth, Periodic variations, Arctic Ocean.

42-2930 Method of outposts in the economic development of the North. (Vakhtovyi metod osvoenija prirodnykh

resurtov Severa,
Sapozhnikov, P.S., et al, Moscow, Nedra, 1988, 158p.,
In Russian with abridged English table of coatents
enclosed. 18 refs.
Chudnovskij, A.D.
Petroleum industry, Subpolar regions, Economic development, Cost analysis, Construction, Transports-

Melting history of the Late Pleistocene antarctic ice sheet.

Nakada, M., et al, Nature, May 5, 1988, 333(6168), p.36-40, 34 refs.

ambeck, K.

Ice sheets, Pleistocene, Climatic changes, Isostasy. Spatial and temporal variations in the sea levels of the past 20,000 years around the globe place constraints on the melting history of the major Late Pleistocene ice sheets. The natarctic ice sheets provided a significant contribution to the sea-level rise at a rate that was approximately synchronous with the melting of the Laurentide ice sheet, except for the interval 9,00-6,000 years ago, when it may have lagged behind. Minor melting of the antarctic ice sheet continued throughout the Holocene. (Auth.)

42-2932

Hydrographic observations in the northwestern Weddell See marginal ice zone during March 1986.

Husby, D.M., et al, U.S. National Oceanic and Atmospheric Administration. NOAA technical memorandum NMFS, Jan. 1988, dum NMFS, Jan. 1988, NOAA-TM-NMFS-SWFC-106, 33p., PB88-173 240, 7 refs.

Hydrography, Sea water, Chemical composition, Ics edge, Antarctica—Weddell Sea.

edge, Austarctica—Weddell Sea.

Temperature and salinity observations were made from the surface down to 1500 m to sample the 3 water masses characterizing the region. The uppermost, Surface Water, layer extended to 30-50 m, had temperatures from near freezing (-1.6 C) up to about 0 C and salinities of 33-34 ppt. A layer of Weddell Winter Water underlay the Surface Water, stending to about 100 m, and had temperatures of -1.5 to -1.7 C and a salinity of about 34-46 ppt. The Weddell Warm Deep Water extended from the bottom of the Winter Water to more than 1500 m, displaying temperature increasing with depth to a maximum of about 0.5 C near 500 m then decreasing to 1500 m. Salinity increased with depth in this layer to about 34-67 ppt near 500 m, then decreased slightly at greater depths. A warm core having temperature greater than 0.5 C was present near 500 m depth in the westernmost part of the study region. The temperature maximum region within the Warm Deep Water decreased in depth eastward, toward the center of the gyre, within this core. The barcoline circulation, expressed as dynamic topography of the surface relative to the 1500 db level, was insignificant throughout the region. (Auth.)

Adhesion of wheels to pavement in freezing weather. Steeplenie kolesa s pokrytiem zimoij, Zonov, IU.B., Avtomobil'nye dorogi, Oct. 1987, No.10, p.13-14, In Russian. 2 refs. Icing, Pavements, Vehicle wheels, Adhesion, Roads,

Snow cover, Glaze,

42-2934

Rating the coefficient of adhesion. [K voprosu nor-

Maning the coemicient of admession. It voprosu nor-mirovanila koeffitisientia steepleniila, Pratusiavichius, S.IU., et al, Avtomobil'nye dorogi, Oct. 1987, No.10, p.14-15, In Russian. 1 ref. Nasutavichius, R.A. Pavements, Vehicle wheels, Adhesion, Roads, Icing.

Increasing the stability of pavement plates against aggressive climatic factors. Povyshenie stotkosti plit sbornykh dorozhnykh pokrytil k agressivnym klimati-

sportlysh doroziniyan pokryuk a satessivilyin animal-cheskim faktorami, Sukhanov, S.V., et al., Avtomobil'nye dorogi, Oct. 1987, No.10, p.15-17, In Russian. Timofeeva, I.B., Pluzhnikov, V.V., Surko, IU.A. Parements, Reinforced concretes, icing, Plates, Frost resistance, Frost penetration, Frost shattering, Roads.

42-2936

Influence of organic matter in soils and ground waters on service life of foundations. (Vliianic organich kogo veshchestva grunta i gruntovykh vod na dol-

govennest' osnovaniia; Goncharova, L.V., et al, Aviomobil'nye dorogi, Oct. 1987, No.10, p.17-18, In Russian. Baranova, V.I. Rosabeda, Foundations, Organic soils, Frost penetra-tion, Ground water, Soil stabilization, Soil cement, Peat, Rosds, Fines, Swamps, Frost resistance, Clays.

42-2937

Wind power at the service of road construction. (Energia vetra na sluzhbe dorozhnogo stroitel'stva, khomutetski, V.A., et al, Avtomobil'nye dorogi, Oct. 1987, No.10, p.18-19, In Russian.

Barinov, A.K.
Roads, Earthwork, Wind power generation,
Roadbeds, Electric power, Subarctic landscapes.

42-2938

Alaska snow surveys and Federal-State-private cooperative snow surveys.
Clagett, G.P., U.S. Soil Conservation Service, Anchor-

Clagett, G.P., U.S. Soil Conservation Service, Anchorage, AK, May I, 1987, 31p.
Snow surveys, Snow depth, Snow water content,
Snow cover, Stream flow, Precipitation (meteorology), Air temperature, United States—Alaska.

Alaska snow surveys and Federal-State-private cooperative snow surveys.

erative snow surveys.
Clagett, G.P., U.S. Soil Conservation Services, Anchorage, AK, Mar. 1, 1988, 29p.
Snow surveys, Snow depth, Snow water content, Snow accumulation, Stream flow, Forecasting, Precipitation (mateorology), Watersheds, Statistical analysis, United States—Alaska.

Northeast Yukon: development within a conservation framework.

Livingstone, D., Canada. Department of Indian and Northern Affairs. Environmental studies, 1987, No.49, 171p., Refs. p.162-171.

Environmental impact, Ports, Icing, Permafrost, Snowfall, Temperature distribution, Visibility, Waste disposal, Oil spills, Canada—Yukon Territory.

42-2941
Wind transport of snow.
Pomeroy, J.W., Saskatoon, University of Saskatchewan, Jan. 1988, 226p., Ph.D. thesis. Refs. p.177-184.
Blowing snow, Saow mechanics, Wind velocity, Mass
transfer, Models, Sublimation, Measuring lastraments, Snowfall, Boundary layer, Air temperature.

Ice accretion on wires and anti-icing induced by Joule effect.

Personne, P., et al, Journal of applied meteorology, Feb. 1988, 27(2), p.101-114, 20 refs. Gayet, J.F.

Power line Icing, Ice formation, Air temperature, Ice prevention, Heating.

Model for the formation and melting of ice on surface

waters.
De Bruin, H.A.R., et al, Journal of applied meteorology, Feb. 1988, 27(2), p.164-173, 19 refs.
Wessells, H.R.A.
Lakes, Channels (waterways), Ice growth, Ice melt-

ing, Models.

Observer's guide to the glaciers of Prince William Sound, Alaska.

Sound, Alaska. Lethcoe, N.R., Valdez, AK, Prince William Sound Books, 1987, 151p., Refs. p. 146-148. Glacier mass balance, Glacial deposits, Moraines, Calving, Distribution, Mountains, Manuals, United States—Alaska—Prince William Sound.

Frost resistance of prestressed concretes after steam-curing. [Morozostokost' napriagaiushchikh betonov

curing, [MOTOZOSIOIKOSE Happinggiusnenikh Detonov posle proparivaniia), Airapetov, G.A., et al, Beton i zhelezobeton, Sep. 1987, No.9, p.23-24. In Russian. 3 refs. Panchenko, A.I., Neavetaev, G.V. Concrete curing, Concrete strength, Frost resistance, Camenta, Prestressed concretes, Reinforced con-

42-2946

Stability of prestressed reinforcement in concretes containing additives. (Stolkost prednapriazhennoï armatury v betone s dobavkami, D'iachenko, IU.K., et al, Beton i zhelezobeton, Sep. 1987, No.9, p.41-42, In Russian.

Concrete admixtures, Prestressed concretes, Steels, Corrosion, Frost resistance, Reinforced concretes.

42-2947

Phytomass of some tundra types on Wrangel Island. (Rastitel'nais massa nekotorykh tipov tundry ostrova

(Kastites in the discrete state of the state

Tundra, Plant ecology, Vegetation patterns, Mi-crorelief, Patterned ground, Ecosystems, Geocryolo-gy, Arctic landscapes, Subarctic landscapes.

42-2948

About the southern tundras. (O iuzhnykh tundrakh<sub>3</sub>, Kozhevnikov, IU.P., Botanicheskh zhurnal, 1988,

73(1), p.65-74, In Russian. 22 refs.
Tundra, Vegetation, Forest tundra, Subarctic landscapes, Vegetation patterns, Plant ecology, Ecosystems, USSR—Taymyr Peniusula, USSR—Chukotskiy Peninsula.

Revegetation of pine forests. (Vosproizvodstvo khvolnykh lesovy, Tiurin, E.G., Lesnoe khozialstvo, 1987, No.9, p.42-45, In Russian. 10 refs. Cryogenic solls, Forestry, Revegetation, Forest land.

42,2950

Preezing of unstable water-bearing rocks with supercooled air. [Zamorazhivanie neustoĭchivykh vodo nosnykh porod nizkotemperaturnym vozdukhom, Shterenberg, M., et al, Metrostroi, 1987, No.2, p.11-12. In Russian. Nepomniashchil, S.

Repointmental, S. Excavation, Artificial freezing, Soil freezing, Construction equipment, Tunnels, Underground facilities, Underground pipelines.

42-2951

Studies on the hardness of wet snow and its decrease

due to solar radiation.

Izumi, K., Niigata. University. Research Institute for Hazards in Snow Areas. Annual report, 1987, No.9, p.1-42, 14 refs. Snow hardness, Wet snow, Avalanche formation,

Snow density, Snow water content, Solar radiation.

42-2952

Investigations of groundwater by automatic observa-tion system at Matunoyamakoshi landslide. Yoshida, S., et al, Niigata. University. Research Institute for Hazards in Snowy Areas. Annual report, 1987, No.9, p.99-114, 3 refs., In Japanese with Eng-

lish summary. Ground water, Landslides, Snow cover effect, Water pressure, Water level, Drainage, Rain.

42-2953

Developments of an observation system for ground-water in landslide areas.

Sato, O., et al, Niigata. University. Research Insti-tute for Hazards in Snowy Areas. Annual report, 1987, No.9, p.115-124, 3 refs., In Japanese with English summary.

Ground water, Landslides, Snowmelt, Water level.

Rain, Water temperature, Electrical resistivity, Snow depth.

42-2954

Site investigation on frost damages of roads at high-

Aoyama, K., et al, Niigata. University. Research Institute for Hazards in Snowy Areas. Annual report, 1987, No.9, p.145-150, 3 refs., In Japanese with English summary.

Frost heave, Embankments, Pavements, Damage, Roads.

42-2955

Bending test of multi-layer ice including sand parti-

Kobayashi, S., et al, Niigata. University. Research Institute for Hazards in Snowy Areas. Annual report, 1987, No.9, p.151-157, 3 refs., In Japanese with English summary.

Ice strength, Ice breaking, Ice composition, Flexural strength, Sands, Experimentation.

42-2956

Measurements of viscosity in snow jam.

Kobayashi, S., et al, Niigata. University. Research
Institute for Hazards in Snowy Areas. Annual report,
1987, No.9, p.159-165, 4 refs., In Japanese with Eng-

Snow plasticity, Snow physics, Viscosity, Snow water content. Measuring instruments, Plastic flow.

Meteorological data at Yamakoshi, Niigata Prefecture, during the winter of 1982-1983.

Izumi, K., et al, Niigata: University. Research Institute for Hazards in Snowy Areas. Annual report, 1987, No.9, p.173-178, 1 ref., In Japanese with Eng-

Harding to the state of the sta

42-2958

Organization and activities of the Research Institute for Hazards in Snowy Areas, Nilgata University, Jean. (1987). Nilgata. University. Research Institute for Hazards in Snowy Areas. Annual report, tute for Hazards in Snowy Areas. Annual report, 1987, No.9, p.179-215, In Japanese with English sum-

Research projects, Organizations, Snow accumula-tion, Snowfall, Landslides, Snowmelt, Slope stability,

Snow, ice and water of mountain glaciers; meeting held in Zurich, Jan. 26, 1988. Schnee, Eis und Waster alpiner Gletzcher; Tagung am 26. Januar 1988 in Zurich, Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No. 94, 403p., In German, English and French with English summaries. Refs. passim. For individual papers see 42-2960

through 42-2981. Glacier surveys, Snow surveys, Ice surveys, Avalanches, Alpine glaciation, Mountain glaciers.

Mass balance of Gries Glacier from 1961 to 1986; comparing different determination methods. (Massenbilanz des Griesgletschers von 1961 bis 1986. Vergleich verschiedener Bestimmungsverfahren, Aellen, M., et al, Zürich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hy-Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Öletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.9-50, 12 refs., In German with English 2007-2008. lish summary.

Glacier mass balance, Glacier thickness, Ice volume, Mathematical models, Statistical analysis.

42-2961

Instabilities of the equilibrium line altitude in Green-

Instabilities of the equilibrium line altitude in Green-land by climatic warming.

Ambach, W., Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hy-drologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Ta-gung am 26. Januar 1988 in Zurich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.51-57, With German summary. 8 refs.

fels. Glacier melting, Ice sheets, Ice melting, Glacier heat balance, Snow line, Carbon dioxide, Climatic changes, Altitude, Greenland.

Rhone Glacier 1850: consideration of ice mechanics in connection with a historic glaciation. (Rhoneg-letscher 1850: eismechanische Überlegungen zu

einem historischen Gletzcherstand, Haeberli, W., et al. Zürich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletzcher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.59-70, 14 refs., In German with English summary. Schweizer, J.

Glacier flow, Paleoclimatology, Glaciation, Shear stress, Glacier beds, Basal sliding, Climatic factors.

42-2963

42:2963

Effect of the variation of glacier size on runoff and mass balance of a glacier. ¿Zum Einfluss einer Änderung der Gletschergrösse auf den Wasserabfluss und den Massenhaushalt eines Gletschers; Kasser, P., et al, Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tasune am 26. Januar, 1988, in Zurich (Snow, ice and gung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.71-85, 22 refs., In German with English summary. Siegenthaler, H.

Glacier mass balance, Glacial hydrology, Glacier os-ciliation, Ice volume, Runoff, Climatic factors, Altitude, Snow line.

42-2964

Effects of extended climatic warming on snow and ice. Folgen einer langfristigen Erwärmung für Schnee

und Eis<sub>1</sub>,
Kuhn, M., Zürich. Eidgenössische Technische Hoch-Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water nuar 1988 in Zurich (Show, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.87-98, 12 refs., In German with English summary. Climatic changes, Mountain glaciers, Snow surveys, Ice surveys, Glacier mass balance, Runoff, Sea level, Alpine glaciation, Seasonal variations.

Analysis of the evolution of Gruben Glacier in the Lake 3 area by a simple model. (Betrachtungen zur Entwicklung des Grubengletschers im Bereich des

Sees 3 anhand eines einfachen Modelles,
Müller, P., Zürich. Eidgenössische Technische
Hochschule. Versuchsanstalt für Wasserbau, Hyrocesonus. Versucinsainal tui wasserosu, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.99-108, 7 refs., In German with English summary.
Glacier tongues, Glacier mass balance, Calving, Gla-

cial lakes, Profiles, Models.

42-2966

Role of glaciers in a climatic change.

Role of glacters in a climatic change.
Ohmura, A., Zurich. Eidgenössische Technische
Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988,
No.94, Schnee, Eis und Wasser alpiner Gletzcher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.109-126, With German summary.

Glacier oscillation, Glacial meteorology, Climatic changes, Latent heat, Glacier ice, Solar radiation.

Alpine glacier fluctuations and climatic changes over

the last century.
Reynaud, L., Zürich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hy-drologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.127-146, 18 refs.

Glacier oscillation, Alpine glaciation, Climatic changes, Glacier mass balance, Mountains, Glacial meteorology, Glacier beds, Ice mechanics, Glacier

Suspended sediment and solute delivery to meltwaters beneath an alpine glacier.

Collins, D.N., Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie, und Clarication riocaschule. versuchsanstalt für wasserbau, ry-drologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Ta-gung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.147-161, 17 refs. Suspended sediments, Meltwater, Mountain glaciers,

Glacier melting, Subglacial drainage, Solutions, Tur-bulent flow, Seasonal variations.

42-2969

How useful is continuum thermodynamics to formu-

late concepts of ice sheet dynamics.

Hutter, K., et al, Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hyriochschule. Versuchsanstalt für Wasserbau, riy-drologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Ta-gung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p. 163-210. With German summary.

Engelhardt. H.

Ice sheets, Ice mechanics, Thermodynamics, Glacier flow, Impurities, Grain size, Ice crystal structure, Analysis (mathematics), Sediments.

Adaption of the hot-water-drilling method for drilling to great depth.

Iken, A., Zürich. Eidgenössische Technische Hoch-schule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.211-

ice drills, Thermal drills, Boreholes, Glacier beds, Heat transfer, Equipment, Thermal conductivity.

Some particular characteristics of glacial runoff. (Uber einige Besonderheiten glazialer Abflusser, Lang, H., Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie schuie. Versuchanstatt rur Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No. 94, Schnee, Eis und Wasser alpiner Gletacher; Tagung am 26. Ja-nuar 1988 in Zurich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.231-239, 20 refs.

Runoff, Glacial hydrology, Glacier melting, Metamorphism (snow), Subglacial drainage, Alpine glacis-

42-2972

Observations of flood runoff from a mountain glacier (Vernagtferner, Otztal Alpa). [Beobachtungen zum Hochwasserabfluss von einem Alpengletscher (Ver-

Hochwasserabiluss von einem Alpenigieisener (vernagsferner, Otztaler Alpen),
Oerter, H., et al, Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988,
No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.241-256, 10 refs., In German with English summary. Reinwarth, O.

Floods, Glacier melting, Mountain glaciers, Runoff, Meltwater, Precipitation (meteorology).

42-2973

Air inclusions in glacier ice. Lufteinschlüsse im

Gletschereis, Stauffer, B., Zurich. Hochschule. Versuch Eidgenössische Technische Versuchsanstalt für Wasserbau, Hy-No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.257-269, 19 refs., In German with English summary.
Glacier ice, Ice composition, Bubbles, Firn, Ice

Icefalls from Fletschhorn Glacier. Eislawinen vom

Fletschhorngletschery, Alean, J., et al, Zürich. Eidgenössische Technische Versuchsanstalt für Wasserbau, Hy-Hochschule. drologie und Glaziologie. Mitteilungen, 1988, No.94. Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.271-285, 8 refs... In German with English summary. Schmid, W.

Ice mechanics, Icefalls, Avalanche deposits.

Natural release of snow slabs. [Aspekte der natürli-

Natural release of snow stabe. [Aspekte der naturu-chen Schneebrettausloung]. Gubler, H., Zürich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbeu, Hy-drologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zürich, Jan. 26, 1988), p.287-305, 34 refs., In German with

English summary.
Snow slides, Snow mechanics, Fracturing, Brittle-ness, Models, Shear strain.

42-2976

Experiments on the deposition by laboratory powder anow avalanches

Hermann, F., et al, Zurich. Eidgenössische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Ta Versuchsanstalt für Wasserbau, Hygung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.307-321, With German summary. 5 refe

Avalanche deposits, Avalanche tracks, Slope orienta-tion, Experimentation, Photography.

42-2977

Some implications deduced from laboratory experi-

ments on granular avalanches. Hutter, K., et al. Zurich. Eidgenössische Technische Hutter, A., et al. H. H. Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zurich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.323-344, With German summary. 28 refs.

Pluss, C., Maeno, N.

Avalanche mechanics, Avalanche tracks, Avalanche deposits, Surface roughness, Slope orientation, Experimentation, Photography, Grain size, Rheology.

42-2978

From research to application: reflections on certain pitfalls. De la recherche à son application: reflexions sur certains écueils],

Zurich. Eidgenössische Technische Versuchsanstalt für Wasserbau, Hy-Jaccard, C., Zurich. Hochechule drologie und Glaziologie. Mitteilungen, 1988, No.94. Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.345-352, 15 refs... In French with English summary.

Avalanches, Snow mechanics, Research projects.

42-2979

42-2979
Propagation of shear fracture in anow cover. ¡Scherriasfortpflanzung in der Schneedecke,
Salm, B., Zurich. Eidgenbasische Technische Hochschule. Versuchsanstalt für Wasserbau, Hydrologie
und Glaziologie. Mitteilungen, 1988, No.94, Schnee,
Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water in mountain
laciers: mestics hald in Zurich Lan. 26. 1988) n 353. nuar 1988 in Zurich, 300w, 10e and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p. 353-370, 11 refs. In German with English summary. Avalanche formation, Snow cover, Fracturing, Shear stress, Rheology, Analysis (mathematics).

42-2980

Numerical analysis of a hanging glacier, Liskamm (Wallis Alps). Numerische Analyse eines Hängegietschers am Liskamm (Walliser Alpen),
Schweizer, J., Zbrich. Eldgenössische Technische
Hochschule. Versuchsanstalt für Wasserbau, Hy-Hochschule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mitteilungen, 1988, No.94, Schnee, Eis und Wasser alpiner Gletscher; Tagung am 26. Januar 1988 in Zürich (Snow, ice and water im mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.371-386, 14 refs., In German with Vasilish events and the second services of the second services of the second services. English summary.

Glacier flow, Avalanche formation, Icefalis, Stresses, Velocity, Viscous flow, Glacier beds, Analysis (mathematics), Mountain glaciers.

42-2981

Pressure at the bed of the Findelen Glacier: prelimi-nary results. Pressions à la base du glacier de Pindel-

nary results. (Pressions à la base du glacier de Findel-en: résultats préliminaires), Zryd, A., Zbrich. Eidgentèssische Technische Hoch-schule. Versuchsanstalt für Wasserbau, Hydrologie und Glaziologie. Mittellungen, 1988, No.94, Schnee, Els und Wasser alpiner Gletscher; Tagung am 26. Ja-nuar 1988 in Zurich (Snow, ice and water in mountain glaciers; meeting held in Zurich, Jan. 26, 1988), p.387-403. In French with English aummary. 10 rench with English aummary. gisters; meeting net in Zurten, Jan. 26, 1980), p.307-403, in French with English summary. 10 refs. Ice pressure, Glacier ice, Glacier flow, Ice solid interface, Glacier beds, Shear stress, Ice temperature, Ice friction, Surface roughness, Glacial deposits, Glacier

42-2982

42-1982
Arctic coastal processes and slope protection design.
Chen, A.T., ed, New York, American Society of Civil
Engineers, 1988, 247p., Refs. passim. For individual
papers see 42-2983 through 42-2993.
Leidersdorf, C.B., ed.

Coastal topographic features, Ice erosion, Shoreline modification, Shore erosion, Engineering, Slope protection, Slope processes, Polar regions, Design, Beaches, Wind factors, Ocean waves.

42,2083

Coastal geomorphology of Arctic Alaska.

Barnes, P.W., et al, Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Leidersdorf, New York, American Society of Civil Engi-

neers, 1983, p.3-30.
Rawlinson, S.E., Reimnitz, E.
Coastal topographic features, Geomorphology, Tundra, Ice erosion, Permafrost, Shoreline modification, Deltas, Beaches, Sea Ice, Ocean waves, United States—Alaska.

42-2984

Beaufort Sea winds, waves, storm surge and circula-

Gordon, R.B., et al, Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Lei-dersdorf, New York, American Society of Civil Engi-neers, 1988, p.31-45, 36 refs. Heideman, J.C.

retieman, J.C. Sea ice distribution, Ocean waves, Ocean currents, Wind factors, Coastal topographic features, Moorings, Seasonal variations, Storms, Beaufort Sea.

42-2985

Thermal and mechanical erosion of slopes and besches.

Actic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Leidersdorf, New York, American Society of Civil Engineers, 1988, p.46-62, Refs. p.60-62.

Slope processes, Shore erosion, Offshore structures, Thermal effects, Forecasting, Sediment transport, Beaches, Ice action, Water waves, Heat transfer.

42-2986 Constal ice dynamics.

Sackinger, W.M., Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Lei-dersdorf, New York, American Society of Civil Engineers, 1988, p.63-84, Refs. p.80-84.

Ice mechanics, Sea ice, Fast ice, Shoreline modifica-tion, Wind factors, Shear stress, Ice edge, Seasonal variations, Forecasting.

42-2987

74-5761
Ice gouge processes in the Alaskan Beaufort Ses.
Rearic, D.M., et al, Arctic constal processes and slope
protection design. Edited by A.T. Chen and C.B. Leideradorf, New York, American Society of Civil Engineers, 1988, p.85-107, 53 refs.
Ticken E.T.

Ice scoring, Ocean bottom, Bottom topography, Off-shore structures, Countermeasures, Protection, Beau-

42-2988

Onshore ice pile-up and ride-up: observations and theoretical assessm

Kovacs, A., et al, MP 2336, Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Leidersdorf, New York, American Society of Civil Engineers, 1988, p.108-142, Refs. p.138-142.

Fast ice, Ice pileup, Ice override, Ice loads, Ocean currents, Wind factors, Seasonal variations, Ice

sheets, Pressure ridges.

An overview of shore ice pile-up and ride-up observations is presented and the forces associated with ice rubble formation are discussed. Historical and recent observations indicate that the onshore movement of ice is generally a spring or fall event

associated with wind and/or water driving forces. The occurassociated with wind and/or water driving forces. The occurrence of this phenomenon is relatively unpredictable and has resulted in the destruction of structures and loss of life. The analytical and experimental work undertaken to date tends to show that low driving forces per unit width can cause shore ice pile-up or ride-up, but that high concentrated forces can occur during such events along local areas of resistance. An analysis of the ice sheet failure process is given which indicates that the average ice rubble building force per unit width is a function of rubble height, to a power between I and 2, depending on the total ice sheet width undergoing failure.

Sand bag slope protection: design, construction, and

Gadd, P.E., Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Leiders-dorf, New York, American Society of Civil Engineers, 1988, p.145-165, 10 refs.

Slope protection, Construction materials, Offshore structures, Ice loads, Ocean waves, Design, Sands, Engineering, Freeze thaw cycles, Beaufort Sea.

Concrete mat slope protection for arctic applications. Leidersdorf, C.B., Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Lei-dersdorf, New York, American Society of Civil Engineers, 1988, p.166-189, 17 refs.

Slope protection, Precast concretes, Offshore structures, Ice loads, Design, Hydraulics, Ice rideup, Concrete strength, Beaufort Sea.

42-2991

Riprap and Armor stone.

McDonald, G.N., Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Leidersdorf, New York, American Society of Civil Engineers, 1988, p.190-207, 52 refs.

Offshore structures, Shores, Ice loads, Ocean waves, Ocean currents. Construction materials, Rocks, Design. Countermeasures. Protection.

42-2992
Large precast concrete armor units in the Arctic.
Collins, J.I., Arctic coastal processes and slope protection design. Edited by A.T. Chen and C.B. Leidersdorf, New York, American Society of Civil Engineers, 1988, p.208-215, 5 refs.
Precast concretes, Offshore structures, Ice loads, Ocean waves, Ice cover effect, Design, Protection.

42-2993

Arctic slope protection: considerations for ice. Croasdale, K.R., et al, Arctic coastal processes and Crossdate, K.K., et al. Arctic constal processes and slope protection design. Edited by A.T. Chen and C.B. Leidersdorf, New York, American Society of Civil Engineers, 1988, p.216-243, 29 refs. Allyn, N., Roggensack, W. Slope protection, Ice londs, Ice cover effect, Offshore

structures, Beaches, Design, Ice rideup, Ocean waves, Ice scoring, Ice conditions.

42-2994

Study on hydrological characteristics of river basins

Study on hydrological characteristics of river basins in Japan based on monthly water balance. Uchara, S., Japan. National Research Center for Disaster Prevention. Report, Nov. 1987, No.40, p.21-309, In Japanese with English summary. 27 refs. River basins, Water balance, Snowmelt, Hydrology, Evapotranspiration, Ground water, Precipitation (meteorology), Models.

42-2995

Calculation of size-effect of blowing snow particles on Calculation of size-enter of blowing snow particles on the snow particle counter (First report). Sato, A., Japan. National Research Center for Disas-ter Prevention. Report, Nov. 1987, No.40, p.339-342, in Japanese with English summary. 3 refs. Blowing snow, Snowflakes, Grain size, Particle size distribution, Measuring instruments, Accuracy.

42-2996

Mobile industrial bases for construction in un-developed regions of the Soviet Union. [Mobil'nye proizvodstvennye bazy dlia stroitel'stva v neosvoennykh ralonakh strany,

Berdnikov, IU., Na strolkakh Rossii, July 1987, No.7, p.40-43, In Russian.

Modular construction, Construction materials, Construction equipment, Permafrost beneath structures, Storage, Design, Industrial buildings, Residential

42-2997

Pre-wetting cuts counties' winter maintenance bill. Cowling, J., Highways, Sep. 1987, 55(1929), p.25-26. Winter maintenance, Salting, Cost analysis.

Arctic cloudiness in spring from satellite imagery. Arctic cloudiness in spring trom succente imagely.
Barry, R.G., et al, Journal of climatology, Sep.-Oct.
1987, 7(3), p.423-451, 37 refs.
Crane, R.G., Schweiger, A., Newell, J.
Cloud cover, Remote sensing, Meteorological data.

Role of radiation geometry in the climate response of Mount Kenya's glaciers, part I: horizontal reference

Kruss. P.D., et al, Journal of climatology, Sep.-Oct. 1987, 7(5), p.493-505, 10 refs. Hastenrath, S.

Solar radiation, Climatic changes, Glacier heat balance, Glacier mass balance, Glacier oscillation.

42,3000

Estimating Cn square over snow and sea ice from meteorological data.

Andreas, E.L., Optical Society of America. Journal 1988, 5A(4), MP 2393, p.481-495, 69 refs Journal. Refraction, Atmospheric physics, Snow cover effect, Ice cover effect.

42,3001

42-3007 Periglacial geomorphology in North America: current research and future trends.
French, H.M., Progress in physical geography, Dec. 1987, 11(4), p.533-551, Refs. p.546-551.
Geomorphology, Periglacial processes, Frost weathering, Frost heave, Ground Ice, Permafrost, Patterned

ground.

Cryolithozone in the coastal part of the western Yamal Peninsula. Kriolitozona pribrezhnol chasti

Zapadnogo IAmala, Grigor'ev, N.F., Yakutsk, 1987, 111p., In Russian with English table of contents enclosed. Refs. p.106-109. Subsea permafrost, Shore erosion, Shoreline modifi-cation, Coastal topographic features, Permafrost dis-tribution, Land ice, Ground ice, Permafrost structure, Active layer, Shores, Arctic Ocean.

Orbital forcing and the Vostok ice core.
Saltzman, B., et al, Nature, May 12, 1988,
333(6169), p.123-124, 13 refs. For the paper being commented on see 42-562 (F-36408).

Massch, K.A.

Ice cores, Climatic changes, Atmospheric composition, Carbon dioxide, Antarctica—Vostok Station.

The authors disagree with the statement in a recent paper that a non-linear response of ice sheets to orbital forcing is generally assumed to cause the 100-kyr oscillation which has dominated the climate record over the last million years. They then proceed to discuss other recent papers which tend to show that there is general agreement for orbital forcing as the primary factor in the 20-40kyr variations but not in the 100-kyr oscillation. Atmospheric CO2 is believed to be the critical variable in forming the basis for a natural nonlinear oscillator.

Protection of propellers in ice—Phase 2.
Gien, I., et al. Transport Canada. Report, May
1986, TP 7887E, 31p. + 2 appends., 10 refs.
Icebreakers, Ship Icing, Ice conditions, Propellers, Ice prevention, Protection, Models.

Catastrophic lake drainage, Tuktoyaktuk Peninsula

area, District of Mackenzie.

Mackay, J.R., Canada. Geological Survey. 1988, No.88-D1, p.83-90, 11 refs., With French summary.

haty water, Drainage, Continuous permafrost, Remote sensing, Soil erosion, Ice wedges, Thermokarst, Ice tunnels, LANDSAT, Canada—Northwest Territories—Tuktoyaktuk Peninsula.

Effect of forest fires on permafrost terrain stability, Little Chicago-Travaillant Lake area, Mackenzie Valley, N.W.T.

Harry, D.G., et al, Canada. Geological Survey. Paper, 1988, No.88-D1, p.91-94, 10 refs., With French summary.

Permafrost, Forest fires, Frozen ground strength, Slope stability, Active layer, Pipelines, Glacial depos-its, Lacustrine deposits.

42-3007

Reconnaissance study of the marine geology of the Lougheed-King Christian—Cameron islands region, northwest Arctic Island channels.

Sonnichsen, G.V., et al, Canada. Geological St. Paper, 1988, No.88-D1, p.115-120, 13 refs... Geological Surve French summary.

MacLean, B.

Marine geology, Channels (waterways), Ice condi-tions, Streams, Sediments, Stratigraphy, Glacial deposits, Bottom sediment, Acoustics, Marine depos-its, Canada—Northwest Territories—Arctic Islands.

Ground probing radar investigations of gravel roadbed fallures, Rae Access road, N.W.T. LaFlèche, P.T., et al., Canada. Geological Survey. Paper, 1988, No.88-D1, p.129-135, 21 refs., With

French summary.
Embankments, Ground ice, Radar echoes, Ice melting, Damage, Roadbeds, Detection, Cracking (fracturing), Gravel.

42,3009

Reconstruction of marine transgression history from an offshore ground temperature profile, Esso Angasak L-03 wellsite, Begufort Sea.

Taylor, A., et al. Canada: Geological Survey. Paper, 1988. No.88-D1, p.137-142, 15 refs., With French summary.

Shoreline modification, Subsea permafrost, Sea water, Water temperature, Landscape development, Models, Geothermy, Beaufort Sea-

42-3010 Ice conditions along the Ohio River as observed on Landsat images, 1972-1985. Gatto, L.W., U.S. Army Cold Regions Research and Engineering Laboratory, Jan. 1988, SR 88-01, 162p., ADA-191 172, 25 refs.

Ice conditions, River ice, Remote sensing, Ice naviga-tion, Aerial surveys, LANDSAT, Photointerpreta-tion, Seasonal variations, United States—Ohio River. tion, Seasonal variations, United States—Ohio River. Landsat images were used to map ice distributions along the Ohio River. Lee conditions were inferred based on image grey tones interpreted using conventional photointerpretation techniques. Portions of the river that appeared black were considered ice-free. Grey tones were interpreted as ice that varied from patches of thin, snow-free solid or fragmented ice, sometimes with open areas, to floes, pans and slussh. A white tone represented thick ice or snow-covered ice with few interspersed open areas. Ice that produced grey tones on the images occurred most frequently. Ice typically forms in late Dec. or early Jan. on the Ohio River and is gone by mid to late Feb. Ice was observed on the upstream section of the river from Pittsburgh to Greenup Dam during 7 of the 13 winters from 1910 1985, on the middle section from Greenup Dam to Cannelton Dam during 3 winters, and on the downstream section from Cannelton Dam to the Missussipip River during 4 winters. The most severe and long-lasting ice conditions occurred during the 1976-77 whirst when ice covered 65% of the upstream section, 56% of the middle section, and 78% of the downstream section.

42-3011 limnology of an ice-covered lake with through-flow: Lake Laberge, Yukon Territory. Carmack, E.C., et al, National Hydrology Research Institute, (Canada). Paper, 1988, No.35, Inland Waters/Lands Directorate, IWD scientific series, No.157, 65-2018, Feench surprayer, Page 5, 18,20 Sop., With French summary. Refs. p. 18-20. Limnology, Ice cover effect, Icebound lakes, Heat transfer, Freeze thaw cycles, Thermodynamics, River flow, Seasonal variations.

Atmospheric and squeous flux of sulfur in snow.
Stanley, D.A., Tucson, University of Arizona, 1987, 120p., University Microfilms order No.MA1330540, M.S. thesis. For abstract see Masters abstracts international, Winter 1987, p.354. Snow impurities, Permeability, Snow density, Snow

water content.

42-3013

Modeling the natural convection in pure water near

the density extremum.

Fukumori, E., Buffalo, State University of New York, 1987, 180p., University Microfilms order No. DA8727700, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Apr. 1988, p.3051. Mathematical models, Convection, Ice cover effect, Water flow

Development and freeze-thaw durability of high fly

ash content concrete.
Sajadi, J., Morgantown, West Virginia University, 1987, 99p., University Microfilms order No.-DA8729233, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Apr. 1988, p.3058. Concretes, Frost resistance, Freeze thaw tests, Concrete admixtures.

Experimental study of the coherent under-ice reflec-tivity of sound in the Greenland Sea Marginal Ice

Zone.
Gruber, P.L., Miami, University of Miami, 1987, 162p., University Microfilms order No.DA8729364, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Apr. 1988, p.2999.
Underwater acoustics, Ice bottom surface, Sound

Numerical model of the dynamics of large ice sheets. Hall, J.C., Amherst, University of Massachusetts, 1987, 497p., University Microfilms order No.-DA8727055, Ph.D. thesis. For abstract see Disserta-tion abstracts international, Sec. B, Mar. 1988, p.2583. Ice sheets. Mathematical models. Ice mechanics. Glacier flow.

Time-dependent response of floating ice to a steadily moving load.

Schulkes, R.M.S.M., et al, Journal of fluid mechanics, Jan. 1988, Vol.186, p.25-46, 17 refs. Sneyd, A.D.

Floating ice, Ice roads, Aircraft landing areas, Flexural strength

Mathematical and physical modelling of double-diffu-sive convection of aqueous solutions crystallizing at a vertical wall.

Thompson, M.E., et al, Journal of fluid mechanics. Feb. 1988, Vol.187, p.409-433, 35 refs.

Szekely, J. Solutions, Diffusion, Ice formation, Convection, Crys-

42,3010

42-3019 Vehicles and aircraft on floating ice. Squire, V.A., et al, Nature, May 12, 1988, 333(6169), p.159-161, 16 refs. Robinson, W.H., Langhorne, P.J., Haskell, T.G.

Floating ice, Ice runways, Ice roads, Sea ice, Strain

lee roads and ice runways are a common feature of Arctic and Antarctic transportation. Although theoretical work to calcu-late the deflection profile due to a moving load is well estab-lished, there has been little progress experimentally and early studies were subject to error because of the type of transducer used. Recently there has been a renewed interest in the prof-lem which has led to several theoretical papers and to the collec-tion of a small quantity of high-quality data. Reported here are some preliminary results from a new and complete set of experi-ments done on antarctic sea ice using strain gauges to measure directly the strain induced by the vehicle. The results show excellent agreement with theory in all respects. (Auth.) Ice roads and ice runways are a common feature of Arctic and

Underside of Arctic sea ice imaged by sidescan sonar. Wadhams, P., Nature, May 12, 1988, 333(6169), p.161-164, 12 refs. Sea ice, Ice bottom surface, Acoustic measurement.

42,3021

Problems of hydrological forecasting. [Voprosy gi-

Problems of hydrological forecasting. [Voprosy gidrologicheskikh prognozov],
Rakhmanov, V.V., ed, Gidrometeorologicheskik nauchno-issledovatel'skit isentr SSSR. Trudy,
1988, Vol.295, 184p., In Russian. For selected papers see 42-3022 through 42-3026. Refs. passim.
Ginzburg, B.M., ed.
Icebound rivers, Icebound lakes, Ice accretion, Ice cover thickness, Meteorological factors, Ice navigation, Channels (waterways), Ice forecasting.

Methods of long-range forecasting ice breakup dates for the Dnepr and Don rivers. Metodika dolgosrochnogo prognoza srokov vskrytija rek Dnepra i Donaj, Savchenkova, E.I., Gidrometeorologicheskii nauchno-Savenenkova, E.I., Glarometeorologicneskii nauchno-issledovatel'ski tsentr SSSR. Trudy, 1988, Vol.295, p.113-121, In Russian. 6 refs. River ice, Ice cover thickness, Icebound rivers, Ice breaking, Forecasting, Meteorological factors,

Synoptic meteorology.

Methods of long-range forecasting of dates of ice breakup on rivers in the northern European USSR. (Metodika dolgosrochnogo prognoza s vskrytija rek severa evropetskot chasti SSSR<sub>1</sub>, stokov vskrytna rek severa evropeiskoi enasti SSSR<sub>3</sub>. Efremova, N.D., Gidrometeorologicheski nauchno-issledovatel'ski tsentr SSSR. Trudy, 1988, Vol.295, p.122-129, ln Russian. 9 refs. River ice, Leebound rivers, Ice cover thickness, Ice bresking, Meteorological factors.

42-3024

Ice accretion on the Volga water reservoirs and its dependence on atmospheric processes. [Narastanic l'da na volzhskikh vodokhranilishchakh i ego zavisimost of atmosfernykh protectsory, Podsechina, T.V., Gidrometeorologicheski nauchno-issledovateľski tsent SSSR. Trudy, 1988, Vol.295, p.130-137, In Russian. 14 refs.

Lake ice, Icebound lakes, Ice accretion, Ice cover thickness, Meteorological factors, Ice forecasting, Ice navigation, Icebreakers.

42-3025

42-3023 Calculating the freezing of channels cut in ice cover of water reservoirs. (O raschete smerzaniis l'da v kanalakh prolozhennykh v ledianom pokrove vodokh-

Ponomarev, M.B., Gidrometeorologicheskii nauchno issledovatel'skli tsentr SSSR. Trudy, 1988, Vol.295, p.138-148, In Russian. 15 refs. Lake ice, Channels (waterways), Icebound lakes, Ice navigation, Ice cover thickness, Ice Goes.

42-3026

Calculating the dater of river freezenn and breakup in northern Siberia. (O raschete srokov zamerzaniia i vakrytija rek severa Sibirii.

Ginzburg, B.M., Gidrometeorologicheskii nauchno-issiedovatel'skh tsentr SSSR. Trudy, 1988, Vol.295, p.149-173, In Russian. 7 refs.

Ice forecasting, Ice formation, Icebound rivers, Ice

breaking, River basins, Paludification, Permafrost beneath rivers, Landscape types, Permafrost distribu-

42-3027

42-3027

Forecasting ice conditions in non-arctic seas of the USSR. (O prognoze ledovitosti nearkticheskikh moret SSSR),

Karakash, A.I., et al, Leningrad. Gidrometeorologicheskii nauchno-issledovatelskii tsentr SSSR.

Trudy, 1988, Vol.292, p.118-123, in Russian. 1 ref. Korob, M.I.

Sea ice distribution, Ice conditions, Ice forecasting, Computer applications.

42.3028

Statistical analysis of ice appearance dates on the Far Eastern seas. Statisticheskii analiz srokov pervogo poisvleniia l'de na moriskh Dal'nego Vostoka, Sheremetevskais. O.I., Leningrad. Gi-drometeorologicheskii nauchno-issledovatel'skii nauchno-issledovateľskň tsentr SSSR. Trudy, 1988, Vol.292, p.124-129, In isent 535R. Pludy, 1988, Vol.292, p.124-129, in Russian. 2 refs. Sea ice, Hydrothermal processes, Meteorological data, Ice formation, Analysis (mathematics).

42-3029

Seasonal forecasts of ice hummocking in the north Caspian Sea. [Sezonnyl prognoz torosistosti l'dov Severnogo Kaspiia, Bukharitsin, P.I., Leningrad. Gidrometeorologiches-kh nauchno-issledovatel'skh tsentr SSSR. Trudy, 1988, Vol.292, p.130-135, In Russian. 6 refs. Ses ice distribution, Ice cover thickness, Pressure ridges, Ice surveys, Aerial surveys, Ice forecasting.

42-3030
Preparing for climate change.
North American Conference on Preparing for Climate
Conference on Preparing for Climate
Washington, Change, 1st: a Cooperative Approach, Washington, D.C., Oct. 27-29, 1987, Rockville, MD, Government Institutes, Inc., Apr. 1988, 516p., Refs. passim. For selected papers see 42-3031 through 42-3036. Climatic changes, Carbon dioxide, Ice cover effect, Sea level, Water reserves, Paleoclimatology, Pleistocene. Atmospheric composition.

42-3031

Warming of permafrost in the Alaskan Arctic. Lachenbruch, A.H., North American Conference on Preparing for Climate Change, 1st: a Cooperative Approach, Washington, D.C., Oct. 27-29, 1987. Proceedings, Rockville, MD, Government Institutes, Inc., Apr. 1988, p.102-107, For another version see 41-

Permafrost thermal properties, Climatic changes, Frozen ground temperature, Surface temperature, Permafrost heat transfer, Geothermy, Temperature variations, United States—Alaska.

Variations in atmospheric carbon dioxide and ice age climate.

MacDonald, G.J., North American Conference on MacDonaid, J., North American Conference of Preparing for Climate Change, 1st: a Cooperative Approach, Washington, D.C., Oct. 27-29, 1987. Proceedings, Rockville, MD, Government Institutes, Inc., Apr. 1988, p.108-117, 11 refs.
Climatic changes, Carbon dioxide, Pleistocene, Paleoclimatology, Atmospheric composition, Ice corea, Drill core analysis, Air entrainment, Snowfall,

Glaciation.

42-3033

Sea ice as a potential early indicator of climate change.

Parkinson, C.L., North American Conference on Pre-Parkinson, C.L., North American Conference on Fre-paring for Climate Change, 1st: a Cooperative Ap-proach, Washington, D.C., Oct. 27-29, 1987. Pro-ceedings, Rockville, MD, Government Institutes, Inc., Apr. 1988, p. 118-124, 12 refs. Sea ice distribution, Climatic changes, Remote sens-

ing, Atmospheric composition, Heat transfer, Solar radiation, Seasonal variations, Oceans.

After reviewing the areal extent of sea ice distribution over the course of a year and its high concentration in the Antarctic, the importance of such extensive sea ice cover to the global climate system, and the likelihood that changes in the sea ice cover system, and the inscinnoon that changes in the sea see cover-could prove to be early indicators of climate change, are dis-cussed. The following 3 criteria for a potential early indicator of climate change are listed; the variable should exhibit a large climate signal; it should be readily measurable through routine observations; and it should have low enough natural variability to allow a climate signal to be detected.

Causes and effects of sea level rise.

Titus, J.G., North American Conference on Preparing Ittus, J.O., North American Conference on Freparing for Climate Change, 1st: a Cooperative Approach, Washington, D.C., Oct. 27-29, 1987. Proceedings, Rockville, MD, Government Institutes, Inc., Apr. 1988, p.125-139, Refs, p.136-139.

Ice melting, Sea ice, Sea level, Climatic changes,

Shoreline modification, Swamps, Shore erosion,

An overview of the causes and effects of the projected rise in sea level from the greenhouse effect is presented. In listing the causes, a brief description of the antarctic ice sheet—with its vulnerability to climatic changes—as a source for the higher sea level is given. 42,3035

Adaptability to climate change: the case of the marine economy of Atlantic Canada.
Stokoe, P.K., North American Conference on Prepar-

ing for Climate Change, 1st: a Cooperative Approach, Washington, D.C., Oct. 27-29, 1987. Proceedings, Rockville, MD, Government Institutes, Inc., Apr. 1988, p.274-283, 3 refs.

Climatic changes, Sea ice distribution, Marine transportation, Marine biology, Offshore structures, Ice loads, Impact strength, Sea level, Atlantic Ocean.

42-3036 Climatic changes—impacts on Great Lakes levels and navigation.

Asout, J., et al, North American Conference on Preparing for Climate Change, 1st: a Cooperative Approach, Washington, D.C., Oct. 27-29, 1987. Proceedings, Rockville, MD, Government Institutes, Inc., Apr. 1988, p.488-501, 19 refs. Raoul, J., et al, North American Conference on Pre-

Climatic changes, Navigation, Lake ice, Water level, Environmental impact, Lake water, Ice conditions, Meteorological factors, Great Lakes.

42-3037

Working group on ice forces. 3rd state-of-the-art re-

Sanderson, T.J.O., ed, U.S. Army Cold Regions Re-Semustreum, 1.3.0., ed, U.S. Army Cold Regions Research and Engineering Laboratory, Sep. 1987, SR 87-17, 221p., ADA-191 067, Refs. passim. For individual papers (mostly from different source) see 40-4602 through 40-4608 and 42-3038.

Ice loads, Offshore structures, Hydraulic structures, Sea ice, Ice scoring, Structures, Design, Engineering, This working group report on ice forces includes individual papers which discuss laboratory results, field measurements, instrumentation, numerical analysis, and iceberg scour. A more detailed abstract appears at the beginning of each individual paper.

42-3038

Iceberg impact forces.

Nevel, D.E., U.S. Army Cold Regions Research and Engineering Laboratory. Special report, Sep. 1987, SR 87-17, Working group on ice forces. 3rd state-of-the-art report. Edited by T.J.O. Sanderson, p.197-221, ADA-191 067, 47 refs.

Ice loads, Icebergs, Offshore structures, Impact strength, Design criteria, Statistical analysis, Anal-

ysis (mathematics). 42.3030

Modeling the thawing dynamics of permafrost around excavations. (Modelirovanie dinamiki protaivaniia mnogoletnemerzlykh gornykh porod vokrug vyrabo-

tok<sub>1</sub>, Izakson, V.IU., et al, Promyshlennaia teplotekhnika, 1987, 9(3), p.36-39, In Russian. 5 refs.

Petrov, E.E., Samokhin, A.V. Permafrost thermal properties, Drilling, Wells, Heat transfer, Models.

42-3040

Using the straight lines method in numerical solution of Stefan problems. [Chislennoe reshenie zadachi

or Stefan problems, (Chisiennoe resnenie zadachi Stefan ametodom priamykh, Fomin, A.V., *Promyshlennais teplotekhnika*, 1986, 8(5), p.10-13, In Russian. 14 refs. Gas wells, Permafrost thermal properties, Stefan problem, Permafrost control, Artificial freezing.

42-3041

Improved technology of frozen ground excavation by blasting. [Usovershenstvovannaia tekhnologiia vzryvnogo rykhleniia merzlykh gruntov], lUrko, A.A., Promyshlennoe stroitel stvo i inzhener-

nye sooruzheniia, July-Sep. 1987, No.3, p.26, In Rusgian.

Blasting, Excavation, Boreholes, Earthwork, Frozen ground.

42.3042

Using heating wires in winter concreting, [Ispol'zovanie nagrevateľnykh provodov dlia progreva beto-

zovanie nagrevaterinyki provodov dna progreva deco-na v zimnee vremia<sub>1</sub>, Eremenko, I.V., et al, *Promyshlennoe stroitel'stvo i* inzhenernye sooruzheniia, Oct.-Dec. 1987, No.4, p.14-15, In Russian. Kharlamova, R.V.

Winter concreting, Concrete heating, Electric heating, Temperature control.

42-3043

Studying failures of the equipment supplying power to drilling rigs under West Siberian conditions. [Is-sledovanie otkazov oborudovaniia sistemy elektros-nabzheniia burovykh ustanovok v usloviiakh Zapadnoï Sibiri),

Promyshlennaia energetika, Aug. 1986, No.8, p.13-14, In Russian. 2 refs.
Wind factors, Permafrost thermal properties, Drilling, Electric power, Transmission lines, Icing, Frost

ection 42-3044

Causes of humidification of technological oxygen and the prevention of Icing of low- and medium-pressure pipelines. (Prichiny uvlazhneniia tekhnologiches-kogo kisloroda i meropriiatiia po bor be s obmerzaniem truboprovodov nizkogo i srednego davleniia, Kolbasov, M.G., et al, Promyshlennaia energetika, Feb. 1986, No.2, p.36-39, In Russian. 2 refs. Sereda I.G.

Liquefied gases, Pipeline freezing, Icing, Oxygen,

42-3045

Technology of stabilizing loose saturated rocks with synthetic resins. [Tekhnologiia uprochneniia rykh-lykh obvodnennykh porod sinteticheskimi smolami], Kondratov, A.B., et al, Razvedka i okhrana nedr, June 1987, No.6, p.26-32, In Russian. 4 refs. Leshchikov, V.I., Tkachenko, IU.E., Egorov, V.P. Cements, Earthwork, Resins, Soil stabilization, Drilling, Mining, Excavation.

42-3046

Experience in introducing power-saving regimes of electric heating for cast-in-place concrete structures. Opyt vnedreniia maloenergoemkikh rezhimov elektroprogreva betona monolitnykh konstruktsii, Gendin, V.IA., et al, Promyshlennoe stroitel'stvo, Sep. 1986, No.9, p.20-21, In Russian. 2 refs. Kuz'min, V.K., Pleshakov, I.G. Winter concreting, Electric heating, Concrete heat-

ing. Concrete placing. Concrete freezing.

42,3047

Using thermosetting flexible covers in heating cast-is-place concrete. Elektroobogrev betons v monolit-nykh konstruktsiiskh s pomoshch'iu termosktivnykh

nyth konstruktsiisen s pomonen in termoakuvnyan gibkikh pokrytily, Maksimov, S.V., et al, Promyshlennoe stroitel'stvo, Sep. 1986, No.9, p.21-22, In Russian. Shupikov, S.A., Dolbichkin, A.V., Golovatyi, N.A. Concrete heating, Winter concreting, Electric heat-ing, Concrete freezing, Concrete hardening.

42-1048

42-3048
Experience in using heating wires in winter concreting, (Opyt primeneniis nagrevatel'nykh provodov v tekhnologii zimnego betonirovaniis), Shishkin, V.V., et al. Promyshlennoe stroitel'stvo, Sep. 1986, No.9, p.22-23, In Russian. 5 refs. Miagkov, A.D., Gubman, B.IU., Klisuzov, V.V. Concrete heating, Winter concreting, Formwork (construction), Electric heating, Concrete admixtures, Frost resistance, Concrete freezing.

42.3040

Electrothermal treatment of concrete using the rain-

Electrothermal treatment of concrete using the reinforcement as heating elements. (Elektrotermoobrabotka betons a ispol'zovaniem armatury v kachestve nagrevatelias, Miagkii, V.M., et al. Promyshlennoe stroitel'stvo, Sep. 1986, No.9, p.24-25, In Russian. 4 refs. Gendin, V.I.A., Arkhangel'skii, A.N., Zabolot'ko, G.F. Winter concreting, Reinforced concretes, Concrete heating, Electric heating.

47.3050

42-3050
Peripheral electric heating and warming-up of castin-place concrete in reasable formworks, perifering any elektroprogrev i obogrev monolitmogo betona v inventarno' shchitovo' opalubke, Mironov, S.A., et al, Promynhennoe stroitel'stvo, Sep. 1986, No.9, p.26-27, in Russian.

Vit'ko, S.D.

Concrete heating, Winter concreting, Electric heating, Formwork (construction), Concrete freezing, 42,3051

Optical disk based acquisition system (ODAS) de-scription and report following the first deployment during the Prudhoe Bny Experiment spring 1987

(FRODEA).

Von der Heydt, K., Woods Hole Oceanographic Institution. Report, Nov. 1987, WHOI-87-49, 26p. ADA-188 391. tution.

Data processing, Optical properties, Ice conditions, Polar regions, Detection, Storage, Computer applica-tions, United States—Alaska—Prudhoe Bay.

42-3052 Molecular dynamics study of the effect of pressure on

The properties of water and ice.
Tse, J.S., et al, Journal of physical chemistry, Jan.
28, 1988, 92(2), p.315-318, 35 refs. Klein. M.L.

Ice physics, Molecular structure, Pressure, Ice crystal structure, Loads (forces), Water, Ice density,

42-3053 Internal structure of glacial landforms: an example from the Halton till plain, Scarborough Bluffs, On-

Sharpe, D.R., Boreas, 1988, 17(1), p.15-26, 32 refs. Glacial deposits, Perigiacial processes, Landforms, Sedimenta, Grounded ice, Subglacial caves.

Holocene gelifluction in a snow-patch environment at the forest-tundra transition along the eastern Hudson Bay coast, Canada.

Morin, H., et al, Boreas, 1988, 17(1), p.79-88, Refs. p.86-88. ayette, S.

rayette, 5.
Forest tandra, Periglacial processes, Snow cover dis-tribution, Paleoclimatology, Radioactive age determi-action, Ground water, Carbon isotopes, Canada— Northwest Territories—Hudson Bay.

42.3055 Seasonal variation of downward flux of particulate organic matter under the antarctic fast ice.
Matsuda, O., et al, NIPR Symposium on Polar Biolo-

Matsuca, C., et al, NIFK Symposium on Folar Biology, Proceedings. No.1, Tokyo, National Institute of Polar Research, 1987, p.23-34, 13 refs. Ishikawa, S., Kawaguchi, K. Ice cover effect, Algae, Antarctica—Lützow-Holm

Marked seasonal variation of particulate organic carbon (POC) flux was observed in Lutzow-Holm Bay, with larger fluxes in summer (136 mgC/sp m/d) and smaller fluxes in winter (1.5 mgC/sq m/d). Particulate organic nitrogen (PON) and particulate phosphorus (PP) flux showed similar trends to POC variation; C:N:P ratio also varied seasonally. Chlorophyll a

flux varied more drastically than POC, suggesting the direct input of ice algae and/or phytoplankton to the benthic community in summer. (Auth. mod.)

42,3056

Balance of avalanches, 1986-1987 season. Bilan des parames of avalanches, 1986-1987 season. (Blian de avalanches saison 1986-87<sub>1</sub>, Neige et avalanches, Dec. 1987. No.44, p.7-18. În French.

Avalanche formation, Avalanche deposits, Mass bal-anca. Seasonal variations. France—Alps.

42-3057

Avalanches of Comba du Pra Analysis of snow conditions. rL'avaianche de la Combe du Pra; analyse des conditions nivologiques,

Lafeuille, J., Neige et avalanches, Dec. 1987, No.44, p.19-26. In French.

Avalanche formation, Snow mechanics, Snow ac-cumulation, Snowfall, Precipitation (meteorology), Avalanche deposits.

47.3048

Data processing aid to local forecasting of avalanche risk. [Aide informatisée à la prévision locale du risque d'avalanche],

Giraud, G., Neige et avalanches, Dec. 1987, No.44, p.27-36, In French.

Avalanche forecasting, Avalanche formation, Snow accumulation, Statistical analysis, Models.

42-3059

Recommendations applicable to cables transporting explosives (CA.T.EX) designed to release avalanches. (Recommendations applicables aux cables transporteurs d'explosifs (CATEX) destinés au déclenchement

des avalanches, Brugnot, G., et al, Neige et avalanches, Dec. 1987, No.44, p.37-49, In French. Rapin, F.

Explosives, Transportation, Avalanche triggering, Equipment, Avalanche formation,

42.3060

State of California chooses CA.T.EX. L'état de Cali-State of California chooses CA.T.EX. [L'état de Cali-fornie choisit le CA.T.EX.], Borrel, G., Neige et avalanches, Dec. 1987, No.44, p.50-52, In French. Explosives, Avalanche triggering, Avalanche forma-tion, United States—California.

42-3061

Analysis of the protective role of mountain forest canapy, Analyse du role de protection des forêts domaniales en montagne; Sonnier, J., Neige et avalanches, Dec. 1987, No.44, p.53-56, In French.

Avalanche formation, Forest canopy, Protection,

Damage, Countermeasures, Mountains, 42-3062

Training courses 1987-1988 season. Stages de formation saison 1987-1988<sub>1</sub>, Neige et avalanches, Dec. 1987, No.44, p.63-64, In French. Avalanches, Education, Safety, Mountains.

42-3063

Glacier fluctuations and hazards.

Grove, J.M., Geographical journal, Nov. 1987, 153(3), p.351-369, Refs. p.366-367.
Glacier oscillation, Ice sheets, Heat transfer, Paleo-

climatology, Sea level.

Physical readjustments involved in glacier fluctuations present high risk situations at certain times and places. An outline of the history of glacier fluctuations in Holocene times and par-ticularly the Little Ice Age provides the context for a discussion of the types of hazards associated with climatically Ied oscilla-tions in populated areas and their timing. Any future change in climate towards the conditions obtaining in the Little Ice Age in climate towards the conditions obtaining in the Little for Age would now involve greater risk from hazard than existed in former centuries. A more probable change in climate is rising temperature caused by more carbon dioxide in the atmosphere resulting in rising 'as levels and perhaps surging of the antarctic ice sheet. (Autin. mod.)

42-3064

Glaciological and chemical characteristics of snow in the inland plateau, east Queen Maud Land, Antarc-

Kamiyama, K., et al, Antarctic record, Nov. 1987, 31(3), p.163-170, 10 refs. Snow composition, Snow hardness, Snow mechanica, Antarctica—Queen Maud Land.

Antarctica—Queen Maud Land.

Olaciological observations on the high plateau in the eastern Queen Maud Land were carried out along the routes of oversnow traverses by the 25th and 26th JARE in 1984 and 1985. Surface topography of the dome-like plateau and the positions of ice divides were determined clearly. The dome is at 77.48, 39.6E at an altitude of 3,80° m as.l. Snow drift samples were collected along the route from Misuho Station to the dome and were melted carefully in a snow vehicle. The value of electric conductivity of the melted snow samples at 0 C was obtained before storing in the pre-cleaned bottles. In a home laboratory, bH measurements of the samples were carried out. High electric conductivity and low pH values were found among the snow

samples collected in the dome area, especially around the region higher than 3600 m a.s.i. The region has different glaciological characteristics from those in the katabatic wind region: the lower degree of surface inclinations, the lower the net accumulation, the smoother the surface morphology, the lower ram hardness of the surface snow layer and the higher lapse rate of snow temperature at 10 m depth. Taking into consideration the comparatively higher concentration of artificial radio nuclides reported in other antarctic inland areas, the glacio-chemical environments in the antarctic inland region are thought to be characterized by the transport of stratospheric acrosols or

42.3065

Influence of cloud droplets on the measurement of ice particle concentrations with a particle measuring system's 2DC optical array probe.

tem a 2DC optical array probe. Rauber, R.M., et al, Journal of atmospheric and ocean-ic technology, Feb. 1988, 5(1), p.123-128, 16 refs. Heggli, M.F.

Cloud droplets. Ice crystals, Measuring instruments.

42.3066

Ice crystal replication with common plastic solutions. Takahashi, T., et al, Journal of atmospheric and ocean-ic technology, Feb. 1988, 5(1), p.129-135, 13 refs. Fukuta N

Ice crystal replicas, Plastics, Solutions,

Development and testing of a fibre optic data system for marine transportation. Système de transmission de données sur fibres optiques pour utilisations marines,, Smith.

Smith, G.A.J., et al, Transport Canada. Report, Apr. 1987, TP 8526F, 16p., In French with English

summary. Snow, J.W., Mavich, J.S.

Icebreakers, Marine transportation, Optical proper-ties. Measuring instruments. Tests. Design.

42,3069

Simulated fluctuations in annual Labrador sea-ice

cover.

Ikeda, M., et al, Atmosphere-ocean, Mar. 1988, 26(1), p.16-39, With French summary. 21 refs. Symonds, G., Yao, T.

Sea ice distribution, Ice edge, Ice models, Ice conditions, Seasonal variations, Labrador Sea.

Ice-water slurry flow in a circular pipe.

Knodel, B.D., et al, International communications in heat and mass transfer, Mar.-Apr. 1988, 15(2), p.239-

France, D.M. Slush, Ice water interface, Pipes (tubes), Flow rate, Pressure, Hydrodynamics, Tests.

Radioglaciology by V.V. Bogorodskii, et al. Jezek, K.C., American Meteorological Society. Bulletin, Jan. 1988, 69(1), MP 2338, p.55-56, Book review. For the book being reviewed see 40-1650. Glacier ice, Airborne rader, Radar echoes, Glaciology, Photointerpretation, Geophysical surveys, Ice phy-

42-3071 Avalanche accidents in Canada. 3. A selection of case histories 1978-1984. Schaerer, P.A., Institute for Research in Construction, Ottawa. IRC paper, 1987, No.1468, 138p., With

French summary. 4 refs.
Avalanche formation, Avalanche deposits, Accidents,
Rescue operations, Snow depth, Statistical analysis,
Temperature effects, Climatic factors.

Spring meltwater mixing in small arctic lakes. Bergmann, M.A., et al, Canadian journal of fisheries and aquatic sciences, Nov. 1985, 42(11), p.1789-1798, With French summary. 21 refs.

Meltwater, Lake ice, Lake water, Ice melting, Ice-bound lakes, Ice cover thickness, Tests, Seasonal

Mechanical and environmental stresses in continuously reinforced concrete payements.

Saxena, S.K., et al, Transportation research record, 1986, No.1099, p.12-22, 23 refs. Dounias, G.T.

Pavements, Reinforced concretes, Loads (forces), Stresses, Temperature effects, Deformation.

Concrete pavement joint stiffness evaluation.

Armaghani, J.M., et al, Transportation research record, 1986, No. 1099, p. 22-36, 5 refs.

Lybas, J.M., Tia, M., Ruth, B.E.

Pavements, Concrete strength, Loads (forces), Joints (junctions), Deformation, Temperature effects, Seasonal variations.

42-3075

Prediction of subbase erosion caused by pavement

pumping. Van Wijk, A.J., et al, Transportation research record, 1986, No.1099, p.45-57, 32 refs. Lovell, C.W.

Pavement bases, Pavements, Cements, Erosion, Tem-perature effects, Deformation, Shear stress, Forecast-ing, Tests, Climatic factors.

42-3076

A2-3U76
Sulfate impurities from delcing salt and durability of portland cement mortar.
Pitt, J.M., et al., Transportation research record, 1987, No.1110, p.16-23, 14 refs.
Schluter, M.C., Lee, D.-Y., Dubberke, W.

Chemical ice prevention, impurities, Concrete dura-bility, Cements, Freeze thaw tests, Tensile proper-ties, Damage, Mortars, X ray diffraction, Solubility. 42-3077

Early strength of concrete patching materials at low temperature.

Nawy, E.G., et al, Transportation research record, 1987, No.1110, p.24-34, 16 refs.

Hanaor, A., Balaguru, P.N., Kudlapur, S. Concrete strength, Bridges, Winter maintenance, Concrete curing, Pavements, Low temperature tests, Shear strength, Flexural strength, Compressive prop-

erties 42-3078

Early age properties of magnesium phosphate-based cements under various temperature conditions.

Popovics, S., et al, Transportation research record, 1987, No.1110, p.34-45, 2 refs.

Rajendran, N.

ing, Temperature effects, Compressive properties, X ray diffraction, Tests. Coment admixtures, Concrete strength, Concrete cur-

42-3079

Thermophysical properties of rocks. (Teplofizi-

cheskie svoistva gornykh porody, Ershov, E.D., ed, Moscow, Universitet, 1984, 204p. In Russian with abridged English table of contents enclosed. 155 refs.

Thermal regime, Frozen ground physics, Frozen ground temperature, Heat transfer coefficient, Permafrost control, Laboratory techniques, Thermopiles, Permafrost thermal properties, Heat transfer.

Collapse of a casing in a cavity of perennially frozen rocks. Smistic obsadno' kolonny v kaverne v mnogo-

rucas, comissic oossanno kotonny v kaverne v mnogo-letnemerilyhk porodakh, Antipov, V.I., et al. Nettianoe khozialstvo, Dec. 1987, No.12, p.27-31, In Russian. 8 refs. Kurliandski, A.S.

Boreholes, Permafrost structure, Wells, Well casings, Ice pressure, Ground ice, Caves,

42-3081

Current state of the concept of global glaciations. Velichko, A.A., Polar geography and geology, July-Sep. 1987, 11(3), p.164-183, Translated from Iz-July-sep. 1967, 11(3), p. 104-163, translated from 12-vestiya AN SSSR, Seriia geograficheskaia, 1987, No.3, p. 21-34. 54 refs. Ice sheets, Polar regions, Pleistocene, Sea ice distri-bution, Land ice, Glaciation, Arctic Ocean.

42-3082

Climate of the vegetative period during the formation Climate of the vegetative period during the formation of the icy complex deposits of the Omolon River. Kiselev, S.V., et al. Polar geography and geology, July-Sep. 1987, 11(3), p. 184-192, For Russian original see 41-3771. 12 refs. Kolesnikov, S.F., Rybakova, N.O. Tundra, Permafrost origin, Palynology, Frozen fines, Loess, Mosses, Grasses, Cryogenic structures, Edoma compiler.

complex.

42-3083

Anthropogenic eutrophication of the lakes of the Far North (causes, ecological consequences and possible environmental protection measures).

Vekhov, N.V., Polar geography and geology, July-Sep. 1987, 11(3), p.193-201, Translated from Geografiia i prirodnye resursy, 1987, No.2, p.87-93.

Lakes, Sewage, Wastes, Water pollution, Water chemistry. Arctic landscapes.

42-3084

Problems and goals of power supply for geological exploration under northern conditions. [Problemy i zadachi energosnabzheniia geologorazvedochnykh rabot v uslovijakh Severaj, Limitovskij, A.M., et al, Russia. Ministerstvo vys

shego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenh. Geologiia i razvedka, Feb. 1987, No.2, p.118-120, In Russian. Golovko, IU.P.

Polar regions, Geological surveys, Electric power, Diesel engines, Fuel transport, Mining, Seasonal veriations

42-3085

Influence of ice conditions on distribution and abundance of polar bears in the Soviet Arctic seas. [Vliia-nie ledovykh uslovii na raspredelenie i chislennost' belogo medvedia v moriakh Sovetskol Arktiki<sub>1</sub>, Gorbunov, IU.A., et al. Moscow. Obshchestvo is-pytatele) prirody. Biulleten: Otdel biologicheskh, Sep.-Oct. 1987, 92(5), p.19-28, In Russian with Eng-lish summary. 8 refs. Bellikov, S.E., Shil'nikov, V.I.

Sea ice distribution, Fast ice, Snow cover distribution, Ice cover thickness, Pressure ridges, Ice edge, Drift, Floating ice, Pack ice, Animals, Ice surveys, Arctic

42-3086

Relationship between cryogenic and non-cryogenic factors of hypergenesis in permafrost. [Sootnoshenie kriogennykh i nekriogennykh faktorov gipergeneza v oblasti vechnot merzloty,

Konishchev, V.N., Moscow. Universitet. Vestnik. Seriia 5 Geografiia, Jan.-Feb. 1988, No.1, p.8-14, In

Permafrost distribution, Active layer, Freeze thaw cycles, Soil composition, Minerals, Organic soils, Soil chemistry, Soil water, Phase transformations.

42-3087

Gas composition of recent polygonal wedge ice (exem-plified by the eastern Primorye Lowland of Yakutia). O gazovom sostave sovremennykh poligonal'nozhil'nykh l'dov (na primere vostochno' chasti Primor-sko' nizmennosti l'Akutii),

Novgorodova, E.V., Moscow. Universitet. Vestnik. Seriia 5 Geografiia, Jan.-Feb. 1988, No.1, p.72-75, In

Permatrost structure, Ice wedges, Ice composition, Isotope analysis, Impurities, Bubbles, Gas inclusions, Natural gas, Chemical composition.

Latest results of studying avalanche and mudflow danger. [Novelshie rezul'taty izucheniia lavinnoi i selevoi

opasnostij, Glazovskaja, T.G., et al, Moscow. Universitet. Vestnik. Scriia 5 Geografiia, Jan.-Feb. 1988, No.1, p.75-80, in Russian. Perov, V.F., Troshkina, E.S. Slope processes, Avalanches, Mudflows, Counter-

measures, Avalanche engineering, Avalanche forma-tion, Avalanche forecasting, Maps, Snow cover distribution, Snow depth, Snow stabilization

Physical, chemical and mechanical bases of cryolithogenesis. Fiziko-khimicheskie i mekhanicheskie os-

novy kriolitogeneza. 1.3, Ershov, E.D., Moscow. Universitet. Vestnik. Seriia 4 Geologiia, Sep.-Oct. 1987, No.5, p.86-100, In Russian. 9 refs.

Geocryology, Hydrothermal processes, Lithology, Permafrost origin, Permafrost physics, Ground ice, Permafrost distribution, Subsea permafrost, Cryo-genic soils, Freeze thaw cycles, Soil chemistry.

Freezing and thawing of soil in the area of the Main Botanical Garden, Academy of Sciences USSR, depending on snow cover thickness. [Promerzanic i ottaivanic pochvy na territorii GBS AN SSSR v zavisi-

mosti ot vysoty snegovogo pokrova, Sok V 22/ssmosti, Shokhin, M.V., Moscow. Clavnyi botanicheskii sad. Biulleten, 1986, Vol.142, p.36-41, in Russian. Soil freezing. Frost penetration, Measuring instruments, Snow cover distribution, Snow depth, Soil temperature, Heat transfer.

42-3091

Frost resistance and the seasonal development rhythm of introduced woody plants in the Komi ASSR. [Sezonnyl ritm razvitija i zimostolkost' dre-

ASSR, Sezonnyi ritm razvitila i zimostolkost dre-vesnykh introdutsentov v Komi ASSR<sub>1</sub>, Martynov, L.G., Moscow. Glavnyi botanicheskli sad. Biulleten', 1986, Vol.139, p.21-27, In Russian.

Introduced plants, Cryogenic soils, Frost action, Frost resistance, Plant ecology, Ecosystems.

Elevation and age relationship: raised marine deposits and landforms in glaciated areas: examples based on Canadian Arctic data.

Andrews, J.T., Sea-level research: a manual for the collection and evaluation of data. Edited by O. van de Plassche, Norwich, England, Geo Books, 1986, p.67-95, Refs. p.91-95.
Glacial deposits, Marine deposits, Shoreline modification, Landforms, Sea level, Sediments, Glacier flow,

Moraines.

Haventory of upslope and downslope leeberg scouring. Woodworth-Lynas, C.M.T., et al, Environmental Studies Revolving Funds. Report, July 1986, No.39, 103p., Refs. p.98-103.

Bass, D.W., Bobbitt, J.

Ice scoring, Icebergs, Ocean bottom, Bottom topography, Radar echoes, Ice mechanics, Soil strength, Statistical analysis, Mapping, Labrador Sea.

42-3094

Management of small ice masses.

Anderson, K.G., et al, Environmental Studies Revolving Funds. Report, Aug. 1986, No.42, 195p., With French summary. 21 refs.
Ice control, Sea ice distribution, Iceberg towing, Ice conditions, Cost analysis, Design criteria.

Geological, geochemical, and geophysical survey of the geothermal resources at Hot Springs Bay valley, Akutan Island, Alaska.

Motyka, R.J., ed, Alaska. Division of Geological and Geophysical Surveys. Report, Mar. 1988, 88-3,

115p. + map, Refs. passim. Nye, C.J., ed.

Glacial deposits, Geomorphology, Geothermy, Geology, Geophysical surveys, Geochemistry, Landforms, Hydrology, United States—Alaska—Akutan Island.

Intercomparison of models of snowmelt runoff. World Meteorological Organization. Operational Hydrology. Report, 1986, No.23, WMO No.646, 36p. + appends., With French, Russian and Spanish summaries. Runoff forecasting, Snowmelt, Climatic factors, Models, Geography.

42-3097

Dividing snow-depositional environments and characteristics of snow in the coastal region of the Japan

Kawashima, K., et al, Low temperature scien kagaku). Series A Physical sciences, 1987, No.46, p.1-13, 20 refs., In Japanese with English summary. Yamada, T., Wakahama, G. Snow surveys, Snow stratigraphy, Snow depth, Snow

water equivalent, Snow temperature, Snow density, Temperature effects, Meltwater, Japan, Sea.

Case study of a heavy snowfall in Sapporo Endoh, T., et al, Low temperature science (Teion kaga-ku). Series A Physical sciences, 1987, No.46, p.15-36, 6 refs., In Japanese with English summary Wakahama, G.

Snowfall, Snow depth, Snow cover distribution, Snow accumulation, Wind factors, Japan—Sapporo.

Studies of the behavior of a snow cover on mountain slope. XXII. Points at which curves C(H) seemingly reach the surface of the snow cover.

Yoshida, Z., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p. 37-52, 6 refs., In Japanese with English summary. Huzioka, T.

Snow cover stability, Slope orientation, Snow me-chanics, Mountains, Flow rate, Viscous flow, Analysis (mathematics).

Studies of the behavior of a snow cover on mountain slope. XXII. Measurements in internal strain of a

slope. AALI Present.

Hirabayashi, Y., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.53-65, 9 refs., In Japanese with English summary. Shimizu, H.

Snow cover stability, Slope orientation, Avalanche formation, Mountains, Measuring instruments, Strains, Viscosity, Snow density, Snow slides.

42-3101

Observations of weak layers in a snow cover.

Akitaya, E., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.67-75, 8 refs., In Japanese with English summary. Shimizu, H.

Snow cover stability, Snow mechanics, Avalanche formation, Snow alides, Mountains, Cracks, Snowfall, Air temperature.

42-3102

Study on the mechanism of avalanche release at the

Nissho Pass, Hokkaido, Japan.
Nissho Pass, Hokkaido, Japan.
Shimizu, H., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.77-90, 13 refs. In Japanese with English summary. Akitaya, E.

Avalanche formation, Avalanche deposits, Depth hoar, Snow alides, Accidenta, Snow mechanics, Tem-perature gradients, Snow density, Solar radiation, Japan—Hokkaido.

42-3103

42-3103
Internal structures of large-scale avalanches revealed by a frequency analysis of impact forces.
Nishimura, K., et al. Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.91-98, 9 refs., In Japanese with English summary. Maeno, N., Kawada, K.
Avalanche formation, Avalanche deposits, Snow density, Impact strength, Velocity.

42-3104

Numerical computation of snow avalanche motion in a three-dimensional topography.

Macno, N., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.99-110, 20 refs., In Japanese with English summary

Nishimura, K.

Avalanche mechanics, Snow density, Snow depth, Viscous flow, Topographic features, Velocity, Mathematical models.

42-3105

Discriminant function analysis applied to determining an initiation condition of drifting anow. Nishimura, K., et al, Low temperature science (Teion

kagaku). Series A Physical sciences, 1987, No.46, p.111-117, 8 refs., In Japanese with English summary.

Maeno, N

Snowdrifts, Snow mechanics, Wind velocity, Air temperature, Temperature variations, Analysis (mathematics), Antarctica—Showa Station, Antarctica— Mizuho Station.

Mizuho Station.

Discriminant functions were applied to determining the initial condition of drifting snow. The variables used in the analysis were six temperatures and wind speeds observed in Hokkaido and Antarctica. Critical conditions obtained from linear discriminant functions had an accuracy better than 74% for each observation. The threshold wind speed obtained from linear discriminant functions had an accuracy better than 74% for each observation. The threshold wind speed obtained from the data at Showa Station was almost constant (11 m/s) in the low temperature range and agreed well with the one at Mizuho Station; it may prove the validity of this method for determixing the initiation condition objectively. A quadratic discriminant function sometimes led to so unreasonable results for the low temperature range that the accuracy was almost the same or somewhat less than the linear function. So far it was observed that the threshold wind speed decreases with lowering temperature above -10 C. But is was not possible to express this temperature dependence by both a linear and quadratic discriminant function. The accuracies of discrimination obtained from both functions for the wide range of temperatures (40 to about 0 C) and wind speeds (0 to about 30 m/s) were in the range of 70 to about 80%. (Auth.)

42-3106

Structures and new classification of snow and ice on roads.

Maeno, N., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.119-133, 7 refs., In Japanesc with English summary.

Narita, H., Nishimura, K., Naruse, R.

Road icing, Snow cover structure, Ice cover, Ice structure, Snow removal, Ice removal, Meteorological factors, Snow compaction, Classifications, roughness. Traffic.

42-3107

Characteristics of ablation process of snow and ice on roads.

Naruse, R., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.135-149, 12 refs., In Japanese with English sum-

mary. Ishikawa, N., Takeichi, K., Maeno, N. Road icing, Snow hardness, Ablation, Albedo, Tem-perature effects, Ice hardness, Mass balance, Snow depth, Ice cover thickness, Traffic.

42-3108

Heat balance characteristics of road snow.

Ishikawa, N., et al, Low temperature science (Teion kagaku). Series A Physical sciences, 1987, No.46, p.151-162, 11 refs., In Japanese with English summary.

Natuse, R., Maeno, N.
Snow depth, Roads, Snow heat flux, Heat balance,
Meteorological factors, Safety, Snowiselt, Albedo,

42-3109

Experiments on rapid frazil ice production in a windgenerated open water.

Ushio, S., et al, Low temperature science (Teion kaga-ku). Series A Physical sciences, 1987, No.46, p.163-170, 5 refs., In Japanese with English summary.
Ono, N., Wakatsuchi, M.
Frazil ice, Ice formation, Sea ice, Polynyas, Brines,

Heat transfer, Water temperature, Experimentation, Air temperature, Wind velocity,

42-3110

Air-sea-ice observation system of Hokkaido Universi-

ty—scientific plan.

Aota, M., et al, Low temperature science (Teion kaga-ku). Series A Physical sciences, 1987, No.46, p.179-183 In Jananese

Ice air interface, Sea ice, Ice water interface, Computer applications

42-3111

Beaufort Ses (SALE 97) information update.

Becker, P.R., ed, Outer Continental Shelf Environmental Assessment Program, Anchorage, AK, U.S. National Oceanic and Atmospheric Administration,

National Oceanic and Atmospheric Administration, Apr. 1988, 81p., Refs. passim. For selected papers see 42-3112 through 42-3115.

Thermal regime, See Ice distribution, Ice scoring, Oil spills, Roads, Remote sensing, Shoreline modification, Besufort Sea.

Causeway effect: modification of nearshore thermal

regime resulting from causeways.

Stringer, W.J., Beaufort Sea (SALE 97) information update. Edited by P.R. Becker. Outer Continental Shelf Environmental Assessment Program, Anchorage, AK, U.S. National Oceanic and Atmospheric Ad-

age, A., U.S. National Oceanic and Atmospheric Ad-ministration, Apr. 1988, p.1-10, 1 ref. Roads, Thermal regime, Construction, Remote sens-ing, Suspended sediments, Water temperature, Sea water, Pipelines, Docks, Offshore structures, Models, United States—Alaska—Prudhoe Bay.

Summertime sea ice intrusions in the Chukchi Sea. Stringer, W.J., et al, Beaufort Sea (SALE 97) informa-tion update. Edited by P.R. Becker. Outer Conti-nental Shelf Environmental Assessment Program, Anchorage, AK, U.S. National Oceanic and Atmospheric Administration, Apr. 1988, p.11-19, For another version see 40-648. 3 refs.

Sea ice distribution, Remote sensing, Ice edge, Statistical analysis, Ice conditions, Seasonal variations, Mapping, Chukchi Sea.

42-3114

Deepwater limit of ice gouging on the Beaufort Sea

Reimnitz, E., et al, Beaufort Sea (SALE 97) informa-tion update. Edited by P.R. Becker. Outer Continental Shelf Environmental Assessment Program, An-chorage, AK, U.S. National Oceanic and Atmospheric Administration, Apr. 1988, p.21-26, 1 ref. Ice scoring, Shore erosion, Shoreline modification, Sediment transport, Sea ice, Drift, Beaufort Sea.

Manen, C.A., Beaufort Sea (SALE 97) information update. Edited by P.R. Becker. Outer Continental Sheif Environmental Assessment Program, Anchorage, AK, U.S. National Oceanic and Atmospheric Administration, Apr. 1988, p.59-81, 36 refs.

Oil spills, Oil recovery, Dispersions, Countermeasures, Experimentation, Water pollution, Soil pollu-

Analysis of the reliability of overhead transmission lines and electric networks under ice and wind loads.

¡Osobennosti analiza nadezhnosti vozdushnykh lini!
elektroperedachi i elektricheskikh sete! pri gololed-

nykh i vetroykh vozdelstviiakh, Kinash, B.M., Russia. Ministerstvo vysshego i sred-nego spetsial nogo obrazovania. Izvestiia vysshikh uchebnykh zavedenli. Energetika, Sep. 1987, No.9, p.48-50, In Russian. I ref. Power line icing, Ice loads, Wind factors, Design.

Transportation and assembling of block containers under West Siberian conditions. Osobennosti transportirovaniia i montazha blochnykh ustrolstv v usloviiakh Zapadnol Sibiri,

itovinakn Zapadnoi Stoirtj.
Rastorguev, G.A., Promyshlennoe stroitel'stvo, Aug.
1987, No.7, p.19-21, In Russian.
Construction materials, Transportation, Storage,
Modular construction, Railroads, Motor vehicles,
Marine transportation, Rivers.

42-3118
Ways of decreasing heat loss through windows in northern regions. (Sposob umen'sheniia teplopoter' cherez okna v severnykh raionakh, Butlitskii, A.E., et al., Promyshlennoe stroitel'stvo, Mar. 1987, No. 3, p.39-40, In Russian. 3 refs.

Terent'ev, O.L.

Houses, Thermal insulation, Walls, Windows, Heat loss, Design, Industrial buildings, Residential build-

Radioactive labeling of moisture transfer in freezing peat. [Issledovanie vlagoperenosa v promerzaiush-chem torfe s pomoshch'iu radioaktivnoï metki,, Gamaiunov, N.I., et al, Russia. Ministerstvo vys-Gamaiunov, N.I., et al, Russia. Ministerstvo vysshego i srednego spetisial nogo obrazovania. Luvestia vysshikh uchebnykh zavedenii. Gornyi zhurnal, 1986, No.12, p.12-20, In Russian. 2 refs. Stotland, D.M., Tovbin, I.B., Kazakov, S.L. Organic solla, Peat, Frost penetration, Soil water migration, Isotopic labeling.

Influence of water solution of sodium nitrite on frozen ground softening processes. ¡Viiianie vodnogo rast-vora nitrita natriia na razuprochniaiuahchie protsessy

vora nitrita natriia na razuprochnialushenie proteessy v merzlykh gruntakh, giliachenko, V.P., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenh. Gomyi zhumal, 1987, No.2, p.23-25, in Russian. Earthwork, Excavation, Frozen ground, Artificial melting, Frost protection, Chemical ice prevention.

Influence of natural and climatic conditions on the adhesive-cryogenic processes in stripping. [Vliianie prirodno-klimaticheskikh uslovii na adgezionno-kri-

ogennye protsessy pri vskryshnykh rabotakh, Mochalov, V.I., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Gornyl zhurnal, 1987, shikh uchebnykh zavedenů. No.4, p.81-83, In Russian.

Excavation, Permafrost physics, Adhesion, Frozen rock strength, Equipment, Ice adhesion, Mining.

Classification of heterogeneous territorial units of vegetational cover exemplified by the tundra zone vegetation. ¡Klassifikatsiia neodnorodnykh territorial nykh edinits rastitel'nogo pokrova na primere rastitel'nosti tundrovol zony, Katenin, A.E., Botanicheskii zhurnal, Feb. 1988,

73(2), p.186-197, In Russian with English summary.

Refs. p. 196-197.
Tundra, Sabarctic landscapes, Cryogenic soils, Vegetation patterns, Plant ecology, Ecosystems, Classifi-

Zonal changes in vegetational cover of the north European Priuralye, ¿Zonai'nye izmeneniia rastitel'-European Fruralye. ¡Zonai'nye izmeneniia rastitel'-nogo pokrova na severe evropelakogo Priuarlia, Kozhevnikov, IU.P., Botanicheskii zhurnal, Peb. 1988, 73(2), p.233-244, in Russian. 6 refa. Subarctic Landscapes, Vegetation, Tundra, Taiga, Plant ecology, Ecosystems, Subpolar regions.

Hydraulic rupture of perennially frozen rocks. [Giasymmune rupture of perennially frozen rocks. (Gi-drorazryv mongoletnemerzlykh gornykh porod), Griaznov, G.S., et al. Nettianoe khozialstvo, June 1987, No.6, p.18-19, in Russian. Kuznetsov, V.G., Molotkov, IU.A. Parmeferse hande

Permafrost physics, Permafrost thermal properties, Oil wells, Gas wells, Well casings, Permafrost hy-drology, Ground water, Phase transformations, Ice Bressure.

42-3125

Prospects for combined use of peat resources of the Urals and western Siberia for year-round mining of peat. Perspektivy kompleksnogo ispol'zovanija tor-fianykh resursov Urala i Zapadnot Sibiri pri kru-glogodichnot dobyche torfa<sub>1</sub>, Aleksandrov, B.M., Russis. Ministerstvo vysshego i

srednego spesial'nogo obszovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Gornyi zhurnai, 1987, No.10, p.49-56, in Russian. 7 refs. Peat, Mining, Active layer, Permafrost depth, Dry-

ing.

42.3126

Calculating the force of shattering seasonally frozen ground. [Raschet sily rykhleniis merzlo] porody

sezonnogo promerzaniia,, Kislenko, A.A., et al, Russia. Ministerstvo vysshego kinicind, A.A., et al., Kussa. Ministeriov yyssiegis i srednego spetsial nogo obrazovanila. Izvestila vysshikh uchebnykh zavedenih. Gornyl zhurnal, 1987, No.8, p.77-80, ln Russian. 2 refs.
Tanin-Shakhov, A.V.
Earthwork, Analysis (mathematics), Excavation, Seasonal freeze thaw, Frozen ground, Equipment, Decasonal freeze thaw, Frozen ground, Equipment, De-

sign.

42-3127

Studying the settlement of peat during open mining of high ice content placer deposits. Issledovanie osadki torfov pri otkrytoï razrabotke vysokol'distykh ros-

Potapova, T.S., et al, Russia. Ministerstvo vysshego Fotspovs, 1.3., et al., Russia. Manisteriov yssenger is srednego spetisial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenîh. Gornyl zhurnal, 1987, No.6, p.2.1-23, ln Russian.
Morozov, V.N., Egorovs, E.L., Frolenko, V.A.
Placer mining, Peat, Frost penetration, Solar radiation, Ice melting, Settlement (structural).

42-3128

Designing the thermodynamic equipment for cleaning Designing the intermodynamic equipment for cleaning buckets and the intermediate spaces of excavators from adhering frozen rocks. (Metodika rascheta parametrov termodinamicheskof ustanovki dlia ochist-ki kovshef i mezhkovshovogo prostranstva ek-

skavatora ot namerzshel porodyj,
Alekseev, A.F., et al, Russia. Ministerstvo vysshezo Alexacev, A.F., et al, Kussia. Ministersivo vyssnego i srednego spetsial/nogo obrazovania. Izvestiia vysshikh uchebuykh zavedenii. Gornyl zhurnal, 1987, No.6, p.80-83, In Russian. 3 refs. Morit, R.E.

Mining, Prozen ground temperature, Excavation, Ice adhesion, Countermeasures, Equipment.

42-3129

Sudden melting of a thin vertical flat plate in a Darcian free convection flow.

Ingham, D.B., et al, Acta mechanica, Feb. 1988, 71(1-4), p.77-93, 20 refs.

Pop, I Ground thawing, Porous materials, Thermal insula-tion. Thermal conductivity.

42-3130

Hubbard Glacier.

Barnes-Svarney, P., Earth science, Fail 1987, 40(3),

Ice dams, Glacial lakes, Glacier oscillation, United States-Alaska-Hubbard Glacier.

42-3131

Phase unwrapping of signals propagated under the Arctic ice crust: a statistical approach.

Moura, J.M.F., et al, IEEE transactions on acoustics,

speech, and signal processing, May 1988, 36(5), p.617-630, 18 refs. Baggeroer, A.B.

Underwater acoustics, Subglacial observations, Acoustic measurement.

42-3132
At the construction site of the apatite-nepheline factory No.3 PO "Apatit", tNa stroitel'stve apatitonefelinovof fabriki No.3 PO "Apatit", Nesterov, V.V., et al., Promyshlennoe stroitel'stvo, Feb. 1987, No.2, p.11-15, In Russian.

Lugovol, V.L., Petysh, E.B. Mining, Formwork (construction), Industrial buildings, Residential buildings, Permafrost beneath struc-tures. Poundations. Concrete structures. Winter concreting, Heating, Polar regions.

Improving the efficiency of winter concreting. [Rezervy povysheniia effektivnosti betonnykh rabot v

zimne vremis; Maksimov, S.V., et al. *Promyshlennoe stroitel'stvo*, Feb. 1987, No.2, p.15-16, In Russian. 4 refs. Shupikov, S.A., Dolbichkin, A.V.

Winter concreting, Concrete placing, Concrete hard-ening, Electric heating, Reinforced concretes.

42-3134

Increasing the service life of wooden structures in the North. [Povyshenie dolgovechnosti dereviannykh konstruktsii pri ekspluatatsii na Severe], Varfolomeev, IU.A., et al, Promyshlennoe stroitel'st-vo. Peb. 1987, No.2, p.26-27, In Russian. 2 refs.

Poromova, T.M., Ziablova, E.M.
Piles, Wooden structures, Countermeasures, Founda-

tions, Active layer.

Industrial construction and architecture for extreme climatic conditions (from the 8th international symposlum in Finland). [Promyshlennoe stroitel'stvo i arkhitektura v ekstremal'nykh usloviiakh (po materialam VIII mezhdunarodnogo simpoziuma

GII), Korolev, V.I., Promyshlennoe stroitel'stvo, Feb. 1987, No.2, p.27-30, in Russian. Modular construction, Permafrost beneath struc-tures, Industrial buildings, Pipelines, Hydraulic structures, Concrete structures, Polar regions.

42-3136
Arrangement of storage facilities under extreme northern conditions. ¿K voprosu organizatsii skladskikh khoziaistv v usloviiahk Krainego Severa, Gimmel'farb, A.I.A., Promyshlennoe stroitel'stvo, May 1986, No.5, p.20-23, In Russian. 9 refs. May 1986, No.5, p.20-23, in Russian. 9 refs. Storage, Permatrost beneath structures, Construction materials, Construction equipment, Transportation, Design, Polar regions, Industrial buildings, Residential buildings.

Economy of resources at construction sites of the Noril'sk industrial district. ¡Ekonomiia resursov na strolkakh Noril'skogo promyshlennogo ralona, Ivanova, O.S., et al, Promyshlennoe stroitel'stvo, May 1986, No.5, p.23-24, In Russian. Mironov, S.A., Lukina, F.Kh.

Winter concreting, Reinforced concretes, Permafrost thermal properties, Concrete structures, Founda-tions, Piles, Concrete placing, Concrete admixtures, Underground facilities, Permafrost beneath struc-

42-3138

Construction of surface foundations for fastening reinforced concrete supports of overhead power lines in swamps. Primenenie poverkhnostnykh fundamen-tov dlia zakrepleniia zhelezobetonnykh opor VL na

tov tha Zakiepienia Zielezobetomiyan opol v.E. na bolotakhy, Sigle, R.G., et al, Energeticheskoe stroitel'stvo, Mar. 1988, No.3, p.44-46, In Russian. Vinogradov, D.E.

Power line supports, Foundations, Swamps.

Use of secondary products of microbiologically ob-tained amino acids as admixtures to cements and concretes. [Ispol'zovanie vtorichnykh produktov mikcretes, jispoi zovanie viorininym produkty nobiologicheskogo proizvodstva aminokislot v ka-chestve dobavok v betony i rastvory, Savelov, I.G., et al, Russia. Ministerstvo vysshego i

Savelov, I.G., et al., xussus. minimensity of yesting of seedings special/nog obrazovanius. Izvestiis vysshikh uchebnykh zavedenii. Stroitel/stvo i arkhitektura, 1988, No.1, p.61-63, In Russian. 5 refs. Matveeva, L.G., IArtseva, L.G., Novikova, N.V.

Prost resistance, Concrete strength, Waterproofing, Concrete admixtures, Cements, Concretes.

Electric heating of concrete mixtures for the Far North. Betonirovanie's elektrorazogrevom smesi v

Norra. [Betonirovanie s elektrorazogrevom smesi v usloviiakh Kralnego Severa), Bondarenko, P.N., et al, Russia. Ministerstvo vys-shego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zwedenii. Stroitel'stvo i ark-hitektura, 1988, No.1, p.79-82, In Russian. 6 refs. Baksheev, D.C.

Busineev, D.C. Winter concreting, Concrete freezing, Concrete strength, Concrete aggregates, Electric heating, Concrete placing, Frost resistance.

42.3141

Graphic-analytical method of calculating the beginoring of ice breakup for the upper pool of hydraulic power systems. [Grafoanaliticheskil metod rascheta nastupleniia ledokhoda v verkhnem b'efe gidrouzla], Fornichev, B.S., et al. Russia. Ministerstvo vysshego romienev, B.S., et al, Russia. Ministerstvo vyssnego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1988, No.1, p.82-86, In Russian. 6 refs. Moroz, A.A. Icebound lakes, Ice breakup, Forecasting, Electric

power.

42-3142

Heat transfer between freezing (thawing) moist ground and air flow. (Teploobmen promerzaiush-chikh (protaivaiushchikh) vlazhnykh gruntov s voz-

dushnym potokomj, Mukhetdinov, N.A., Russia. Ministerstvo vysshego i Muknetiniov, N.A., Russia. Ministersivo vyssnego i srednego spetsial'nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenli. Stroitel'stvo i arkhitek-tura, 1988, No.1, p.118-122, In Russian. 6 refs. Solla, Soll water, Saturation, Air flow, Soll freezing, Freeze thaw cycles, Heat transfer, Phase transforma-

tions, Stefan problem.

42-3143

42-3143
Joint solution of problems on ground consolidation
and thawing. Sowmestnoe reshenie zadach konsolidatsii i ottaivaniia grunta,
Klement'ev, A.F., et al, Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia
vysshikh uchebnykh zavedenů. Stroitel'stvo i arkhitektura, 1988, No.1, p.122-125, In Russian. 4 refs. Klement'eva. E.A.

Permafrost thermal properties, Active layer, Freeze thaw cycles, Ground thawing, Soil mechanics.

42-3144

Automation of low-cycle tests of pipe joints in the

Automation of low-cycle tests of pipe joints in the climatic temperature range. (Aviomatizatsiia malot-siklovykh ispytamii stykov trubchatykh konstruktsii v diapazone klimaticheskikh temperatur, Shuta, S.A., et al, Russia. Ministerstvo vysshego i srednego spetsial nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1988, No.1, p.125-127, In Russian. 4 refs. Kargal'tsev, V.V. Kazarnovskii, V.S.
Pinellines, Joints (Inactiona). Artificial freezing.

Pipelines, Joints (junctions), Artificial freezing, Laboratory techniques, Test equipment, Fracture zones, Crack propagation, Frost resistance.

42-3145

Environmental factors and standards for atmospheric obscurants, climate and terrain.
Opitz, B.K., et al, MP 2309, AirLand Battlefield Envi-

ronment Executive Committee, Environmental Standards for Material Design Group, Oct. 1987, 137p., 7 refs. First edition. ALBE report 1, ESMDG pamphlet. Miers, B.T., Shirkey, R.C., Bates, R.E., Robinson, J.H.,

est, H.W.

Military operation, Snow loads, Environments, Icing, Visibility, Ice fog, Sound waves, Freeze thaw cycles, Topographic features, Climatic factors, Military facilities.

42-3146

Ice mechanics: risk to offshore structures.
Sanderson, T.J.O., London, Graham & Trotman,
1988, 253p., Refs. p.236-245. Rheology, Ice pressure, Wind factors, Ice mechanics, Ice solid interface, Ice loads, Offshore structures, Sea

ice distribution, Impact strength, Design, Fracturing, Ice conditions. Analysis (mathematics).

42-3147

Report of pit-wall observations of snow cover in Sappore 1986-87.

poro 1986-87.

Akitaya, E., Low temperature science (Teion kagaku).

Series A Physical sciences. Data report, 1987,

No.46, p.1-9, 4 refs., In Japanese.

Snow accumulation, Snow water equivalent, Snow-fall, Seasonal variations, Statistical analysis, Japan—

Sapporo.

Radiation measurements of snowy sesson in 1987 at Sapporo.

lahikawa, N., et al, Low temperature science (Teion kagaku). Series A Physical sciences. Data report, 1987, No.46, p.11-18, 1 ref., In Japanese.

Solar radiation, Snowfall, Snow depth, Air tempera-ture, Heat flux, Albedo, Statistical analysis, Japan—

42-3149

Data of snow survey conducted during short period in the coastal region along the Japan Sea. Kawashima, K., et al, Low temperature science (Teion kagaku). Series A Physical sciences. Data report, 1987, No.46, p.19-24, 2 refs., In Japanese. Yamada, T., Wakahama, G.

Snow surveys, Snow accumulation, Shores.

Observations of snow cover in apple garden and snow structure around dwarf apple tree in Hirosaki Dis-

Narita, H., et al, Low temperature science (Teion kagaku). Series A Physical sciences. Data report, sagatu). Series A Physical Sciences. Data report, 1987, No.46, p.25-38, 1 ref., in Japanese. Nishimura, K., Naruse, R., Maeno, N. Smow cover distribution, Smow cover structure, Vege-tation factors, Snow deyth.

Observations of snow jam in Lake Hisago, Daisetsu Massive.

Kawashima, K., et al. Low temperature science (Teior. Nawashima, K., et al. Low temperature science (1 cion kagaku). Series A Physical sciences. Data report, 1987, No.46, p.39-43, 2 refs., In Japanese. Yamada, T., Wakahama, G. Snow cover structure, Lake water, Lake ice, Snow

denth. Snow crystal structure

42-3152

Emerination of pack ice off Okhotak Sea coast of Hokkaido observed with sea ice radar network, January-April, 1987. Distribution of pack ice off Okhotsk Sea coast of

Aota, M., et al, Low temperature science (Teion kagaku). Series A Physical sciences. Data report, 1987, No.46, p.45-70, In Japanese. Sea ice distribution, Pack ice, Radar echoes, Seasonal

variations

42-3153

Studies on preferred growth of sea ice grain. Kawamura, T., Hokksido University, Sapporo, Japan. Institute of Low Temperature Science. Contributions. Scries A, 1987, No.36, pl.-29, 20 refs. Ice growth, Sea ice, Ice crystal structure, Nucleating agents, Nucleation rate, Photography.

42-3154
Pield studies on response of a floating sea ice sheet to a steadily moving load.
Takizawa, T., Hokkaido University, Sapporo, Japan. Institute of Low Temperature Science. Contributions. Series A, 1987, No.36, p.31-76, 30 refs. Floating ice, Dynamic loads, Ice sheets, Sea ice, Ice cover thickness, Loads (forces), Experimentation, Viscoelastic materials, Ice temperature, Velocity, Wave propagation.

42-3155

Beaufort Sea mesoscale circulation study: hydrogra-

pay helicopter operations, April, 1987.
Aagaard, K., et al, U.S. National Oceanic and Atmospheric Administration. NOAA data report, Mar.
1988, ERL PMEL-22, 25p., 4 refs. Salo, S., Krogslund, K.

Saio, S., Krogaiund, K. Hydrography, Sea water, Water chemistry, Ice condi-tions, Water temperature, Salinity, Statistical anal-ysis, Beaufort Sea.

Flood of October 1986 at Seward, Alaska.

Jones, S.H., et al, U.S. Geological Survey. Water-Resources investigations report, 1988, 87-4278, 43p. + maps, Refs. p.41-43. Zenone, C

Floods, Soll erosion, Stream flow, Slopes, Water re-serves, Damage, United States—Alaska—Seward.

Ice thickness data, winter 1983-1984. Environment Canada, Atmospheric Environment Service, Ice Climatology and Applications Division, Apr. 20, 1988, 63p., In English and French.

Ice cover thickness, Freezeup, Ice breaking, Ice surveys, Snow depth, Statistical analysis, Canada.

42-3158

Alaska snow surveys and Federal-State-Private coop-

Alaska andwash reys.
erative snow surveys.
Clagett, G.P., U.S. Dept. of Agriculture, Soil Conservation Service, 1987, 17p. + map.
Snow surveys, Snow water equivalent, Snow depth, Precipitation (meteorology), Statistical analysis, Water supply, United States—Alaska.

42.3150

XYFREZ.4 user's manual.

O'Neill, K., U.S. Army Cold Regions Research and Engineering Laboratory, Dec. 1987, SR 87-28, 55p., ADA-191 466, 3 refs.

Heat transfer, Computer programs, Phase transformations, Mathematical models, Latent heat, Heat capacity, Temperature distribution.

Using the program XYFREZ, version 4, one may simulate two-dimensional conduction of heat, with or without phase change. dimensional conduction of heat, with or without phase change. The mathematical method employed uses finite elements in space and finite differences in time, and includes latent heat effects through a singularity in the heat capacity. The user need have no real familiarity with either the underlying equations or the numerical procedures. He must only specify material properties, geometrical features, initial and boundary conditions, and information on the desired manner and duration conditions, and information on the desired manner and duration of simulation through time. Heterogeneous material properties may be specified. Boundary conditions currently implemented allow one to specify 1) temperature values v. hich vary arbitrarily in space and time, 2) convective conditions, via a heat transfer coefficient and an ambient temperature, and 3) a no-flux or symmetry condition. The program outputs computed temperature values at oumerical mesh points, as well as information for later plotting. From the latter one may see the mesh configuration as well as the phase change isotherm location on it over time.

42-3160
Russian-English Arctic environment glossary.

Intelligence Center. Foreign U.S. Naval Technical Intelligence Center. lages Services Division, Apr. 1988, 245p., NTIC No.8608, Third edition (revised and enlarged). 17 supplements (p.197-243). 17 refs. For 2nd ed. (NISC No.8219, Mar. 1987), see 41-2887.

Ice, Snow, Dictionaries, Terminology, Geocryology, Polar regions.

42-3161

Model of ionic defect in symmetrical hydrogen-bond-

Nodes of four center vs presented by arogen-bondeed lee: continuum approach.
Kriachko, E.S., Solid state communications, Mar.
1988, 65(12), p.1609-1612, 21 refs.
Ice structure, Molecular structure, Hydrogen bonds.

Airframe Icing. Kennedy, N.G., AOPA pilot, Nov. 1987, 30(11), p.81-

Aircraft icing, Ice prevention.

42-3163

Winter thay

Twombly, M.R., AOPA pilot, Dec. 1987, 30(12), p.59-

Aircraft icing, Ice prevention.

Unmentioned snow hazard.

Horne, T.A., AOPA pilot, Jan. 1988, 31(1), p.32. Aircraft icing, Snow accumulation, Safety.

Raman spectra of natural clathrates in deep ice cores. Nakahara, J., et al, Philosophical magazine B, Mar. 1988, 57(3), p.421-430, 14 refs. Shigesato, Y., Higashi, A., Hondoh, T., Langway, C.C., Jr.

, Jr.

Ice cores, Clathrates.

42.3166

Ion-chromatographic measurements of ammonium. fluoride, acetate, formate and methanesulphonate ions at very low levels in antarctic ice.

Saigne, C., et al, Analytica chimica acta, 1987, Vol.203, p.11-21, 13 refs.

Kirchner, S., Legrand, M. Ice composition, Ions, Sampling.

ace composition, nons, Sampling.

Ion chrome.ography is used to determine the concentrations of organic (formate, acetate and methaneaulphonate) and inorganic (fluoride and amonium) ions present in antarctic ice at leas than a 100 millionth g/g levels. With suitable columns, the simultaneous measurement of these ions requires only 6 min. A sample volume of 5 ml is sufficient to reach the billionth g/g level. The determination of such low concentrations requires A sample volume of 3 mt is surficient to reach use billioning its level. The determination of such low concentrations requires stringent contamination-free techniques. For formate and actate, the samples should never come into contact with plastics. Except for methanesulphonate, all the ions studied can be pro-Except for methanesulphonate, all the ions studied can be produced by dissolution of the various gaseous compounds present in a polluted atmosphere. Therefore a glass device with purnitrogen circulation was designed for air-free melting of samples. To prevent possible biological activity on organic matter, samples were analyzed immediately after melting. Measurements of ammonium ion in these antarctic ice samples demonstrate that the problem of contamination by surrounding ammonia was not completely eliminated in previous studies.

The serious contamination problems encountered, particularly for carboxylic acids, cast doubt on some earlier results for remote areas. (Auth.)

42-3167

Effect of mass convection on vacuum-sublimation in an initially partially filled frozen porous medium. Fey, Y.C., et al, *Drying technology*, Mar. 1988, 6(1), p.69-94, 9 refs. Boles, M.A.

Sublimation, Porous materials, Drying.

Denineralization and fractionation during snow melting.

Supatashvili, G.D., Geochemistry international, 1981, 18(6), p.81-88, For Russian original see 37-3194. 26 refs.

Snow composition, Minerals, Snowmelt, Meltwater,

Hydrography.

Launiainen, J., et al, Baltic Sea Environment Proceedings, No.17 B. First periodic assessment of the state of the marine environment of the Baltic Sea area, 1980-1985; Background document, Helsinki, Baltic Marine Environment Protection Commission, June 1987, p.7-34, Refs. p.32-34.
Matthäus, W., Fonselius, S., Francke, E.

Hydrography, Ice conditions, Runoff, Ocean currents, Sea ice distribution, Meteorological factors, Baltic Sea.

42-3170

Nitrate trace determinations in snow and firn core samples of ice shelves at the Weddell Sea, Antarctica. Neubauer, J., et al, Atmospheric environment, 1988, 22(3), p.537-545, 37 refs. Heumann, K.G.

Snow composition, Chemical analysis, Firn, Seasonal variations. Antarctica—Weddell Sea.

variations, Antarctica—Weddell Sea.

The definitive method of isotope dilution mass spectrometry was applied to determine nitrate traces in surface anow and firm core samples of different ice shelves along the Weddell Sea and in precipitation near the Antarctic Peninsula. Three of a total number of 7 depth profiles analyzed showed weak seasonal variations with a trend to nitrate concentration maxima in summer and minima in winter. The average nitrate concentration of the depth profiles down to 220 cm lay in the range of 38-93 ng/g which agrees with other ice shelf analyzes. The highest levels in ice shelf depth profiles are in the same range as those analyzed at the South Pole. No marine influence has been found for the nitrate concentration in contrast to the situation for chloride. The mean nitrate concentrations in new anow, in old surface snow and in firm core samples were 176, 107, and 60 ng/g, respectively, indicating a substantial decrease with time. (Auth. mod.)

42-3171

Vostok (Antarctica) ice core: atmospheric chemistry changes over the last climatic cycle (160,000 years).

changes over the last climatic cycle (160,000 years). Legrand, M.R., et al., Atmospheric environment, 1988, 22(2), p.317-331, 50 refs.
Lorius, C., Barkov, N.I., Petrov, V.N.
Aerosols, Paleoclimatology, Ice cores, Impurities, Ice composition, Antarctica—Vostok Station.
A 2083 m deep ice core from Vostok Station has been used for a comprehensive study of all major ions originating from aerosola deposited over the last climatic cycle (160,000 a), as depicted from the isotopic composition of the ice. For the first time in deep ice core studies, a good balance between anions and cations is obtained throughout the profile. This allows the clear identification of marine salts (ice. see salt and Na2SO4), terrestrial salts (calcium and magnesium associated with nitrates and sulfates) and strong mineral acids. Concentration profiles confirm that both marine and terrestrial aerosol inputs were higher during cold climate conditions than during the Last promes contrin that both marine and terrestrial across inputs were higher during cold climate conditions than during the Last Interglacial and the Holocene stages. High concentration peaks (up to 5 and 30 times the Holocene values of marine and peaks (up to 5 and 30 times the Holocene values of marine and terrestrial contents, respectively) are in particular observed during the very cold climate characterizing the end of the penultimate glacial ages and the Last Olical Maximum which terminated around 15 ks 8.P. These peaks reflect strengthened sources and transport during full glacial conditions, linked to higher wind speeds, more extensive arid areas on the continents and the greater exposure of continents shelves. As opposed to marine and terrestrial inputs, acidic gas-derived impurity concentrations remain relatively stable over the whole climatic cycle. This would indicate the absence of a long-term relationship between volcanism and climate. (Auth. mod.)

42-3172

Numerical model of landform development by glacial erosion.

Harbor, J.M., et al, *Nature*, May 26, 1988, 333(6171), p.347-349, 12 refs. Hallet, B., Raymond, C.F.

Landforms, Glacier flow, Glacial erosion, Mathemati-

cal models

Netherlands South Georgia Scientific Expedition. peditie,

ferenman, N.J.M., et al, Circumpolar journal, 1988, 3(1-2), p.1-33, In Dutch with English summary. Refs. p.50-53.

Expeditions, Environmental protection, South

Georgia.

Georgia.

In the southern summer of 1986/87 a Dutch expedition visited the subantarctic Island of South Georgia. The aim of the expedition was to collect biological information on the island's coxystems and the influence of man upon them, and to enhance the appreciation of the value and beauty of the subantarctic regions and the interest in nature conservation in this region. The expedition spent one month on South Georgia. Another week was spent in the Falkiand Islands, where some biological information was also collected. Botanical studies focused on the consequences of the isolated location of the island, particularly on how the plants got there and how they survive. Avian species are identified, counted, and studied as to breeding behavior and success. Birds seen were penguins, albatross, pertels, prions, akusa, shags, and a South Georgia pintail. Reindeer, brown rats, and seals were the mammals seen and counted.

Clues to Arctic soil erosion from cryo-electron mi-

croscopy of smectic.

Tazaki, K., et al. Nature, May 19, 1988, 333(6170), p.245-247, 17 refs.

Fyfe, W.S., Iwatsuki, M.

Soil erosion, Ground ice, Freeze thaw cycles. Soil

42-3175

Expedition Ymer-80 final report. [Expeditionen

Expedition 1 mer-su mai report. (Expeditionen Ymer-80 en slutrapport), Hoppe, G., ed, Stockholm, Kung Vetenskapakademien Informationsandelnigeng, [1987], 211p., In Swedish. Publications list p.196-211.

Sweniss. rubications int p. 150-211.
Bjorn-Rasmussen, S., ed, Roland, M.W., ed.
Expeditions, Sea ice distribution, Salinity, Hydrogeochemistry, Pack ice, Water chemistry, Climatic changes, Claciology, Glacler mass balance,

Effects of El Nino-Southern Oscillation and North Pacific weather patterns on interannual variability in e subarctic Bering Sea.

Niebauer, H.J., Journal of geophysical research, May 15, 1988, 93(C5), p.5051-5068, 34 refs. Sea ice distribution, Ice conditions, Air temperature, Sea water, Surface temperature, Geophysical surveys, Wind factors, Meteorological factors, Bering Sea.

Naive zero-dimensional ses ice model. Thorndike, A.S., Journal of geophysical research, May 15, 1988, 93(C5), p.5093-5099, 2 refs.

Ice model: Sea ice distribution, Remote sensing, Microwaves, Ice conditions, Ice surface, Brightness, Temperature effects, Analysis (mathematics), Ice

42-3178

42-31 o
Response of a floating sea ice snow.

Ing load.

Takizawa, T., Journal of geophysical research, May
15, 1988, 93(C5), p.5100-5112, 20 refs.

Floating ice, Dynamic loads, Sea ice, Vehicles, Wave
propagation, Velocity, Ice deformation, Analysis

42-3179

Application of decision analysis to design of arctic

Application of decision analysis to design of arctic offshore structures.

Bein, P., IABSE Symposium, Tokyo, 1986. Preliminary report. IABSE reports, Vol.51. Safety and quality assurance of civil engineering structures, Zurich, ETH-Hönggerbers, [1986], p.189-196, With French and German summaries. 13 refs.

Offshore structures, Ice loads, Design criteria, Ice

42-3180

Quality management for arctic offshore concrete structures.

stractures. Iguro, M., et al, IABSE Symposium, Tokyo, 1986. Preliminary report. IABSE reports, Vol. 51. Safety and quality assurance of civil engineering structures, Zurich, ETH-Hönggerberg, 1986, p. 309-316, With French and German summaries. 3 refs.

Suzuki, T., Niwa, M. Offshore structures, Concrete structures, Concrete durability, Lightweight concretes, Freeze thaw cycles, Waterproofing, Reinforced concretes, Tests. 42-3181

44-3181 On the surface drift of the southern ocean. Lutjeharms, J.R.E., et al, Journal of marine research, May 1988, 46(2), p.267-279, 32 refs. Shannon, L.V., Beekman, L.J.

Ocean currents, Drift, Flow rate.

Drift rates of the sea surface have been calculated for the South Atlantic and South Indian Ocean sectors of the southern ocean Atlantic and South Indian Ocean sectors of the southern ocean using drift cards and PGGB bouys. Drift patterns and drift rates, based on results from 40,000 plastic drift cards placed from 1978 to 1981, indicate significant equatorward surface eachange between the Southern Ocean and subtropical ocean gyres. Card drift rates increase with latitude up to the 40-458 cone. Average zonal drift rates in between 10.3 cm/s. and 16.4 cm/s. Zonally averaged drift rates of FGGE buoys are also at a maximum between 40 and 455 but are 15% higher; lowest rates are 12.2 cm/s. Significant differences in the drift rates between sectors of the same zone reflect the influence of bottom topography. (Auth.)

42-3182

92-3182
Wetting of polystyrene and urathane roof insulations in the laboratory and on a protected membrane roof.
Tobiasson, W. et al, Journal of thermal insulation, Oct. 1987 11(2), MP 2337, p.108-119, 13 refs. For another source see 42-2926.
Greatores, A., Van Pelt, D.
Roofs, Insulation, Cellular plastics.

42-3183

Snowmelt runoff in suburban environments. Buttle, J.M., et al, Nordic hydrology, 1988, 19(1), p.19-40, 34 refs. Xu. F.

Snowmelt, Meltwater, Runoff.

42.3184

Winter study of air, cloud and precipitation chemistry

in Ontario, Canada. Isaac, G.A., et al, Atmospheric environment, 1987, 21(7), p.1587-1600, 21 refs.

Daum, P.H.

Atmospheric composition, Air pollution, Aerosols, Snow composition, Airborne equipment.

42-3185

Cluster analysis applied to atmospheric serosol samples from the Norwegian Arctic. Saucy, D.A., et al, Atmospheric environment, 1987, 21(7), p.1649-1657, 17 refs.

Anderson, J.R., Buseck, P.R. Aerosols, Haze, Scanning electron microscopy, Nor-

way-Spitsbergen.

Research projects.

42-3186 Large size of hyperbolic towers makes icing control essential. Harding, R.C., et al, Power, Dec. 1987, 131(12), p.45-

Jacques, L.V., Hottle, T.D. Towers, Power line supports, Icing.

42-3187

Polar Research Board annual report 1987 and future

plans.
National Research Council. Polar Research Board,
Washington, D.C., National Academy Press, 1988,
56p., Publications list p.50-56.

This annual report describes the Polar Research Board, its origin and objectives, its work and plans, and its principal activities and accomplishments during calendar year 1987. The Overview presents a concise summary of the various aspects of the Board's program and of its responsibilities as U.S. National Committee for the Scientific Committee on Antarctic Research (SCAR) of the International Council of Scientific Unions. (SCAR) of the International Council of Scientific Unions. This section serves as a guide to the more detailed information in the rest of the report. The second and third sections, "Arctic Activities" and "Antarctic Activities," describe the Board's activities in each region in detail. The fourth and final section outlines the work of the Board's alongroups, including the Board's Strategy studies and the activities of the Board's standing committees. At the end of the report are lists of those who participated in the work of the Board and its subgroups and of those who represented the United States in the activities of SCAR representing membership during 1987. There are also lists of publications by the Board, reports issued during the past year, and those in preparation.

42.3188

42-3188 Climatic and CH4 cycle implications of glacial-interglacial CH4 change in the Vostok ice core. Rayneaud, D., et al, Nature, June 16, 1988, 333(6174), p.655-657, 21 refs. Ice cores, Ice composition, Climatic changes, Atmorphatic composition, Climatic changes, Atmorphatic composition

spheric composition.

apheric composition.

The atmospheric CH4 increase from about 0.7 to 1.68 p.p.m.v. over about the past 300 years, which has been documented from analysis of air trapped in lie corers and from tropospheric measurements, is attributed to anthropogenic modifications of the CH4 cycle. The concern about this increase is due to the radiatively and chemically active nature of CH4. Strong evidence is presented from analysis of the Vostok ice core, that CH4 concentrations increased from 0.34 to 0.62 p.p.m.v. between the

and of the penultimate ice age and the following interglacial, about 160-120 kyr BP. This CH4 change may be explained by considering the effect of the climatic change on the CH4 cycle. Its contribution (including chemical feedback) to the global climatic warraing is estimated to be about 23% of that due to

42-3189
15,000-year isotopic record from Lake Zurich of degleciation and climatic change in Switzerland.
Lister, G.S., Quaternary research, Mar. 1988, 29(2), p.129-141, 53 refs.
Glacier ablation, Climatic changes, Carbon isotopes, Air temperature, Switzerland—Zurick, Lake.

Origin and consequences of cyclic ice rafting in the northeast Atlantic Ocean during the past 130,000

Normal Assessment Property Property Property Nat. 1988, 29(2), p.142-152, 36 refs. Cores, Bottom sediment, Ice rafting, Plankton.

42-3191

42-3191
Systems approach to the problem of preventing and eliminating breakdowns caused by power line icing. Föstemnyl podkhod k probleme predotvrashcheniis i likvidatsi gololednykh avaril v energosistemakh, D'iakov, A.F., Moscow, Energoatomizdat, 1987, 161p., in Russian with abridged English table of contents enclosed. 57 refs.
Power line icing, Ice loeds, Hoerfrost, Countermeasures, Electric heating, Power lines, Ice prevention.

42-3192

42-3192
Experience in year-round operation of electric suction-dredges No.350-50L. (Opyt kruglogodovol raboty elektricheskikh zemiesosov proekts No.250-50L, Vasii'ev, V.P., Ministerstvo rechnogo flota RSFSR. Ekspress-informatziia. Rechnol transport, 1987, No.2 (1165), p.7-9, In Russian. Earthwork, Ice prevention, Dredging, Electric heating, Construction equipment, Cold weather operation, Pipeline freezing, Countermeasures.

Freezing of debris to the lower surface of fast ice and its weak-out to the sea. (O primerzanii oblomkov k nizhnef poverkhnosti pripsis i vynose ikh v more; Stepanova, L.E., Goograficheskoe obahchestvo SSSR. Izvestiia, Mar.-Apr. 1988, 120(2), p.169-172, In Rus-Shores, Ice floes, Drift, Fast ice, Ice formation, Sea ice distribution, Ice rafting, Pressure ridges, Ice accretion, Sea ice, Ice breaking.

Restoration of soil and vegetational covers on dis-turbed lands in the North. [Problemy vosstanovleniia pochvenno-rastitel'nogo pokrova na narushennykh

zemliakh Severaj. Kapel'kina, L.P., Geograficheskoe obshchestvo SSSR. Izvestiia, Mar.-Apr. 1988, 120(2), p.172-178, in Russian. 21 refs.

Cryogenic soils, Permafrost depth, Active layer, Soil erosion, Human factors, Revegetation.

42-3195

42-3195
Modelling snowmelt-induced processes.
Mortis, E.M., ed, International Association of Hydrological Sciences. Publication, 1986, No.155, 380p., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summaries. Refs. passim. For individual papers see 42-3196 through 42-3226. Smowmelt, Runoff forecasting, Snew composition, Chemical analysis, Mathematical models, Snow impurities, Meltwater, Ions, Stream flow, Snow water controller.

Exchanges of energy and mass associated with a melt-

ing snowpeck.
Harding, R.J., International Association of Hydrologi-Harding, R.J., International Association of Hydrological Sciences. Publication, 1986, No.155, p. 3-16, 10 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budspest, Hungary, July 1986. With French summary. Snowmelt, Mass transfer, Heat transfer, Snow water equivalent, Heat flux, Snow evaporation, Snow surface temperature, Solar radiation, Meteorological factors.

42-3197
Three phase mixture model for melting snow.
Kelly, R.J., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.17-26, 10 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary.
Morland, L.W., Morris, E.M.
Snow melting, Mass transfer, Snow physica, Water vapor, Phase transformations, Mathematical models.

Physically-based model of the formation of snowmelt and rainfall-runoff.

Kuchment, L.S., et al, International Association of Hy-Ruchment, L.S., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.27-36, 1 ref., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Demidov, V.N., Motovilov, IU.G.

Snowmelt, Runoff, Snow physics, Snow accumula-tion, Mathematical models, Rain, Seepage, Stream

Energy balance of a melting anow cover in different environments.

Kuusisto, E., International Association of Hydrological Sciences. Publication, 1986, No.155, p.37-45, 22 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Associa-July 1986. With French summary.

Snow melting, Heat balance, Heat transfer, Latent

heat, Turbulent exchange, Solar radiation, Snowmelt,

42-3200

Model of snow cover formation and snowmelt pro-

Wotovilov, IU.G., International Association of Hydro-logical Sciences. Publication, 1986, No.155, p.47-57, 7 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary.

Snowmelt, Snow physics, Heat transfer, Moisture transfer, Snow cover, Mathematical models, Hydrothermal processes.

42-3201

Development and applications of a two-dimensional flood flow model.

Popov, E.G., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.59-70, Refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary.

Trubikhin, N.A.

Floods, Snowmelt, Hydrography, Mountains, Rain, Mathematical models, Drainage, Precipitation (meteorology).

42-3202

Project SNOW: operational estimation of snow cover development in the mountains of the German Demo-cratic Republic.

Rachner, M., et al. International Association of Hydrological Sciences. Publication, 1986, No.155, p.71-82, Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary., 10 refs. Matthäus, H.

Mattnaus, ri.

Snow cover distribution, Snow water equivalent,
Meltwater, Mountains, Snowmelt, Forecasting, Snow accumulation, Metamorphism (snow), Ablation.

42-3203

Modelling snowmelt-induced processes in a mountain river basin given standard hydrometeorological data. Sosedko, M.N., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.8 91, Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary., 6 refs.

Kochelaba, E.I.
Snowmelt, Runoff, River basins, Mountains, Mathematical models, Rain, Seasonal variations, Forecast-

42-3204

Changes in soil temperature caused by infiltration of snowmelt water.

Taniguchi, M., et al, International Association of Hylamguch, M., et al. International Association of Hydrological Sciences. Publication, 1986, No. 155, p.93-101, 14 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Kayane, I.

Soil temperature, Snowmelt, Meltwater, Heat transfer, Seepage, Soil water, Hydrology, Analysis (mathematics).

42-3205

Results of an intercomparison of models of snowmelt

World Meteorological Organization, International Association of Hydrological Sciences. Publication, 1986, No.155, p.103-112, Proceedings of a symposium held during the 2nd Scientific Assembly of the Interna-tional Association of Hydrological Sciences at Buda-pest, Hungary, July 1986. With French summary., 3 refs.

Runoff forecasting, Snowmelt, Stream flow, River basins, Analysis (mathematics), Models.

42-3206

Snowmelt simulation models in relation to space and

Bengtsson, L., International Association of Hydrological Sciences. Publication, 1986, No.155, p.115-123, 14 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Associa-July 1986. With French summary.

Snowmelt, Runoff, Mathematical models, Snow sur-

face, Seepage, Stream flow.

42-3207

Simulation of snowmelt runoff in lowland and lower Alpine regions of Switzerland. Braun, L.N., et al, International Association of Hydro-

Braun, L.N., et al, International Association of Hydro-logical Sciences. Publication, 1986, No.155, p.125-140, Refs. p.138-140., Proceedings of a symposium held during the 2nd Scientific Assembly of the Interna-tional Association of Hydrological Sciences at Buda-pest, Hungary, July 1986. With French summary.

Lang, H. Runoff forecasting, Snowmelt, Models, Topographic effects, Meteorological factors, Stream flow

Improved utilization of maximum and minimum daily temperature in snowmelt modelling.

Ca'Zorzi, F., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.141-150, 7 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary.

Dalla Fontana, G.

Snowmelt, Temperature effects, Air temperature, Snow accumulation, Models, Statistical analysis.

Parametric modelling of daily and seasonal snowmelt using snowpack water equivalent as well as snow covered area.

Ferguson, R., International Association of Hydrological Sciences. Publication, 1986, No.155, p.151-161, 14 refs.. Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary.

Snowmelt, Snow water equivalent, Runoff forecasting, Remote sensing, Forecasting, Seasonal varia-

Determination of snow water equivalent on the Canadian prairies using microwave radiometry. Goodison, B.E., et al, International Association of Hy-

drological Sciences. Publication, 1986, No.155, p.163-173, 12 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Rubinstein, I., Thirkettle, F.W., Langham, E.J.

Snow water equivalent, Microwaves, Radiometry, Runoff, Remote sensing, Snow cover distribution, Mapping, Aerial surveys.

42-3211

Snow accumulation, melting and runoff in the warm climate of Japan.

Ikebuchi, S., et al. International Association of Hydro-

logical Sciences. Publication, 1986, No.155, p.175-192, 6 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary.
Takebayashi, S., Tomomura, M.

Snow accumulation, Snow melting, Runoff forecasting, Models, Snow depth, Snowfall, Rain, Stream flow, Snow density, Snow water equivalent.

Estimation of basin-wide snow water equivalent using now-covered area.

Koike, T., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.193-201, 6 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Associa-July 1986. With French summary.
Takahashi, Y., Yoshino, S.

Snow water equivalent, Snow cover distribution, Mountains, Remote sensing, Water balance, Mathematical models.

42-3213

Forecasting snowmelt and snowmelt-rainfall runoff in lowland rivers.

Koren', V.I., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.203-213, 3 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. gary, July 1986. With French summary. Bel'chikov, V.A., Nechaeva, N.S. Snowmelt, Runoff forecasting, Rain, River flow,

Mathematical models, Temperature effects.

Landsat registration for a snowmelt model of the Piave River basin.

Rossi, G., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.215-229, 7 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Snowmelt, Remote sensing, Snow cover distribution, River basins, LANDSAT, Models, Snow depth.

42-3215

Modelling snowmelt runoff using environmental isotope and conventional methods.

Stichler, W., et al, International Association of Hydro-logical Sciences. Publication, 1986, No.155, p.231logical Sciences. Publication, 1986, No.153, p.231-244, 25 refs., Proceedings of a symposium held dur-ing the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Herrmann, A., Rau, R.G. Runoff, Snowmelt, Isotope analysis, Snow hydrology, Ground water, Floods, Mountains.

Modelling and forecasting snowmelt floods for opera-tional forecasting in Finland.

Vehviläinen, B., International Association of Hydro-Vehvilkinen, B., International Association of Hydro-logical Sciences. Publication, 1986, No.155, p.245-256, 7 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International As-sociation of Hydrological Sciences at Budapest, Hun-gary, July 1986. With French summary. Flood forecasting, Snowmelt, Heat balance, Precipi-tation (meteorology), Mathematical models, Temper-ature effects, Degree days.

42-3217

Forecasting snowmelt runoff using TIROS/NOAA

Forecasting snowmelt runoff using TIROS/NOAA satellite data.

Zhang, S., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.257-268, 2 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary.

Zeng, Q.

Runoff Generating, Spoymelt Stream flow Remote

Runoff forecasting, Snowmelt, Stream flow, Remote sensing, Snow cover distribution, Air temperature, Precipitation (meteorology), Models. 42.321R

Accumulation and evolution of sulphate and nitrate

Accumulation and Livels in snow.

Babiaková, G., et al, International Association of Hy

Babiaková, G., et al, International Association of Hy Damakova, G., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.271-281, 6 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Bodis, D.

Snow composition, Chemical analysis, Ions, Snow-melt. Runoff. Seasonal variations. Impurities. Stream

42-3219

Chemical evolution of snow and meltwater.

Chemical evolution of snow and meltwater. Brimblecombe, P., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.283-295, 18 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Snow composition, Meltwater, Water chemistry, Chemical anlaysis, Ions, Mathematical models.

42-3220

Investigations of snowmelt scidic shock notential in

south central Ontario. Canada.

south central Ontario, Canada.

Goodison, B.E., et al, International Association of Hydrological Sciences. Publication, 1986, No.155, p.297-309, Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary., 15 refs. sociation of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary., 15 refs. Louie, P.Y.T., Metcalfe, J.R. Saowmelt, Meltwater, Chemical analysis, Models, Water chemistry, Rais, Ions.

42-3221 Modelling the effect of snowmelt on stream water

Modelling the energy of an analysis of Hydrological Sciences. Publication, 1986, No.155, p.311-324, Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary, 7 refs.

Collins, D.N., Morris, E.M.
Snowmelt, Stream flow, Water chemistry, Snow cover distribution, Models, Geochemistry.

Modelling the accumulation and effects of chemicals

is saow.

Hornbeck, J.W., International Association of Hydro-logical Sciences. Publication, 1986, No.155, p.325-333, Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of hydrological Sciences at Budapest, Hungary, July 1986. With French summary, Refs. p.331-333. Snow composition, Chemical analysis, Meltwater, Models, Water chemistry.

Chemical behaviour of hydrophobic micropollutants

during the melting of snow.

Simmleit, N., et al, Internat onal Association of Hy-Simmleit, N., et al, Internat onal Association of Hydrological Sciences. Publication, 1986, No.155, p.335-346, 28 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Herrmann, R., Thomas, W. Snow melting, Snow composition, Snow impurities, Chemical composition, Meltwater, Pollution.

Prediction of both runoff quality and quantity by the use of an integrated snowmelt model.

use or an integrated showmen model: Stein, J., et al, International Association of Hydrologi-cal Sciences. Publication, 1986, No.155, p.347-358, 23 refs., Proceedings of a symposium held during the Cal Scientific Assembly of the International Associa-tion of Hydrological Sciences at Budapest, Hungary,

July 1986. With French summary.

Jones, H.G., Roberge, J., Sochanska, W.

Runoff forecasting, Snowmelt, Models, Ions, Chemi-

42-3225

Accumulation of organic and inorganic trace substances in the surface snow cover.

stances in the surface snow cover.
Thomas, W., International Association of Hydrological Sciences, Publication, 1986, No.155, p.359-371, 15 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Snow composition, Snow surface, Chemical analysis, Snowfall, Snowmelt, Snow impurities, Electrical registricts.

registivity

42.3226

42-3226
Mechanisms and spatial variability of erosion caused
by meltwater in the USSR.
International Association of Hydrological Sciences. Publication, 1986, No.155, p.373logical Sciences. Publication, 1986, No.135, p.3.17-380, 5 refs., Proceedings of a symposium held during the 2nd Scientific Assembly of the International Association of Hydrological Sciences at Budapest, Hungary, July 1986. With French summary. Meltwater, Soil erosion, Runoff, Topographic features, Climatic factors, Geology, Vegetation factors,

Water belence

42-3227

Direct observation of tetrahedral hydrogen jumps in ice Ih.

Fuiara. F., et al. Journal of chemical physics, June

Fujara, F., et al, Journal of chemical physics, June 1, 1988, 86(11), p.6801-6809, 33 refs.
Wefing, S., Kuha, W.F.
Ice crystal structure, Hydrogen bonds, Molecular structure, Doped ice, Temperature effects, Mathematical models.

42.1228

42-3228
Preezing in the density functional approach: effect of third-order contributions.
Curtin, W.A., Journal of chemical physics, June 1, 1988, 88(11), p.7050-7058, 25 refs.
Preezing, Liquid solid interfaces, Density (mass/volume), Phase transformations, Analysis (mathematics), Theories.

Microstructure of microsmulsions by france fracture electron microscopy.

Jahn, W., et al, Journal of physical chemistry, Apr. 21, 1988, 92(8), p.2294-2301, 31 refs.

Freezing, Microstructure, Electron microscopy, Experimentation.

42-339
Design problems in gravel-bed rivers, Alaska.
Wang, B.-H., et al, Sediment transport in gravel-bed rivers. Edited by R.R. Thorne, J.C. Bathurst and R.D. Hey, New York, John Wiley & Sons, 1987, p.869-894, 28 refs.

Bredthauer, S.R., Marchegiani, E.A.

River ice, Sediment transport, Gravel, Glacier melting, Shore erosion, Stream flow, Permafrost, Seasonal variations, United States—Alaska.

Use of natural resources in the economy of northeastern Europe. Prirodopol'zovanie v sisteme khozialst-

era Europe. Prirodopol zovanie v sisteme knozialstva Evropelskogo Severo-Vostoka,
Timonin, N.T., ed, Syktyvkar, Komi filial AN SSSR,
1987, 95p., In Russian. For selected papers see 423232 through 42-3236. Refs. passim.
Lazhentsev, V.N., ed.
Cryogenic soils, Permafrost distribution, Environ-

mental protection, Forest soils, Solifluction, Paludification. Soil erosion. Petroleum transportation. Drilling, Revegetation, Forestry, Countermeasures, Subarctic landscapes, Subpolar regions.

42-3232

Rational use of natural resources and environmental protection in the Timan-Pechora petroleum province. [Problemy ratsional'nogo ispol'zovanila prirodnykh resursov i okhrany okruzhajushchel sredy na territorii

Timano-Pechorskoi neftegazonosnoi provintsiij, Obedkov, A.P., et al. Prirodopol'zovanie v sisteme khozialstva Evropelskogo Severo-Vostoka (Use of natural resources in the economy of northeastern Europe) edited by N.I. Timonin and V.N. Lazhentsev, Syktyvkar, Komi filial AN SSSR, 1987, p.43-49, In Russian. 4 refs.

Russian. 4 reis. Solonin, A.V., Trunin, N.V. Drilling, Permafrost distribution, Poliution, Paludifi-cation, Petroleum industry, Countermeasures, Subpo-lar regions, Petroleum transportation.

42-3233

Ecologic and geographic aspects of protecting the vegetational resources of the European Northeast. (Ekologo-geograficheskic aspekty okhrany rastitel'nykh resursov Evropeiskogo Severo-Vostoka, Nepomilueva, N.I., et al, Prirodopol'zovanie v sisteme khoziatstva Evropeiskogo Severo-Vostoka (Use of natural resources in the economy of northeastern Europe) edited by N.I. Timonin and V.N. Lazhentsev, Syktyvkar, Komi filial AN SSSR, 1987, p.50-61, In Russian. 4 refs.

Martynenko V.A. Bohkova, K.S.

Russian. 4 reis.
Martynenko, V.A., Bobkova, K.S.
Algae, Vegetation, Plant ecology, Climatic factors,
Forestry, Environmental protection, Tundra, Biomass, Cryogenic soils, Subarctic landscapes,
Swamps, Taiga, Meadows, Lakes.

Regional aspects of forestry and reforestation in the Komi ASSR, [Regional nyl aspekt lesopol zovanila i lesovosstanovleniia v Komi ASSR], Larin, V.B., et al, Prirodopol zovanie v sisteme kho-

zialstva Evropelskogo Severo-Vostoka (Use of natural resources in the economy of northeastern Europe) edited by N.I. Timonin and V.N. Lazhentsev, Syktyvkar. Komi filial AN SSSR, 1987, p.62-68, In Russian. refs.

Kovalev, B.A., Kazitsin, V.P.
Forestry, Forest tundra, Taiga, Paludification, Transportation, Roads, Pavements, Forest soils, Cryogenic

42-3235

Biological recultivation of disturbed lands and vegetation preservation in oil producing regions of the Komi ASSR, rO biologichesko'i rekul'tivatsii narushennykh zemel' v sviazi s okhranoj rastitel'nosti v
tegazodohyvajushchikh rajonakh Komi ASSR.

Akul'shina, N.P., Prirodopol'zovanie v sisteme khozaistva Evropeiskogo Severo-Vostoka (Use of natural resources in the economy of northeastern Europe) edited by N.I. Timonin and V.N. Lazhentsev, Syktyvkar, Komi filial AN SSSR, 1987, p.69-77, In Russian. 13

Ecosystems, Environmental protection, Pollution, Soil erosion, Countermeasures, Permafrost distribu-tion, Cryogenic soils.

42-3236

Natural revegetation of lands disturbed by exploratory drilling in the northern Timan-Pechora Task Economic Complex. [Estestvennoe zarastanie narushennykh razvedochnym bureniem uchastkov v severnykh

nykn razvegochnym bureniem uchastkov v severnykh raionakh Timano-Pechorskogo TPK<sub>1</sub>, Gladkov, V.P., Prirodopol'zovanie v sisteme khoziaistva Evropeiskogo Severo-Vostoka (Use of natural reva Evidenskog Several Vostoka (dee di mutual re-sources in the economy of northeastern Europe) edited by N.I. Timonin and V.N. Lazhentsev, Syktykar, Komi filial AN SSSR, 1987, p.78-85, In Russian.

Petroleum industry, Exploration, Drilling, Soil pollu-tion, Soil erosion, Revegetation.

Thermodynamic aspects of frozen ground mechanics. [Termodinamicheskie aspekty mekhaniki merzlykh

gruntov<sub>1</sub>, Vialov, S.S., ed, Moscow, Nauka, 1988, 104p., In Russian. For individual papers see 42-3238 through 42-3247. Refs. passim.

sian. For individual papers see 42-520 through 42-3247. Refs. passim. Permafrost bases, Permafrost physics, Engineering geology, Foundations, Frozen ground thermodynam-ics, Earth dams, Hydrothermal processes, Stefan problem, Permafrost hydrology, Geocryology, Frozen fines, Unfrozen water content, Rheology, Mathematical models, Tests, Bibliographies.

Thermodynamic basis of frozen ground mechanics.
rTermodinamicheskie osnovy mekhaniki merzlykh

gruntovj.
Vialov, S.S., Termodinamicheskie aspekty mekhaniki merzlykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vialov, Moscow, Nauka, 1988, p.3-18, In Russian. 15 refs.

Permafrost physics, Frozen ground thermodynamics, Permafrost beneath structures, Foundations, Heat transfer, Engineering geology, Geocryology, Defor-

Some problems in frozen ground mechanics. [Neko-torye problemy mekhaniki merzlykh gruntov, Zaretakiĭ, IU.K., Termodinamicheskie aspekty mek-haniki merzlykh gruntov (Thermodynamic aspects of hanki merziykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vialov, Moscow, Nauka, 1988, p.18-29, In Russian. 16 refs. Frozen ground thermodynamics, Dynamic loads, Frozen ground temperature, Hydrothermal processes, Soil freezing, Frost penetration, Ground thawing, Soil mechanics.

Review of recent mathematical models of freezing moist ground. Obzor sovremennykh matematicheskikh modelel promerzajushchikh vlazhnykh grun-

tovi, Golovko, M.D., Termodinamicheskie aspekty mekhaniki merzlykh gruntov (Thermodynamic aspe haniki merzlykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S. Vialov, Mos-cow, Nauka, 1988, p.30-45, In Russian. 45 refs. Models, Soil freezing, Frost peachration, Heat trans-fer, Mass transfer, Frost heave, Bibliographies.

42-3241

Thermodynamic modeling of frost penetration into ground under load. Termodinamicheskais model' povedeniis promerzaiushchikh gruntov pod nagruz-kolj, Razbegin, V.N., Termodinamicheskie aspekty mekhaniki merzlykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vialov, Moscow, Nauka, 1988, p.46-55, In Russian. 20 refs. Soil water migration, Phase transformations, Frost penetration, Unfrozen water content, Loads (forces), Prozen ground thermodynamics, Mathematical models. Soil frozzing, Heat transfor Mass transfor. els, Soil freezing, Heat transfer, Mass transfer.

42-3242

Allowing for thermodynamic processes proceeding in permatrost bases when calculating structural settle-ment of single piles. [Uchet termodinamicheskikh protessov v vechnomerzlykh osnovanijakh pri ras-chete osadok odinochnykh svat, Slepak, M.E., Termodinamicheskie aspekty mekhaniki

Siepak, M.E., 1 ermodinamicneskie aspekty meknaniki merzlykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vialov, Moscow, Nauka, 1988, p.56-63, in Russian. 7 refs. Foundations, Piles, Permafrost bases, Rheology, Set-tlement (structural), Design.

Studying structural processes and moisture transfer in frozen ground beneath a die under load. [is-sledovanie strukturnykh protsessov i vlagoperenosa pri rabote merzlogo grunta pod nagruzhennym shtam-

Maksimiak, R.V., Termodinamicheskie aspekty mek-Maksimiak, R.V., 1ermodinamicheskie aspects of frozen ground mechanica) edited by S.S. Vialov, Mos-cow, Nauka, 1988, p.63-70, In Russian. 3 refs. Hydrothermal processes, Frozen fines, Clays, Loads (forces), Deformation, Fracturing, Ground ice, Rheology, Frozen ground.

Conjugate heat-moisture transfer in the system "building-basement-seasonally active cooling structures". [Sopriazhennyl teplovlagoobmen v aisteme "sooruzhenie-osnovanie-sezonnodelstvuiushchie okhlazhdaiushchie ustroïstva"1,

Gokhman, M.R., et al, Termodinamicheskie aspekty mekhaniki merzlykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vialov, Moscow, Nauka, 1988, p.70-77, In Russian. refs.

Kutvitskaia, N.B.

Permafrost control, Permafrost beneath structures, Artificial freezing, Active layer, Freeze thaw cycles, Seasonai freeze thaw, Mathematical models, Foundations

Nonuniform problem of thermoelasticity, allowing for cryogenic ice formation. ¡Neodnorodnaia zadacha termouprugosti a uchetom kriogennogo l'doo-

Demin, I.I., Termodinamicheskie aspekty mekhaniki

Chermodynamic aspects of frozen merzlykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vialov, Moscow, Nauka, 1988, p.78-85, In Russian. 13 refs.

INGUAR, 1700, P. 18-03, IN KUSSIRI. 13 FEB. Engineering goology, Geocryology, Earth dams, Em-bankments, Roadbeds, Earth fills, Foundations, Ther-mal stresses, Frost penetration, Heat transfer, Mois-ture transfer, Frost heave.

42-3246

42-3246
Using the enthalpy method is solving problems of thermal conductivity is frozen ground. (Chislennoe reahenie zadach teploprovodnosti v merzlykh gruntakh ental'přinym metodom),
Plotnikov, A.A., Termodinamicheskie aspekty mekhaniki merzlykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vialov, Moscow, Nauka, 1988, p.86-94, In Russian. 8 refs.
Geocryclov. Permatont physics. Active layer. Geocryology, Permafrost physics, Active layer, Freeze thaw cycles, Mathematical models, Phase transformations, Stefan problem, Engineering.

Quantitative regularities governing the sustained strength of perennially frozen ground. [Kolichestvennye zakonomernosti dlitel'noi proch nomerzlykh gruntovj, Konovalov, A.A., Termodinamicheskie aspekty mek-

Konovalov, A.A., 1ermodinamicneskie aspekty mek-haniki merziykh gruntov (Thermodynamic aspects of frozen ground mechanics) edited by S.S. Vislov, Mos-cow, Nauka, 1988, p.94-100, In Russian. 9 refs. Permafroze hysics, Frozen ground strength, Tests, Frozen fines, Organic soils, Pest, Analysis (math-

42-3248

Numerical modeling of cloud modification. Review. Chislennoe modelirovanie iskusstvennogo vozdelst-

rchistennoe modelirovanie iskusstvennogo vozdeist-viia na oblaka. Obzornaia informatsiia, Lebedev, S.L., et al, Vsesoiuznyi nauchno-is-sledovatel'akh institut gidrometeorologichesko infor-matsii. Mirovol tsentr dannykh. Seriis Meteorolo-giia, 1987, Vol.3, 23p., in Russian with English table of contents enclosed. 55 refs. Sokolov, IU.V.

SOLUTION, 10.1. Wenther modification, Cloud physics, Cloud dissipa-tion, Cloud seeding, Artificial nucleation, Nucleating agents, Models, Ice formation.

42-3249

Searching for the right plow.

Baker, J.L., American Public Works Association.
The APWA reporter, Feb. 1988, 55(2), p.10-11.
Snow removal, Equipment.

42-3250

Upfreezing process: experiments with a single clast. Anderson, S.P., Geological Society of America. Bulletin, Apr. 1988, 100(4), p.609-621, 42 refs. Freeze thaw tests. Frost he

42-3251 Climate and weather protection systems in settle-ment planning in the arctic regions of northern Nor-

Sterten, A.K., Energy and buildings, Mar. 1988, 11(1-3), p.23-32, 6 refs.

Arctic landscapes, Site surveys, Urban planning, Windbreaks.

42-3252

settlement and housing design with special regard to local climatic conditions in cold and polar regions. Examples from northern Norway. Börve, A.B., Energy and buildings, Mar. 1988, 11(1-3), p.33-39, 4 refs.
Arctic landscapes, Site surveys, Houses, Climate.

Climatic approach to town planning in the Arctic. Zrudlo, L.R., Energy and buildings, Mar. 1988, 11(1-3), p.41-63, 130 refs.

Arctic landscapes, Urban planning, Climate.

Holographic interferometry applied at subfreezing temperatures: study of damage in concrete exposed to frost action.

Rastogi, P.K., et al, Optical engineering, Feb. 1988. 27(2), p.172-178, 12 refs.

Jacquot, P., Pflug, L.
Concrete freezing, Frost action, Frost resistance,
Freeze thaw tests, Holography.

Sea surface studies: a global view. Devoy, R.J.N., ed. London, Croom Helm, 1987, 649p., Refs. passim. For selected papers see 42-3256 through 42-3260, or 1-37526, J-37524 and J-37525.

Paleoclimatology, Sea level, Ice melting.

This book attempts an interdisciplinary exploration and major review of the state of the knowledge of the causes, patterns and proble as of sea level changes, through the views of researchers studying the nature and applications of sea level change and its study if the nature and applications of sea level change and its consequences for the coastline. Specifically, deglaciation of Antarctica and the effects on global sea level is considered in three of the articles presented in this volume. 42-3256

Machanisms of relative sea-level change and the sea-

rescanses or relative sea-level change and the geo-physical response to ice-water loading. Peltier, W.R., Sea surface studies: a global view. Edit-ed by R.J.N. Devoy, London, Croom Helm, 1987, p.37-94, Refs. p.91-94. DLC GC89.S44

Glacial geology, Sea level, Ice loads, Isostasy, Isotope analysis, Mathematical models, Oxygen isotopes.

42-3257

Glaciation and sea level: a case study.

Andrews, J.T., Sea surface studies: a global view. Edited by R.J.N. Devoy, London, Croom Helm, 1987, p.95-126, Refs. p.121-126.

DLC GC89.S44

Glaciation, Sea level, Ice sheets, Pleistocene, Models, Paleoclimatology.

42-3258

Quaternary sea-level changes: Southern Hemisphere

Billans, B., Sea surface studies: a global view. Edited by R.J.N. Devoy, London, Croom Helm, 1987, p.264-293, Refs. p.288-293. DLC GC89.S44

Ice volume, Sea level, Glaciation, Ice melting.

This chapter examines the evidence for sea level change in the Southern Hemisphere from 3 sources: on land littoral deposits, continental shelf sediments, and deep sea cores. Integration of the three is attempted on 3 timescales: the last 160,000 years, 0-750,000 years, and 0-2 million years.

42-3259

Holocene sea-level changes in Australasia and the southern Pacific.

Hopley, D., Sea surface studies: a global view. Edited by R.J.N. Devoy, London, Croom Helm, 1987, p.375-408, Refs. p.401-408. DLC GC89.844

Ice volume, Sea level, Glaciation, Isostasv.

A review of extensive literature on the relationships between land and see in the Holocene is presented. Data analyzed cover the tectonic and isociatic setting and its effect on the Holocene sea level record; factors involved in the interpretation of Pacific sea level history; and Holocene sea level history in the southern Pacific and Australasia. The significance of isociatic rebound from the deglaciation of Antarctics is discussed.

42-3260 Greenhouse effect, rising sea level and society's re-

Titus, J.G., Sea surface studies: a global view. Edited by R.J.N. Devoy, London, Croom Helm, 1987, p.499-528, Refs. p.525-528. DLC GC89.S44

Sea level, Atmospheric composition, Climatic changes, Ice volume, Ice melting, Paleoclimatology. This chapter examines the basis for expecting a global warming and accelerating rise in sea level, the likely impacts, possible responses and the time constraints society faces. The possibility of the West Antarctic fee Sheet's disintegration is discussed. A vast literature on the subject is reviewed. Additional research into the climate change-sea level linkage and the repercussion on shoreline position is advocated.

42-3261

Aero-climatological characteristics of the Moscow-Molodezhuaya route and weather conditions at Molodezhnaya and Novolazarevskaya stations in summer. Aviatsionno-klimaticheskie kharakteristiki trassy Moskya-Antarktida i antarktichekih VPP Molodezh-

Moskva-Antarktida i antarktichekih VPP Molodezh-naia i Novolazarevskaia v letnii periody, Bogatkin, O.G., et al, Vsesoiuznyi simpozium "Meteorologicheskie issledovaniia v Antarktike," 2nd Leningrad, Oct. 19-22, 1981. Sbornik dokladov (All-Union Symposium "Meteorological investigations in the Antarctic", 2nd. Leningrad, Oct. 19-22, 1981. Proceedings). Vol.1), Leningrad, Gidrometeoizdat, 1986 n. 58.65. In Pusina 11 residentia. Proceedings). Vol.1), Leningrad, Gidromete 1986, p.58-65, In Russian. 11 refs. Pavlova, L.V., Tsigel'nitskii, I.I., Perskii, V.A.

Snow, Navigation, Weather observations, Antarctica—Molodezhnaya Station, Antarctica—Novolazarevskaya Station.

Stations. Stations.

Studies of atmospheric circulation and spatial and temporal distribution of climatological characteristics up to 12,000 m altitude, carried out in the 0-50E longitude sector with the purpose of establishing the most favorable time, cruising altitude and route for flights between the Maputu airport and Molodezhnays Station, are reviewed. Also discussed, and tabulated, are results of summer weather observations at Molodezhnaya and Novolazarevskaya stations, with the warning that fog and snowdrifts endanger aircraft operations at both stations at that time of year.

42.3262

Climatic factors of snow and ice resource formation in

Climatic factors of snow and ice resource formation in Antarctica. (Klimaticheskie faktory formirovaniia snezhno-ledovykh resursov Antarktidy), Briazgin, N.N., et al, Vsesoiuznyi simpozium "Meteorologicheskie siseledovaniia v Antarktike," 2nd Leningrad, Oct. 19-22, 1981. Sbornik dokladov (All-Union Symposium "Meteorological investigations in the Antarctic", 2nd, Leningrad, Oct. 19-22, 1981. Proceedings). Vol.1), Leningrad, Gidrometeoizdat, 1986, p.70-78, In Russian. 4 refs. Marshunova, M.D., Petrov, L.S. Climatic factors, Precipitation (meteorology), Air teamagnity.

temperature.

In a study of the process of snow and ice formation in Antarctica, and its interrelationship with climate, charts, tables and discussion of monthly atmospheric precipitation, surface radiation balance, and the thermal regime of the atmospheric surface layer in south polar regions are presented.

42-3243

Paleoci/matological interpretation of the vertical structure of antarctic ice cover. ¡Paleoklimatiches-kaia interpretataila vertikal'noi struktury lednikovogo

kais interpretasia vernikai noi struktury leonikovogo pokrova Antarktidy, Petrov, V.N., et al, Vaesoiuznyi simpozium "Meteorologicheskie issledovaniia v Antarktike," 2nd Leningrad, Oct. 19-22, 1981. Sbornik dokladov (All-Union Symposium "Meteorological investigations in the Antarctic", 2nd. Leningrad, Oct. 19-22, 1981. Proceedings). Vol.2, Leningrad, Gidrometeoizdat, 1986, p.4-11, In Russian. 17 refs. Barkov, N.I., Lipenkov, V.IA. Paleoclimatology, Ice cores, Ice composition, Oxygen isotopes, Antarctica—Vostok Station.

gen isotopes, Antarctice—vostos Distilos.

Oxygen isotope composition, ice crystal size, concentrations of soluble enclosures, and content of microparticles and air bubles in ice, studied in an ice core from a 1400 m deep hole at Vostok Station, are discussed. Data for the last 120 thousand y, covering air temperature variations, atmospheric dust con-tent and ice cover thickness in Central Antarctics, are present-ed. Intensity variations of atmospheric circulation in the Southern Hemisphere for the same period are also extracted

42-3264

Variability of antarctic ice shelves, dzmenchivost

ledianykh beregov Antarktidy,
Dubrovin, L.I., Vsesoiuznyl simpozium "Meteorologi Dubrovin, L.I., vsesoiuznyi simpozium "Meteorologi-cheskie isaledovaniia v Antarkitike," 2nd Leningrad, Oct. 19-22, 1981. Sbornik dokladov (All-Uaion Symposium "Meteorological investigations in the An-tarctic", 2nd, Leningrad, Oct. 19-22, 1981. Proceedings). Vol.2, Leningrad, Gidrometeoizdat, 1986, p.11-15, In Russian. 2 refs. Ice volume, Ice shelves, Heat transfer.

Based on analysis of cartographic data for the last 60-70 years, and results from serial topographic surveys carried out at hirry and Molodezhnays stations, the variability of natractic ice shelves, and their receding tendency, are evaluated. The practical value of the study of ice shelf dynamics is underlined; the climatic resources of the coastal areas and the heat exchange processes between the ice sheet, the coastal waters and the atmosphere, are established.

42.3265

Seasonal variations of antarctic ice volume and their Seasonal variations of antarctic tee volume and taken role in the heat balance of the southers ocean. Sezonnye izmeneniia kolichestva antarkticheskikh 'dov i ikh rol' v teplovom balanse IUzhnogo okeana, Lebedev, A.A., Vaesoiuznyī simpozium "Meteorologi-cheskie issledovaniia v Antarktike," 2nd Leningrad Okea 10.21 10. Oct. 19-22, 1981. Sbornik dokladov (Ali-Union Symposium "Meteorological investigations in the Antarctic", 2nd, Leningrad, Oct. 19-22, 1981. Proceedings). Vol.2, Leningrad, Gidrometeoizdat, 1986,

ings). Vol.2, Leningrad, Gidrometeoizdat, 198 p.15-24, In Russian. 16 refs. Ice heat flux, Heat balance, Icebergs, Ice volume. On the basis of published data from field observations, long-period seasonal variations of sea ice and iceberg volume in the Antarctic are investigated. The following is found: 70-80% of the seasonal variations of sea ice volume correspond to surface

and volume variations of one-year ice; icebergs significantly increase the overall amount of ice from other sources. For the first time, the heat of phase changes of sea ice is taken into account in studying the heat balance of the southern ocean. Its seasonal characteristics are discussed

42.3266

Peatures of snow transport in Antarctica. [Zakono-

mernosti snegoperenosa v Antarktidej, Briazgin, N.N., et al, Vsesoiuznyĭ simpozium "Meteorologicheskie issledovaniia v Antarktike," 2nd "Meteorologicnessic issicoovaniis v Antarkiike," 2nd Leningrad, Oct. 19-22, 1981. Sbornik dokladov (All-Union Symposium "Meteorological investigations in the Antarctic", 2nd, Leningrad, Oct. 19-22, 1981. Proceedings). Vol.2, Leningrad, Gidrometeoizdat, 1986, p.24-31, In Russian. 23 refs. Voskresenskil, A.I.

Snow cover distribution, Snow accumulation, Snow-drifts, Blowing snow.

From experimental measurements of horizontal transport of snow, carried out at Mirnyy Station over a 3-year period, fea-tures of the distribution of transport at different altitude and different wind speed are established. The level of snow cover balance is estimated; mean values of continental snow drifts are

42.3267

Properties of climate and of the recent glaciation of King George (Waterloo) Island. ¡Osobennosti klima-ta i sovremennogo oledeneniia o-va King-Dzhordzh

ta i sovi.... (Vaterloo)<sub>J</sub>, N.N., Briazgin, N.N., et al, Vsesoiuznyi simpozium "Meteorologicheskie issledovaniia v Antarktike," 2nd Leningrad, Oct. 19-22, 1981. Sbornik dokladov (All-Union Symposium "Meteorological investigations in the Antarctic", 2nd, Leningrad, Oct. 19-22, 1981. Proceedings). Vol.2, Leningrad, Gidrometeoizdat, 1986, p.31-36, In Russian. 7 refs. the Antarctic", 2nd, Leningrad, Oct. 19-22, 1981.
Proceedings) Vol.2, Leningrad, Gidrometeoizdat,
1986, p.31-36, In Russian. 7 refs.
Govorukha, L.S.
Glaciation, Climatic factors, Antarctica—King
George Island.

Tabulated data on seasonal mean air temperature, wind sprelative humidity, cloudiness, precipitation, snowfall, snow cumulation, and snow and cle ablation, are analyzed. Re show favorable climatic conditions for the support of registration on King George Saciation on King George in the conditions of the support of the s

42-3268 Proceedings.

Proceedings.
Symposium on Ice-Core Analysis. Bern, Switzerland,
Mar. 30-Apr. 3, 1987, Annals of glaciology, 1988,
Vol.10, 232p., Refs. passim. For individual papers see
42-3269-3308 or F-37587-37607.
Ice composition, Ice cores, Snow composition,
Chemical analysis, Isotope analysis, Climatic
changes, Impurities, Paleoclimatology, Meetings,

Ions, Oxygen isotopes.

This is a collection of papers presented at the 1987 Symposium on Ic. . Jore Analysis, held in Bern, Switzerland, from Mar. 30 to Apr. 3. The symposium attracted 77 participants, from 14 countries. Sixty-five papers were presented, of which 21 deal with Antarctica, with particular attracts on eavironmental changes, from pre-industrial atmospheric conditions to conditions at the end of this century.

42-3269

Ice-core analysis at Site A, Greenland: preliminary

Teseutts.

Alley, R.B., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.1-4,

Koci, B.R.

Ice cores, Drill core analysis, Paleoclimatology, Ice crystal growth, Ice storms, Fira, Ice temperature, Stratigraphy, Climatic changes, Greenland.

42-3270

Atmospheric lead in antarctic ice during the last climatic cycle.

Boutron, C.F., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.5-9,

Ice composition, Chemical analysis, Climatic changes, Ice cores, Isotope analysis, Ice spectroscopy, Paleoclimatology, Glaciation, Volcanoes.
Concentrations of lead (Pb) have been measured by the ultra-

Concentrations of lead (Pb) have been measured by the ultra-clean isotope dilution mass spectrometry technique in various sections of Dome C and Vostok deep ice cores, whose ages range from 3.85 to 155 ka B.P., in order to assess the nature pre-human, sources of this toxic heavy metal in the global tro-posphere. Pb concentrations were very low, as low as about 0.3 pg Pb/g during the last interglacial and part of the last ice age. On the other hand, they were quite high, up to about 40 pg Pb/g, during the Lat Glacial Maximum and at the end of the penultimate ice age. Wind-blown dust from crustal rock and soil appears to be the main natural source of Pb in the global troposphere. Pb contribution from volcanoes is significant during periods of low Pb only. Contribution from the oceans is insignificant. (Auth.)

Glaciological investigations in the Crête area, central Greenland: a search for a new deep-drilling site. Clauser, H.B., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.10-15, 21 refs.

Gundestrup, N.S., Johnsen, S.J.

Ice cores, Drill core analysis, Boreholes, Ice density, Ice temperature, Ice growth, Oxygen isotopes, Paleoclimatology, Greenland.

42-3272

Laki and Tambora eruptions as revealed in Greenland

Clausen, H.B., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.16-22, 12 refs. Hammer, C.U.

Hammer, C.U.
Ice cores, Drill core analysis, Volcanoes, Ice composition, Chemical analysis, Fallout, Snow composition, Chemical analysis, Fallout, Snow composition, Antarctica—Ross Ice Shelf, Antarctica—Amundaes-Scott Station, Greenland.

Scott Statton, Greenland.

Major volcanie cruptions deposit large amounts of strong acids in polar ice. Two such volcanic eruptions are Laki, A.D. 1783, at high latitude (64N), and Tambora, A.D. 1813, close to the Equator (85). The acid ice layers from these cruptions are easily reached by shallow drilling, and the sacidity of the ice cores obtained has been determined by a solid electrical concuctivity method. Atmospheric thermonuclear-bomb tests ejected radioactive debris into the atmosphere. Radioactive debris when the deposited in polar snow, and can be detected by specific total bets activity measurements. The amount of 9098r and (137)Ca ejected into the strosphere is known. We assumed a similar global distribution pattern of bomb-produced total bets activity and strong acids from violent volcanic activity, and were able to calculate that both major volcanic events produced some 300 milliton tons of sulphuric acid. This is in y, and were note to calculate that both major volcanic events produced some 300 million tons of sulphuric acid. This is in agreement with other estimates of the Tambora eruption, which are based on studies of ice cores from Antarctica. (Auth. mod.)

Analyses of two ice cores drilled at the ice-sheet margin in West Greenland.

Clausen, H.B., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.23-27,

Ice cores, Drill core analysis, Ice edge, Paleoclimatology, Ice sheets, Glacier beds, Oxygen isotopes, Profiles, Ice temperature, Rheology, Greenland.

42-3274

Atmospheric trace-gas variations as revealed by air Atmospheric race-gas variations as revealed by air trapped in an ice core from Law Dome, Antarctica. Etheridge, D.M., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.28-33, 26 refs.

Pearman, G.I., De Silva, F. Ice cores, Ice composition, Atmospheric composition, Air entrainment, Isotope analysis, Impurities, Antarctica—Law Dome.

tarctics—Law Dome.

A technique for extracting and analyzing large air samples from bubbles occluded in an ice core is discussed. The concentrations of atmospheric carbon dioxide (CO2), methane (CH4) and introus oxide (N2O) over the past 450 years have been revealed. Measurements of a chlorofluorocarbon (CC12F2) in the ice-core air were used to check core quality and the air-occlusion process. The ice core, designated BHD, was thermally drilled from the summit of Law Dome. Lee dating was achieved by counting annual cycles of oxygen-isotope ratio and d.c. conductivity, and air dating was deduced from the density profile. The results show the pre-industrial concentrations of the gases to be 288 ppm volume for CO2, 800 ppb volume for CH4 and 285 ppb volume for N2O. (Auth. mod.)

Effects of wind on delta (180) and accumulation give Effects of wind on delta (180) and accumulation grant an inferred record of seasonal delta amplitude from the Agasaiz Ice Cap, Ellesmere Island, Canada. Fisher, D.A., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Swit-zerland, Mar. 30-Apr. 3, 1987. Proceedings, p.34-37, 11 refs.

Koerner, R.M.

Ice cores, Wind factors, Drill core analysis, Oxygen isotopes, Snow accumulation, Ice growth, Tempera-ture effects, Ice cover thickness, Seasonal variations, Stratigraphy, Canada—Northwest Territories—Ellesmere Island.

42-3276

Microparticle concentration and electrical conduc-tivity of a 700 m ice core from Mizuho Station, An-

Fujii, Y., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.38-42, 13 refs. Watanabe, O.

Ice composition, Ice cores, Ice electrical properties, Electrical renistivity, Impurities, Microanalysis, Paleoclimatology, Volcanoes, Particle size distribu-tion, Antarctica—Mizaho Station.

Preliminary results of analyses on microparticle concentration and electrical conductivity of a 700.56 m ice core from Mizuho Station are given. Concentration of microparticles coarser than 0.63 micron in diameter increases more than twofold at the

240-440 m depth interval compared with that below 440 m in depth. The higher particle concentration is well associated with higher electrical conductivity and lower delta C-18. Periods of high particle concentration are estimated be be 3,000-6,000 years B.P. A visible volcanic dirt band was found at ods of high particle concentration are esumated to the storage of the concentration are esumated to the storage of the storage

42-3277

Investigation of the O-18 content of a 100 m ice core

from the Ronne Ice Shelf, Antarctica.

Graf, W., et al, Annals of glaciology, 1988, Vol.10,
Symposium on Ice-Core Analysis, Bern, Switzerland,

Symposium on ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.43-47, 7 refs. Reinwarth, O., Moser, H., Stichler, W. Ice composition, Oxygen isotopes, Ice cores, Stratigraphy, Seasonal variations, Snow accumulation, Models, Antarctics—Ronne Ice Shelf.

A 100 m ice core from the Ronne Ice Shelf, drilled during th 1983-84 field season, was dated by isotopic stratigraphy, usin the well-known seasonal variation in the 18-O content in fir the well-known seasonal variation in the 18-O content in firm and ice; the layers at a depth of 89 m are probably 400 years old. Layer thicknesses deduced from the 18-O profile indicate shorterm variations of the snow-accumulation rate over the last 400 years. The area of deposition of the material recovered with the core is estimated by a two-dimensional flow model and by the 18-O content of the core, which decreases from -27 per mill in the upper part of the core to -32.0 per mill at 89 m depth. (Auth.)

42-3278

Signal from the Chernobyl accident in high-altitude

firs areas of the Swiss Alps.
Hacberti, W., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.48-51,

Firn, Fallout, Radioactivity, Mountains, Snow con position, Chemical analysis, Snow impurities, Pollu-tion, USSR—Chernobyl, Switzerland—Alps.

42-3279

Preliminary results of analyses of 700 m ice cores

retrieved at Mizuho Station, Antarctica.
Higashi, A., et al, Annais of glaciology, 1988,
Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.52-56, 16 refa

Ice physics, Ice cores, Ice composition, Ice density, Grain size, Air entrainment, Paleoclimatology, Elec-trical resistivity, Impurities, Antarctica—Mizuho Station

Station.

Preliminary results of analyses of 700 m ice cores retrieved from Mizuho Station in 1983 and 1984 are presented. Physical properties, density, grain-size and shape, and total gas content, as well as fabrics, microparticle concentration, electrical conductivity, and stable-isotope concentration delta 0-18 were measured. In spite of inaccuracy in measuring both density and total gas content in the ice, due to interlocking cracks in cores, several attempts were made to correct the data. The coincidence between the incremental peaks in the depth profile of the microparticle concentration, as well as in the electrical conductivity and the warm trend indicated by the delta 0-18 profile is discussed. The shape of the delta 0-18 profile is characterized by two inflection points and is compared with results obtained from the Byrd Station, Dome C and Vostok cores. From this comparison, it is tentatively concluded that the bottom of the Mizuho core may be an age of the order of 10 ks B.P. (Auth. mod.)

42-3280

Trace-acid ion content of shallow snow and ice cores

from mountain sites in western Canada.

Holdsworth, G., et al, Annals of glaciology, 1988,
Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.57-62, 19 refs

Krouse, H.R., Peake, E.

Snow composition, Ice cores, Ice composition, Ions, Chemical analysis, Mountain glaciers, Firn, Canada.

Salinity and isotope analysis of some multi-year land-Satistity and isotope analysis of some multi-year land-fast sea-ice cores, northers Elleamere Island, Canada. Jeffries, M.O., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Swit-zerland, Mar. 30-Apr. 3, 1987. Proceedings, p.63-67, 22 refs.

Krouse, H.R.

Ice composition, Fast ice, Ice salinity, Ice cores, Isotope analysis, Seasonal variations, Ice growth, Canada—Northwest Territories—Ellesmere Island.

42-3282

Water circulation and ice accretion beneath Ward Hunt Ice Shelf (northern Elleamere Island, Canada), deduced from salinity and isotope analysis of ice

Corea. M.O., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.68-72, 17 refe

Ice structure, Ice accretion, Ocean currents, Ice ice structure, ice secretion, Ocean currents, ice salinity, Ice electrical properties, Isotope analysis, Ice density, Ice cores, Ice shelves, Canada—Northwest Territories—Ellesmore Island.

42,3283

Nitrous oxide: trends and global mass balance over

Khalil, M.A.K., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.73-79, 20 refe

to composition, Ice cores, Chemical analysis, Glacier mass balance. Atmospheric composition. Paleoclimatology, Electrical resistivity.

ice cores from both northern and southern polar regions were analyzed to determine the concentrations of nitrous oxide in the pre-industrial and ancient atmospheres from about 150 years to 3,000 years B.P. It is found that the pre-industrial concentration of nitrous oxide remained constant over the period studied and that the average atmospheric concentration was 245 volume (90% confidence limits), representing about 2,100 Tg N2O in the atmosphere, whereas the average concentration in 1984 was about 307 ppb volume or 2,260 Tg. This is a change of 22 ppb volume (160 Tg), or about 8%, between pre-industrial and present times. The rate of change is between 0.7 and 0.9 ppb volume/year or 5 and 5. Tg/year, which is a slow increase of about 0.3% per year. The changes observed are attributed to the increasing use of fosall fuels, particularly coal and oil, and, to a lesser extent, use of nitrogen fertilizers in recent years. In the next 50 years, nitrous oxide levels are expected to reach 360.390 ppb volume, or about 16-25% more than present. (Auth. mod.) ice cores from both northern and southern polar regions were 360-390 ppb

42.3284

ousand year glaciochemical study at the South Pole

Kirchner, S., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.80-84, 30 refs.

Delmas, R.J.

Ice composition, Chemical analysis, Impurities, Ice cores, Fira, Glaciation, Iona, Antarctica—Amundsen-

Scott Statios.

Major soluble chemical impurities have been measured along a 130 m fire core from the Amundaen-Scott Station in order to assess Southern Hemisphere environmental variability over the last millennium. Particular attention is given to the possible impact of the Little lee Age, a well-known climate disturbance which occurred in the Northern Hemisphere between about A.D. 1500 and 1900. No definite trend is detected which could be linked to the Little lee Age disturbance. (Auth mod.) 42-3285

Pollen analysis and discussion of time-scales in Canadian ice cores.

Koerner, R.M., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.85-91, 29 refs.

Bourgeois, J.C., Fisher, D.A.

Ice composition, Pollen, Ice cores, Oxygen isotopes, Palynology, Canada.

42-3286

Computer-controlled system for ice-fabric analysis on a Rigsby stage. Lange, M.A., Annals of glaciology, 1988, Vol. 10, Sym-

posium on loe-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.92-94, 5 refs. Ice crystal structure, Ice crystal optics, Sea ice, Ice cross, Messuring instruments, Computer applications.

42-3287

Basic properties of antarctic sea ice as revealed by textural analysis of ice cores.

Lange, M.A., Annals of glaciology, 1988, Vol.10, Sympositum on loc-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.95-101, 8 refs. Ice structure, Sea Ice, Ice cores, Microstructure, Ice physics, Chemical properties, Drill core analysis, Analysis

arctica-Weddell Sea.

Tarctics—Weddell Sea.

A proper characterization of sea-ice micro-structure is essential for an adequate classification of ice cores, an understanding of the growth processes of the sampled floe, and the identification of possible relationships between ice texture, and the physical, chemical and biological properties of sea ice. Investigations on ice cores which were obtained during 3 recent antarctic expeditions (1983-85) in coastal waters of the eastern and southern Weddell Sea are reported. Major results of this study can be

summarized as follows: in addition to the common ice classes, another sea-loe type, platelet ice, is identified; it is apparently unique to the coastal waters of Antarctica, near the ice-shelf edge; and different physical, chemical and biological sea-ice erties vary systematically (Auth mod)

Inter-hemispheric volcanic time-marker in ice cores from Greenland and Antarctics.

Inter-hemispheric volcanic time-marker in ice cores from Greenland and Antarctica.

Langway, C.C., Jr., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.102-108, 31 refs.

Clausen, H.B., Hammer, C.U.

Ice composition, Ice cores, Chemical analysis, Volcanoes, Paleoclimatology.

A strong volcanic-acid signal is clearly registered, using an acidity-measuring technique, in the A.D. 1259 ice layer in 4 different Greenland ice cores. This signal is similar in amplitude to the Laki (Iceland) A.D. 1783 volcanic event as recorded in the central and south Greenland ice cores. Measurement of ice layers from corresponding age levels in Antarctic ice cores (Byrd Station, South Poole and J-9 on the Roas Ice Shell) provides similar strong acid signals. There is no historical record of a significant volcanic cruption for the period around A.D. 1260 in the Northern Hemisphere. Subsequent chemical analyses of all A.D. 1259 to layers show similar compositions. It is suggested that the A.D. 1259 signals registered in both Greenland and Antarctics were caused by the same volcanic disturbance and that its epicenter was located at the Earth's equatorial zone, which enabled global distribution of the acid guess. These results indicate that Inter-hemispheric dating of gases. These results indicate that inter-hemispheric datir ice sheets is possible by the chemical identification of n eruptive volcanic events in the equatorial zone. (Auth.) These results indicate that inter-hamispheric dating

42.3280

Crystal size and orientation patterns in the Wiscon-

Crystal size and orientation patterns in the Wisconsin-age ice from Dye 3, Greenland.

Langway, C.C., Jr., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.109-115, 16 refs.

Shoji, H., Azuma, N.

Shoji, H., Azuma, N.
Lee crystal size, Ice crystal structure, Ice cores, Ice
physics, Glaciers, Paleoclimatology, Ultrasonic tests,
Wave propagation, Velocity, Greenland.

42.3200

Soluble impurities in four antarctic ice cores over the

Solution in particular to the cores over the last 30,000 years. Legrand, M.R., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.116-120, 27 refs. Delmas, R.I.

Ice composition, Ice cores, Impurities, Chemical analysis, Paleoclimatology, Atmospheric composition, Aerosols, Ions, Antarctics—Dome C.

tion, Aerosela, Iona, Antarctica—Dome C. The chemical composition of soluble impurities along the Dome C lee core covering approximately the last 30,000 years is reported and interpreted in terms of atmospheric contributions. Terrestrial and sea-salt inputs are known to have been much higher during the last Glacial Maximum (LOM) than during the Holocene period. For this reason, the gas-derived compounds which dominate the chemistry of present-day anow are minor components in LOM snow. The exact calculation of each of the various contributions has been made possible by the deterniation of all major ions in the samples. Three additional deep ice cores from other antarctic areas have also been analyzed, but in a less comprehensive manner than the Dome C core. The differences observed at the four study sites increase the general understanding of the pest atmospheric chemistry of the Southern Hemisphere. (Auth.)

42-3291

Anions and cations in ice cores from Dolleman Island and the Palmer Land Plateau, Antarctic Peninsula. Mulvaney, R., et al, Annals of glaciology, 1988, Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.121-125, 11 refs. Peel DA

Ice composition, Ice cores, Ions, Chemical analysis, Oxygen isotopes, Snowfall, Antarctics—Antarctic Peninsula.

Peninsula.

High-resolution anion profiles of Cl anion, NO3 anion and SO42 anion are presented for two cores from the Antarctic Peninsula. A 47.2 m core, from a site on the Palmer Land plateau, spans the period 1942-80, and a 10.5 m core from Dolleman I., on the east coast of the peninsula, spans the period 1973-85. The seasonal pattern of deposition of these species has been determined by reference to the oxygen-isotope composition. Averaged over 38 years, the annual cycle of SO4-2 anion at Gomez shows a seasonal maximum during the austral summer, and minimum during the winter, whereas the Cl anion cycle is more complex and may show the influence of equinoctial storms. The Dolleman core is significantly influenced by the proximity of the Weddell Sea, with a mean Cl anion concentration five times greater than in the core from the plateau, and it shows a clear seasonal maximum in late-aummer snowfall. There is no significant long-term trend in the 38 years data from the plateau site, suggesting that global pollution does not contribute significantly to the anion budget. (Auth. mod.)

Stratigraphic record of an ice core from the Yamato Meteorite Ice Field, Antarctica.

Nakawo, M., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.126-129, 21 refs. Nagoshi, M., Mac, S.

Ivagoni, W., Wate, S.
Ice structure, Stratigraphy, Ice cores, Ice density,
Oxygen isotopes, Electrical resistivity, Air entrain-ment, Climatic changes, Pleistocene.

ment, Climstic changes, Pleistocene.

Measurements of density, total gas content, delta O-18, and electrical conductivity were carried out along a core 100 m long. A profile of in-situ bubble pressure was obtained from the data on density and total gas content, taking into account the volume relaxation of the core in the period between core recovery and density determination. The bubble pressure was appreciably higher than the overburden pressure at corresponding depths. It was considered that the pressure difference was caused by the continuous lifting of the ice, since ice flow was obstructed in the bue-ice area. From the profile of the pressure difference, the vertical distribution of the upward velocity was calculated, which provided a time-scale for the core. It was found that the 100 m long core represented a record of about 10,000-100,000 a. Since the surface ice was considered to represent a few tens of thousand years B.P., the data obtained on total sas content, delta O-18, and electrical conductivity would inscribe the variations in the climate as well as in the ice sheet during the last glacial period. (Auth.)

Stable-isotope/air-temperature relationships in ice cores from Dolleman Island and the Palmer Land

Plateau, Antarctic Peninsula.
Peel, D.A., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.130-

zeriand, Mar. 30-Apr. 3, 1987. Proceedings, p.130-136, 14 refs. Mulvaney, R., Davison, B.M. Ice cores, Isotope analysis, Air temperature, Climatic changes, Oxygen isotopes, Temperature gradients, Antarctics—Antarctic Peninsula.

Antarctica—Antarctic Peninsula.

Whilst stable-isotope analysis of ice cores yields the best quantitative evidence for past climate, there remains considerable uncertainty about the detailed relationship between the isotopic composition and air temperature. Analysis of two ice cores from the Antarctic Peninsula has shown that an oxygen-isotopic/temperature relationship exists at a resolution of inter-annual variations during the period 1938-86. All the major regional temperature anomalies, known from climatic records at several stations, are visible in the isotope profiles, including the overall temperature increase between 1960 and 1980. An isotope-temperature gradient of 0.5-0.6 per mill/deg C is indicated for the climatic interpretation of isotopic fluctuations in ice cores recovered from the region. This gradient is considerably smaller than that obtained from a comparison of apstal variations in the mean annual parameters. The discrepancy appears to be due mainly to an inherent bissing in the isotope profiles, which record temperature only during periods of snowfall. The effect is particularly severe in the winter months and can be expected in other areas of Antarctics where a significant part of the snow accumulation is cyclonic. (Auth. mod.)

Mechanical behavior of ice along the 2040 m Vostok

Mechanical penavor of the mong place of the core, Antarctica.

Pimienta, P., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.137-140, 21 refs.

Duval, P., Lipenkov, V.IA.

Ice mechanics, Ice cores, Compressive properties,
Shear strain, Rheology, Viscosity, Tests, Impurities,
Antarctica—Vostok Station.

Antarctica—Vostok Station.

Uniazial and biazial compression tests were carried out on ice samples from the 2,040 m Vostok ice core. It is shown that the ice viscosity does not significantly change with depth. As a result the high impurity content in glacial ice does not seem to influence the mechanical behavior of the Vostok ice core. The measured enhancement factor, smaller than I, is caused by the particular orientation of c-axes in this polar ice. It is deduced that the viscosity of Vostok ice for horizontal shear is high compared with that of other ice cores. (Auth.)

42-3295

Air mixing in firm and the age of the air at pore closeoff.

Schwander, J., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.141-145, 11 refs.

143, 11 rets.
Stauffer, B., Sigg, A.
Firn, Bubbles, Ice surface, Interfaces, Glacier ice, Diffusion, Antarctica—Siple Station, Antarctica-Amundsen-Scott Station.

Amundsen-Scott Station.

The air trapped in the bubbles of natural ice is not the same age as the surrounding ice. This is due to the fact that the air is enclosed in isolated bubbles only at the depth of the firm-ice transition. Within the overlying porous firm layer the air is able to mix and to exchange to a certain degree with the atmosphere. The age difference between ice and air is given by the age of the ice at pore close-off, less the mixing delay. Also, there is an age distribution due to diffusive smoothing and due to the

gradual enclosure of the air at the firn-ice transition. Knowlgradual enclosure of the air at the firm-ice transition. Knowledge of this age relation is necessary for the interpretation of climatic parameters measured on ice cores. This work concentrates on the effect of diffusivity emixing. Measurements of the diffusivity of CO2 and O2 (in N2) in firm samples from Siple Station, are reported. It is shown that the dominant mixing process is molecular diffusion. The diffusion coefficient depends approximately linearly on the porosity. A one-dimensional diffusion model has been used to calculate the air mixing in firm at Siple Station, at the South Pole, and at Station Crête (Greenland). An exchange time of between 10 and 50 years is obtained. (Auth.)

Flow-law parameters of the Dye 3, Greenland, deep

Shoji, H., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.146-150, 16 refs.

Langway, C.C., Jr. Ice deformation, Compressive properties, Ice cores, Ice composition, Stress strain diagrams, Ions, Ice crystal structure, Greenland.

Stable-isotope ratios and concentration of CO2 in air

From polar ice cores.
Siegenthaler, U., et al, Annals of glaciology, 1988,
Vol. 10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.151-156, 25 refs.

Ice composition, Air entruinment, Ice cores, Isotope analysis, Carbon dioxide, Oxygen isotopes.

analysis, Carbon dioxide, Oxygen isotopes.

Analyses of air trapped in an ice core from the South Pole indicate that the CO2 concentration may have increased by about 10 ppm and that the C-13/C-12 ratio decreased slightly in the thirteenth century. These changes, if really of atmospheric origin, must be due to a significant input into the atmosphere of CO2, either of blogenic or of oceanic origin. O-18/O-16 ratios in CO2 from different ice cores are much lower than those which have been observed in atmospheric carbon dioxide. A possible explanation is that the CO2 has equilibrated isotopically with the ice. Equilibrium isotope-fractionation factors were calculated between ice and carbon dioxide and the observed O-18/O-16 ratios of CO2 were indeed found to be near isotopic equilibrium with the ice. This indicates that an exchange of oxygen atoms probably occurs between ice and included CO2. (Auth.)

42-3298

Seasonal variations in hydrogen peroxide in polar ice

Sigg, A., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.157-162, 16 refs

Neftel, A

Netter, A. Ice cores, Chemical analysis, Iso-tope analysis, Fira, Impurities, Seasonal variations, Snow composition, Ice dating, Stratification, Antarc-tica—Siple Station.

Hydrogen persoide is present in polar anow and ice in remarkably high concentrations. With values up to 300 ppb, H2O2 is one of the most concentrated impurities in polar ice. A continuous H2O2 firm record from Siple Station is presented; it covers the last 38 years with a resolution of 10-20 samples per year. A very strong seasonality is present in this record. This seasonality is also observed in a Greenland ice core from Dye 3. The maximum concentrations correspond to summer snow

layers and can exceed winter snow concentrations by a factor of 10. This property makes H2O2 a useful tracer for dating suitable cores by counting annual layers. The different steps needed to relate the atmospheric to the ice-core H2O2 concentration are discussed. As with isotopic tracers, diffusion in the firm smooths the original H2O2 concentration profile (Auth.)

Co-isotopic signature of two mechanisms of basal-ice formation in arctic outlet glaciers.

Souchez, R., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.163-

166, 16 refs.
Lorrain, R., Tison, J.L., Jouzel, J.
Glacier Ice, Ice formation, Isotope analysis, Ice pressure, Ice melting, Freezing,

Detailed analysis of the rapid changes in ice-core

parameters during the last ice age.

Staffelbach, T., et al, Annals of glaciology, 1988,
Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987.

Proceedings, p.167-

zerland, Mar. 30-Apr. 3, 1987. Proceedings, p.167-170, 32 refa.
Stauffer, B., Oeschger, H.
Ice cores, Isotope analysis, Ice composition, Glaciation, Climatic changes, Compressive properties, Pleistocene, Stratigraphy, Greenland.

Analysis of the seasonal variation in dust, Cl, NO3, and SO4-2 ions in two central Greenland firm cores. Steffensen, J.P., Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.171-177, 27

Pira, Ice composition, Aerosola, Ice cores, Seasonal variations, Ions, Chemical analysis, Dust.

Climatic records from the Dunde ice cap, China. Thompson, L.G., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.178-182, 25 refs.

Nu, X., Mosley-Thompson, E., Xie, Z.
Ice cores, Climatic changes, Ice composition, Isotope analysis, Stratigraphy, Electrical resistivity, Oxygen isotopes, Ice temperature, Ice growth, China—Qilian Mountain.

Anthropogenic impact on snow chemistry at Colle Gaifetti, Swiss Alps. Wagenbach, D., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Swit-zerland, Mar. 30-Apr. 3, 1987. Proceedings, p.183-187, 14 refs.

Münnich, K.O., Schotterer, U., Oeschger, H. Munnieri, K.O., Schotterer, U., Oesenger, H. Ssow compositios, Chemical analysis, Glacier ice, Ice cores, Snow accumulation, Human factors, Environmental impact, Meteorological factors, Pollution, Dust, Switzerland—Alps.

Depositional regime of the katabatic slope from Mizuho Plateau to the coast, East Antarctica.

Watanabe, O., et al. Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.188-

zerland, Mar. Joseph. 5, 1707.

192, 8 refs.

Fujii, Y., Satow, K.

Suow accumulation, Slope orientation, Snow cover distribution, Oxygen isotopes, Snow cover structure, Profiles, Antarctics—Mizuho Station.

Profiles, Astarctica—Mizuho Statioa.

Recently, a 700 m long ice core was drilled at Mizuho Station (2230 m a.1.), 270 km southeast of Showa Station and situated in a typical katabatic-alope regiom. In order to obtain basic knowledge for dating the core and for interpreting climatic change and depositional environment change along the core, study of the regional characteristics of the snow-deposition regime on Mizuho Plateau has started. Surface-firm cores 10-30 m deep and snow-state data obtained along the traverse routes on Mizuho Plateau since 15.70 were analyzed. The general trend of annual snow accumulation and the regional characteristics of the delta O-18 profile of snow cover were obtained. (Auth.) (Auth.)

42-3302 Concentrations of cadminm, copper, lead and zinc in snow from near Dye 3 in South Greenland. Wolff, E.W., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Swit-zerland, Mar. 30-Apr. 3, 1987. Proceedings, p.193-

197, 29 refs. Peel. D.A.

Chemical analysis, Snowfall, Impurities, Air pollution, Snow depth, Seasonal variations, Greenland. Snow composition

42-3306

42-3906 Climatic interpretation of a continuous deuterium profile obtained from the Vostok lee core, Antarctica (160,000 years). Jouzel, J., et al., Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.206-207, Summers of the control o

mary only. 11 refs.

Ice composition, Isotope analysis, Climatic changes, Ice cores, Profiles, Paleoclimatology, Pleistocene, Oxygen isotopes, Antarctics—Vostok Station.

A 2,083 m ice core recovered at Vostok Station covers fully the last glacial-interglacial cycle, back to the ice age which preceded the last interglacial (160 ks. bp.). It allows access to many climatic and climate-related parameters from Be-10 measurements and servosol concentration, to CO2 measurements. The ments and acrosol concentration, to CO2 measurements. The first isotopic data set was largely discontinuous over the last 100 ka (only about 7% of the core was analyzed), but continuous beyond that time. Sampling of the ice was completed later, in the field, with continuous deuterium data for the whole core (total ice recovery is about 85%), combining the data of the 2,083 m core below 138 m and a complementary data set above. The core chronology was established using a two-dimensional ice-flow model and, for snow accumulation, taking into account change with time. (Auth. mod.)

Dilemma of the rapid variations in CO2 in Greenland

toe cores.

Oceachger, H., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.215-216, Summary only. 4 refs.
Neftel, A., Staffelbach, T., Stauffer, B.
Ice composition, Ice cores, Carbon dioxide, Snow im-

purities, Paleoclimatology, Greenland.

purities, r association of the CO2 variations reflect atmospheric CO3-concentration changes or whether they are caused by the interaction of gases with chemical constituents in the ice matrix. Arguments in favour of an atmospheric origin of the CO2 variations are: CO2 measurements on an ice core the ice matrix. Arguments in tayour of an atmospheric origin of the CO2 variations are: CO2 measurements on an ice core from Siple Station show a monotonous increase over the past 250 years, from values around 280 ppm volume to values overlapping closely with the direct atmospheric data which have been obtained since 1938 (Nerfell and others 1985). Thus a consistent picture of the anthropogenic CO2 increase has been obtained which is compatible with estimates of the man-made CO2 emissions and with the carbon-cycle calculations of the airborne fraction of these emissions. In addition, convincing CO2-concentration data have been obtained, from two ice cores from Greenland and four ice cores from Antarctics, for the transition from low (180-200 ppm volume) holocene values. Arguments against an atmospheric origin for the rapid CO2 various stem from detailed analyses of the ice core from Byrd Station. Observation of the increase in CO2 is both hemispheres indicates that within a few years CO2 becomes well mixed throughout the atmosphere. (Auth. mod.)

Origin of arctic precipitation as deduced from its deuterium excess

White, J., et al, Annals of glaciology, 1988, Vol.10, Symposium on Ice-Core Analysis, Bern, Switzerland, Mar. 30-Apr. 3, 1987. Proceedings, p.219-220, Sum-

Mar. 30-Apr. 3, 1987. Proceedings, p.219-220, Summary only. 3 refs. Johnsen, S.J., Dansgaard, W. Snow composition, Isotope analysis, Firn, Ice cores, Snow accumulation, Seasonal variations, Models, Precipitation (meteorology).

42-3309

Toxic metals and metalloids in high alpine glaciers

salow and tea.

Batifol, F.M., et al, Physico-chemical behaviour of atmospheric pollutants: Proceedings of the Third European Symposium, Apr. 1984, edited by B. Versino and G. Angeletti, Dordrecht, D. Reidel Publishing Company, 1984, p.471-479, 26 refs.

Boutron, C.F.

DLC TD881.P484 1984

Snow impurities, Glacier ice, Chemical composition, Metals, Mountains, Switzerland.

42-3310
Latticed dome collapse prediction due to settlement.
Shugar, T.A., et al, Structures Congress '87 related to
Buildings, Orlando, Florids, Aug. 17-20, 1987. Proceedings. Building structures, edited by D.R. Sherman, New York, American Society of Civil Engineers,
1987, p.332-343, 8 refs.

Holland, T.J. DLC TA630.S86

Cold weather construction, Foundations, Rheology, Antarctica—Amundsen-Scott Station.

Antarctica—Annuadean-Scott Station.

The base of the South Pole geodesic dome is distorting due to movement in the ice field foundation. A determination of how much longer the dome can withstand ice field motion is aided with a nonlinear finite element analysis. A description of the base ring differential displacement is obtained by a least squares analysis of foundation displacement data. The topology and geometry of the geodesic dome has been reconstructed. The is a one-to-one correspondence between the modeled and the actual latticed framework. Two alternative structural models, based on the same topology, are developed and disquased. actual intuced trainework. Two atternative structural models, based on the same topology, are developed and discussed. Computational results are obtained, and then displayed and analyzed using computer graphics. (Auth.)

Using satellite information in studying continental waters, rlspol'zovanie aerokosmicheskoi informatsii

vasters, (1800 200 and sushi), Vissledovaniiskh vod sushi), Usachev, V.F., ed, Leningrad. Gosudarstvennyl gi-drologicheskh institut. Trudy, 1987, Vol.329, 128 p., In Russian. For selected papers see 42-3312 through

42-3322. Refs. passim.
Meltwater, Brightness, River basins, Ice forecasting, Meltwater, Brightness, Miver Dasins, Ice forecasting, Lake ice, Snow line, Spaceborne photography, Pollu-tion, Icebound lakes, Photointerpretation, Mapping, Snow surveys, Ice breakup, Catchment areas, Alpine landscapes, Gamma irradiation, Snow cover distribu-tion, Snow surface, Ice conditions, Naleds, Spectra.

Calculating meltwater hydrographs from satellite data, for catchment areas of the Stanovoy highlands. Raschet gidrografa stoka talykh vod a pomoshch'iu sputnikovol informatsii dlia rechnykh vodosborov

Stanovogo nagoriis, Stanovogo nagoriis, Prokacheva, V.G., et al, Leningrad. Gosudarstvennyi, gidrologicheski institut. Trudy, 1987, vol.329, p.3-8,

In Russian. 3 refs. Chmutova, N.P.

Meltwater, Snow line, River basins, Hydrography, Snow melting, Alpine landscapes.

Ice melting dates for the Yamal Peninsula lakes. Sroki ochishcheniia ot l'da ozer na poluostrove IA-

mai, Prokacheva, V.G., et al, Leningrad. Gosudarstvennyl gidrologicheskli institut. Trudy, 1987, vol.329, p.9-18, In Russian. 9 refs. Chmutova, N.P. Ice breakup, Spaceborne photography, Ice melting, Forecasting, Ice conditions, Spacecraft, Icebound

lakes

42.3314

for interpreting the usefulness of spaceborne radar images for interpreting foe conditions on lakes, rOtsenka prigodnosti sputnikovykh radiolokatsionnykh izobrazhenil dila deshifriravanis ladour abanan kan de la ladour aba nii dlia deshifrirovaniia ledovoi obstanovki na oze-

Parodulin, V.V., et al, Leningrad. Gosudarstvennyl gidrologicheski institut. Trudy, 1987, vol.329, p.19-27, In Russian. 1 ref. Zvereva, V.M.

Lake ice, Ice conditions, Spaceborne photography, Photointerpretation.

42-3315

Long range forecasting of characteristics of flood-water runoff from serial gamma surveys in the basins of Severanya Dvina and Pechora rivers. [Metodika dolgosrochnogo prognoza kharakteristik stoka polo-vod'ia s ispol'zovaniem aviatsionnykh gamma-s"emok

vod is sipoi zovanem svistatolnyka gamma-s erov basselnakh rek Severnol Dviny i Pechory; Vershinina, L.K., et al, Leningrad. Gosudarstvennyl gidrologicheskh institut. Trudy, 1987, vol.329, p.28-43, In Russian. 7 refs.

Leonova, N.E.

River basins, Floods, Meltwater, Runoff, Snow cover distribution, Snow depth, Snow surveys, Gamma ir-radiation, Airborne equipment.

ectral brightness of snow cover surface after artificial duating. (O spektral'noi iarkosti snezhnogo pok-rova pri iskuastvennom zagriaznenii ego poverkhnos-

Mikhailov, V.A., et al, Leningrad. Gosudarstvennyi gidrologicheskii institut. Trudy, 1987, vol.329, p.44-

52, In Russian. 7 refs.
Dusting, Snow surface, Spectra, Albedo, Measuring instruments, Pollution, Snow physics.

Results of measuring the spectral brightness of freshwater ice. Nekotorye rezul'taty izmerenii spektral'-noi iarkosti presnovodnykh l'dovi, Prokacheva, V.G., et al, Leningrad. Gosudarstvennyl

idrologicheskā institut. Trudy, 1987, Vol. 329, p.53-

Tomazius, Kh., Usachev, V.F., Folgt, T.
Lake Ice, Spectra, Brightness, Measuring Instru-

42-3318

Using numerical processing of satellite information in solving hydrological problems. [Ispol'zovanie tsi-frovol obrabotki sputnikovol informatsii dlia resheniia

gidrologicheskikh zadach, Korolev, V.M., et al, Leningrad. Gosudarstvennyi gi-drologicheskii institut. Trudy, 1987, vol.329, p.61-70, In Russian. 3 refs.

Griazeva, L.I.

Mapping, Photointerpretation, Snow cover distribu-tion, Ice conditions, Floods, Hydrology, Spaceborne photography.

42-3319

Distribution of quantities and total areas of naleds according to their location elevation in river basins of the western BAM zone. Raspredelenie summarnykh ploshchade! i kolichestva nalede! po vysote mes-topolozheniia v bassefnakh rek zapadno! zony BAMaj,

Abakumenko, A.E., Leningrad. Gosudarstvennyi gi-drologicheskii institut. Trudy, 1987, vol.329, p.86drologicheskil institut. 96, In Russian. 5 refs.

Naleds, Remote sensing, Classifications, Water chistry, Slope orientation, Surveys, River basins.

Composition and structure of an information data base for mapping hydrological objects from spacebase for mapping nyarological objects from apsecborne photographs. Sostav i struktura informatsion-nof bazy dannykh dlia kartografirovaniia gidrologi-chekikh ob'ektov po sputnikovym snimkam, Griazeva, L.I., Leningrad. Gosudarstvennyi gi-drologicheskli institut. Trudy, 1987, vol.329, p.97-103, in Russian. 10 refs.

Spaceborne photography, Data processing, Snow surveys, Manning, Ice conditions, Floods.

Evaluation of ice conditions on Lake Baykal from land, serial and space surveys. ¡Otsenka ledovogo rezhima oz. Ba'kal po nazemno' i aerokosmichesko'

informatsii, IAnter, N.N., Leningrad. IAnter, N.N., Leningrad. Gosudarstvennyi gi-drologicheski institut. Trudy, 1987, vol.329, p.104-114, In Russian. 3 refs. dy. 1987, vol.329, p.104-Lake ice, Ice conditions, Spaceborne photography,

Aerial surveys. Route surveys.

Evaluating ice conditions on the Lena River from se-Evaluating ice conditions on the Lena River from sa-tellite data. Ilspol'20vanie sputnikovol informatsii dlia otsenki ledovol obstanovki na reke Lenej, Kil'mianinov, V.V., Leningrad. Gosudarstvennyl gi-drologicheski institut. Trudy, 1987, vol.329, p.115-117, In Russian. Ice conditions. Photointerpretation, Deltas, Aerial surveys, Measuring instruments, River ice, Space-borne photography.

42-3323

42-3323
Soviet maritime Arctic, Proceedings of a workshop held May 10-13, 1987, Woods Hole, MA.
Brigham, L.W., ed, Woods Hole Oceanographic Institution. Technical report, Jan. 1988, WHOI-88-5, 67p, In English with Russian summary. Contains abstracts of presented papers and summary discussion. Gately, E.M., ed.

Meetings, Polar regions, Marine transportation, Natural resources, Arctic Ocean.

Optical properties of blowing snow.

Pomeroy, J.W., et al, *Journal of glaciology*, 1988, 34(116), p.3-10, 28 refs.

Male, D.H.

Blowing snow, Snow optics, Particle size distribution, Visibility, Grain size, Wind factors, Photography.

Relation between the mass balance of western Canadian mountain electers and meteorological data.

Canadam mountain gacters and meteorological data. Letteguilly, A., Journal of glaciology, 1988, 34(116), p.11-18, 8 refs. Mountain glaciers, Glacier mass balance, Glacial hy-drology, Meteorological data, Statistical analysis, Glacial meteorology, Ice temperature, Canada.

On the albedo of snow in Antarctica: a contribution to I.A.G.O. (Interaction Atmosphere-Glacier-Ocean). Wendler, G., et al, Journal of glaciology, 1988, 34(116), p.19-25, 27 refs. Kelley, J.

Snow optics, Albedo, Snow surface, Solar radiation, Cloud cover, Diurnal variations, Antarctics—Adélie

Coast.

As part of a larger experiment, detailed albodo measurements were carried out during the austral summer of 1985-86 in the dry-snow sone (1560 m) of Terre Adélie. The following results were found mean albedo values were high (around 82.0%). On clear days, the albedo showed some dependency on the solar elevation. The albedo was found to be a function of cloud amount and type, increasing with the amount and thickness of clouds. In white-out conditions, very high albedos were found (>90%). The albedo showed a dependency on the type of snow. New snow displayed higher values than older snow, whose crystals had been destroyed by mechanical sction. A simple model was developed to assess the influence of sastragi on the albedo. This model could explain the asymmetric diurnal variation about solar noon of the measured albedo above a sastragi field. The above 4 dependencies might explain the considerable discrepancies which can be found in the literature concerning the snow albedo of Antarctica. (Auth. mod.)

42-3327

Stochastic model of atmospheric rime icing. Gates, E.M., et al, Journal of glaciology, 1988, 34(116), p.26-30, 11 refs. Liu, A., Lozowski, E.P.

Ice accretion, Structures, Hoarfrost, Icing, Ice growth, Cloud droplets, Fog.

se balance along two transects of the west side of the Greenland ice sheet. Kostecka, J.M., et al, Journal of glaciology, 1988,

Kostecks, J.M., et al., Journal of ginciology, 1990, 34(116), p.31-39, 46 refs.
Whillans, I.M.
Ice sheets, Glacler mass balance, Glacler flow, Glacler thickness, Surface properties, Glacler surfaces, Velocity, Shear stress, Impurities, Ice crystal struc-

42-3329

Pressure-sintering model for the densification of polar firm and glacter ice. Wilkinson, D.S., Journal of glaciology, 1988, 34(116), p.40-45, 18 refs.

Glacier ice, Fira, Ice sintering, Pressure, Ice density, Ice structure, Temperature effects, Ice cores, Antarc-

ECS—Byre Station.

A comprehensive multi-mechanism theory of pressure sintering has been applied to the densification of two polar ice sheets. The comparison, which is made using pressure-intering mechanism maps, indicates that power-law creep is the controlling mechanism between 50% and 95% theoretical density. Lattice diffusion becomes dominant at low porosities. The densification rates predicted by the theory are in good agreement with the data, and suggest that a reasonable estimation of the densification behaviour of a polar ice sheet can be made using the theory, based on information obtained from a relatively shallow core. (Auth.)

42-3330

Flow-line model for calculating the surface profile and the velocity, strain-rate, and stress fields in an ice

Reeh, N., Journal of glaciology, 1988, 34(116), p.46-54, 28 refs.

34, 28 ress.

Ice sheets, Glacier flow, Strains, Stresses, Profiles, Surface properties, Mathematical models, Velocity, Glacier thickness, Ice physics.

42-3331

Application of a flow model to the ice-divide region of Devon Island ice cap, Canada.

Rech., N., et al, Journal of glaciology, 1988,

Reeh, N., et al, Journ 34(116), p.55-63, 17 refs. Paterson, W.S.B.

Glacier flow, Ice sheets, Shear stress, Ice cover thick-ness, Velocity, Temperature variations, Ice tempera-ture, Strains, Rheology, Glacier bods.

42-3332
Model of icicle growth.
Makkonen, L., Journal of glaciology, 1988, 34(116),
p.64-70, 21 refs.
Ice growth, Ice formation, Heat transfer, Mathemati-

cal models, Unfrozen water content, Theories.

42.3333

Localized basal freezing within George VI Ice Shelf, Autoretica.

Astarctica.

Pedley, M., et al, Journal of glaciology, 1988, 34(116), p.1-77, 17 refs.

Paren, J.G., Potter, J.R.

Ice shelves, Pressing, Ice melting, Meltwater, Glacial deposits, Temperature gradients, Salinity, Freezing points, Moraines, Antarctica—George VI Ice Shelf.

Hobbs Pool is an area of thin ice shelf situated within George VI Ice Shelf.

Hobbs Pool is an area of thin ice shelf situated within George VI Ice Shelf.

Thicker ice shelf surrounding Hobbs Pool isolates the upper 155 m of the water lying at the same depth elsewhere under the ice shelf. Summer melt-water lakes drain through crevasees at Hobbs Pool forming a 155 m thick layer of low-salinity water close to its freezing point. Colder and more saline water in the lower part of this layer leads to in-situ freezing fresher water lying above it. Below 155 m depth, the water temperature and salinity are linearly related by basal melting which is observed elsewhere under the ice shelf. The surface ice shows areas of deformation and deposits of subglacial rock debris which may result from upward particle paths in the area. debris which may result from upward particle paths in the area. The raising of subglacial rock debris on to the ice surface may provide a mechanism for the transport of erratics across the ice shelf to Alexander island from the base of Palmer Land glaciers.

42-3334

Kinetic friction of snow. Colbeck, S.C., Journal of glaciology, 1988, 34(116), MP 2339, p.78-86, 18 refs.

MP 2339, p.78-86, 18 refs.

Metal snow friction, Water films, Snow cover, Snow melting, Grain size, Temperature effects, Velocity, Shear strength, Friction, Analysis (mathematics). Three components of the kinetic friction of snow are described but only the tubricated component of friction is treated in detail. This component depends upon the thickness of water films which support a slider on snow grains over a small fraction of its area. The thickness of the film decreases with ambient temperature in the strength of the themselves. perature in a manner which is sensitive to the thermal conduc-tivity of the slider. The minimum value of friction at any temperature in a manner which is sensitive to the thermal conduc-tivity of the silder. The minimum value of friction at any tem-perature is reached at an intermediate value of speed because friction decreases as the silder first begins to move and the films form but then increases at higher speeds because of the shear resistance. At sub-freezing temperatures a small area in the front part of the silder is dry and the friction is high. Once the

water film is formed it increases in thickness towards an equilibrium value which can be very sensitive to slider properties, speed, and temperature. It appears that the mechanisms may be very different for hydrophobic and hydrophilic sliders. From the equations derived here it is clear why friction decreases with repeated passes over the same anow.

42-3335

Drainage of the Austre Okstindbreen ice-dammed lake, Okstindan, Norway. Knudsen, N.T., et al, Journal of glaciology, 1988, 34(116), p.87-94, 28 refs.

Theakstone, W.H.

Glacial rivers, Glacial lakes, Drainage, Ice dams, Electrical resistivity, Ions, Water chemistry, Melt-water, Glacial hydrology, Norway—Austre Okstind-

42-3336

Nature and origin of a jökulhlaup near Casey Station, Antarctica. Goodwin, I.D., Journal of glaciology, 1988, 34(116),

Occumin, 1.5., Journal of giacology, 1906, 34(116), p.95-101, 15 refs.
Glacial rivers, Meltwater, Subglacial drainage, Water chemistry, Oxygen isotopes, Chemical analysis, Glacier beds, Moraines, Antarctica—Law Dome.

A jokulhiaup event of 6 months' duration occurred near Casey Station in late Mar. 1985. This was followed by sporadic out-bursts during the autumn and winter of 1986. The event is the first recorded outburst of water from beneath a cold ice-cap first recorded outburst of water from beneath a cold ice-cap terminus on Law Dome and, to the author's knowledge, in Antarctica. From the results of oxygen-isotope and solute analysis, the water was found to have originated as basal melt analysis, the water was found to have originated as basat meit water. It contained a high total solute load with a dominant enrichment in aikalis, indicating that it had been squeezed through subglacial sediments for an extensive time period. Evidence from the subglacial topography, basal ice exposures and the sedimentology of nearby supragiacial moraines supports the presence of an ice-marginal subglacial water reservoir as itie jokulhalusy source. (Auth)

42-3337

Mass balance and thermal regime of Laika ice cap, Coburg Island, N.W.T., Canada. Blatter, H., et al, Journal of glaciology, 1988, 34(116), p.102-110, 26 refs. Kappenberger, G.

Glacier mass balance, Ice temperature, Thermal regime, Glaciology, Wind factors, Snowdrifts, Map-ping, Topographic effects, Climatic factors.

42-3338
Seismic evidence for a weak basal layer during the 1982 surge of Variegated Glacier, Alaska, U.S.A. Richards, M.A., Journal of glaciology, 1988, 34(116), p.111-120, 20 refs.
Glacier surges, Seismic reflection, Glacier beds, Subglacial drainage, Meltwater, Basal sliding, Shear strength, Water pressure, United States—Alaska—Variegated Glacier.

42-3339

42-339 Ice-shelf response to ice-stream discharge fluctua-tions: I. Unconfined ice tongues. MacAyeai, D.R., et al. Journal of glaciology, 1988, 34(116), p.121-127, 17 refs. Barcilon, V.

Subglacial drainage, Glacier tongues, Ice shelves, Glacier flow, Stresses, Climatic factors, Sea level, Ice mechanics, Analysis (mathematics).

mechanics, Analysis (mathematics).

Ice-stream discharge fluctuations constitute an independent means of forcing unsteady ice-shelf behavior, and their effect must be distinguished from those of oceanic and atmospheric climate to understand ice-shelf change. In addition, ice-stream-generated thickness anomalies may constitute a primary trigger of ice-rise formation in the absence of major sea-level fluctuations. Such triggering may maintain the current ice-rise population that, in turn, contributes to long-term ice-sheet stability. It is shown that ice-stream-generated fluctuations of an ideal, two-dimensional ice shelf propagate along two characteristic trajectories. One trajectory permits instantaneous transmission of ground-line velocity changes to all points downstream. The other trajectory permits alow transmission of The other trajectory represents slow transmission of ng-line thickness changes along Lagrangian particle

42-3340

Ice-shelf response to ice-stream discharge fluctua-

ice-aneir response to ice-aream discharge functua-tions: II. Ideal rectangular ice shelf.

MacAyeal, D.R., et al, Journal of glaciology, 1988, 34(116), p.128-135, 20 refs.

Lange, M.A.

Ice shelves, Subglacial drainage, Ice cover thickness, Glacier flow, Ice mechanics, Glacier thickness, Analwate (methanistics) Varietions. ysis (mathematics), Variations.

Ice-shelf thickness and velocity anomalies resulting from ice-stream discharge fluctuations are calculated for an ideal ice shelf fed by a single ice stream and confined within a rectangular rea by a single ice stream and confined within a rectangular coastal geometry. Ice-shelf response to periodic forcing is found to be linear (thickness and velocity anomalies oscillate at the forcing frequency, and response scales with the forcing). Thickness anomalies are trapped near the ice-stream outlet and propagate down-stream at a slow advective time-scale. Velocity anomalies tend to be widespread and propagate instantane-coalty throughout the lines. anomalies tend to be widespread and propagate instantane-uly throughout the ice-shelf environment. Ice-shelf response is sensitive to ice-stream fluctuation time-scale in the manner of a low-pass filter; longer forcing time-scales produce more widespread ice-shelf response. If ice-stream velocity and thickness fluctuations are in phase, thickness-anomaly maxima typically occur down-stream of the ice-stream outlet. This effect may determine where ice rumples and rises are likely to form in response to stochastic ice-stream variability. (Auth.)

Operation of airports. (Ekspluatatsiia aerodromov), Goretskii, L.I., Moscow, Transport, 1986, 280p., In Russian with abridged English table of contents en-closed. 2nd revised and enlarged ed. 13 refs. For 1979 ed. see 34-769.

Airports, Ice runways, Winter maintenance, Pave-ments, Icing, Countermeasures, Cold weather opera-

42.3342

Daily monitoring of a rock tablet at a maritime antarctic site: moisture and weathering results. Hall, K., British Antarctic Survey. Bulletin Bulletin, May 1988, No.79, p.17-25, 30 refs.

Rock properties, Water content, Freeze thaw cycles,

Weathering, Signy Island.

weathering, Signy issuand.

The mass of a tablet of indigenous rock was monitored daily for one year in order to study changes in moisture content and timing of weathering losses. The broad climatic conditions which the tablet was subjected were noted. It was found that, within the maritime antarctic, freezing temperatures occur when rocks have high moisture contents. Although rock tablets may be considered 'unnatural', they can provide valuable information on daily variability of moisture status which is es-sential for the planning and interpretation of realistic weather-ing simulations. (Auth.)

Installation and performance of the STABLE in-strumentation at Halley. King, J.C., et al, British Antarctic Survey. Bulletin, May 1988, No.79, p.65-77, 13 refs.

Anderson, P.S.

Ice air interface, Boundary layer, Meteorological in-

Ice air interface, Boundary layer, Meteorological instruments, Antarctice—Halley Station.

The instrumentation installed at Halley for STABLE (the STable Antarctic Boundary Layer Experiment) is described. The bulence measurements were made using three ultrasonic anemometers, with conventional cup anemometers providing additional profile measurements. Temperature profiles were measured by platinum resistance thermometers and a Sodar system was used to provide a continuous record of boundary layer structure. Instruments generally performed well although blowing snow and rime ice accumulation affected their performance at times. (Auth.)

Structural glaciology of George VI Ice Shelf, Antarctic Peninsula.

nc rennsua.
Reynolds, J.M., et al, British Antarctic Survey.
Bulletin, May 1988, No. 19, p.79-95, 22 refs.
Hambrey, M.J.
Ice shelves, Ice structure, Ice creep, Antarctica—
George VI Ice Shelf.

Lakes form each summer on the surface of George VI Ice Shelf Lakes form each summer on the surface of George VI Ice Shelf and their distribution reflects the large-scale structure of the ice shelf. The ice shelf is complex with distinct flow units originating in Palmer Land which maintain their structural integrity as they flow across to, and impine against, Alexander Island. The dominant structures are longitudinal foliation and crevasse traces. Longitudinal compression results in folding of pre-existing layers but deformation in the ice shelf does not result in overprinting of existing structures, except possibly in narrow zones of intense shear adjacent to Alexander Island. Flow and thickness, natures, indicate dynamic inhomogeneity across thickness patterns indicate dynamic inhomogeneity across much of the ice shelf. (Auth.)

ow-frequency backscatter from Arctic leads. Low-requency accustical rom Arctic lessas. Medwin, H., et al, Acoustical Society of America. Journal, May 1988, 83(5), p.1794-1803, 12 refs. Browne, M.J., Johnson, K.R., Denny, P.L. Underwater acoustics, Subglacial observations, Ice bottom surface, Polynyas, Backscattering, Models.

Surface temperatures and sea ice typing for northern Baffin Bay. Steffen, K., et al. International journal of remote sens-

ing, Mar. 1988, 9(3), p.409-422, 8 refs. Lewis, J.E.

Sea ice distribution, Polynyas, Remote sensing, Water temperature, Ice temperature, Ice conditions, Infrared reconnaissance.

Intercomparison of satellite-derived cloud analyses

for the Arctic Ocean in spring and summer.

McGuffie, K., et al, International journal of remote sensing, Mar. 1988, 9(3), p.447-467, 33 refs.

Clouds (meteorology), Infrared recomnaissance, Poly-

Model of satellite radar altimeter return from ice sheets.

Ridley, J.K., et al., International journal of remote sensing, Apr. 1988, 5(4), p.601-624, 38 refs.

Partington, K.C.

Ice sheets, Glacier mass balance, Ice surface, Height finding, Radar.

Non-Lambertian reference panel effect on spectral reflectance measurements of freshwater ice. Leshkevich, G.A., International journal of remote sensing, Apr. 1988, 9(4), p.825-832, 13 refs. Ice optics, Reflectivity, Lake ice.

Snowmobiling impact on snow and soil properties and

on winter cereal crops.

Pesant, A.R., Canadian field-naturalist, Jan.-Mar.
1987, 101(1), p.22-32, With French summary. 18

Snow vehicles, Environmental impact.

42-3351

42-3351
Alaska's CRREL permafrost tunnel.
Johansen, N.I., et al, Tunnelling and underground space technology, 1988, 3(1), p.19-24, With French summary. 10 refs.
Huang, S.L., Aughenbaugh, N.B.

Huang, S.L., Aughenbaugh, N.B.
Tunnels, Permafrost structure, Mining, Excavation,
Permafrost preservation, Underground facilities,
U.S. Army CRREL.

Quench cooled ice crystal imprint size: a micro-meth-Quench cooled ice crystal imprime steet a succeeded of restudy of macromolecular hydration.

Cameron, LL, et al. Scanning microscopy, June

102 908 Includes discussion. 31 refs. 1988, 2(2), p.885-898, Includes discussion. Hunter, K.E., Fullerton, G.D. Electron microscopy, Ice crystals.

Numerical study of the formation of Arctic stratus clouds with consideration of absorbing aerosol parti-

Forkel, R., et al, Meteorologische Rundschau, June 1986, 39(3), p.74-79, With German summary. 20 refs. Wendling, P.

Clouds (meteorology), Aerosols, Air pollution.

Winter 1788-89: the Lagoon of Venice freezes over. Lindgren, S., et al, Meteorologische Rundschau, Aug. 1985, 38(4), p.112-118, With German summary. Aug. 19: 20 refs.

Neumann, S., Tiepolo, M.F., Zolli, E. Freezeup, Italy—Venice.

42-3355

Evaporation from a seasonal snow cover. [Verdunstungsmessungen Ober einer winterlichen

Schneedeckej, Kaser, G., Meteorologische Rundschau, Feb. 1985, 38(1), p.20-22, In German with English summary. refs.

Snow evaporation, Snow temperature.

42-3356

Scientific-technical progress in marine transportation. [Nauchno-tekhnicheskii progress na morskom

transporte<sub>3</sub>, Levyi, V.D., ed, Moscow, Transport, 1987, 145p., In Russian. For selecti 3358. Refs. passim. Poliantsev, IU.D., ed. For selected papers see 42-3357 and 42-

Marine transportation, Air cushion vehicles, Construction materials, Loading, Modular construction.

Fundamentals of constructing a container-packaging transportation-technological system. [Osnovy postroeniia konteinerno-paketnoi transportno-tekhnologi-

cheskoj sistemyj, Mirzabelli, V.A., et al, Nauchno-tekhnicheskij progress na morskom transporte (Scientific-technical prog-ress in marine transportation) edited by V.D. Levyl and IU.D. Poliantsev, Moscow, Transport, 1987, p.57-63, In Russian. 3 refs. Stepanets, A.V.

Marine transportation, Construction materials, Air cushion vehicles, Modular construction

Principles of operating the loading-unloading air-cushion device for container transportation. Printsipy upravleniia transportnym ustrolstvom na vozdush-

no' podushke dlia zagruzki-razgruzki konteinerovi, Koval', M.A., et al, Nauchno-tekhnicheskii progress na morskom transporte (Scientific-technical progress in marine transportation) edited by V.D. Levyl and IU.D. Poliantsev, Moscow, Transport, 1987, p.63-70, In Russian, 2 refs.

Makarov, S.I.

Marine transportation, Air cushion vehicles, Modular construction, Construction materials.

42,3350

Study of machines for drilling and pile construction. rissledovanie mashin dlia svainykh i burovykh ra-bot, Golovachev, A.S., ed, Moscow, Transport, 1987,

151p., in Russian. For selected papers see 42-3360 through 42-3364. Refs. passim.

Permafrost physics, Rock drilling, Equipment, Hard-

ness tests, Measuring instruments, Permafrost beneath structures, Construction equipment, Foundations, Piles.

42-3360

Construction and improvement of machines designed Construction and improvement of management of for foundation pit excavation for power-net supports of electrified railroads. (Sozdanie i sovershenstvovanie mashin dlia razrabotki kotlovanov pod fundamenty opor kontaktnoï seti elektrifitsiruemykh zheleznykh

dorogi, Bel'kind, M.B., Issledovanie mashin dlia svaĭnykh i burovykh rabot (Study of machines for drilling and pile construction) edited by A.S. Golovachev, Moscow. construction) edited by A.S. Golovachev, M Transport, 1987, p.54-61, In Russian. 4 refs.

Power line supports, Foundations, Excavation, Construction equipment, Piles, Baykai Amur railroad, Discontinuous permafrost.

42-3361

Development of a mathematical model for studying the performance dynamics of a drilling assembly. (Razrabotka matematicheskol modeli dila is-sledovanila dinamiki raboty buril'nof mashiny). Mitiashov, V.A., Issledovanie mashin dila svalnykh i burovykh rabot (Study of machines for drilling and pile construction) edited by A.S. Golovachev, Moscow, Transport, 1987, p.110-115, In Russian. dations, Permafrost structure, Piles, Rock drill-

ing. Permafrost.

42.3362 Studying the process of static-dynamic excavation of frozen ground. (Issledovanie protsessa statiko-dinamicheskogo razrushenija merzlykh gruntovi. Isaev, O.K., Issledovanie mashin dlia svalnykh i ssacy, O.K., issicaovanie mashin dila svalnykh i buro-vykh rabot (Study of machines for drilling and pile construction) edited by A.S. Golovachev, Moscow, Transport, 1987, p.115-124, In Russian. 7 refs. Mathematical models, Penetration tests, Prozen ground, Drills, Wedges.

42-3363

Experience in using a combination of instruments to speed up determinations of frozen ground properties. (Opyt primeneniis kompleksa apparatury dlia us-korennogo opredeleniis avolstv merzlykh gruntov), Morozov, A.A., et al, Issledovanie mashin dlia svai-MOrozov, A.A., et al., issiciovante mashin una ovar-nykh i burovykh rabot (Study of machines for drilling and pile construction) edited by A.S. Golovachev, Moscow, Transport, 1987, p.124-137, In Russian. 5

Permafrost physics, Permafrost thermal properties, Permafrost beneath structures, Foundations, Measuring instruments. Surveys.

42-3364

Studying the reliability of the drilling unit BTS-300. (Issledovaniia nadezhnosti burovol mashiny BTS-500),

Kurdiumov, S.G., Issledovanie mashin dlia svaĭnykh i burovykh rabot (Study of machines for drilling and pile construction) edited by A.S. Golovachev, Moscow, Transport, 1987, p.137-143, ln Russian.

Permafrost physics, Hardness tests, Rock drilling, Drills, Equipment, Wells, Analysis (mathematics), Permafrost thermal properties, Measuring instruments.

42-3365

Tests on compressed snow for antarctic runway con-

Russell-Head, D.S., Melbourne, University. MUPAS report, Dec. 1982 (rev May 1983), No.55, 60p. + appends., 11 refs.

Laboratory techniques, Snow mechanics, Snow physics, Bearing strength, Aircraft landing areas, AntarcSnow which successfully duplicates the *in situ* surface anow on Law Dome near Casey has been made in the laboratory. Compaction, unconfined compression and California Bearing Ratio (CBR) tests have been performed on this laboratory-made anow. Data from these tests support the feasibility of using conventional large multi-tyred pneumatic rollers (which have tyre pressures up to 1000 kPa) to compact the surface snow on Law Dome to a density sufficient for use as a runway for wheeled Lockheed C130 aircraft. The CBR value of compacted anow depends atrongly on its density. A CBR value of about 10 is required by the wheeled C130 and this was achieved at smow density of 0.6 Mg/cu m. The CBR strength of compressed snow increased with the time after compaction and this aging effect was more pronounced at low densities. The temperature of the compacted snow did not strongly influence the CBR strength of the snow. The pavement thickness required for C130 operation depends on the pavement CBR, the subgrade CBR and the acceptable wheel settlement. Calculations indicate that for a wheel settlement of 20 mm, a pavement CBR of 10 and a subgrade CBR of 3, the required pavement thickness is about 0.5 m. (Auth. mod.)

42.3366

Dislocation motion in ice: a study by synchrotron X-

Pastocaston and the a study by synthetic of Array topography.

Ahmad, S., et al, Philosophical magazine A, May 1988, 57(5), p.749-766, 26 refs.

Whitworth, R.W.

Ice crystal structure, X ray analysis, Dislocations

42.3367

Construction of Arctic concrete island drilling system (super CIDS).

(super CIDS).
Ono, Y., et al, Civil engineering in Japan, Dec.
1985, Vol.24, p.24-34.
Offshore drilling, Concrete structures.

Beware of snowy roofs.

Beware of samey roots. Eriksson, A., et al, American journal of public health, Mar. 1988, 78(3), p.322, 4 refs. Björnstig, U., Kullenberg, K. Safety, Roofs, Snow removal.

47.3360

Mystery of Arctic haze. Carey, J., Weatherwise, Apr. 1988, 41(2), p.97-99, Reprinted from International wildlife, March/April 1988.

Haze, Air pollution.

Study of coastal vegetation at a site on Hudson Bay near Winisk. Ontario. Sims, R.A., et al, Canadian field-naturalist, Jul.-Sep.

1987, 10(13), p.335-345, 40 refs.
Wickware, G.M., Cowell, D.W.
Plants (botany), Plant ecology, Subpolar regions,
Canada—Ontario—Winisk.

Floristic modification of low arctic tundra by the Arctic Ground Squirrel, Spermophilus parryil.
Mallory, F.F., et al, Canadian field-naturalist,
Jul.-Sep. 1987, 101(3), p.388-391, 16 refs. Heffernan, T.D. Tundra, Ecology, Animals.

Way to the riches of Siberia. Put' k bogatstvam Sibi-

Il'ina, L.N., Moscow, Mysl', 1987, 302p., In Russian with abridged English table of contents enclosed. Refs. p.298-302.

Forestry, Economic development, Mining, Natural resources, Hydraulic structures, Construction materiels, Electric power, Transportation, Permafrost dis-tribution, Permafrost control, Baykal Amur railroad.

42-3373

Computer mapping of southern ocean ice from Cosmos-1500 radiometric data. ¡Avtomatizirovannoe postroenie kart morskikh l'dov IUzhnogo okeana po dannym trassovykh radiometricheskikh izmerenîî ISZ "Kosmos-1500"], Nikitin, P.A., et al, *Issledovanie Zemli iz kosmosa*,

Sep.-Oct. 1987, No.5, p.92-98, In Russian with Eng-

Sep.-Oct. 1987, No.5, p. 92-98, In Russian with English summary. 12 refs. Spiridonov, IU.G., Trapeznikova, N.B. Data processing, Sea Ice distribution, Mapping. A methodology is developed for compiling schematics of the spacial distribution of sea ice in the south polar region using Cosmos-1900 alongtrack microwave radiometry. Space-acquired data processing stages are described and examples of computer compiled schematics are given, along with their comparison with data from other sources. (Auth.)

1ce conditions in the antarctic Indo-Pacific sector from "Meteor-2" satellite data collected during the summer seasons, 1977-1983. Osobennosti ledovykh uslovii indo-tikhookeanskogo sektora Antarktiki po dannym IZS "Meteor-2" v letnii period 1977-1983

88.). Nikitin, A.A., Biologo-okeanograficheskie issledovaniis tikhookeanskogo sektors Antarktiki (Biological and oceanographic investigations of the Pacific
sector of the antarctic ocean). Edited by R.R. Makarov, Moscow, 1987, p.62-68, In Russian with English
summary. 10 refs.
Ice edge, Sea Ice distribution, Polynyas, Antarctica—

Ross Sea.

Based on data from the "Meteor-2" satellite, stationary ice formation and ice free areas are determined for 1977-1983 summer periods. The dynamics of polynyas in the Ross Sea are analyzed, with the following results: in very warn years, the Ross Sea is free of ice up to 140 W; ice bands having a width up to several hundred km originate from the main ice massifs, a stationary location of baric centers, and meteorological conditions connected with them, cause the formation of stationary ice and ice free areas. (Auth. mod.)

Fluctuations of ice conditions in the Somov and Ross sees. «Kolehanija ledovitosti v moriakh Somova i

Nikitin, A.A., et al, Biologo-okeanograficheskie issledovaniia tikhookeanskogo sektora Antarktiki (Bio-logical and oceanographic investigations of the Pacific sector of the antarctic ocean). Edited by R.R. Maka-roy. Moscow. 1987. p. 68-74. In Russian with English summary. Shurunov. N.A.

Sea ice distribution, Drift, Wind factors, Antarctica

Data from investigations conducted during the 1979-1983 sumrom investigations conducted during the 1979-1938 aims seasons, on ice conditions in the Ross and Somov season the following: high interannual fluctuations; the condiitions in the eastern Somov Sea area are in a counterphase with those in the western Ross Sea area. This is caused by the ice drifting northward from the Ross Sea along the west coast, and by the change of the drift direction—northwest—due to east wind currents. (Auth. mod.)

42-3376

42-33/0 Convention of Soviet oceanographers, 3rd, Leningrad, Dec. 14-19, 1987. Section Physica and Chemistry of the Ocean. Wind, Internal and Tidal Waves; Tauna-mi Waves. Summaries of reports. Sektalia fizika i khimiia okeana. Vetrovye, vnutrennie, prilivnye volny; volny tsunami. Tezisy dokladov; S"ezd sovetskikh okeanologov, 3rd, Leningrad, Dec. 14-19, 1987, Leningrad, Gidrometeoizdat, 1987, 164p., In Russian. Lentovskaia, L.L., ed.

Tides, Ocean waves, Ice cover effect, Mathematical

42-3377

Transformation of long nonlinear waves in an ice-cov-ered coastal zone. [Transformatsiia dlinnykh neline]ered coastal zone. [Transformatsiia diinnykh nelinef-nykh voln v pribrezhnoï zone moria pokrytol l'dom, Zhelezniak, M.I., et al, S'ezd sovetskikh okeanologov, 3rd, Leningrad, Dec. 14-19, 1987. Sektsiia fizika i khimiia okeana. Vetrovye, vnutrennie, prilivnye volny; volny tsunami. Tezisy dokladov (Convention of Soviet oceanographers, 3rd, Leningrad, Dec. 14-19, 1987. Section Physics and Chemistra Dec. 1917. 1987. Section Physics and Chemistry of the Ocean. Wind, Internal and Tidal Waves; Tsunami Waves. Summaries of reports) edited by L.L. Lentovskaia, Leningrad, Gidrometeoizdat, 1987, p.96-97, In Rus-

Tkachenko, V.A., IAkoviev, V.V.

Ocean waves, Ice cover effect, Fast ice, Pack ice,
Mathematical models.

42-3378

Ice cover effect on distribution of long waves. [Vliisnie ledianogo pokrova na rasprostranenie dlinnykh volnj,

Wartynov, V K., S'ezd sovetskikh okeanologov, 3rd, Leningred, Dec. 14-19, 1987. Sektsiis fizika i khimisi okeana. Vetrovye, vnutrennie, prilivnye volny; volny tsunami. Tezisy dokładov (Convention of Soviet tsunami. 1ezisy dokiadov (Convention of Soviet Oceanographers, 3rd, Leningrad, Dec. 14-19, 1987. Section Physics and Chemistry of the Ocean. Wind, Internal and Tidal Waves; Tsunami Waves. Summar-ies of reports) edited by L.I. Lentovskais., Leningrad, Gidrometeoizdat, 1987, p.129-130, In Russian. Pack ice, Ocean waves, Drift, Ice floes, Ice friction, Ice cover effect, Models.

42.3370

42-3379
Long range trends in the development of outside finlish for buildings in the North. Perspektivnye napravieniia v naruzhnoi otdelke zdanii na Severes,
Kholopova, L.I., ed., Leningrad, LenzNitEP, 1985,
79p., in Russian. For selected papers see 42-3380
through 42-3382. Refs. passim.
Panels, Buildings, Frost action, Cold weather construction, Bricks, Construction materials, Walls, Masoarry, Climatic factors, Environmental impact, Cold weather operation.

42-3380

Traditional and new materials and methods of outside finishing of buildings, suitable for northern condi-tions. (Traditsionnye i novye materialy i sposoby ot-

delki zdanii, prigodnye dlia uslovii Severa, Kholopova, L.I., Perspektivnye napravleniia v naruzh-noï otdelke zdanii na Severe (Long range trends in the development of outside finish for buildings in the development of outside inian for buildings in the North) edited by Li. Kholopova, Leningrad, LenZ-NIEP, 1985, p.3-10, In Russian. 7 refs. Buildings, Construction materials, Walls, Subpolar regions, Environmental impact.

41.1101

Esthetic development of urban media in the North with the use of new materials and technical sids.

Perspektive esteticheskoso razvitiis sorodskoj sredv evera s ispol'zovaniem novykh materialov i tekhni-

cheskikh sredstvj.

Borovskaja, E.A., Perspektivnye napravlenija v na-Borovskais, E.A., Perspektivnye napravleniis v naruzhno' otdelke zdanii na Severe (Long range trends in the development of outside finish for buildings in the North) edited by L.I. Kholopova, Leningrad, LenZ-NIIEP, 1985, p.11-15, In Russian.

Urban planning, Construction materials, Frost action, Buildings, Design, Subarctic landscapes.

42-3382
Trends in technological research of industrial finishtrends in technological research of industrial musa-ing of wall panels in the large panel plants of the northern USSR. (Napravleniia tekhnologicheakikh razrabotok v oblasti industrial'nof otdelki stenovykh panelel na predpriiatiiakh KPD severnol zony atrany,

Zařtseva, G.M., Perspektivnye napravlenija v naruzh Zaitseva, C.M., Perspektivnye napravienia v naruzn-nof otdelke zdanił na Severe (Long range trends in the development of outside finish for buildings in the North) edited by L.I. Kholopova, Leningrad, LenZ-NIIEP, 1985, p. 16-19, in Russian. Large panel buildings, Construction materials, Prost

action

42.3383

Long term climate changes from crystal growth com-

ments and reply; Alley, R.B., et al, Nature, Apr. 14, 1988, 332(6165), p.592-593, 13 refs. For the article being discussed see 41-2750 (16F-35244). Perepezko, J.H., Bentley, C.R., Petit, J.P., Duval, P.,

Lorius, C. Paleoclimatology, Ice crystal growth, Ice composi-

Alley, et al dispute the proposed theory by Petit, et al that small grain size in Wisconsinan ice in the Dome C lee core resulted from cold surface temperatures at the time of deposition. They cite the drag impurities in the ice as the probable cause of the cite the drag impurities in the ice as the proba de cause of the small grain size in this ice, providing data reanalysis interpreta-tions as their reasons for the disagreement. The proponents of the cold surface temperature interpretation strongly defend their thesis, discussing the stability of extrinsic interstitial de-fects, the value of activation energy in ice growth, and the effect of soluble impurity content.

42-3384

Current patterns in McMurdo Sound, Antarctica and their relationship to local biotic communities.

Barry, J.P., et al, Polar biology, May 1988, 8(5), p.367-

376, Refs. p.376. Dayton, P.K.

Sea ice, Ice cover effect, Biomass, Antarctica McMardo Sound.

Current speed and direction measurements collected during Current speed and direction measurements collecter during aummer and spring of 1984 indicated that currents in h...Nurdo Sound were dominated by oscillatory flow associated with diurnal tidal components (01, Kl, Pl). Net flow was southward in the eastern Sound, mixed in the central Sound, and northward in the western Sound. Short term observations (<5 days) from nearshore stations indicated a similar but more alugian pattern of tidal and mean flow. Hydographic data collected during the same period indicated a similar pattern of cold water with low chlorophyll a content flowing northward from under the Ross Ice Shelf in the western Sound and denser, slightly warmer water with higher chlorophyll a content flowing southward in the eastern Sound. Previous studies have shown soutnews in the eastern Sound. Previous studies have anown that productivity is higher in the eastern Sound than in the west, apparently due to the circulation pattern. The western Sound consists of waters from beneath the Ross Ice Shelf which have a lower phytoplankton standing stock than eastern Sound waters which enter from the north. More sluggish current speeds in the western Sound result in even lower particle fluxes past benthic consumers. Finally, more persistent ice cover in the west further inhibits in situ primary productivity. (Auth.)

Hydrographic patterns in McMurdo Sound, Antarctica and their relationship to local benthic communi-

Barry, J.P., Polar biology, May 1988, 8(5), p.377-391. Sea ice, Ice cover effect, Biomass, Antarctica—McMurdo Sound.

Measurements of hydrographic parameters (temperature, salinity, nitrate, nitrite, phosphate, chlorophyll a, phaeophytin, and oxygen) in McMurdo Sound during spring 1984, before the salinity, nitrate, nitrite, phosphate, chlorophyll a, phaeophytin, and oxygen) in McMurdo Sound during spring 1984, sefore the regional phytoplankton bloom, and summer 1984, after the real of the bloom, indicate that several processes contribute to changes in the vertical and horizontal structure of the water column. Regional variation in the source of water masses within the Sound, ice cover patterns, and meltwater from the Ross tes Shelf and nearby continental glaciers result in east-west and north-south gradients in the thermohaline, nutrient, and productivity characteristics of the Sound. These patterns are also related to the extremely variable structure and productivity of shallow water benthe: macrofaunal communities in McMurdo Sound. Nutrient ruice indicate that glacial meltwater from the Ross Ice Shelf and/or nearby terrestrial sources may be an important component of the summer meltwater input to the western Sound. Enhanced water column stability due to this input may prolong the maintenance of high water column stability due to this input may prolong the maintenance of high water column stability that sit has water mass flows northward and result in particularly high productivity in northern McMurdo Sound. (Auth. mod.)

Nival-glacial systems and their mapping, (Nival'no-

Osokin, N.I., Moscow, 1988, 135p., In Russian with English summary and table of contents. Refs. p.116-132

Glaciology, Nivation, Glaciers, Snow cover distribu-tion, Avalanches, Aerial surveys, Ground ice, Perma-frost, Naleds, Mapping, Models.

42.3387

Climatic characteristics of snow-ice resources of the world. Klimaticheskie kharakteristiki snezhno-ledo

world. (Klimaticheskie kharaktenistiki snežnio-ledo-vykh resurvov miraj, Kopanev, I.D., et al, Leningrad. Glavnaia geofizi-cheskaia observatoriia. Trudy, 1987, Vol.515, p.3-8, In Russian. 7 refs. Climatology, Water balance, Mapping, Ice cover thickness, Snow cover distribution, Hydrology, Glaci-ology, Polar regions.

42-3388

Methods of controlling extreme temperatures of soil surfaces. (O metodike kontrolia ekstremal'nysh tem-peratur poverkhnosti pochvy, Naumova, L.P., Leningrad. Glavnais geofizicheskais observatoriis. Trudy, 1987, Vol.515, p.26-30, In Rus-

Soil air interface, Heat transfer, Soil temperature, Seasonal variations, Analysis (mathematics).

42.3389

Analysis of mean long-term snow cover characteris-tics for different periods. [Analiz srednikh mnogolet-nikh kharakteristik snezhnogo pokrova za razlichnye

periody<sub>1</sub>, Lipovskaia, V.I., Leningrad. Glavnaia geofiziches-kaia observatoriia. Trudy, 1987, Vol.515, p.41-44, in

Manuals, Snow surveys, Snow water equivalent, Snow depth, Climatology, Snow accumulation, Snow cover distribution.

42,3300

Allowing for ice loads in building tall atructures. (Uchet gololednykh nagruzok pri stroitel'stve vysot-

sian. 8 refs. Icing, Buildings, Ice loads, Maps, Design, Ice accretion. Ice cover thickness.

42-3391

Methods of calculating air temperature for coldest periods. ¡Metodika rascheta temperatury vozdukha naibolee kholodnogo perioda;.

Pashina, O.B., et al, Leningrad. Glavnaia geofizicheskaia observatoriia. Trudy, 1987, Vol.513, p.66-70, In Russian. 3 refs. Kliueva, M.V.

Walls, Heating, Heat loss, Forecasting, Design, Buildings, Thickness, Computer applications.

Preezing of liquids in underground pipelines. Zat-verdevanie zhidkosti v podzemnykh trubc trubo-

verdevanie zhidoen v pouzemnyan neo-provodakh, Bondarev, B.A., et al, Akademiia nauk SSSR. Si-birakoe otdelenie. Institut jidrodinamiki. Seriia Dinamika sploahodi serdy. Sbornik nauchnykh tru-dov, 1987, Vol.83, p.32-39, In Russian. 9 refs.

Kapitonova, T.A. Stefan problem, Underground pipelines, Soil freez-ing, Frost penetration, Pipeline freezing, Ice forma-tion, Phase transformations.

42-3393

Automated system for calculating snowmelt flood hydrographs of plain rivers. (Osnovy aviomatizirovan-noi sistemy rascheta gidrografov snegovogo polovod'ia ravninnykh rek),

Burakov, D.A., et al, Akademiis nsuk SSSR. Si-birskoe otdelenie. Institut gidrodinamiki. Seriis Dinamiks sploshod! serdy. Sbornik nsuchnykh tru-dov, 1987, Vol.83, p.139-144, ln Russian. 10 refa. Kanivets, S.A.

Flood forecasting, Computerized simulation, Meltwater. River.

42-3394

Teeting a new breed of icebreaker. Perchanok, M., Canadian geographic, June-July 1988, 108(3), p.66-71. Icebreakers, Sea ice.

42-3395

Revealing review of icing accidents.

Lacagnina, M.M., A.O.P.A. Pilot, Jan. 1987, 30(1), p.90-92.

Aircraft icing, Accidents.

42-3396

Water hezerde.

Lowery, J.M., A.O.P.A. Pilot, Oct. 1987, 30(10), p.85-

Aircraft landing areas, Tires, Water films. 42-3397

Wood-frame roofs and moisture.

Tobiasaon, W., Custom builder, Mar. 1988, 3(3), MP 2340, p. 33-37.
Roofs, Moisture, Wooden structures.

42-3398

Thewed strength of soil compacted while frozen: an introductory study.

introductory steay. Graham, J., et al, Geotechnical testing journal, June 1988, 11(2), p.125-131, 14 refs. Fensury, H., Shields, D.H. Earthwork, Frozan ground, Soil compaction, Soil

strength. 42-3399

Priction on ice.

Ahagon, A., et al, Rubber chemistry and technology, Mar.-Apr. 1988, 61(1), p.14-35, 29 refs. Kobayashi, T., Misawa, M. Tires, Rabber tos triction.

42-3400

Protecting man-made shores from the forces of na-ture. Alaskan update, Fall 1983, 1(2), p.1-3. Ice pileup, Ice override, Shore erosion, Countermeas-

pres.

42-3401

Man-made ice for construction in the Arctic. Alaskan update, Spring 1986, 4(2), p.1-3, 6-7.
Artificial ice, Ice (construction material), Ice islands.

42-3402

Amoco spray ice island: a milestone in man-made ice construction. Alaskan update, Summer 1986, 4(3),

p.1-3. Artificial ice, Ice (construction material), Ice islands. 42-3403

Reindeer island ice road: a milestone in mand-made ice construction. Alaskan update, Summer 1986, 4(3), p.2,8.

rtificial ice, Ice (construction material), Ice roads. 42-3404

Second Union Oil ice island: a milestone in man-m ice construction. Alaskan update, Summer 1986, 4(3), p.3,7-8.

Artificial ice, Ice (construction material), Ice islands. 42-3405

Exxon ice island: s milestone in man-made ice con-struction. Alaskan update, Fall 1986, 4(4), p.6. Artificial ice, Ice (construction material), Ice islands.

Tests of sea ice samples from the Beaufort Sea aid design of offshore petroleum structures. Alaskan up-date, Spring 1987, 5(2), p.1-3,8. Sen ice, Ice pressure, Ice strength, Offshore struc-

Ice movement data needed for designing offshore structures. Alaskan update, Pall 1987, 5(4), p.1,6,8. Sea ice, Drift, Ice pressure, Offshore structures.

Laboratory testing of ice by the oil industry. Alaskan update, Winter 1987, 5(1), p.1-3,5.
Sea ice, Ice strength, Ice crystals, Laboratory tech-

42-3409

Strength tests of sea ice samples from Alaska. Alaskan update, Winter 1987, 5(1), p.3. Test equipment, Ice strength.

Acctates clear the way for ice-free roads. New scientist, Jan. 21, 1988, 117(1596), p.37.
Chemical ice prevention, Road maintenance.

Density of rime on cylinders.

Buser, O., et al, Royal Meteorological Society. Quarterly journal, Apr. 1973, 99(420), p.388-391, 7 rets.

Auddermaur, A.N.

Icing, Ice density.

Scientific cruise report of Arctic Expedition ARK IV/3.

Thiede, J., comp, Berichte zur Polarforschung, 1988, No.43, 237p. (Pertinent p.17-38), Refs. p.226-234. Sea Ice, Drift, Sediment transport, Arctic Ocean.

Porecasting changes in natural conditions of the Ob'-Irtyah river basin after meliorative measures. [Prognoz izmenenii prirodnykh uslovii Ob'-Irtyshskogo basnor izmenemi prirodnyki nisovi Uo-irysnakogo osa-sefina v svizai s meliorativnymi meroprilatilani, Snytko, V.A., et al, Geografiis i prirodnye resurs.; Jan.-Mar. 1987, No.1, p.10-18, in Russian. 15 refs. Taiga, Forest solls, Cryogenic solls, Swamps, Hy-drology, Land reclamation.

Annual course of thermal regime elements in shallow lakes of Central Yakutia. (Godovoi khod elementov teplovogo rezhima melkovodnogo ozera v Tsentral'noi

tepiovogo reznima meikovodnogo ozera v i sentra inci IAkutij, Pavlov. A.V., et al, Geografia i prirodnye resursy, Jan.-Mar. 1987, No.1, p.91-97, In Russian. 16 refs. Skriabin, P.N., Skachkov, IU.B., Variamov, S.P. Permafroet distribution, Permafroet beneath lakes, Talliks, Ground ics, Lake ics, Shoreline modification, Icc cover thickness, Snow cover effect, Water temper-

Thermokarst in the northern Amur region. [Termokarst Severnogo Priamurias, Pozdniakov, I.V., Geografia i prirodnye resursy, Jan.-Mar. 1987, No.1, p.97-101, in Russian. 17 refi Permafrost hydrology, Permafrost distribution, Ground ice, Active layer, Maps, Permafrost thermal properties, Thermokarst, Origin.

Dynamics of the coastal zone of the Angara River water-storage basins at the low level regime. Tolnamiks beregovol zony angarakikh vodokhranilishch pri nizkom urovennom rezhime,

Leshchikov, F.N., Geografia i principy resursy, Jan.-Mar. 1987, No.1, p.101-107, In Russian. 3 refs. Permafrost beneath lakes, Water storage, Reservoirs, Shore eroulon, Shoreline modification, Ground Ice, Ice melting.

Temperature regime of soils in the Upper Kolyma light forests during spring. [Temperaturny] rezhim pochv redkolesii verkhov'ev Kolymy v vesennii peri-

OG), A.V., Geografia i prirodnye resursy, Jan.-Mar. 1987, No.1, p.182-184, In Russian. 6 rcfs. Permafrost beneath rivers, Permafrost distribution, Forest tundra, Forest solls, Cryogenic soils, Soil tem-perature, Mountain soils, Slope orientation.

Heating panel of the sliding formwork. [Greiushchil shehit skol'ziashchel opalubki, Such a sol zamanele opanioni, Pudikov, A.V., Promyshlennoe stroitel'stvo, Dec. 1986, No.12, p.42, In Russian. Winter concreting, Concrete hardening, Frost resist-ance, Fornawork (construction), Design.

Ways of saving time and lowering power consumption in thermal curing of monolith concrete. (Puti sok-rashcheniia prodolzhitel nosti i snizheniia energoem-

kosti termoobrabotki monoliinogo betona, Kopylov, V.D., et al, *Promyshlennoe stroitel'stvo*, Oct. 1986, No.10, p.39-40, In Russian. 1 ref. Azimbaev, N.A.

Azimosev, N.A.
Winter concreting, Permafrost beneath structures,
Concrete placing, Concrete curing, Concrete heating,
Electric heating, Concrete strength, Prost resistance.

Formwork for thermal treatment of concrete. [Opa-lubks dlia termoobrabotki betona). Danilov, N.N., et al, Promyshlennoe stroitel'stvo, Oct. 1986, No.10, p.40-42, In Russian. 3 refs. Naumov, S.M., Zhuravlev, E.G.

Winter concreting, Formwork (construction), Concrete heating, Concrete hardening, Frost resistance.

Diel patterns of photosynthate biosynthesis by phyto-plankton in permanently ice-covered antarctic lakes under continuous sunlight.

May 1988, 10(3), p.333-340, 17 refs.
Priscu, L.R., Howard-Williams, C., Vincent, W.F.

Limnology, Photosynthesis, Ice cover effect, Plank-ton, Antarctica—Vanda, Lake, Antarctica—Fryxell,

Lake.

Diel patterns of photosynthate biosynthesis by antarctic freshwater phytoplankton growing under the variable but continuous sunlight of summer were found to be similar in many respects to those reported from other aquatic environments where light/dark periods alternate. Lipid synthesis by freshwater phytoplankton in Lakes Vanda and Fryxell predominated during periods when solar radiation and phytosynthesis were most intense; the inverse was generally true of the protein and polysaccharide fractions. The major photosynthetic end-products in both lakes were protein and polysaccharide, which together accounted for 60-81% of the total cellular carbon incorporation. Less than 4% of the carbon was incorporated into lipid in Lake Vanda; > 12% appeared in the lipid fraction in Lake Fryxell. Depulsations showed evidence of photoinhibition of complete photosynthesis during 'midday' when irradiance was most intense. Values computed from the photosynthesis irradiance relationships in Lake Fryxell, corroborate other studies suggesting that the phytoplankton populations in permanently lee-capped antarctic lakes are among the most shade-adapted yet reported. (Auth.)

Long term mitigation of frost deterioration of existing roadways.

Sage, J.D., et al, Worcester, MA, Worcester Polytechnic Institute, Mar. 25, 1988, 105p., 23 refs. D'Andrea, R.

Roadbeds, Frost heave, Thaw weakening, Frost ation, Pavements, Damage, Freeze thaw tests, Loads (forces), Soil freezing, Ground thawing, Shear strength.

42-3423

Mechanical properties of model ice rubble. Sayed, M., Structures Congress '87 Related to Materials and Member Behavior, Orlando, FL, Aug. 17-20,

as and Memoer Benavior, Orlando, FL, Aug. 17-20, 1987. Proceedings. Materials and member behavior. Edited by D.S. Ellifritt, New York, American Society of Civil Engineers, 1987, p.647-659, 6 refs. Ice mechanics, Ice solid interface, Surface roughness, Stress strain diagrams, Tests, Ice cover.

Ice winters 1981-1985 along the Finnish coast. [Jäätalvet 1981-1985 Suomen merialueilia<sub>1</sub>, Kalliosaari, S., et al. *Finnish marine research*, 1983,

No.254, p.5-63, In Finnish with English summary. Seink, A.

Ice conditions, Sea ice distribution, Ice cover thickness, Ice formation, Ice breakup, Sea water freezing, Fast ice, Seasonal variations, Water temperature, Baltic Sea

WMO sea ice nomenclature (In Finnish). [WMO: N merijaan terminologia (Suomi), Grönvall, H., et al, Finnish marine research, 1987, No.254, p.65-93, In Finnish and English.

Kalliosaari, S., Lepparanta, M., Seina, A. Sea ica, Terminology.

42-3426

Ice storage option.
Grumman, D.L., et al, ASHRAE journal, May
1988, 30(5), p.20-27.
Butkus, A.S., Jr. Cold storage, Lake ice, Cooling systems, Cost anal-

Freezing in the hard core Yukawa fluid. Kloczkowski, A., et al. Journal of chemical physics, May 1, 1988, 88(9), p.5834-5839, 50 refs.

Samoorski, A. Preezing, Phase transformations, Liquid solid interfaces, Liquid phases, Solid phases, Mathematical models, Theories, Density (mass/volume).

42-3428

Crose-polarization discrimination measurement at the CS-2 experimental earth station.

Mackawa, Y., et al, AP-8 International Symposium Blacksburg, VA, June 15-19, 1987. Proceedings. 1987 International Symposium Digest: antennas and propagation, Vol.1, New York, Institute of Electrical and Electronic Engineers, 1987, p.444-447, 7 refs. Chang, N.S., Miyazaki, A., Segawa, T. Remote sensing, Snow melting, Ice crystals, Scatter-

ing, Raindrope.

42-3429

42-3429
Composite buildings for military bases.
Flanders, S.N., U.S. army Cold Regions Research and
Engineering Laboratory, Mar. 1988, CR 88-04, 25p.,
ADA-194 475, 4 refs.
Military facilities, Buildings, Safety, Cost analysis,

Construction materials.

Construction materials.

This report compares the use of composite buildings with thuse of conventional buildings. Composite buildings are those that combine into fewer buildings several uses that traditionally have occurred in separate buildings. The comparisons are based on construction costs, life cycle costs, speed of construction, materials availability, energy efficiency, fire safety, organizational efficiency, incremental or modular construction, and habitability. The uses reported on include a military training facility in St. Jean, Quebec; a shopping and community center complex for Fort Wainwright, Alaske; and battalion and brigade buildings for mobilization at Fort Leonard Wood, Missouri, and in Alaska. In each case, when comparisons are made between on Alaska. In each case, when comparisons are made between permanently constructed buildings, the composite buildings are cheaper to build and maintain than the conventional buildings. The composite buildings consume less energy and are muc more convenient to their occupants.

42-3430

Experience in lowering the power consumption of frozen ground excavation in mellorative works. (Opyt snizheniia energoemkosti razrabotki merzlykh

gruntov v meliorativnom stroitel'stve, Marakhovskii, P.F., Mekhanizatsiia stroitel'stva,

Maraknovskii, F.F., Meknanizaisia Silvitei siva, Feb. 1988, No.2, p.19-21, In Russian. Earthwork, Land reclamation, Construction equip-ment, Cold weather construction, Frozen ground.

42-3431

Construction of ice crossing over the Long-Yuan River, designed for moving superheavy loads to the site of a 220 kV substation of the Nadym compressor station. (Opyt sooruzheniis lediano) perepravy cherez r. Long-IUgan dlia propuska sverkhtiazhelykh gruzov pri stroitel'stve PS 220 kV KS Nadym<sub>1</sub>,

Smirnov, V.N., et al, Energeticheskoe stroitel'stvo, Dec. 1987, No.12, p.60-63, In Russian. 4 refs. Rudenko, N.D.

Swamps, Ice crossings, Design, Ice roads, Ice (con-struction material), Permafrost, River ice, Ice cover

42.3432

Design solutions for the overhead 110 ky line Yakutsk State Regional Electric Power Plant—Tabaga. [Pro-ektnye resheniia VI. 110 kv IAkutskaia GRES-Taba-

ga<sub>1</sub>, Volkov, A.N., Energeticheskoe stroitel'stvo, Dec.

1987, No.12, p.63-64, In Russian. Permafrost beneath rivers, Floodplains, Power line supports, Foundations, Frozen fines, Permafrost ther-mal properties, USSR—Lena River.

Using rolled concrete in the lower wedge of the dam of the Bureya hydroelectric power plant. Primenenie ukatannogo betona v nizovom kline plotiny Burels-

nie ukatannogo detonia v medvim anne prama kof GES, Loshak, V.K., et al, Energeticheskoe stroitel'stvo, Jan. 1988, No.1, p.12-17, In Russian. 3 refs. Smirnova, L.N., Sokolov, V.V., Tarasov, IU.A. Hydrauli, structures, Dams, Winter concreting, Concrete strength, Prost resistance.

47.3434

Heating metallic formwork with a plastic conductive lining. Greiushchais metallicheskaia opalubka s polimenym elektroprovodnym pokrytiem,
Abramov, V.S., et al, Promyshlennoe stroitel'stvo,
Feb. 1986, No.2, p.24-25, In Russian. 3 refs.
Ambartsumian, S.A., Badeian, G.V.
Winter concreting, Formwork (construction), Elec-

42-3435

Basic trends in the development of winter concreting technology. ¡Osnovnye napravlenila rezvitila tekhnologii zimnikh betennykh rabotı,

Shishkin, V.V., Promyshlennoe stroitel'stvo, March, 1986, No.3, p.39-40 In Russian.

Reinforced concretes, Construction equipment, Winter concreting. Steel structures. Formwork (construction). Concrete hesting.

42-3416

Winter concreting with the use of combined chemical admixtures. ¡Betonirovanie v zimnikh usloviiakh s primeneniem kompleksnykh khimicheskikh doba-

Ivanova, O.S., et al, Promyshlennoe stroitel'stvo, Dec. 1987, No.12, p.22-23, In Russian. Sanitskii. M.A., Shirko, O.IA.

Winter concreting, Concrete placing, Concrete admixtures, Frost resistance, Concrete strength, Concrete hardening, Concrete freezing.

Swamp landscapes and ground water of the West Siberian plain. Bolotnye landshafty i podzemnye vody Zapadno-Sibirskoi ravniny, Kuskovski, V.S., et al. Geografia i prirodnye resursy, Apr. June 1987, No.2, p.34-40, In Russian. 21 refs.

Smolentsey, IU.K.

Smolentev, IU.K.
Swamps, Taliks, Ground water, Permafrost hydrology, Permafrost distribution, Taiga, Landscape types,
Permafrost structure, Forest soils, Cryogenic soils.

Man-induced eutrophication of the Far Northern lakes (causes, ecologic concequences and possible environmental protection). (Antronosennaia evvironmental protection). (Antropogennaia ev-trofikatsiia ozer Krainego Severa (prichiny, ekologi-cheskie posledstviia i vozmozhnye prirodookhrannye

cnessue postedativia i vozmozanye prirodoskirannye meropriiatiia), Vekhov, N.V., Geografiia i prirodnye resursy, Apr.-June 1987, No.2, p.87-93, In Russian. 34 refs. Lake water, Permafrost beneath lakes, Water chemistry, Algae, Chemical composition, Water pollution, Human factors.

Small-scale mapping of West Siberian swamps from

Small-scale mapping of West Siberian swamps from satellite photographs, lipsol'zovanie kosmicheskikh animkov pri melkomasshtabnom kartirovanii bolot Zapadnot Sibiri, Gorozhankina, S.M., Geografiia i prirodnye resursy, Apr.-June 1987, No.2, p.141-146, In Russian. 8 refs. Spaceborne photography, Swamps, Geobotanical in-terpretation, Permafrost distribution, Landscape terpretation, P.

42-3440

Man-induced activation of exogenic processes in the taigs zone of the West Siberian plain. [Antropogennaia aktivizatsiia eksogennykh protsessov taezhnol zony Zapadno-Sibirskol ravniny,

zony zapadno-siorsko ravmny, Evseeva, N.S., Geografiie i prirodnye resursy, July-Sep. 1987, No.3, p.62-67, In Russian. 20 refs. Taiga, Human factors, Cryogenic soils, Forest soils, Forestry, Soil freezing, Frost penetration, Wind erosion, Porest fires, Revegetation

Cave-ins and tallus processes of the Kodar Range. Cave-ins and tails processes of the Koder Range. (Obval'no-osypnye protessesy v khrebte Koder, Chernyshov, N.I., Geografiia i prirodnye resursy, July-Sep, 1987, No.3, p.107-115, in Russian. 16 refs. Alpine landscapes, Slope processes, Talus, Rock streams, Permafrost distribution, Solifluction.

Classification and identification indices of polygonal swamps (the case of western Siberia). O klassifikatdeshifrovochnykh priznakakh poligonal'nykh bolot (na primere Zapadnot Sibiri), Novikov, S.M., et al, Geografiia i prirodnye resursy, July-Sep. 1987, No.3, p.131-138, In Russian. 11 refs. Usova, L.I.

Subarctic landscapes, Tundra, Polygonal topography, Patterned ground, Swamps, Classifications, Mi-

Microelement content in soil-forming rocks of northern Tyumen' region. ¡Soderzhanie mikroelementov v pochvoobrazujushchikh porodakh severa Tiumenskoj

coussity, Khrenov, V.IA., Geografiis i prirodnye resursy, July-Sep. 1987, No.3, p.163-165, In Russian. 12 refs. Subpolar regions, Soil formation, Soil composition, Taigs, Soil chemistry, Microelement content.

42.3444

Evaluation of the Far North regions of the USSR for organizing the stations of background monitoring of natural media. Otsenka ratonov Krainego Severa SSSR dila organizataji stantah fonovogo inonitoringa prirodnof sredy, Krasovskaia, T.M., et al, Geografiia i prirodnye resursy, Oct.-Dec. 1987, No.4, p.44-48, In Russian. 10 ref.

Zařtseva, L.E., Tarasov, I.IU.

Shores, Landscape types, Tundra, Monitors, Human factors, Climatic factors, Geomorphology, Meteorology, Maps, Forest tundra.

Landscape regionalization of the Priangar'ye according to facial structure of the territory. [Opyt landshaftnogo ralonirovaniia Priangar'ia po fatsial'nol

snatinogo ratonirovania Prangaria po ratsiai noi strukture territorii, Suvorov, E.G., Geografia i prirodnye resursy, Oct.-Dec. 1987, No.4, p.69-74, In Russian. 28 refs. Mapa, Permafrost beneath rivers, Landscape types, Mapping, USSR—Angara River.

Classification of geocryologic-hydrogeologic condi-tions of the BAM zone in relation to ground water preservation. (Tipizatsiis merzlotno-gidrogeologi-cheskikh unlovit zony BAMa v sviazi s problemol okh-

cheskikh uslovii zony BAMa v sviazi s problemol okh-rany podzemnykh vod; Alekseeva, L.P., Geografiis i prirodnye resursy, Oct.-Dec. 1987, No.4, p.89-97, in Russian. 12 refs. Permafrost distribution, Permafrost hydrology, Human factors, Permafrost thermal properties, Water chemistry, Geologic structures, Profiles, Bay-kal Amur railroad.

42-3447

Theoretical and experimental study of propeller/ice Interaction

Nikitin, M.N., et al. ECTC Translation, No.T-856-05, New York, et al. 2010 Iraniation, No. 1-836-05, New York, [1987], 4p. Unpublished manuscript. For Russian original see 42-2051. Pozniak, I.I., IAkonovskii, S.V. Icebreakers, Ice navigation, Propellers, Ships, Ice

solid interface.

42-344R

42-3448
To the problem of estimating the scale effect in modelling ice breaking by icebreakers.
Kashtelian, V.I., ECTC Translation, No.T-856-06, New York, t1987s, 8p., 4 refs. Unpublished manuscript. For Russian original see 42-2052.
Ice breaking, Icebreakers, Models, I've conditions.

N odelled ice cover homogeneity estimation with re-

N odelies use over subaugeness, sometimes agard to its strength.

Ionov, B.P., ECTC Translation, No.T-856-15, New
York, 19873, 4p., 2 refs. Unpublished manuscript.

For Russian original see 42-2061.

Ice cover strength, Flexural strength, Elastic properties, Temperature effects, Mathematical models.

42-3450

DNAG No.3. Glaciomarine sedimentation on the continental slope off eastern Canada.

Piper, D.J.W., Geoscience Canada, Mar. 1988, 15(1), p.2-28, 34 refs.

Glacial deposits, Marine deposits, Quaternary deposits, Sedimentation, Stratigraphy, Ice sheets, Slopes, Ice edge, Shores, Canada.

Glacial geologic and glacio-climatic studies in the

Canadian High Arctic. Bradley, R.S., ed, Massachusetts. University. Dept.

of Geology and Geography. Contribution, July 1985, No.49, 271p., Refs. passim. For individual papers see 42-3452 through 42-3459. Glacial geology, Glacial meteorology, Climatic factors, Quaternary deposits, Stratigraphy, Paleoclimatology, Snow cover effect.

Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, N.W.T., Canada.

Retelle, M.J., Massachusetts. University. Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S. Bradley, 55, Refs. p.51

p.9-33, Keis. p.31-33. Glacial deposits, Marine deposits, Glacier oscillation, Glaciation, Radioactive age determination, Paleo-climatology, Carbon isotopes, Canada—Northwest Territories—Ellesmere Island.

92:3933 Late Quaternary stratigraphy and palecenvironments of the Beaufort lakes basin, northeastern Ellesmere Telend

Issand.
Retelle, M.J., Massachusetts. University. Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S. Bradley,

the Canadian High Arctic. edited by R.S. Bradley, p.57-106, Refs. 101-106.
Lacustriae deposits, Quaternary deposits, Paleoclimatology, Limnology, Ice conditions, Sediments, Stratigraphy, Grain size, Glacial deposits, Marine deposits, Canada—Northwest Territories—Elles-

Glacio-climatic studies of a high arctic plateau ice cap,

Gracio-cumante studies of a nign arctic piateau ice cap, part I: mass balance.

Bradley, R.S., et al, Massachusetts. University. Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S. Bradley, p.107-127, 10 refs. Serreze, M.C.

Glacier mass balance, Glacial meteorology, Snow depth, Climatic changes, Markers, Seasonal varia-tions, Canada—Northwest Territories—Ellesmere tions,

47.3455

Glacio-climatic studies of high arctic plateau ice cap,

Glacio-climatic studies of high arctic piateau ice cap, part II: topoclimate.

Bradley, R.S., et al, Massachusetts. University. Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S. Bradley, p.128-166, 16 refs. Serreze, M.C.

Glacial meteorology, Albedo, Glacier ablation, Snow cover effect. Seasonal variations, Solar radiation, Tundra, Temperature gradients, Degree days, Canada
—Northwest Territories—Fileamere Island.

Glacio-climatic studies of a high arctic plateau ice cap.

Glacio-climatic studies of a high arctic plateau see cap, part HI: radiation climatology.
Serreze, M.C., et al, Massachusetts. University. Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S. Bradley, p.167-194, 15 refs Bradley, R.S.

Brauty, A.S.
Glacial meteorology, Climatology, Solar radiation,
Albedo, Cloud cover, Snow cover effect, Fog, Canada
---Northwest Territories—Ellesmere Island.

42.3457

Glacio-climatic studies of a high arctic plateau ice cap.

Glacio-climatic studies or a nign arctic piacran acc cap, part IV: energy budget.
Serreze, M.C., et al, Massachusetts. University. Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S. Bradley, p.195-216, 8 refs. Bradley, R.S.

Bradley, K.S. Glacier heat balance, Tundra, Snow cover effect, Analysis (mathematics), Latent heat, Diurnal variations, Glacial meteorology, Climatic factors, Canada—Northwest Territories—Ellesmere Island.

47-3459

Glacio-climatic studies of a high arctic plateau ice cap,

Giscio-cimmatic studies of a sing arctic pistesa ice cap, part V: boundary layer conditions.

Palecki, M.A., et al, Massachusetts. University.

Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S.

studies in the Canadian High Arctic. edited by R.S. Bradley, p.217-249, 24 refs. Serreze, M.C., Bradley, R.S. Glacial meteorology, Boundary layer, Snow cover, Glacier mass balance, Measuring instruments, Meteorological data, Canada—Northwest Territories -Ellesmere Island

Aspects of the precipitation climatology of the Canadian High Arctic. Bradley, R.S., et al, Massachusetts. University, Dept. of Geology and Geography. Contribution, July 1985, No.49, Glacial geologic and glacio-climatic studies in the Canadian High Arctic. edited by R.S.

Bradley, p.250-271, 19 refs Eischeid, J.K.

Essential, J.K.
Ice cores, Precipitation (meteorology), Climatology,
Synoptic meteorology, Oxygen isotopes, Drill core
analysis, Polar regions, Isotope analysis, Canada—
Northwest Territories—Ellesmere Island.

42.3460

Ice in its different forms.

Ice in its different forms.

Berdnikov, D., Canada. Transportation Development Centre. Translation, [1983], No.860746

MF, 4p., Unpublished manuscript. For Russian origi-41-1399.

Ice conditions, Pressure ridges, Sea ice, River ice, Ice iams, Icebreakers, Ica pressure, Ice cover thickness.

On the mechanics of the ramming interaction be-

On the mechanics of the ramming interaction between a ship and a massive ice floe.
Riska, K., Finland. Technical Research Centre.
ublications, 1987, No.43, 86p., 71 refs.
Icebreakers, Ice loads, Ice breaking, Ice floes, Ships,
Mechanical properties, Models, Design.

92-3602 Techniques for measuring reservoir bank erosion. Gatto, L.W., U.S. Army Cold Regions Research and Engineering Laboratory, Feb. 1988, SR 88-03, 27p., ADA-191 400, Refs. p.23-27.

Banks (waterways), Shore erosion, Reservoirs, Lakes, Rivers, Sediments.

Lakes, Rivers, Sediments.
This report summarizes the processes that cause and conditions that contribute to bank erosion along reservoirs, lakes, rivers and coasts. It suggests measurements, techniques and measurement frequencies for four different levels of bank erosion study. Details on specific procedures for a particular technique must be obtained from references cited. There are neinique must be obtained from references cited. There are nei-ther standard measurements to make nor standard methods to use during erosion studies, but this report can be useful to inves-tigators selecting an approach for future work.

42-3463

Twenty-eighth Soviet Antarctic Expedition. Studies of the 1982/83 season. (Dvadtsat' vos'mais Sovet-skais antarkticheskais ekspeditsiis. Sezonnye is-

skaia antarkticheskaia ekspeditsiia. Sezonnye is-sledovaniia 1982/83 g.], Sovetskaia antarkticheskaia ekspeditsiia, Sovetskaia antarkticheskaia ekspeditsiia. Trudy, 1987, Vol.82, 149p., In Russian. Refs. passim. For individual pa-pera see 42-3464 through 42-3468, or E-37710, F-37704, F-37706-9, and I-37705. Kornilov, N.A., ed.

Expeditions, Ice navigation, Polar regions.

EXPORITIONS, Ice navigation, Point regions.
This volume contains information on observations and results of scientific efforts carried out by the 28th Soviet Antarotic Expedition in the 1982-1983 season on the antarctic continent and surrounding waters. Seasonal activities and organization of the expedition, including logistic support and contact with non-Soviet expeditions, are outlined in the first part of the book. The second part consists of 7 individual papers giving the scientific results of projects in oceanography, glaciology and geophytic properties.

Senice conditions for navigation of ships in the southern ocean and for unloading operations at antarctic stations. ¡Ledovaia obstanovka pri plavanii sudov v IUzhnom okeane i usloviia razgruzki v raĭonakh an-

tarkticheskikh stantsiij, Kornilov, N.A., et al. Sovetskaia antarkticheskaia ekspeditsiia. Trudy, 1987, Vol.82, p.94-109, In Russian. Kozlovskii, A.M.

Sea ice distribution. Ice navigation. Unloading, Polar

Navigation is described along the routes of expedition ships in the Weddell, Davis and Somov seas in 1982-1983. Also given is an account of the difficulties encountered during unloading operations at Soviet antarctic stations.

Effects of currents on sea ice structure in the Mirnyy Station area. [Vilianie techenii na uporiadochennost' struktury l'da v raione stantsii Mirnyi, Strakhov, M.V., Sovetskaia antarkticheskaia ekspedit-

Trudy, 1987, Vol.82, p.119-124, ln Russian. 5 refe

Fast ice, Crystal growth, Antarctica-Mirnyy Sta-

Analysis of fast ice structure at Mirnyy Station shows a relation-ship between the atrength of currents and the ice crystal growth. On the basis of this finding, it is possible to determine the flow of under-ice currents from the structure of the ice cover.

Sea ice salinity and statistical characteristics of its distribution. (Solenost' antarkticheskogo morskogo l'da i nekotorye statisticheskie kharakteristiki ee ras-

predeleniia, Nazintsev, IU.L., et al, Sovetskaia antarkticheskaia ek-speditsiia. Trudy, 1987, Vol.82, p.124-132, In Rus-

Romanov, A.A

Sea ice. Ice salinity.

Salinity distribution in ice, in the process of ice formation and disintegration, is investigated, as are the methods best suited for the evaluation of salinity contents in the ice cover.

42.3467

lise of the international method of icebery observa-Use of the international method of iceberg observa-tion. [Opby primeneniia mezhdunarodno! metodiki za alsbergami, Krivoshein, V.K., et al, Sovetskaia antarkticheskaia ek-speditsiia. Trudy, 1987, Vol.82, p.132-136, in Rus-

aien

Khromov, IU.N

Icebergs, Ice volume.

Resergs, Ice volume.

Presented is an analysis of data from investigations, using the method proposed by the Norwegian Polar Institute, of the distribution, occurrence, and dimensions of icebergs in the southern ocean. A chart showing iceberg distribution in Mar.-May 1983 is included, as are the tabulated data.

Infrared radiometry of the southern ocean sea ice. rIK-radiometrija ledianogo pokrova IUzhnogo okea-

na), Tarashkevich, V.N., et al, Sovetskaia antarkticheskaia ekspeditsiia. Trudy, 1987, Vol.82, p.137-140, In Rus-sian. 4 refs.

Chebotareva, V.A. Sea ice distribution, Radiometry.

See are distribution, Regionetry.

Studies of sea ice distribution in the southern ocean show that data obtained by the use of radiometric equipment measuring ice thickness are more objective and more accurate than those obtained by visual evaluation.

42.3460

Biological significance of open water within the sea ice covers of the polar regions.

Massom, R.A., Endeavour, 1988, 12(1), p.21-27, 53 refa

Polynyas, Biomass, Polar regions.

Polyayas, Blomass, Polar regions.

The popular concept of the sea ice of the Polar regions as unbroken areas of snow and ice is far from reality. There are in fact always considerable areas of open water, including some of considerable size which are normally to be found in the same place from year to year. The mapping of these areas has lately been much facilitated by remote sensing from polar orbiting satellites. This unusual ecological niche has been exploited a specialized community of plants and animals. (Auth.)

For a lead-temperature feedback in climatic variation. Ledley, T.S., Geophysical research letters, Jan. 1988, 15(1), p.36-39, 9 refs.

ea ice distribution, Ice models, Ice air interface, Polynyes.

Polynyas.

Sea ice is an important factor in controlling the exchange of energy between the ocean and atmosphere in the polar regions and has an important impact on climate. A climate model has been developed which enables analysis of the effect of changes in sea ice on the ocean-atmosphere energy exchange and atmospheric temperature. The model results described here show that opening small areas of open ocean (leads) within the winter ice pack has a large impact on the atmospheric temperature of the polar regions. This effect is due to changes in the sensible heart flux between the surface and atmosphere resulting from the polar regions. This effect is due to changes in the se heat flux between the surface and atmosphere resulting leads. Thus leads within the ice park may have significal pact on short and long term climatic variations. (Auti re resulting from

South Pole Station monitoring program. Precedow and results.

Lunsford, K.P., Port Hueneme, Naval Civil Engineering Laboratory, 1987, Var.p., Letter report. Unitished manuscript. 4 refs. 4 appends, including a vey Report by G.D. Lunsford.

vey Report by G.D. Lunstord.

Settlement (structural), Snowdrifts, Cold weather construction, Snow density, Snow accumulation, Snow cover effect, Polar regions, Antarctica— Amundsen-Scott Station.

Snow cover effect, Polar regions, Antarctics—Amundaen-Scott Station.

The Naval Civil Engineering Laboratory has been monitoring, since 1984, the settlement of the Amundaen-Scott Station in order to predict the remaining useful life of the station. Factors which may be causing settlement of the dome have been established by examining the actual physical events, results of the finite element analysis, and results of the linear regression analysis. Settlement data shows the greatest amount of settlement is in the region of greatest snow cover. An explanation is developed by examining the effect of the drift anow on the compacted snow foundation of the dome. Due to the visco-leastic properties of snow, the load generated by the drift snow would be sufficient to accelerate the natural compaction of the snow foundation. It then follows, the base ring would be experiencing the most settlement in this region. Results of the finite element analysis evince the dome base ring can be exposed to twice the current differential settlement and attill not buckle. Linear regression analysis actualtes, that by 2002, sixty percent of the base ring footers will be experiencing twice their current differential settlement. At that level of settlement, there may be isolated buckling near the lower edge of the dome. Results of the finite element analysis and the linear regression analysis imply the dome will be structurally sound in 2002.

University of Michigan: Sixth International Conference Structural Design of Asphalt Pavements. Proceedings, Volume 1.

International Conference on the Structural Design of Asphalt Pavements, 6th, Ann Arbor, MI, July 13-17, 1987, Ann Arbor, MI, University of Michigan, Jan. 1937, 1049p., Refs. passim. For selected papers see 42-3473 through 42-3475. Bitumens, Pavements, Temperature effects, Meeting, Design, Cracking (fracturing).

42-3473

Influence of bitumen hardness on the fatigue behaviour of asphalt pavements of different thickness due to bearing capacity of subbase, traffic loading and temperature.

Arand, W., International Conference on the Structural design of Asphalt Pavements, 6th, Ann Arbor, MI, July 13-17, 1987. Proceedings. Vol. 1, Ann Arbor, MI, University of Michigan, Jan. 1987, p.65-71, 5 refs. Bitumens, Fatigue (materials), Pavement bases, Bearing strength, Temperature effects, Loads (forces).

42-3474

Prediction and prevention of surface cracking in asphaltic pavements.

Gerritsen, A.H., et al, International Conference on the Structural design of Asphalt Pavements, 6th, Ann Arbor, MI, July 13-17, 1987. Proceedings. Vol.1, Ann Arbor, MI, University of Michigan, Jan. 1987, p.378-391, 33 refs.

Bitumens, Pavements, Cracking (fracturing), Cold weather tests, Surface properties, Thermal stresses, Forecasting, Countermeasures.

Low-temperature reflection cracking through asphalt overlays.

overlays.

Joseph, P., et al, International Conference on the
Structural design of Asphalt Pavements, 6th, Ann Arbor, MI, July 13-17, 1987. Proceedings. Vol.1, Ann
Arbor, MI, University of Michigan, Jan. 1987, p.935945, 22 refs.

Haas, R., Phang, W.A., Rothenburg, L. Bitumens, Cracking (fracturing), Cold weather tests, Construction materials, Pavements, Construction stresses, Surface properties. Thermal

42-3476

River (ce processes.
Yapa, P.D., et al, Civil engineering practice, Vol.2:
Hydraulics/mechanics. Edited by P.N. Cheremisinoff, N.P. Cheremisinoff and S.L. Cheng, Lancaster,
P.A. Technomic Publishing Co., Inc., 1988, p.469-492, 110 refs. Shen, H.T.

River ice, Ice conditions, Heat transfer, Hydraulic structures, Ice jams, Ice navigation, Ice formation, Analysis (mathematics), Ice sir interface.

1cc Centre Environment Canada's use of AVHRR imagery past, present and future.
Henderson, D., North American NOAA Polar Orbiter
Users Group First Meeting, Boulder, CO, July 14-16,
1987. Proceedings. Edited by D.A. Hastings, et al,
Boulder, CO, U.S. NOAA National Geophysical Data
Center Des 1987, p. 
Center, Dec. 1987, p.206-217, 12 refs.

Ice detection, Remote sensing, Sea ice distribution,
Organizations, Canada.

America's highways: accelerating the search for innovation. National Research Council. Transportation Research Board. Special report, 1984, No.202, 169p. (Pertinent p.132-146), Refs. passim. Edited by J.P.

Starkey.

Road icing, Chemical ice prevention, Snow removal, Ice removal. Safety.

Possibility of lowering the anow-load design values on the main structures of a thermo-electric power plant for reconstruction. (O vozmozhnosti snizhenija raschetnol snegovol nagruzki na glavnye korpusa TES pri

rekonstruktsii,
Krylov, I.I., et al. Energeticheskoe stroitel'stvo, Apr.
1988, No.4, p.60-62, In Russian. 3 refs.
Ogryzko, IU.I., Terent'ev, G.D.
Industrial buildings, Snow loads, Ice loads, Design,

Electric power.

42-3480

New norms and regulations for designing substations in remote northern regions. [Novyl normativnyl dokument po proektirovaniju podstantaji v severnykh dokument po protentivamin podistanta v severných trudnodostupnýk rálonakh, Energeticheskoe stroi-teľstvo, Apr. 1988, No.4, p. 74-75, la Russian. 4 refs. Electric power, Industrial buildings, Permafrost beneath structures.

42-381
Trenching power shovel cutting out blocks of frozen ground. (Transheinyl ekskavator dlia vyrezaniia blo-kov merzlogg grunta),
Sokolov, L.K., et al, Makhanizatsiia stroitel'stva,
Apr. 1988, No.4, p.19-20, In Russian.
Vereskun, A.S., Laptev, N.K.
Earthwork, Excavation, Design, Frozen ground.

Organizing roadbed construction under difficult natural and elimatic conditions. Organizatiin rabot po acoruzheniu zemianogo polotna v slozhnykh prirodno-klimaticheskikh usloviiakhy.

no-kimationeskik uslovinskrij. Kozhevnikov, A.P., Transportnoe stroitel'stvo, Apr. 1988, No.4, p.7-8, In Russian. Roadbeds, Earthwork, Embankments, Permafrost beneath structures, Railroads, Roads.

42-3483

Geo-textile sheets. [Geotekstil'nye polotna], Bulgakov, M.P., Transportnoe stroitel'stvo, Apr. 1988, No.4, p.10, In Russian.

Polymers, Soil creep, Slope stability, Soil stabiliza-tion, Grasses, Slope processes, Countermeasures, Construction materials.

42-3484

Technology of making concretes with antifreeze admixtures. (Tekhnologiia prigotovleniia betona s protivomoroznymi dobavkami), Safonov, B.S., et al, Transportnoe stroitel'stvo, Apr.

1988, No.4, p.27-29, In Russian.

Concrete freezing, Concrete strength, Concrete admixtures. Frost resistance, Cements.

Calculating stress-strain state and consolidation of thawing ground. [Raschet napriazhenno-defor-mirovannogo sostoianiia i konsolidatsii ottaivaiush-

chego gruntovogo massiva, Shvakov, V.A., Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovanija. Izvestija vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1988, No.2, p.119-123, in Russian. 6 refs.

Plastic flow, Ground thawing, Soil freezing, Frost
penetration, Frost heave, Mathematical models.

Influence of testing conditions on frost resistance of Intuence or testing constitutions of ispytanii na moro-zostolkost tiazhelogo betona; Samarin, IU.A., et al, Russia. Ministerstvo vysshego

i srednego spetsial nogo obrazovania. Izvestiis vysshego isrednego spetsial nogo obrazovania. Izvestiis vysshikh uchebnykh zavedenti. Stroitel stvo i arkhitektura, 1988, No.3, p.58-62, In Russian. 5 refs. Orlov, M.T., Stopich, S.I.

Tests, Concrete structures, Permafrost beneath struc-tures, Concrete freezing, Frost resistance.

Basic principles of soil stabilization. [Osnovnye printsipy ukrepleniia gruntov<sub>1</sub>, Bezruk, V.M., Moscow, Transport, 1987, 32p., In Rus-

sian with English table of contents enclosed. 4 refs.
Pavement bases, Soil stabilization, Cements, Soil cement, Bitumens, Resins, Fines, Sands, Clays, Loams, Pevements.

Advanced construction methods in western Siberia. [Progressivnye metody stroitel'stva v Zapadno' Sibi-

ri,, Kuramin, V.P., Moscow, Nedra, 1987, 112p., In Russian with abridged English table of contents enclosed. Heating, Construction materials, Cold weather construction, Transportation, Site accessibility, Con-struction equipment, Modular construction, Air cushion vehicles, Foundations, Site surveys, Pipelines.

Frost heave of ground in foundation design of structures. [Moroznoe puchenie gruntov v raschetakh osnovanii sooruzhenii,

Orlov, V.O., et al. Novosibirsk, Nauka, 1987, 136p., In Russian with abridged English table of contents en-closed. Refs. p.130-134. Elgin, B.B., Zhelezniak, I.I.

Foundations, Soil freezing, Seasonal freeze thaw, Frost heave, Countermeasures, Design,

42-3490

Boridge construction. (Stroitel'stvo mostov), Bobrikov, B.V., et al, Moscow, Transport, 1987, 304p. (Pertinent p. 77-82), In Russian with abridged English table of contents enclosed. 21 refs.

Rusakov, I.M., Tsar'kov, A.A.

Permatrost control, Cold weather construction, Ther-

mopiles, Soil freezing, Frost penetration, Railroads, Bridges, Piers, Foundations, Permafrost beneath structures, Baykal Amur railroad.

Heat transfer in thermosiphons.
Utkin, V.B., Heat transfer—Soviet research,
Jan.-Feb. 1983, 15(1), p.19-23, Translated from Raschet teplomassoobmena v energokhimicheskikh prot-sessakh, 1981, p.59-63. 19 refs. Heat flux, Thermopiles, Design, Performance.

Maximum heat transfer capability of two-phase ther-

mostphons. Pioro, I.L., Heat transfer—Soviet research, Jan.-Feb. 1983, 15(1), p.24-31, Translated from Promyshlennain teplotekhnika, 1982, 4(4) p.25-30. 23 refs.
Thermopiles, Performance, Heat transfer, Analysis

(mathematics).

Maximum heat transfer in thermosiphons with sepa-

rated uptake and downtake flows.

Bezrodnyf, M.K., et al, Heat transfer—Soviet research,
Mar.-Apr. 1983, 15(2), p. 108-114, Translated from

Energetika, 1982, No.12, p.40-45. 6 refs.

Volkov, S.S., Aleksecho, D.V.

Thermopiles, Performance, Heat flux, Design.

Calibration of thermoelectric heat flux probes for low-temperature measurements.

Jan.-Feb. 1984, 16(1), p.117-121, Translated from Promyshlennaia teplotekhnika, 1984, 6(6) p.60-63.

Safonov, V.S., Pakhomov, V.N. Calorimeters, Heat flux, Probes, Low temperature re-

42-3495

Sal'nye Tundry zone of the Lapland granulite belt. [Sal'notundrovskaia zona Laplandskogo granulitovo-

go poiasa<sub>1</sub>, Kozlov, N.E., et al, Akademiia nauk SSSR. Dokiady, 1988, Vol.298(6), p.1442-1445, In Russian. 5 refs. Ivanov, A.A., Nerovich, L.I. Soil formation, Soil composition, Tundra, Cryogenic

solls, Origin, Erosion,

Karst gypsum caves on the Vilyuy River (Yakutia). Karstovye peshchery v gipsakh na r. Viliul (IAkutiia),

Filippov, A.G., Akademiis nauk SSSR. Doklady, 1988, Vol.299(3), p.696-701, In Russian. 1 ref. Caves, Permafrost distribution, Karst, Permafrost thickness, Ground ice, Permafrost structure, Thermatickness, Ground ice, Permafrost structure, Gro mokerst.

Ways of improving transport construction. (Puti sovershenstvovaniia transportnogo stroitel'stva), Kantorovich, L.V., ed, Moscow, Nauka, 1987, 142p. In Russian. For selected papers see 42-3498 and 42-7 refs. Pereselenkov, G.S., ed.
Ports. Railroads. Cold weather construction, Perma-

frost beneath rivers, Winter maintenance, Ice cover thickness, Ice jams, Cost analysis, Bsykal Amur rail-road, Taiga, Swamps, Mountains, Rivers.

42-3498

Railroads in regions of new economic development. (Zheleznye dorogi v raionakh novogo ekonomicheskogo osvoenija. kogo osvoeniiaj, Zakharov, V.A., et al, Puti sovershenstvovaniia trans-

portnogo stroite'stva (Ways of improving transport construction) edited by L.V. Kantorovich and G.S. Pereselenkov, Moscow, Nauka, 1987, p.79-83, In Russian.

sian. 7 refs.
Kosmin, V.V.
Cold weather construction, Cost analysis, Subgrades,
Railroad tracks, Baykal Amur railroad, Talga,
Paludification, Mountains.

River ports in the areas of new petroleum activities in northern Siberia. (Rechnye porty vo vnov' osvaiva-emykh neftegazonosnykh rajonakh severa Sibiri). Cinyxin neriegazionosnyki rationaki severa siorii, Gurevich, V.B., Puti sovershenstvovaniia transport-nogo stroitel'stva (Ways of improving transport con-struction) edited by L.V. Kantorovich and G.S. Perese-lenkov, Moscow, Nauka, 1987, p.84-86, in Russian. Rivers, Ice breakup, Ice jams, Transportation, Ports, Permafrost beneath structures, Ice navigation, Ice cover thickness.

Arctic supply vessel Vitus Bering, with supplement The multipurpose Arctic supply vessel Alexel Chiri-kov. ¡Sudno snabzhenija dlia Arktiki "Vitus Bering" "Universal'nyl arkticheskil snabzhenets Aleksel

Ships, Marine transportation, Cargo, Ice conditions, Ice navigation, Ports, Fast ice, Icebreakers, Rivers, Ice breaking.

42-3501

Ice-breaking fleet: service and stimulus, (Ledokol'nyl flor: uslugi i stimuly, Plotnikov, K., Morskoj flot, 1987, No.8, p.5-7, In Rusainn.

Cost analysis, Ice navigation, Icebreakers, Ships,

42-3502

Sadko goes to the ice covered sea. ["Sadko" idet vo l'dyj,

Popov, S., Morskoi flot, 1987, No.8, p.12-14, In Rus-

Ice navigation, Icebreakers, Ice cover thickness, Ice breaking.

Systematic approach to the ice casualty rate. [K ledovol avarilnosti—aistemnyl podkhody, Arikainen, A., Morskol flot, 1987, No.8, p.20-23, In Russian.

Safety, Ice navigation, Icebreakers, Ships, Ice cover thickness, Ice breaking.

42-3504

Atomic icebreaker Taymyr. [Atomnyl ledokol "Tal-No.8, pyr., Okol'nichnikov, A., et al, *Morskol flot*, 1987, No.8, p.42-49, In Russian.
Khudin, V.
Ice navigation, Icebreakers, Design.

42-3505
What will be the icebreaker of the future. [Kakim byt' ledokolu budushchego],
Arikainen, A., Morskoi flot, 1988, No.4, p.33-36, In Russian.

Icebreakers, Ice navigation, Design, Ships.

42-3506

Evaluating the thermal state of valley soils in the lower course of Ob', Irtysh and Tobol rivers. [Otsenka teplovogo sostoianiia pochv dolin nizhnego te-

ka teplovogo sostoianna pochv dolin nizhnego te-cheniia Obi, Irtysha i Tobolay, Trofimova, I.E., Geografiis i prirodnye resursy, Apr.-June 1988, No.2, p.76-85, In Russian. 5 refs. Valleys, Soll temperature, Cryogenic solls, Snow cover effect, Solar radiation, Talga, River basins.

42-3507

Regionalization of the Irkutsk area for technical purposes according to thermal conditions of winter periods, rRajonirovanie Irkutskoj oblasti dila tekhnicheskikh tseleš po termicheskim uslovijam zimnego peri-

oday,
Sorokina, L.P., Geografiis i prirodnye resursy,
Apr.-June 1988, No.2, p.85-90, In Russian. 10 refs.
Urban planning, Construction materials, Construction equipment, Frost action, Corrosion, Cold weather performance, Cold weather operation.

42-3508

42-3508
Natural revegetation of the cotton-grass hummocky tundra of Chukotskiy Peninsula after fires. (Estestvennoe vosstanovlenie pushitsevo-kochkarnikovol tundry Chukotki posle pozhara, Ignatenko, I.V., et al, Geografiia i prirodaye resursy, Apr.-June 1988, No.2, p.99-108, In Russian. 18 refs. Pavlov, B.A.
Tundra, Paras fires, Grasses, Ravesctation, Cynogen-

Tundra, Forest fires, Grasses, Revegetation, Cryogen-

42.3500

42-3509
New snow gauge using an electric balance.
Konishi, H., et al, Seppyo, Mar. 1986, 63(3), p.3-7, In
Japanese with English summary. 3 refs.
Bradoh, T., Wakahama, G.
Precipitation gages.

42-3510

Creation of an artificial permatrost. Sawada, S., Seppyo, Mar. 1986, 63(3), p.9-15, in Japanese with English summary. 6 refs. Soil freezing, Artificial freezing, Permatrost preser-

42-3511

Parameterizations of thermal conduction, water-vapor transport and flow-down speed of melt water in

om cover

Kondo, J., Seppyo, Mar. 1986, 63(3), p.17-24, In Japanese with English summary. 14 refs.

Snow permeability, Meltwater, Seepage, Snow thermal properties, Snowmelt.

42-3512

Deformation behavior and mechanical properties of frozen soil in bending test. Izuta, H., et al, Seppyo, Mar. 1986, 63(3), p.25-32, In

Japanese with English summary. 11 refs

Ohrai, T., Yamamoto, H. Frozen ground mechanics, Flexural strength, Deformation.

42.3513

Determination of roughness coefficients for ice-covered rivers by means of direct measurements of velocity distribution. Maiewski, W., et al, International Symposium on Mea-

suring Techniques in Hydraulic Research, Delft, Netherlands, Apr. 22-24, 1985. Proceedings. Edited by A.C.E. Wessels, Rotterdam, International Association for Hydraulic Research, 1986, p.237-252, 9 refs. Bagińska, M., Walczak, P. DLC TC177.I59 1985

Icebound rivers, Ice bottom surface, River flow, Roughness coefficient.

42.3514

1987-88 Australian antarctic research program. Australia. Antarctic Division, Kingston, Tasmania, 1987, 180p., Refs. passim. For selected individual reports see 42-3515 through 42-3517 or B-37722-26, E-37721, F-37717-19, H-37720 and K-37727-29. Research projects, Ice.

Research projects, Ice.
Brief summaries of planned activities are provided for the Australian programs in earth sciences, environmental studies, glaciology, human biology and medicine, life sciences, meteorology, oceanography, physics, and social sciences. Each summary shows, with variations, title, Pl with affiliation, location, of the research, but, project number, aim of the research, work proposed/accomplished, and the significance of the work. Following the summaries are lists showing research programs by areas: Casey, Commonwealth Bay, Prydz Bay, Macquarie Island, Maswon, Heard Island, and shipboard research. The report closes with a list of Pls names and addresses.

42-3515

Stability, glaciological and depositional conditions of the continental ice sheet edge at Vestfold Hills.
Calhoun, E.A., et al, 1986-87 Australian antarctic re-Cainoun, E.A., et al. 1980-97 Austrainan aniarcitic research program, (Kingston, Tasmania, Antarctic Division, 1987), p.8-12, 3 refs. Fitzsimons, S.J., Payne, R.R. Ice creep, Ice deformation, Lichens, Antarctica—

Ice creep, Ice Vestfold Hills.

There are two main ways that the state of a continental ice sheet can be assessed: (1) by long term monitoring, and (2) by inference from (a) the nature of weathering of the adjacent took the sizes and number of lichen colonies adjacent to the ice edge, (c) exaministion of the character of lice edge deposits, (d) exami-(c) examination of the character of lee edge deposits, (d) examination of the nature of eroded rock surfaces and (e) examinations of the form of the ice edge and deformational structures in the marginal ice and adjacent snow wedge. A model has been developed based on the type of observation indicated in 2(e) which permits the status of advance, stability and retreat to be judged. (Auth.)

42-3516

Deep ice core drilling on Law Dome.

Morgan, V.I., et al, 1986-87 Australian antarctic research program, (Kingston, Tasmania, Antarctic Division, 1987), p.32-54.

Etheridge, D.
Ice cores, Drilling, Drill core analysis, Antarctics—

Palaeo-environmental records which make use of the chrono-Palaeo-environmental records which make use of the chrono-logical deposition of ice layers as a data store will be investigat-ed by analysis of the ice corea. Conditions at the Law Dome Summit site mean that annual variations of various parameters in the ice can be detected to allow the age of the ice at depth to be accurately determined by counting the annual cycles. It is expected that this project will produce a core covering a time span of about 20,000 years with precise dating able to be extend-ed back some 9,000 years before the ice flow distorts the layers enough to prevent counting. Data is obtained by accurately

manning the borehole soon after drilling is completed and then mapping the borehole soon after drilling is completed and then remeasuring several years later. Ice temperatures will also be measured in the borehole and the ice crystal structure, which influences the ice flow but is itself developed by previous flow history of the ice, will be investigated by measurement in the cares. (A day) (Auth.)

Properties and structure of antarctic snow and ice. program, rKingston, Tasmania, Antarctic Division, 1987], p.58-60. Young, N.W., 1986-87 Australian antarctic research

Snow physics, Snow cover structure, Ice physics, Ice

structure, Antarctics—Law Dome.
The aims of the study are defined as follows: to map the distri-The aims of the study are defined as follows: to map the distribution of surface annow properties covering the full range of glaciological and climatic conditions found on Law Dome and reconstruct a history of changes in surface conditions; to determine the rates of densification and crystal growth in the snow cover, their interrelation and effect of melting on these and use these characteristics to establish a chronology for firm cores from other sites; to map the internal crystal structure of the Law Dome ice cap from measurements on deep ice cores and determine its relationship with the flow of the ice cap. (Auth.)

42-3518

Solar radiation transmitted to the ground through cloud in relation to surface albedo.

Gardiner, B.G., Journal of geophysical research, Apr. 20, 1987, 92(D4), p.4010-4018, 43 refs. DLC QC811.J6

Albedo, Solar radiation, Sea ice distribution, Ice models, Clouds (meteorology), Antarctica-Faraday Sta-

The global solar radiation received at the earth's surface in the The global solar radiation received at the earth's surface in the presence of cloud depends not only on the opical depth of the cloud and its other physical properties, but also on the albedo of the underlying surface. Multiple reflection of radiation between the cloud and a snow-covered surface, mainly in the visible spectrum, can increase the measured global solar radiation by a factor of 2 or more in overcast conditions. Measurements made at an Antarctic offshore station (638, 64W) are compared during two periods of autema surface albedo (2000). menta made at an Antarctic offshore station (65S, 64W) are compared during two periods of extreme surface albedo (open water and fast ice surrounding the island station) and demonstrate that the effect increases, in amplitude and variability, with increasing cloud cover. The extreme cases are reconciled by a relatively simple numerical model, of general applicability, in which partial cloud cover is parameterized by sunshine duration. Absorption in the cloud and the effect of local land surfaces are taken into account. The model is applied predictively to sunshine and visual sea ice data throughout a 2-year period and successfully simulates the measured values of global solar radiation over a wide range of cloud and sea ice cover, enabling the irradiance for any value of surface albedo to be inferred. (Auth.)

42-3519

Recommendations for the foundation design of mobile (modular) buildings on permafrost. [Rekomendatsii Dokuchaev, V.V., ed, Moscow, Strolizdat, 1988, 112p., ln Russian. Gerasimov, A.S., ed.

Modular construction, Permafrost beneath struc-tures, Site surveys, Foundations, Active layer, Sea-sonal freeze thaw, Pile structures, Frost heave.

42-3520

Improving the microclimate of courtvards in groups of residential buildings in Siberian towns. (Sovershenstvovanie mikroklimata dvorovykh prostranstv grupp zhilykh zdanii v gorodakh Sibiri, Dediukhin, V.F., et al, Russia. Ministerstvo vysshego

i srednego spetsial'nogo obrazovaniia. Izvestiia vys-shikh uchebnykh zavedenii. Stroitel'stvo i arkhitek-tura, 1987, No.12, p.38-43, In Russian. 6 tefs. IAkovlev, N.A.

Solar radiation, Residential buildings, Wind factors, Microclimatology, Ventilation, Subarctic landscapes.

Regionalization for planning and upbuilding settle-ments for conditions of the Yakut ASSR. Procktno-stroitel noe raionirovanie kak metodicheskaia osnova proektirovanija zdanil i zastrolki naselennykh mest (primenitel'no k uslovijam IAkutskol ASSR), Novotel'nova, Z.G., Russia. Ministerstvo vysshego i Notote nova, 20., Russia. ministeriov vysinego: srednego spetsial'nogo obrazovanies. Izvestiis vysshikh uchebnykh zavedenů. Stroitel'stvo i arkhitektura, 1987, No.12, p.44-48, In Russian. 3 refs. Urban planning, Subpolar regions.

Structure and frost resistance of concretes containing multiple admixtures. [Strukture i morozostotkost

maltiple admixtures. (Struktura i morozostolkost betonov s kompleksnymi dobavkami), Nizheviasov, V.V., et al, Russis. Ministerstvo vyshego i srednego spetsial nogo obrazovaniia. Izvestila vysshikh uchebnykh zavedenih. Stroitel stvo i arkhitektura, 1987, No.12, p.62-64, In Russian.

Winter concreting, Concrete aggregates, Cements, Concrete admixtures, Concrete strength, Frost resist-

Calculating the electric field parameters for electric heating of concrete and its mixtures. (Raschet para-metrov elektricheskogo polis pri elektroprogreve beto-

Zubkov, V.I., Russis. Ministerstvo vysahego i arednego spetsial'nogo obrazovanila. Izvestila vysshikh uchenykh zavedenii. Stroitel'stvo i arkhitektura, 1987, No.12, p.113-118, In Russian. 5 refs. Winter concreting, Concrete heating, Concrete aggre-gates, Electric heating, Mathematical models.

Evaluating the effectiveness of fills beneath foundstions built on seasonally freezing-thawing frost-heaving ground. [Ob otsenke effektivnosti podsypok pod fundamenty v uslovijakh sezonnogo promerzanija-ot-

fundamenty v usloviiakh sezonnogo promerzaniia-ottaivaniia puchinistykh gruntovy,
Orlov, V.O., et al, Russia. Ministerstvo vysshego i srednego spetsial rogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo i arkhitektura, 1987, No.12, p.118-120, In Russian. 3 refs.
Babello, V.A., Zhuravlev, N.A.
Foundations, Earth fills, Sands, Frost heave, Seasonal freeze thaw, Buildings.

Superblocks: yesterday, today, tomorrow (interview). Superblocks: yesterday, today, tomorrow (naternew, resuperblock) vchera, segodnia, zavtra (nashi interviu), Shishkin, E.P., et al, Stroitel'stro truboprovodov, Feb. 1988, No.2, p.4-5, In Russian.

Grishin, A.A.

Foundations, Permafrost beneath structures, Modular construction, Prefabrication, Construction materials, Petroleum industry, Buildings, USSR-Yam-

42-3526

Yamal Peninsula and its problems. [IAmal i ego pro-

Veselyi, N.N., Stroitel'stvo truboprovodov, Feb. 1988, No.2, p.6-9, In Russian.
Foundations, Permafrost distribution, Piles, Permafrost depth, Permafrost beneath structures, Buildings. Petroleum industry.

Pastening gas pipelines by freezing the anchors into permafrost. ¡Zakreplenie gazoprovodov na vechnol merzlote pri pomoshchi vmorazhivaemykh ankernykh

ustrolsty, Borodavkin, P.P., et al, Stroitel'stvo truboprovodov, Feb. 1988, No.2, p.14-17, In Russian. Shcherbakov, S.M.

Gas pipelines, Foundations, Anchors, Permafrost beneath structures.

Corresive action of ground and natural water in

Corrosive action of ground and natural water in Yamal Peninania. «Korrozionnaia aktivnost' gruntov i prirodnykh vod IAmala, Polozov, A.E., et al, Stroitel'stvo truboprovodov, Feb. 1988, No.2, p.20-21, In Russian.
Sanzharovskaia, S.F., Volteskhovskaia, L.N.
Gas pipelines, Permafrost beneath structures, Foundations, Concretes, Steel structures, Ground water, Water chemistry, Corrosion, Bulldings, Petroleum industry, USSR—Tyumen'.

Investigation of the state of earth dams and fills on Arctic shores. Obsledovanie sostoianiia nasypel i podsypok na Arkticheskom poberezh'e, Konstantinov, I.P., et al, Stroitel'stvo truboprovodov,

Feb. 1988, No.2, p.21-23, In Russian. Grigor'ev, N.F.

Shores, Drilling, Roads, Earth dams, Rock fills, Foundations, Earth fills, Permatrost hydrology, Permatrost beneath structures, Frost heave, Tundra, Geocryology.

42-3530

Engineering-geocryological aspects of improving technology of pipeline construction in the North. (Inzhenerno-geokriologicheskie aspekty sovershenst-vovaniia teknologii stroitel'stva truboprovodov na

Vovanna teknologii stroitei siva truooprovodov na Severep, Koval'kov, V.P., et al, Stroitel'stvo truboprovodov, Feb. 1988, No.2, p.25-26, In Russian. Novikov, I.P. Frozen fines, Permafrost structure, Hydrothermal processes, Gas pipelines, Permafrost control.

Results of experimental studies of solifluction. Nekotorye rezul'taty eksperimenral'nogo is-sledovanila defliuktsii,

Gabrielian, G.K., Geomorfologiia, Jan.-Mar. 1988, No.1, p.48-51, In Russian with English summary.

Slope processes, Soil creep, Alpine landscapes, Soil temperature. Freeze thaw cycles. Solifluction.

Global satellite communication systems for reporting, search and rescue operations at sea. [Global'nye sputnikovye sistemy sviazi, opoveshcheniia, poiska i

spannikovye snemy svinza, opovesiciemia, poissa i spasania na morej, Peresypkin, V.I., ed, Leningrad, Transport, 1987, 108p., In Russian. For selected papers see 42-3533 through 42-3535 or G-37737-38.

unrougn 4z-3333 or G-3/13/-38. Ice reporting, Ice navigation, Airborne radar, Data processing, Spacecraft, Cost analysis, Icebreakers, Ice cover thickness.

The book deals with economic, technical and operational as-pects of the use of satellite communication systems for, among others, ice surveys, ice navigation, search and rescue at sea, spaceborne photography, and ship to station meteorological and hydrological information transmission.

42-3533
Estimating the usefulness of spaceborne ice-survey

Estimating the usefulness of spaceborne ice-survey information. ¡Otsenka poleznosti sputnikovol ledovodi informatsii], Likhachev, A.V., Global'nye sputnikovye sistemy svizzi, opoveshcheniia, poiska i spasaniia na more (Global satellite communication systems for reporting, Russian. 8 refs.

Ice reporting, Ice navigation, Icebreakers, Ice conditions. Ice surveys, Ice cover thickness.

42-3534

42-3534

Efficiency of spaceborns ice surveys. Economic naulysis. ¡Otsenka ekonomicheskof effektivnosti sputnikovof ledovof razvedki, Mikhallova, S.A., Global'nye sputnikovye sistemy sviazi, opoveshchenija, pojska i spasanija na more (Global satellite communication systems for reporting.) search and rescue operations at sea) edited by V.I. Peresypkin, Leningrad, Transport, 1987, p.54-58, In Russian. 2 refs.

Ice reporting, Spaceborne photography, Cost analysis, Ice navigation, Ice surveys.

42-3535

Television techniques of depicting satellite informs-

Television techniques of depicting satellite informa-tion on ice conditions. (Televizionnye metody oto-brazheniia sputnikovo? ledovo! informatsii, Likhachev, A.V., et al. Global'nye sputnikovye siste-my sviazi, opoveshcheniia, poiska i spasaniia na more (Global satellite communication systems for reporting, search and rescue operations at sea) edited by V.I. Peresypkin, Leningrad, Transport, 1987, p.102-107, In Russian. 6 refs. Shcheglov, V.P.

Ice navigation, Ice reporting, Spaceborne photogra-phy, Ice conditions, Icebreakers.

Rational design of sludge freezing beds.
Martel, C.J., MP 2343, 1988 Joint CSCE-ASCE Na-

Martel, C.J., Mr 2343, 1983 Joint CSC-ASCE National Conference on Environmental Engineering, Vancouver, B.C., July 13-15, 1988. Proceedings Edited by S.C. Liptak, J.W. Atwater and D.S. Mavinic, Montreal, Quebec, Canadian Society for Civil Engineering, 1988, p.575-581, 6 refs. Sludges, Waste treatment, Water treatment, Freezing, Freeze thaw cycles, Ice crystal formation, Im-

A new unit operation for sludge dewatering called a freezing bed A new unit operation for siudge dewatering called a freezing bed is described. This operation uses the natural seasonal temperature changes in cold regions to freeze and thaw the sludge. Equations for predicting the design depth of the bed are presented along with an example of how they can be used. 42-3537

Secondary effluent dispos to through snowmaking. Rabinowitz, B., et al. 1988. bint CSCE-ASCE Natio al Conference on Environ nental Engineering, Van-couver, B.C., July 13-15, 1948. Proceedings. Edit-ed by S.C. Liptak, J.W.Atwater and D.S. Mavinic, Montreal, Quebec, Canadian Society for Civil Engineering, 1988, p.736-744, 4 refs.
Water treatment, Waste disposal, Waste treatment, Snow cover effect, Snow density, Irrigation, Meltwater, Snow manufacturing.

Port and ocean engineering under Arctic conditions.

Vol.1. International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987, Fairbanks, University of Alaska, Geophysical Institute, 1988, 736p, Refs. passim. For individual papers see 42-3539 through 42-3601. Sackinger, W.M., ed., leffries, M.O., ed. Ice navigation, Offshore structures, Ice loads, Ice physics, Meetings, Ice solid interface, Icebreakers, Construction materials, Engineering.

Uniaxial and biaxial compressive strength of ice sam-

Uniaxial and biaxial compressive strength of ice sampled from multi-year pressure ridges. Hissler, F.U., et al, international Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.1-11, 12 refs. Earle, E.N., Gerchow, P. Ice strength, Pressure ridges, Compressive properties, Ice physics, Stresses, Tests.

Time-series variations in ice crushing.
Timco, G.W., et al, International Conference on Port Timco, G.W., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Pairbanks, University of Alasks, Geophysical Institute, 1988, p.13-20, 15 refs.

Jordann, I.J.

Ice breaking, Loads (forces), Offshore structures, Ice mechanics, Ice loads, Dynamic loads, Time factor.

42,3541

Applicability of LEFM and the fracture toughness (KIC) to see ice.
Tuhkuri, J., International Conference on Port and

Tuhkuri, J., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries, (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.21-32, 25 refs.

Ice cracks, Fracturing, Ice elasticity, Ice loads, Sea ice, Stresses, Experimentation, Ice cracks, Flexural stresseth.

strength.

47.3843

Creep process and rupture characteristics of sea ice in the Bohai Sea.

the Bohai Sea.
Li, Z., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Pairbanks, University of Alasks, Geophysical Institute, 1988, p.33-38, 5 refs.
Li, F., Sui, J.

Ice creep, Ice cracks, Strains, Fracturing, Compressive properties, Rheology, Loads (forces), Brines, Ice

42-3543

Study of the flexural strength and elastic modulus of sea ice in the Bohai Sea.

see ice in the Bohai Sea.
Sui, J., et al, International Conference on Port and
Ocean Engineering under Arctic Conditions, 9th,
Fairbanks, AK, Aug. 17-22, 1987. Proceedings,
Vol.1. Edited by W.M. Sackinger and M.O. Jeffries.
(Fort and ocean engineering under Arctic conditions),
Fairbanks, University of Alaska, Geophysical Institute, 1988, p.39-44, 6 refs.
Les strength, Flexural strength, Ice elasticity, Brines,
See ice, Tests, Ice temperature, Loads (forces).

42.3544

Studies on adhesion strength of saline ice.

Makkonen, L., et al, International Conference on Port Makkonen, L., et al, international Conterence on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.45-55, 36 refs.

Lehmus, E.

Ice adhesion, Ice salinity, Ice solid interface, Shear strength, Brines, Tests, Ice removal, Offshore struc-

42-3545

Some physical properties of multiyear landfast sea ice, northern Ellesmere Island, Canada.

Jeffries, M.O., et al, International Conference on Port Jeffries, M.O., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Pairbanks, University of Alaska, Geophysical Institute, 1988, p.57-68, 14 refs. Sackinger, W.M., Shoemaker, H.D. Lee physics, Sea ice, Fast Ice, Ice cover thickness, Calving, Ice shelves, Ice salinity, Ice temperature.

Geometry and physical properties of ice islands.

Jeffries, M.O., et al, International Conference on Port Jeffries, M.O., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries, (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.69-83, 31 refs.
Sackinger, W.M., Shoemaker, H.D.
Ice islands, Ice physics, Offshore structures, Drift, Ice mechanics, Ice volume.

42-3347
New look at sea ice thickness.
Colony, R., International Conference on Port and
Ocean Engineering under Arctic Conditions, 9th,
Fairbanks, AK, Aug. 17-22, 1987. Proceedings,
Vol.1. Edited by W.M. Sackinger and M.O. Jeffries,
(Port and ocean engineering under Arctic conditions),
Fairbanks, University of Alaska, Geophysical Institute, 1988, p.85-93, 8 refs.
Ice cover thickness, Sea ice, Analysis (mathematics),
Resuffort Sea

Resufort Sea.

42-3548

Use of polysulphide rubber moulds to measure ice

Goodman, R.H., et al. International Conference on Goodman, R.H., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries, CPort and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.95-102, 14 refs. Ice surface, Surface roughness, Sea Ice, Ice water interface, Ice bottom surface, Measurement.

42.3549

42-3349
Alaska SAR facility.
Weeks, W.F., et al, MP 2344, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987.
Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alasks, Geophysical Institute, 1988, p.103-110, 16 refs. Ice water interface, Remote sensing, Drift, Airborne redge, Lee mechanics. See ice.

radar, Ice mechanics, Sea ice.

Fisher, are microanitica, See sice.

A short description is given of the general characteristics of the ice/ocean and applications demonstrations research programs that are anticipated as part of the Alaskan SAR Facility (ASF) program. Also described are the characteristics of the three stelline SAR (Synthetic Aperture Rador) systems that will upply data to the ASF and the design and analysis capabilities of the different components of the ground station.

Airborne measurement of sea ice thickness and subice

Novaes, A., et al, MP 2345, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geo-physical Institute, 1988, p.111-120, 8 refs. Valleau, N.C.

valicau, N.C. Lee cover thickness, Airborne equipment, Electromagnetic prospecting, Sounding, Sea ice, Profiles. A pilot study was made in May 1985 to determine the feasibility of using an airborne electromagnetic sounding system for profil-

ing sea ice thickness and the subice water depth and conductivity. The study was made in the area of Prudhoe Bay, Alaska. The multi-frequency authorme extremagnetic sounding system. The destronagnetic sounding system. The destronagnetic sounding system that the state of the sta

Electromagnetic measurements of a second-year sea ice floe.

Kovacs, A., et al, MP 2346, International Conference Rovacs, A., et al., MP 2346, international Conterence on Port and Ocean Engineering under Arctic Condi-tions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Pro-ceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geo-physical Institute, 1988, p.121-136, 7 refs.

Morey, R.M.
Ice floes, Electromagnetic prospecting, Sea ice, Ice cover thickness, Dielectric properties, Brines, Attenuetion.

tenuation.

"Impulse" radar and ice property data were obtained on a second-year sea ice floe. These data were used to develop a relationship for estimating the ice thickness from just the two-way imme-of-flight of the impulse radar electromagnetic wavelet traveling from the surface to the ice "bottom" and back to the surface. The relationship developed allows estimation of the thickness of sea ice from about 1 to 8 m, with or without a snow over. The data revealed that the apparent dielectric constant of sea ice decreased with increasing ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness reached about 4 m. For sea ice thickness until the thickness of the sea ice that the sea ice the sea ice that the sea ice that the sea ice that the sea ice the sea ice that t

42.3552

Rapid method for mapping sea ice distribution and motions from NOAA satellite imagery.

Shapiro, L.H., et al, International Conference on Port

Shapiro, L.H., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries, CPort and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.137-148, 3 refs.
Ahints, K., Olmsted, C.
Sea ice distribution, Ice mechanics, Remote sensing, Drift. Manulus, Ice edge. Ice formation, Computer

Drift, Mapping. Ice edge, Ice formation, Computer

42-3553

Satellite observations of the northern Bering Sea. Dean, K.G., et al., International Conference on Port and Ocean Bugineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. Vol.1. Edited by W.M. Saksinger and M.O. Jefffes. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.149-157, 14 refs. McRoy, C.P., Ahlnäs, K., George, T.H. Oceanography, Remote sensing, Sea water, Water temperature, Turbidity, Seasonal variations, LAND-SAT.

42-3554

Evaluation of an operational ice forecasting model

Tucker, W.B., et al, MP 2347, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Actional Conference of Arctic conditions), Pairbanks, University of Alaska, Geophysical Institute, 1988, p.159-174, 10 refs. Hibler, W.D., III.

Ice forecasting, Drift, Ice conditions, Ice edge, Sensonal variations, Models, Sea ice.

sonal variations, Models, Sea (ce. The Polar Ice Prediction Sysem (PIPS) is an ice forecasting model run on a daily basis at the U.S. Navy's Fleet Numerical Oceanographic Center (FNOC). The model was originally developed by Hibler (1979) and subsequently modified by Preller (1985) to run on FNOC's Cyber 205. Atmospheric forcing fields are derived from the Naval Operational Global Atmospheric Prediction System (NOGAPS). PIPS is run on a 127-km resolution 47 x 25 grid, which covers the entire Arctic Basin and substantial parts of the Greenland and Notwegian Seas. The system produces forecasts of ice drift, thickness, concentration and diversence at 24-bit intervals out to 148 br (6 days). tion and divergence at 24-hr intervals out to 144 hr (6 days). Although PIPS is run on a daily basis, the concentration field

is initialized weekly using a digitized version of the concentra-tion analysis field prepared by the Naval Polar Oceanography Center at Suilland, Maryland. The system's ability to forecast ice drift, concentration and ice edge location was assessed for the period, from June 15 to October 15, 1986. The PIPS drift predictions were generally excessive, although the predicted drift directions were reasonable. Mean concentration differ-ences between the PIPS forecasts and the analyses were about 12%. Although ice edge location was reasonably predicted in most cases, the model demonstrated a trend of rapid ice retreat in the Chukchi and East Siberian Seas that was unrealistic. in the Chukchi and East Siberian Seas that was unrealistic.

Three-level dynamic thermodynamic sea ice model. Three-level dynamic thermodynamic sea ice model. Lu, Q., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.175-186, 4 refs. Kei. A.

Ice models, Thermodynamics, Remote sensing, Ice density, Ice cover thickness, Mathematical models, Ice melting, Freezing, Compaction.

Glacial custacy vs. level rise: its effects on shore sta-

bility in the Arctic. Bruun, P., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.187-203, Refs. p.200-203. Sea level, Glaciation, Shores.

Ice and snow climate information system (CRISP). Ice and snow climate information system (CRISP), Agnew, T., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.205-213, 8 refs.

Mathews, T.W.

Ice surveys, Snow surveys, Meteorological data, Sea ice, Climatic changes, Ice conditions.

Surface circulation patterns in Yakutat Bay.

Hufford, G., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.215-225, 11 refs. Scheidt, R.

Ocean currents, Sea ice distribution, Floating ice, Oceanography, Seasonal variations, Sea water, Water temperature, Salinity, United States—Alaska -Yakutat Bay.

Shelf break upwelling in the Denmark Strait.

Section J.W., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. vol.1. Edited by W.M. Sackinger and M.O. Jeffres. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.227-238, 25 refs.
Upwelling, Oceanography, Water transport, Infrared reconnaissance, Marine meteorology, Water chemistry, Air water interactions, Seasonal variations, Denmark Strate.

mark Strait.

42-3560 Time domain simulation of the drifting of small float-

Time domain simulation of the drifting of small floating bodies in waves.

Pawlowski, J.S., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.239-251, 16 refs.

Wishahy, M.A.

Floating ice, Drift, Ice conditions, Ice navigation, Offshore structures, Computer applications, Analysis (mathematics). Forecasting.

(mathematics), Forecasting.

Wave reflection from an ice edge.

Carstens, T., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.253-261, 8 refs.

Wave propagation, Reflection, Ice edge, Ice models, Ice elasticity, Flexural strength, Analysis (mathemat-

42-3562

Dynamics and morphology of the Barents Sea ice fields.

Vinje, T., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.263-268, 8 refs.

Ice mechanics, Ice structure, Drift, Sea ice distribution, Bottom topography, Pressure ridges, Sedimentation, Barents Sea.

42-3563

Analysis of ice island movement.

Sackinger, W.M., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Insti-tute, 1988, p.269-277, 11 refs. Tippens, H.R.

Ice mechanics, Ice islands, Offshore structures, Drift, Ice loads, Pack ice, Ocean currents, Wind factors, Velocity.

42-3564

Constitutive relations in sea ice models.

Constitutive relations in sea ice models.

Lu, Q., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.279-288, 20 refs.

Larsen, J., Tryde, P.

Ice models, Sea ice, Ice loads, Heat transfer, Ice water interface, Ice air interface, Analysis (mathematics), Thermodynamics, Ocean currents, Wind factors.

factors.

42.3565

Experimental determination of the fracture toughness

of urea model ice.

of urea model ice.

Bentley, D.L., et al, MP 2348, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic agenticities). Eighthank University of Alacka Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.289-297, 16 refs.

Geophysical institute, 1986, p.269-297, 10 fets. Sodhi, D.S., Dempsey, J.P. Ice cracks, Ice models, Urea, Ice solid interface, Offshore structures, Loads (forces), Fracturing, Experimentation, Ice loads, Ice cover thickness, Flexu-

ral strength.

The use of different types of model ice in examining ice/structhe use of universal types of model fee in examining feel struc-ture interactions requires a better understanding of the fracture behavior of these materials in order to accurately interpret the results of model tests. There have been only a limited number of fracture tests performed on model ice. A preliminary ex-perimental study of the fracture toughness of the urea-doped model ice used in the test basin at CRREL has been completed. An "in-situ" wedge-loaded TDCB (tapered double-cantileverbeam) specimen geometry was chosen. An expression for the fracture toughness as a function of applied load, specimen geometry, and ice thickness was developed using a finite ele-

Some investigations for EG/AD model ice.

Some investigations for EG/AD model fee. Hirayama, K., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Insti-tute, 1988, p.299-306, 5 refs. Sakamoto, N. Ice models. Ice solid interface. Ice loads. Flexural

Ice models. Ice solid interface, Ice loads, Flexural strength, Ice strength, Ice structure, Urea, Tests, Ice volume, Ice cover thickness, Ice mechanics. 42-3567

Multiyear ridge load on a conical structure.

Kamesaki, K., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.307-316, 7 refs.

Yoshimura, N.

Pressure ridges, Ice loads, Offshore structures, Ice mechanics, Models, Experimentation, Beaufort Ses.

Ice load penetrtion modelling. Risks, K., et al, International Conference on Port and Riska, A., et al, international Conference on Fort and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.317-327, 13 refs.

Frederking, R. Ice loads, Ice strength, Stress strain diagrams, Structures, Penetration tests, Ice deformation, Models, Temperature effects, Ice pressure.

Model tests for multivear ice loading against a fixed conical structure.

Winkler, M.M., International Conference on Port and Winkler, M.M., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries, (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.329-337, 9 refs.

Ice loads, Offshore structures, Ice solid Interface, Ice

floes, Models, Tests, Ice override, Doped ice, Pressure ridges, Ice cover thickness.

42-3570

Model tests on arctic structures in ice.

Gowds, S.S., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.339-344, 13 refs.

Hakala, R. Ice loads, Offshore structures, Ice conditions, Models, Tests, Ice pressure.

42-3571

Integrated design approach to arctic offshore plat-

Gulati, K.C., et al, International Conference on Port Sular, R.C., et al, international Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.345-352, 6 refs. Weidler, J.B.

Ice solid interface, Offshore structures, Performance, Ice loads, Design, Safety, Waste disposal, Utilities.

42-3572

Design and operational criteria for systems subject to

Design and operational criteria for systems subject to lee environmental conditions.

Nessim, M., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.353-366, 9 refs.

Offshore structures, Ice loads, Performance, Design criteria, Safety.

42-3573

Reliability assessment of a prestressed concrete arc-

Reliability assessment of a prestressed concrete arctic offshore platform.

Birdy, J.N., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.367-386, 15 refs.

Offshore structures, Prestressed concretes, Ice loads. Flexural strength, Concrete structures, Design, Safety, Ice pressure, Beaufort Sea.

42-3574

Design sea ice load examples using API recommend-

ed practice 2N.
Utt, M.E., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Insti-tute, 1988, p.387-393, 15 refs.

Vaudrey, K.D., Turner, B.E.
Ice loads, Offshore structures, Sea ice distribution,

Design, Ice pressure, Ice conditions.

42-3575

Distribution of ice pressure acting on an offshore circular pile.

Tanaka, S., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. Vol.1. Edited by W.M. Sackinger and M.O. Jeffries.
(Port and ocean engineering under Arctic conditions),
Fairbanks, University of Alaska, Geophysical Institute, 1988, p.395-411, 7 rcfs.
Sasaki, K., Ono, T., Saeki, H.
Ice pressure, Pile structures, Ice strength, Experimentation, Ice loads, Strains, Compressive prop-

erties, Offshore structures, Static loads.

Numerical simulation method for failure analysis and load estimation.

Shibue, T., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. Vol. 1. Edited by W.M. Sackinger and M.O. Jeitnes, (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Insti-tute, 1988, p.413-425, 8 res. Kato, K., Kumakura, Y., Toi, Ice loads, Ice strength, Icebreakers, Offshore struc-

tures, Ice breaking, Ice models, Computerized simulation

42-3577

Elasto-plastic analysis of ice forces on cylindrical structures.

Taguchi, Y., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Insti-tute, 1988, p.427-435, 4 refs.

Kawasaki, T., Tozawa, S., Ishikawa, S. Ice loads, Offshore structures, Elastic properties, Plastic properties, Ice sheets, Fast ice, Stresses, Ice cover thickness.

42.3578

Structural arrangement of production platforms according to the ice-induced vibration analysis.

cording to the ice-induced vibration analysis.
Meng, Z., et al, International Conference on Port and
Ocean Engineering under Arctic Conditions, 9th,
Fairbanks, AK, Aug. 17-22, 1987. Proceedings,
Vol.1. Edited by W.M. Sackinger and M.O. Jeffries.
(Port and ocean engineering under Arctic conditions),
Fairbanks, University of Alaska, Geophysical Institute, 1988, p.437-447, 10 refs.
Wene 1

Wang, L. Ice loads, Offshore structures, Vibration, Ocean waves, Ocean currents, Ice solid interface, Models. 42-3579

Verification tests of the surface integral method for calculating structural ice loads.

Johnson, J.B., et al, MP 2353, International Confer-

ence on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Combined Legis, 1988. Geophysical Institute, 1988, p.449-456, 6 refs. Sodhi, D.S.

Ice loads, Offshore structures, Stresses, Ice cracks, Experimentation, Measuring instruments, Accuracy, Ice sheets.

Experiments were conducted to determine the accuracy of cal-culating ice loads on offshore structures using ice stress meas-urements and a surface integral method. Biaxially-sensitive culating ice loads on offshore structures using ice stress meas-urements and a surface integral method. Biaxially-sensitive stress sensors were installed near an ice sheet edge and a flat plate instrumented indentor was pushed against the ice edge to simulate a distributed load on the boundary of a semi-infinite plate. Two experiments were conducted. The first deter-mined the agreement between stress measurements and cal-culated results for the corresponding analytic solution and ex-amined the accuracy of the surface integral method. The amined the accuracy of the surface integral method. The second examined the influence of cracks in the ice sheet on the accuracy of the surface integral method.

stresses were of the same order but less than those calculated using theory. The calculated indentor loads using the plane surface integration were within 8 to 30% of the measured loads. Calculated loads using a cylindrical integration surface were only within 40 to 50% of the measured loads due to stress sensor resolution limitations. The surface integral method is a viable way to calculate structural ice loads using in-situ stress measurements. Accuracy of the load calculations is limited by the fidelity of representing the stress along the surface of the integration using widely-spaced stress measurements.

42-3580

Mukluk ice stress measurement program.

Cox, G.F.N., et al, MP 2354, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. ceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.457-463, 8 refs. Johnson, J.B., Bosworth, H.W., Vincent, T.J. Ica loads, Artificial Islands, Stresses, Tensile porper-

ties, Compressive properties, Gravel, Ice mechanics, Ice strength, Ice salinity, Shear stress, Beaufort Sea. Ice strength, Ice salinity, Shear stress, Beaufort Sea. During the spring of 1985, 23 biaxial ice stress sensors were deployed at seven sites around Mukluk, a man-made gravel island in Harrison Bay in the Beaufort Sea. The maximum measured compressive and tensile stresses were 240 and 340 kPa, respectively. However, stresses were usually less than 100 kPa and seldom exceeded 200 kPa. There were no major storms, and net ice motions varied from 1.5 to 5.3 m during the measurement program. While significant warming of the ice sheet occurred during the latter part of the study, thermal ice stresses were much lower than those previously measured in Mack.nzie Bay. This may be due to the fact that the ice in Markenzie Bay.

42-3581

Measurements of multi-year ice loads on Hans Island during 1980 and 1981.

during 1980 and 1981.

Danielewicz, B., et al. International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.465-484, 21 refs. Blanchet, D.

Institute of the salinity.

It is load, Offshore landforms, Ice strength, Ice floes, Impact strength. Ice salinity.

42-3582

Impact ice loads on offshore structures.

Impact ice loads on offshore structures.
Tunik, A., International Conference on Port and
Ocean Engineering under Arctic Conditions, 9th,
Fairbanks, AK, Aug. 17-22, 1987. Proceedings,
Vol.1. Edited by W.M. Sackinger and M.O. Jeffries.
(Port and ocean engineering under Arctic conditions),
Fairbanks, University of Alaska, Geophysical Institute, 1988, p.485-493, 14 refs.
Ice loads, Offshore structures, Ice pressure, Impact
strength, Floating ice, Ice mechanics, Dynamic loads,

42-3583

Loads on research vessel Polarstern under arctic conditions

Müller, L., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Insti-tute, 1988, p.495-508, 8 refs. Payer, H.G.

Ice loads, Ice breaking, Icebreakers, Ice navigation, Design, Stresses.

42-3584

Teebreaking performance of RV Polarstern in broken ice-full scale trials in the Weddell Sea, Antarctica. Häusler, F.U., International Conference on Port and Häusler, F.U., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Pairbanks, University of Alaska, Geophysical Institute, 1988, p.509-519, 5 refs.

Ice navigation, Ice breaking, Icebreakers, Ice condi-tions, Ice floes, Ice cover thickness, Velocity. Antarc-Weddell Sea.

tics—Weddell Sea.

In 1983, a series of 37 tests was carried out with the RV Polarstern in the Weddell Sea to evaluate the vessel's performance in broken ice of various coverage and thickness. The results are presented in a speed vs. average ice floe thickness diagram, with the shaft horse power as parameter. The average ice of thickness was determined in a three step procedure: first, the thickness of the various (up to 3) ice floe types encountered was estimated by observation; second, the portion of each ice floe type of the total ice coverage was evaluated by analyzing video recordings; third, the average ice floe thickness was calculated

by weighting the individual ice floe thicknesses by its portion. The ship's speed was determined by difference methods.

Evaluation of the maximum breakable thickness of an icebreaking vessel from ramming tests in level ice. Hausler, F.U., International Conference on Port and rausier, r.u., international Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Pairbanks, University of Alaska, Geophysical Institute, 1988, p.521-530, 11 refs.

Ice breaking, Ice cover thickness, Icebreakers, Ice cover thickness, Ice strength, Velocity, Tests, Snow cover effect. Antarctica—Weddell Ses.

two series of ramming tests carried out with RV Polarstern in the Weddell Ses in 1983 have been analyzed to evaluate the two series of taming tests carried out with NV Polariem in the Weddell Ses in 1933 have been analyzed to evaluate the maximum lee thickness which can be broken by the vessel montion. In the approach used in the analysis, the kinetic energy stored in the vessel at the moment of attack was converted into an "additional" power available during deceleration. The power required to break the same lee thickness in which the vessel got stuck in continuous motion was estimated to be the sum of the "additional" and the shaft horse power. The strong headwinds observed in one of the two test series were taken into consideration. The determined power values were corrected for the varying ice bending strengths. From the results, the limit ice thickness to be broken by the RV Polariem in continuous motion was evaluated to be 1.35 m for 500 kPs winter ice and to be 1.61 m for 350 kPs summer ice. The latter value is in acceptable agreement with the measurement during one test run, where continuous icebreaking was observed for some breaking cycles and it also agrees with results from icebreaking trials carried out later in Spitsbergen. (Auth.)

42-3586

Finite-element analysis of the elasto-plastic modelling of the indentation problem in ship-ice interaction. Jebarsi, C., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.531-542, 22 refs.
Swamidas, A.S.J., Jones, S.J., Munaswamy, K. Ice breaking, Icebreakers, Ice solid interface, Metal ice friction, Elastic properties, Plastic properties, Ice cover thickness, Ice navigation, Ice deformation.

Ice-rubble beneath barges in ice-covered waters. Ettema, R., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Insti-tute, 1988, p.543-555, 10 refs. Huang, H.P. Ice navigation, Ice conditions, Ships, Ice floes, Ice

breaking, Ice cover thickness, Velocity.

42-3588

42-3588
Maneuvering performance in ice of the United States
Coast Guard 140-foot icebreaker.
Kannari, P., et al, International Conference on Port
and Ocean Engineering under Arctic Conditions, 9th,
Fairbanks, AK, Aug. 17-22, 1987. Proceedings,
Vol.1. Edited by W.M. Sackinger and M.O. Jeffries.
(Port and ocean engineering under Arctic conditions),
Fairbanks, University of Alaska, Geophysical Institute, 1988, p.557-574, 14 refs.
Humphreys, D. H.

Humphreys, D.H.
Ice navigation, Icebreakers, Ice conditions, Ice
breaking, Tests, Velocity, Models.

42-3589

Mid-winter 1983 ship transit in the Alaskan arctic by

the icebreaker Polar Ses.
Seibold, F., et al, International Conference on Port and Seitonia, 7, et al., international Contertence of Fort and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceeding, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.575-587, 4 refs.

Icebreakers, Ice navigation, Ice breaking, Marine transportation, Velocity, Chukchi Sea, Bering Sea.

42-3590

Tanker loading at exposed arctic terminals.

Jolles, W.H., International Conference on Port and Jolles, W.H., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries, Cport and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.589-605, 11 refs.
Tanker ships, Ice conditions, Ice navigation, Loading, Moorings, Velocity, Computer applications.

42-3501

Computer software to analyze ice interaction with moored ships.

moored ships.
Tseng, J., et al., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alasks, Geophysical Institute, 1988, p.607-617, 15 refs.
Allyn, N., Charpentier, K.
Ice loads, Ice conditions, Moorings, Ships, Ice solid interface, Computer applications, Models, Ice pressure, Design criteria.

computer-aided strategic route selection system.

Computer-aided strategic route selection system. Thomson, N.R., et al., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.619-630, 28 refs.

Ice navigation, Marine transportation, Ice condi-tions, Ice breaking, Computer applications, Ice me-chanics, Ice forecasting, Velocity.

hip/ice probabilities in arctic shipping.

Ship/ice probabilities in arctic shipping.
Ferregut, C., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.631-643, 10 refs.
Perchanok, M., Daley, C.
Ice mavigation, Ice conditions, Ice solid interface, Damage, Design, Mathematical models, Ice cover thickness, Visibility.

42-3594 Winter relocation techniques for arctic structures.

Thomas, G.A.N., International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alasks, Geophysical Institute, 1988, p.645-653, 3 refs.

Offshore structures, Ice conditions, Floating structures, Icebrackers, Protection, Safety, Cost analysis, Offshore drilling.

42-3595 Utilization of composite design in the Arctic and sub-Arctic.

Gerwick, B.C., et al. International Conference on Port Oetwick, B.C., et al, international Conterence on Port and Ocean Engineering under Arctic Conditions, 9th, Pairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.655-662, 5 refs.

Ice loads, Offshore structures, Reinforced concretes, Protection, Ice pressure, Construction materials, Shear strength.

42-3596 Design and behavior of composite ice-resisting walls. Design and behavior of composite ice-resisting walls. Adams, P.F., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.663-674, 22 refs. Zimmerman, T.J.E., MacGregor, J.G. Offshore structures, Reinforced concretes, Ice loads, Shear strength, Protection, Walls, Design, Construction materials, Models.

Resistance of composite steel/concrete structures to

localized ice loading.

Smith, J.R., et al, International Conference on Port Smith, J.R., et al., International Conterence on Formand Cosan Regineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries, (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, 675-687, 2 refs.
McLeish, A.

Offshore structures, Ice loads, Reinforced concretes, Shear strength, Models, Protection, Tests.

42-3598

Strength of composite, sandwich system, ice-resisting

structures.

Matsuishi, M., et al, International Conference on Port matsuan, M., et al, international Conference on Portanda and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol. I. Edited by W. M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.689-698, 2 refs.

Iwata, S. Offshore structures, Ice loads, Reinforced concretes, Design, Models, Tests, Strength.

42-3599

42-3599
Teats on composite ice-resisting walls.
O'Flynn, B., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.699-710, 7 refs. MacGregor, J.G.

Offshore structures, Ice loads, Reinforced concretes, Shear strength, Tests, Strains, Mathematical models.

42-3600

Experimental studies on composite members for arctic offshore structures.

Ohno, P., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. Pairbanks, University of Alaska, Geophysical Institute, 1988, p.711-719, 3 refs.

Offshore structures, Reinforced concretes, Ice loads, Shear strength, Tests, Flexural strength, Shear stress.

42-3601

Offshore structures, Ice conditions, Computer applications, Data processing, Information systems, Engineering.

42-3602

Influence of snowfall on road condition, vehicle speed and fuel consumption. [Inverkan av snoevaeder pa vaeging, fordonshastighet och braenslefoerbrukning], Ragnarsson, G., et al, Sweden. Statens via- och traff-kinstitut. Meddelande, 1987, No.513, 40p., PB87kinstitut. Meddelan. 157 798, In Swedish.

Oeberg, G. Snow cover effect, Roads, Snowfall, Snow removal, Snow depth, Snow water content.

42-3603

Preliminary determination of electrolyte stress dur-

ing freeze/thaw cycling of a Na/S cell.
Braithwaite, J.W., et al, Sandia National Laboratories,
Albuquerque, NM. Report, 1986,
SAND-86-1082C; CONF-861068-12, 22p. DE87-002 050.

Subia, S.R., Hammetter, W.F.
Freeze thaw cycles, Vehicles, Batteries, Damage, Design. Stresses.

42-3604

Relationship between ice island movement and

recusuoussup petween ice island movement and weather conditions. Yan, M.-H., Alaska. University. Geophysical Institute. Report, Sep. 1986, DOE/MC/20037-2231, 92p. DE87-000 652.

Ice islands, Icebergs, Drift, Ice mechanics, Climatic factors, Synoptic meteorology, Dynamic properties.

Baffin Island experimental oil spill and dispersal studies. Hydrocarbon bioaccumulation and histopathological and biochemical responses in marine bivalve mollusce.

Neff, J.M., et al, Boulder, CO, Outer Continental Shelf Environmental Assessment Program, Dec. 1986, p.1-153. PB87-195 137. Principal investigators' final re-

133, PBS/-193 137, Principal investigators innal reports. Vol.53; Report No.4589. Refs. p.97-101. Hillman, R.E., Boehm, P.D. Oll spills, Marine biology, Hydrocarbons, Water pollution, Experimentation, Ocean environments, Canada—Northwest Territories—Baffin Island.

Analysis of microwave structures and mixing formulae with applications to remote sensing measurements.

A., Helsinki University of Technology, Espoo. Electomagnetics Laboratory. Report, Nov. 1986, ISBN-951-753-973-8, 105p., PB87-153 508, Ph.D. thesis.

Snow surveys, Microwaves, Remote sensing, Snow density, Snow water content, Unfrozen water content, Dielectric properties.

42,3607

Proceedings. International Instrumentation Symposium, 34th, Albuquerque, NM, May 2-6, 1988, Research Triangle Park, NC, Instrument Society of America, 1988, 744p., Refs. passim. For selected papers see 42-3608 through 42-3610.

Measuring instruments, Data processing, Tempera-ture measurement, Ice formation, Wind tunnels, De-sign, Computer applications, Meteorological data.

Computer-controlled data acquisition system for a hy-draulic flume.

Zabilansky, L.J., MP 2349, International Instrumenta Zaoianas, J. L.J., Mr 23-9, International Instruments tion Symposium, 34th, Albuquerque, NM, May 2-6, 1988. Proceedings, Research Triangle Park, NC, In-strument Society of America, 1988, p. 453-460, 2 refs. Channels (waterways), Ice formation, Frazil ice, Ice mechanics, Temperature effects, Data processing, Ice accretion, Experimentation.

42,3600

Evaluation of platinum resistance thermometers. Darysbeigi, K., et al, international Instrumentation Symposium, 34th, Albuquerque, NM, May 2-6, 1988. Proceedings, Research Triangle Park, NC, Instrument Society of America, 1988, p.673-687, 12 refs. Dillon-Townes, L.A.

Wind tunnels, Temperature measurement, Temperature variations, Analysis (mathematics).

42-3610

Buffer rod designs for ultrasonic flow measurements at cryogenic and high temperatures, + or - 200 C. Lynnworth, L.C., International Instrumentation Symposium, 34th, Albuquerque, NM, May 2-6, 1988. Proceedings, Research Triangle Park, NC, Instrument Society of America, 1988, p.697-702, 14 refs. Ultrasonic tests, Messaring Instruments, Buffers, Rods. Temperature variations.

Erosion control: stay in tune.

Conference of the International Erosion Control Association, 19th, New Orleans, LA, Feb. 25-26, 1988, sociation, 19th, New Orleans, LA, Feb. 23-26, 1985. Steamboat Springs, CO, International Brosion Control Association, 1988, 497p., Refs. passim. For selected papers see 42-3612 through 42-3615. Erosion, Banks (waterways), Soil conservation, Shore erosion, Countermeasures, Meteorological fac-

tors, Frozen ground, Slope protection, Freeze thaw cycles, Meetings.

42-3612

on control practices in Colorado ski areas. DeHaven, M.G., et al, Conference of the International Erosion Control Association, 19th, New Orleans, LA, Feb. 25-26, 1988. Proceedings. Erosion control: stay in tune, Steamboat Springs, CO, [1988], p.67-

Berry, C.A.

Snow erosion, Slope protection, Mountains, Forest land, Countermeasures, Skis.

Afforestation techniques for water and soil conserva-tion forests in arid loss hills.

Zhang, F., Conference of the International Brosion Control Association, 19th, New Orleans, LA, Feb. 25-26, 1988. Proceedings. Erosion control: stay in tune, Steamboat Springs, CO, [1988], p.235-251. Soil erosion, Soil conservation, Soil water, Forestry, Revegetation, Loess, Mountains, Grasses, China

42-3614

Erosion of soil under frozen and freeze-thaw condi-Hone.

Edwards, L.M., et al, Conference of the International Erosion Control Association, 19th, New Orleans, LA, Peb. 25-26, 1988. Proceedings. Erosion control stay in tune, Steamboat Springs, CO, (1988), p.353-366, 14 refs.

Burney, J.R.

Soil erosion, Freeze thaw cycles, Frozen ground, Soils, Runoff, Sediment transport, Tests.

42-3615

ake shore erosion processes and controls. Edil, T.B., et al, Conference of the International Erorion, i.e., a, conscience of the International Erosion Control Association, 19th, New Orleans, LA, Feb. 25-26, 1988. Proceedings. Erosion control: stay in tune, Steamboat Springs, CO, [1988], p.455-469, 15 refs.

Bosscher, P.J. Shore erosion, Lakes, Banks (waterways), Shoreline modification, Ice erosion, Wind erosion, Wave propagation, Rain, Great Lakes.

42.3616

Heat balance on the icefield of San Rafael Glacier.

the northern Patagonia Icefield.

Kondo, H., et al, Bulletin of glacier research, 1988, No.6, p.1-8, 12 refs. Inoue.

Glacier heat balance, Snow heat flux, Meteorological factors, Snow surface, Albedo, Wind velocity, Cloud cover, Latent heat, Chile—San Rafael Glacier.

42-3617 Evaporation of river water in West Kunlun Moun-

tains, China. Nakawo, M., et al, Bulletin of glacier research, 1988, No.6, p.9-15, 9 refs. Takahara, H.

Mountain glaciers, Rivers, Evaporation, Heat bal-ance, Latent heat, Solar radiation, Meteorological factors

42-3618

Climate and weather at the advance camp in East Oueen Maud Land, Antarctica.

No.6, p.17-25, 26 refs.

Ageta, Y., Okuhira, F., Shimamoto, T.

Ageta, Y., Okuhira, F., Shimamoto, T. Glacial meteorology, Air temperature, Wind velocity, Snow temperature, Diurnal variations, Synoptic meteorology, Records (extremes), Antarctica— Queen Mand Land.

Queen Maud Land. In spite of the high altitude of the new Advance Camp (74 deg 12 min 8, 34 deg 59 min 8, 3198 m above sea level) in Bast Queen Maud Land, climate is more like the Cold Katabatic rather than the Cold Interior. The wind directional constancy reaches 0.93 and is comparable to the Mizuho value, 0.96. The annual mean air temperature is estimated to be -43.2C, which is considerably higher than the 10-m depth anow temperature of the same altitude in the Enderby Land area. The daily and synoptic variations of the air temperature and the surface wind are also described. (Auth.)

42-3619

Ice flow characteristics derived from bedrock topography around Mizuho Station, East Antarctica.
Ohmae, H., et al, Bulletin of glacier research, 1988, No.6, p.27-32, 15 refs. Nishio, F.

Glacier flow, Glacier beds, Radio echo soundings, Ice mechanics, Height finding, Altitude, Profiles, Antarctica-Mizuho Station.

tica—Mizaho Station.

The surface and bedrock topography of an about 100 kilometer square area around Miruho Station and along routes SZ and Y, in which one of the tributaries of the Shirase Glacier is located in Bast Queen Maud Land, was obtained by an oversnow traverse using a radio echo sounder and a barometric atlimeter. Bedrock topography along the routes abowed an elevation of almost sea level with an undulation of several hundred meters. The map of the surface and bedrock topography around Miruho Station shows that the station is located on the slope of a broad ridge that trends to north-west-west (NWW), and is placed between two hills of bedrock in the northward and the southward direction that are several hundred meters higher than surrounding bed. As to relation between two thills or bedrock in the northward and the southward direction that are several hundred meters higher than surrounding bed. As to relation between the surface and besurrounding bed. As to relation between the surface and be-drock topography, the direction of ice flow around Mizuho Station is estimated to be between New and Nw. Compari-son of this ice flow with that of other polar glaciers revealed that

it is an ice stream influenced by local bedrock topography.

Bedrock and ice surface profiles in the Shirase Gla-cier basin determined by the ground-based radio-echo

Sounding.
Nishio, F., et al, Bulletin of glacier research, 1988, No.6, p.33-39, 6 refs.
Ohmae, H., Ishikawa, M.

Glacier surfaces, Glacier beds, Radio echo soundings, Glacier thickness, Profiles, Glacier flow, Antarctics Shirese Glacier.

Shirmse Glacier.

Profiles of bedrock and ice surface along several routes in the Shirase Glacier basin, Antarctica, were determined by ground-based radio-echo soundings. The routes consisted of the flow line of the Shirase Glaicer, the 2200 m contour line between Mizuho Station and Yamato Mts., and the routine traverse route between Shows Station and Mizuho Station, all over a distance of about 1200 km. The 60 MHz radio-echo sounder was designed and constructed by the National Institute of Polar Research to be carried on an oversnow vehicle. Results of measurements show that the elevation of bedrock is approximately at sea-level from the coast near Showa Station to the inland near Mizuho Station, while that in the upstream area of the Shirase Glacier is gradually increasing up to about 1500 m at a point 400 km inland, where the ice thickness reaches 2000 m. A deep subglacial trench was found near the outlet of the at a point 400 km inland, where the ice thickness reaches 2000

M. A deep subglacial trench was found near the outlet of the
Shirase Glacier in the measurements along the 2000 m contour
route. Comparison of profiles of the bedrock and the ice surface along the Shirase glacier flow line revealed that surface
undulations correspond to irregular features of the bedrock.
To supplement the data for the depth of bedrock in some regious where no radio-echo was obtained from the bed, measurements of the gravity anomaly were used to determine the ice thickness. (Autn.)

42-3621

Preliminary estimation of drifting snow convergence along a flow line of Shirase Glacier, East Antarctica.

Takahashi, S., Bulletin of glacier research, 1988, No.6, p.41-46, 19 refs. Snowdrifts, Glacier surfaces, Wind velocity, Snowfall, Sublimation, Snow accumulation, Antarctics—Shimation, Care of the control of the contr rase Glacier.

The drifting snow convergence along a flow line of the Shirase Clacier, E. Antarctica is obtained by estimating the snow drift transport rate caused by katabatic winds on the ice sheet. The transport rate caused by katabatic winds on the ice sheet. The estimated convergence showed a large positive value in the coastal region and a negative value at about 300 km distance from the coast, whereas it is negligible in the inland region further than 400 km. The large amount of net accumulation in the coastal region can be roughly explained by diffulgs snow convergence in addition to precipitation and sublimation. (Auth. mod.)

42-3622

Outlines of the Japanese Arctic Glaciological Expedition in 1987.

Watanabe, O., et al, Bulletin of glacier research, 1988, No.6, p.47-50.

Fujii, Y. Glacial meteorology, Ice cores, Drill core analysis, Expeditions, Climatic changes, Environments.

42-3623

Meteorological observations at Asgårdfonna, Spitsbergen, 1987.

No.6, p.51-54, 1 ref.
Satow, K., Fujii, Y., Kawaguchi, S.

Glacial meteorology, Air temperature, Humidity, Ice cores, Climatic changes, Drill core analysis, Hoar-frost, Ice formation, Norway—Spitzbergen.

Some remarks on the mass balance and the terminal-lateral fluctuations of San Rafael Glacter, the North-ern Patagonia Icefield. Kondo, H., et al. Bulletin of glacier research, 1988, No.6, p.55-63, 18 refs. Yamada, T.

Glacier mass balance, Glacier oscillation, Glacier flow, Meteorological fa tors, Glacier surveys, Abla-tion, Glacier alimentation, Chile—San Rafael Gla-

Contribution of glacier meltwater to runoff in glacialized watersheds in the Langtang Valley, Nepal Himalavas.

Yamada, T., et al, Bulletin of glacier research, 1988, No.6, p.65-74, 10 refs. Motoyama, H.

Glacier melting, Runoff, Meltwater, Watersheds, Glacial hydrology, Glacial meteorology, Glacier mass balance, Seasonal variations, Himalaya Mountains. 42-3626

Preliminary report of Sino-Japanese joint glaciologi-cal expedition in West Kunlun Mountains 1987. Neng, B., et al, Bulletin of glacier research, 1988, No.6, p.75-80, 7 refs. Chen, J., Ageta, Y.

Glaciology, Ice cores, Snow surveys, Geology, Drill core analysis, Expeditions, Permafrost, Meteorological data, China—Kunlun Mountains.

Recent Soviet activities on ice core drilling and core investigations in Arctic region.

Zagorodnov, V.S., Bulletin of glacier research, 1988,

No.6, p.81-84, 4 refs.

Ice cores, Drill core analysis, Ice temperature, Glacier ice, Thermal drills, Unfrozen water content, Temperature gradients.

Characteristics of the performance of bases and foundations in eastern Siberia and the North. [Osobennosti raboty osnovanii i fundamentov v ralonakh Vos-

nosti saody osanovani rimosani strobani subosanovani strobnost Sibiri i Severa), Kozakov, IU.N., ed, Krasnoyarsk, Krasnoyarski PromstrotNilproekt, 1986, 142p., in Russian. For in-dividual papers see 42-3629 through 42-3639. Refs.

passim.
Research projects, Foundations, Design, Permafrost beneath structures, Earthwork, Drilling, Construction equipment, Construction materials, Artificial freezing. Permafrost control.

Design of liquid, seasonally active cooling devices with flat jet-separators. ¡Raschet zhidkostnykh sezonnodeïstvuiushchikh okhlazhdaiushchikh us troisty so struerazdelitelem ploskogo tipa, Konovalov, A.A., et al, Osobennosti raboty osnovanii

fundamentov v rajonakh Vostochnoj Sibiri i Severa (Characteristics of the performance of bases and foundations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy PromstrofNilproekt, 1986, p.12-25, In Russian. 5 refs.

Soil freezing, Permafrost control, Artificial freezing, Frozen ground temperature, Design.

42-3030 Impact of seasonal thawing of permafrost on the performance of laterally loaded piles. ¡Viiianic sezonnogo ottaivaniia vechnomerziykh gruntov na raboty sval pri gorizontal'nom vozdelstvii, Medvedeva, O.P., Osobennosti raboty osnovanii i fun-

damentov v ratonakh Vostochnof Sibíri i Severa (Characteristics of the performance of bases and foundations acteristics of the performance of bases and foundations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy PromstrofNII-prockt, 1986, p.26-32, In Russian. 5 refs. Foundations, Piles, Seasonal freeze thaw, Ground thawing, Stresses, Design.

Calculating ground temperature at the base of a struc ture buried in permafrost controlled with steam-liquid cooling devices. (Raschet temperatury grunts v osnovanii zaglublennogo sooruzheniia s primeneniem parozhidkostnykh okhlazhdaiushchikh uatroïstv<sub>1</sub>, novanii zagluble

Naumova, L.A., et al, Osobennosti raboty osnovanii i fundamentov v rajonakh Vostochnoj Sibiri i Severa (Characteristics of the performance of bases and foun-dations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy Prom-stroiNilproekt, 1986, p.33-42, In Russian. 2 refs.

Soil temperature, Temperature measurement, Perma-frost beneath structures, Permafrost physics, Plastic properties, Permafrost control.

Studying stress state of large panel buildings with plate foundations and hydraulic fills in the Yakutsk area. [Issledovanie napriazhennogo sostoianiia konstruktsii krupnopanei nogo doma na skladchatykh fundamentakh i namyvnykh gruntakh v uslovijakh IAkut-

skaj, Mordovskii, A.G., et al, Osobennosti raboty osnovanii i fundamentov v ratonakh Vostochnot Sibiri i Severa (Characteristics of the performance of bases and foundations in eastern Siberia and the North) unions in eastern Sideria and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy Prom-stroiNilproekt, 1986, p.43-52, In Russian. 5 refs. Stepanov, V.V., Matyskin, A.G. Large panel building, Permafrost beneath structures, Foundations, Earth fills, Design.

Studying bearing strength of piles cast in punched holes. [Issledovanie nesushchel sposobnosti nabiv-

nykh sval v probitykh skvazhinakhj, Bulankin, N.F., et al, Osobennosti raboty osnovanil i fundamentov v rajonakh Vostochnoj Sibiri i Severa tundamentov v raionakh Vostochnoi Sibiri i Severa (Characteristics of the performance of bases and foundations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy PromatrofNilproekt, 1986, p.53-60, In Russian. 2 refs. Stoian, IU.F., Ivanov, V.F., Kogol', A.P. Poundations, Concrete piles, Soil compaction, Bearing strength, Tests, Concrete placing.

42-3634
Evaluating the accuracy of determining bearing strength of piles in the Krasnoyarsk region, using different methods. ¡Otsenka tochnosti opredeleniia ne-sushcheĭ sposobnosti svaĭ razlichnymi metodami v re-

gional'nykh gruntakh Krasnoiarskogo kraia<sub>j</sub>, Kozakov, IU.N., et al, Osobennosti raboty osnovanii i fundamentov v ratonakh Vostochnot Sibiri i Severa (Characteristics of the performance of bases and foun-dations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy Prom-stroĭNIIprockt, 1986, p.61-69, In Russian. 2 refs. Vashko, G.V.

Foundations, Piles, Bearing strength, Permafrost beneath structures.

42-3635

Tables for determining physical and mechanical properties of clayey soils in the southern Krasnoyarsk region. (Regional'nye tablitsy dlia opredeleniia fiziko-mekhancheskikh svoistv glinistykh gruntov iuga Kras-

noiarskogo kraiaj, Konovalov, A.A., et al, Osobennosti raboty osnovanii i fundamentov v ratonakh Vostochnot Sibiri i Severa (Characteristics of the performance of bases and foun-(Characteristics of the performance of bases and foundations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy PromstrofNilproekt, 1986, p.70-92, In Russian. 4 refs. Clay solis, Deformation, Loess, Frozen fines, Physical properties.

Studying bearing strength of piles, under soil condi-Studying bearing attending to place, times sort countries to to control of pile sinking to specified marks, classic-dovanic nesush-chet sposobnosti sval v gruntovykh uslovijakh Komi ASSR s tel'iu primenenija metoda pogruzhenija sval

ASSA's useful primenenna metoda pogruznenia svai do zadanno tometkij. Sukhorukov, V.A., Osobennosti raboty osnovanii i fundamentov v ratonakh Vostochnol Sibiri i Severa (Characteristics of the performance of bases and foundations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy Prom-stroiNilproekt, 1986, p.93-98, In Russian. 2 refs. Tests, Foundations, Supports, Piles, Bearing strength, Cryogenic solls, Peat, Fines, Sands.

Ground thawing effect on the stability of underground communication conduits. [Vliianie ottaivaniia grun-tov na ustoichivost' podzemnykh kollektorov dlia kommunikataily,

Grebenets, V.I., Osobennosti raboty osnovanii i fun-damentov v ratonakh Vostochnoi Sibiri i Severa (Characteristics of the performance of bases and foundations acteristics of the performance of obsess and foundations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarsk, Krasnoyarskiy PromstrofNII-prockt, 1986, p.99-108, In Russian. 5 refs. Underground facilities, Concrete structures, Transmission lines.

42-3638

Analysis (mathematics).

Thermal regime of buried pipelines with a natural temperature field. ¡Osobennosti teplovogo rezhima truboprovoda ulozhennogo v grunt s estestvennym temperaturnym polem<sub>j</sub>, Karpov, V.I., Osobennosti raboty osnovanii i fun-

damentov v ratonakh Vostochnot Sibiri i Severa (Characteristics of the performance of bases and foundations in eastern Siberia and the North) edited by IU.N in eastern Siberns and the North) edited by 10.7. Kazakov, Krasnoyarski, Krasnoyarskiy PromstroftNil-prockt, 1986, p.109-123, In Russian. 10 refs. Mathematical models, Underground facilities, Active layer, Seasonal freeze thaw, Pipelines, Heat transfer,

Determining the coefficient of drainage for manual Determining the coefficient of grainings for manual water discharge through freezing spipes. (Oprocedenie koeffitsients raskhoda ruchnogo vypuska vody rabotosposobnogo pri oledenenii vodovoda,, Kushev, M.IU., Osobennosti raboty osnovanii i fundamentov v raionakh Vostochnoj Sibiri i Severa (Charachesti o danakh vostochnoj Sibiri i

acteristics of the performance of bases and foundations acceristics of the performance of bases and foundations in eastern Siberia and the North) edited by IU.N. Kazakov, Krasnoyarski, Krasnoyarski PromstroiNilproekt, 1986, p.124-134, In Russian. 7 refs. Water pipelines, Active layer, Permafroet thermal properties, Pipeline freezing, Cold weather operation, Design.

42-3640

Limit state probabilities for wood structural mem-

bers. Hendrickson, B.M., et al, Journal of structural engineering, Jan. 1987, 113(1), p.88-106. Ellingwood, B., Murphy, J. Wooden structures, Building codes, Snow loads, Loads (forces), Bearing strength, Models, Design

Permafroet bibliography update, 1983-1987.
Brennan, A.M., comp., Glaciological data, Apr. 1988, GD-21, 225p.

Permafrost, Bibliographies, Geocryology, Ground ice, Frozen ground.

42-3642

Numerical methods in geomechanics, Nagoya 1985. Numerical memods in geomechanics, Nagoya 1932 international Conference on Numerical Methods in Geomechanics, 5th, Nagoya, Japan, Apr. 1-5, 1985, Rotterdam, Netherlands, A.A. Balkema, 1985, 1307p. (2 vols.), Refs. passim. For selected papers see 42-3643 thrugh 42-3646.

3043 inruga 42-3040. Kawamoto, T., ed, lchikawa, Y., ed. Soil mechanics, Frozen ground mechanics, Analysis (mathematics), Soil water, Frost penetration, Frost heave, Soil freezing.

42-3643

Numerical analysis of moisture movement in soils

Namerica: analysis of during freezing.
Yanagisawa, E., et al, International Conference on Numberical Methods in Geomechanics, 5th, Nagoya, Proceedings, edited by T. Japan, Apr. 1-5, 1985. Proceedings, edited by T. Kawamoto and Y. Ichikawa, Rotterdam, Netherlands, A.A. Balkema, 1985, p.575-580, 6 refs. Yao, Y.J., Kashiwazaki, A.

Soil freezing, Soil water migration, Frost heave, Set-tlement (structural), Thermal conductivity, Frost penetration, Temperature distribution, Mathematical models.

42-3644

Numerical analysis of bearing capacity of soft soil

Numerical analysis of bearing capacity of son sou with a frozen top layer.

Pisenko, G.L., et al, International Conference on Numberical Methods in Geomechanics, 5th, Nagoya, Japan, Apr. 1-5, 1985. Proceedings, edited by T. Kawamoto and Y. Ichikawa, Rotterdam, Netherlands, A.A. Balkema, 1985, p.935-939, 7 refs.

Kozlov, IU.S., Fadeev, A.B.

Frozen ground strength, Bearing strength, Frost penetration, Stresses, Models, Settlement (structurant)

42-3645

Behavior and simulation of weathered granite tunnel

possessive are simulation of weathered granite tunnel roofed by freezing.

Murayama, S., et al, International Conference on Numberical Methods in Geomechanics, 5th, Nagoya, Japan, Apr. 1-5, 1985. Proceedings, edited by T. Kawamoto and Y. Ichikawa, Rotterdam, Netherlands, A.A. Balkema, 1985, p. 1119-1126, 2 refs.

Tunneling (excavation), Freeze thaw cycles, Shear

strength, Settlement (structural), Weathering, Analysis (mathematics), Mountains.

Stability analysis of a rock cavern with LPG storage

under thermal stresses.

Ishizuka, Y., et al. International Conference on Numberical Methods in Geomechanics, 5th, Nagoya, Japan, Apr. 1-5, 1985. Proceedings, edited by T. Kawamoto and Y. Ichikawa, Rotterdam, Netherlands, A.A. Balkema, 1985, p.1233-1240, 4 refs.

Kinoshita, N., Okuno, T. Cares, Frost heave, Rocks, Frozen ground mechanics, Thermal stresses, Tensile properties, Experimenta-tion, Temperature effects.

42-3647

Soil cohesion as affected by freezing, water content,

Soil cohesion as affected by freezing, water content, time and tillage. Bullock, M.S., et al, Soil Science Society of America. Journal, May-June 1988, 52(3), p.770-776, 28 refs. Kemper, W.D., Nelson, S.D. Soil freezing, Cohesion, Soil aggregates, Ground water, Stability, Soil compaction, Time factor, Temperature effects, Seasonal variations.

47-3648

Decade of glacier investigations for utilization of

Greenland hydropower.

Weidick, A., et al, Denmark. Grönlands geologiske undersögelse. Rapport, 1986, No.128, p.157-169, 17 refs.

Thomsen, H.H.

Glacial hydrology, Glacier melting, Land ice, Ice edge, Topographic features, Remote sensing, Seasonal variations, Runoff, Meteorological data, Green-

42-3649

Interactions between engineering structures and geo-logical media. ¡Vasimodefstvie inzhenernykh sooruz-henii s geologicheskoï sredoï, Molokov, L.A., Moscow, Nedra, 1988, 222p., In Rus-

MOSCOW, L.A., MOSCOW, Nedra, 1988, 222p., In Russian with English table of contents enclosed. 55 ref. Hydraulic structures, Engineering geology, Hydrothermal processe, Permafrost thermal properties, Earthquakes, Lakes, Water storage, Dams, Glacial deposits, Moraines.

42-3650

Effective criterion of mudflow and flood danger and its prognostic significance. Effektivnyi kriterii sele-voi i pavodkovoi opasnosti i ego prognosticheskoe

znachenie, Kherkheulidze, G.I., Zakavkazakň regional nyi nauch-no-isaledovatel skň institut. Trudy, 1987, Vol.82, p.28-41, In Russian. 7 refs.

Floods, Slope processes, Mudflows, Rivers, Hydrolo-

42-3651

Estimating the effect of irrigational measures on the rusoff of small rivers under different natural condi-tions. (Osobennosti otsenki vliianiis orositel'nykh meropriiatii na stok malykh rek v razlichnykh prirod-

meropriatin a stok manykn rek v raznennykn prirod-nykh usloviakh, Pen'kova, N.V., et al. Zakavkazskii regional'nyi nauchno-issledovatel'skii institut. Trudy, 1987, Vol.82, p.52-74, In Russian. 28 refs. Chikvaidze, G.D. Rivers, Runoff, Water balance, Snow water equiva-lent, River ice, Ice coaditions.

42.3682

Forecasting the ranoff of glacial rivers during the glacier ablation period. ¡Prognoz stoka rek s led-nikovym pitaniem za period abliatsii lednikov<sub>1</sub>, Tsomaia, V.Sh., et al, Zakavkazskii regional'nyi nauchno-issledovateľskii institut. Trudy, 1987, Vol.82,

p.75-93, In Russian. Aliev, I.A.

Allyine landscapes, Glacial rivers, Runoff, Glacier ablation, Snow water equivalent, USSR—Caucasus.

Modern methods of building tall concrete dams. [Sovremennye metody betoni ovaniia vysokikh plo-

tinj, Sudakov, V.B., et al, Moscow, Energostomizdat, 1988, 256 p. (Pertinent p.5-67), In Russian with abridged English table of contents enclosed. 63 refs. Tolkachev, L.A.

Hydraulic structures, Cold weather construction, Winter concreting, Concrete structures, Dams, Winter concreting, USSR-Angara River, USSR-Ye-

42-3654

Winter city trends.

Naisbitt Group Inc., Edmonton, Alta., Winter Cities

Conference Corporation, 1988, 44p.
Urban planning, Cold weather construction, Buildings, Transportation, Construction materials, Winter.

42-3655

Design evolution and performance of the Soviet Un-

Design evolution and performance of the Soviet Union's large polar icebreakers.

Brigham, L.W., Ocean '86 Conference, Washington, D.C., Sep. 23-25, 1986. Proceedings, Vol.5, New York, Institute of Electrical and Electronics Engineers, 1986, p.1462-1467, 5 refs.

Design, Icebreakers, Ice breaking, Ice cover thickness, USSR.

42-3656

Evidence for ideal and non-ideal equilibrium freezing of leaf water in frosthardy lvy hedera helix and winter barley hordeum vulgare.

Hansen, J., et al, *Botanica acta*, Feb. 1988, 101(1), p.76-82, 27 refs. Beck, E.

Freezing, Unfrezen water content, Prost resistance.

42-3657

Alpine vegetation map of Carlbon Lake Valley and Fourth of July Valley, Front Range, Colorado, U.S.A. Haase, R., Arctic and alpine research, Feb. 1987, 19(1), p. 1-10, 39 refs.

Alpine landscapes, Vegetation, Maps, United States
—Colorado—Front Range.

Establishment of white spruce populations and re-sponses to climatic change at the treeline, Churchill, Manitoba, Canada.

Namitoon, Canada.
Scott, P.A., et al. Arctic and alpine research, Feb.
1987, 19(1), p.45-51, 35 refs.
Hansell, R.I.C., Fayle, D.C.F.
Plants (botany), Forest tundra, Forest lines, Canada
—Manitoba—Churchill.

Components of the surface radiation balance of su-barctic wetland terrain units during the snow-free sea-

son. Lafleur, P., et al, Arctic and alpine research, Feb. 1987, 19(1), p.53-63, 15 refs. Rouse, W.R., Hardill, S.G. Radiation balance, Albedo, Swamps.

Eroston by snow avalanche and implications for geomorphic stability, Torlesse Range, New Zealand. Ackroyd, P., Arctic and alpine research, Feb. 1987, 19(1), p.65-70, 20 refs.

Avalanche erosion, Geomorphology, New Zealand—

Torlesse Range.

42.3661

42-3601
Accelerated ablation at a glacier ice-cliff margin, Dry Valleys, Antarctica.
Chinn, T.J.H., Arctic and alpine research, Feb. 1987, 19(1), p.71-80, 18 refs.
Glacier ablation, Solar radiation, Ice melting, Meltwater, Antarctics—Victoria Land.

Cliffed margins of cold glaciers are common in polar regions Cliffed margins of cold glaciers are common in polar regions and are an important source of meltwater. Because of low sun angles, the cliff face receives more solar radiation than does the upper glacier surface and therefore melts at a faster rate. Ablation of an ice-cliff is particularly enhanced, and melt is initiated early in the season where the cliff impinges against a steep (rock) slope. On subdued ice cliffs which do not calve, differential ablation can form ice terraces, which in turn increasing the area of ice-cliff faces. (Auth.)

Low profile of the northwest Laurentide ice sheet. Beget, J., Arctic and alpine research, Feb. 1987, 19(1), p.81-88, 44 refs. Glaciation, Paleoclimatology.

Distribution of diatoms in the surface sediments of the Kane Basin. Kravitz, J.H., et al, Arctic and alpine research, Feb.

1987, 19(1), p.89-94, 16 refs. Burckle, L.H., Bromble, S.L. Marine deposits, Glacial deposits.

Power plants of modern sea vessels. ¡Energeticheskie ustanovki sovremennykh morskikh sudov; percaypkin, V.I., ed. Leningrad, Transport, 1987, 128p., In Russian. For selected papers see 42-3664 through 42-3667. Refs. passim. Cargo, Ice navigation, Ships, Electric power, Propellers, Icebreakers, All terrain vehicles, Air cushion

vehicles, Transportation.

Comparative efficiency of power plants on icebreak-ing cargo ships. (Sravnitel'naia effektivnost' energeti-cheskikh ustanovok ledokol'no-transportnykh

sudovy, Kuklin, A.M., et al, Energeticheskie ustanovki sov-remennykh morskikh sudov (Power plants of modern sea vessels) edited by V.I. Peresypkin, Leningrad, Transport, 1987, p.13-25, In Russian. 7 refs. Levin, B.M., Shostak, V.P., IArosh, V.I.

Ice navigation, Electric power, Propellers, Icebreak-

ers. Transportation, Cargo.

Analysis of methods of propeller reversing in superpower icebreakers. (Analiz sposobov reversa grebnykh vintov sverkhmoshchnogo ledokola),
Frolov, A.A., Energeticheskie ustanovki sovremen-

rfolov, A.A., herizeucnessie ustanovii sovremen-nykh morskikh sudov (Power plants of modern sea vessels) edited by V.I. Peresypkin, Leningrad, Trans-port, 1987, p.32-40, In Russian. Icebreakers, Ice navigation, Ice breaking, Propellers.

42-3667

Noise and vibration of air-cushion vessels, Shum i

rouse and vibration of air-cushion vessels. [Shum i vibratsiis sudov na vozdushnol podushke], Bl'nik, A.G., et al, Energeticheskie ustanovki sovremennykh morskikh sudov (Power plants of modern sea vessels) edited by V.I. Peresypkin, Leningrad, Transport, 1987, p.64-70, in Russian. Likhachev, S.V.

All terrain vehicles, Air cushion vehicles, Ships, Tests.

42.3669

Quantitative analysis of exogenic relief. (Kolichestvennyi analiz ekzogennogo rel'efoobrazovaniiaj, Trofimov, A.M., ed. Kazan. Universitet, 1987, 139p.,

Irolimov, A.M., ed. Kazan. Universitet, 1707, 1379., In Russian. For sele "d paper see 42-3669. Paleoclimatology, faw occology, Pleistocene, Periglacial processes, Geostorphology, Permafrost distribution, Hydrothermal, processes, Erosion.

Quantitative evaluation of the role of pleistocene periglacial processes, Afetodika kolichestvennoï ot-sen; roli pleïsto.senovykh perigliatsial'nykh protses-

Butakov, G.P., Kolichestvennyi analiz ekzogennogo rel'efoobrazovaniia (Quantitative analysis of exogen relief formation) edited by A.M. Trofimov, Kazan Universitet, 1987, p.11-23, In Russian. 19 refs.

vernici, 1907, p.11-25, in Russian. 19 1218. Geomorphology, Tundra, Forest tundra, Permafrost origin, Permafrost distribation, Paleoctimatology, Paleoecology, Periglacial processes, Geomorphology.

Automation of industrial ship-building processes. Avtomatizatsiia sudovykh proizvodstvennykh protsessovi.

Sessoy, Peresypkin, V.I., ed, Leningrad, Transport, 1987, 113p., In Russian. For selected papers see 42-3671 and 42-3672. Refs. passim. Icebreakers, Electric power, Nuclear power, Propel-lers, Design, Ice navigatios.

42-3671

Experie iental studies of accuracy of the ultralong wave radio navigation system Omega in the Antarctic. (Eksperimental'nye issledovaniia pogreshnostef sverkhdlinnovolnovol RNS "Omega" v Antarktike, Section Moving National States and Section 1988. Section 1989. Section 1

Sea Ice, Reallo waves, Ice navigation.

During the 31st Soviet Anarctic Expedition, signal distortion and attenuation of the radio navigation ayatem Omega were investigated in the Antarctic. The influence of ice on radiowave propagation is discussed and shown on a chart compiled at latitude 705. Preliminary electronic calculations show a reliable reception at Molodezhnaya Station of signals from stations in Liberia, Reunion I. and Argentina.

42-3672

Optimizing the combined performance of nuclear and electric propelling systems in atomic icebreakers.

Optimizatsija rezhimov sovmestnoj raboty jadernoj energeticheskol i grebnol elektricheskol ustanovok

atomnogo ledokolaj.
Golovnia, N.V., Avtomatizatsiia sudovykh proizvodstvennykh proteessov (Automation of industriaship-building processes) edited by V.I. Peresypko, Leningrad, Transport, 1987, p.67-69, In Russian.

Ice navigation, Icebreakers, Arctic Ocean.

42-3673

Summary and analyses of surface mass balance com-

Polar Research Center. Report, 1987, No.1, 90p., Refs. p.61-68. Bull. C.

Data processing, Mass balance, Ice surface, Mapping, Polar regions.

An analytical review is given of twenty-four compilations of An analytical review is given of twenty-four compilations of surface mass balance for Antarctica produced between 1960 and 1985, with emphasis on their chronological development and the growth of the point-specific data base from approximately 175 to more than 1500 locations, as reported in approximately 225 identified sources. It is shown that the data collected in Antarctica during the exploration phase of surface glaciology studies (1956-68) and reported in the years 1958-71, are widespread and remain a considerable contribution to our present knowledge of the surface balance on the continent. The

compilations which appeared after 1971 illustrate that the data compilations which appeared after 1971 illustrate that the data base has improved principally in the coastal zone, including the major ice shelves and inland areas near their grounding hims. Some selections of alternate data sets and interpolations thereof produce differences of approximately (-)25% to (-)75% in estimates of regional rates of surface balance for large areas. It is suggested that further improvement in the compilations may be schieved by making this selective approach rather than using all the available data. (Auth.)

Paleoclimatic implications of the relationship be-tween modern snowpack and late Pleistocene equilib-rium-line altitudes in the mountains of the Great Basin, western U.S.A.

Zielinski, G.A., et al, Arctic and alpine research, May 1987, 19(2), p.127-134, 14 refs. McCoy, W.D.

Paleoclimatology, Snow water equivalent, Snow accumulation.

Needle-ice activity and the distribution of stem-rosette species in a Venezuelan páran Pérez, F.L., Arctic and alpine research, May 1987, 19(2), p.135-153, Refs. p.150-153. Ice needles, Soil structure, Venezuela.

42-3676

Frost-heave activity . the Mount Rae area. Canadian Rocky Mountains.

Rocay Mountains.
Smith, D.J., Arctic and alpine research, May 1987, 19(2), p.155-166, 29 refs.
Frost heave, Ice seedles, Soil moisture, Soil creep, Canada—Alberts—Mount Rae.

Some observations on the morphology and sedimentology of two active protains ramparts, Lyngen, northern Norway.

Ballantyne, C.K., Arctic and alpine research, May 1987, 19(2), p. 167-174, 23 refs.

Geomorphology, Perigiacial processes, Rock streams,

Norway-Lyagen.

42-3678

Crown forms and shoot elongation of white spruce at the treeline, Churchill, Manitoba, Canada. tae treeline, Caurenii, Manitosa, Canada. Scott, P.A., et al, Arctic and alpine research, May 1987, 19(2), p.175-186, 35 refs. Bentley, C.V., Fayle, D.C.F., Hansell, R.I.C. Forest tundra, Forest lines, Plant physiology, Canada

Manitoha

42-3679

Floristic structure of snowline vegetation in Central Himalaya, India. Rawat, G.S., et al, Arctic and alpine research, May

Plants (botany), Frow line, India—Himalaya Moun-

42-3680

Dynamics of coupled marine ice stream-ice shelf systems and implications for the quaternary ice ages.
Muszynski, I., Evanston, Northwestern University,
1987, 85p., University Micrefilms order NoDA8710369, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, July 1987, p.77. Ice sheets, Glacier flow, Models, Climatic changes, Antarctica-West Antarctica.

Antarctics—West Antarctics.

A scale analysis of the flow of a marine ice stream coupled to a freely floating ice shelf is presented, in two dimensions and ignoring thermodynamic effects. With these limitations, the most important control of the dynamics of the ice stream is associated with first order buoyancy effects related to the density contrast between ice and seawater. The scale analysis is the basis for derivation of a simplified model of a fast flowing ice stream coupled to a freely floating ice shelf. A numerical model for this simplified ice stream-ice shelf system is presented, in which the ice stream is explicitly coupled to the ice shelf at the grounding line through the requirements of buoyancy and strain state continuity. The model predicts the thickness and velocity fields in the ice stream and ice shelf, as well as the position of the grounding line. Sensitivity of the model to the position of the grounding line. Sensitivity of the model to the flow law constant of ice, to basel conditions, to the bedrock slope and to the mass flux at the upstream end of the ice stream is discussed. The response time of the model ice stream is yet; is discussed. The response time of the model ice stream is very short, of the order of 500 to 1000 years, and is comparable that of an ice shelf. The West Antarctic ice streams, which are the focal point of possible instability of the West Antarctic ice sheet, may thus be expected to react simost instathancously to climatic perturbations or to changes in the dynamical state the ice shelves into which they drain. (Auth. mod.)

42-36R1

Methods of isotope geology. [Metody izotopno]

geologii, Shukoliukov, IU.A., ed, Moscow, 1987, 316p. (2 vols.), In Russian. Refs. passim. For selected papers see 42-3682 through 42-3685.

Geology, Geochronology, Isotope analysis, Radioactive isotopes, Carbon isotopes, Paleoecology, Paleobotany, Paleoclimatology, Permafrost, Radioactive age determination.

42.3682

Combined isotope and emanation surveys in the mapplag of permafrost regions. (Opyt primeneniia izotopnykh issledovanií v komplekse s emanatsionnoš s"emkoš pri kartirovochnykh rabotakh v rašonakh

s emico pri karirovocenykn rabotakn v raionakn vechnof merzloty, Bobrov, V.A., et al, Vsesoiuznais shkola-seminar "Metody izotopnof geologii", Zvenigorod, Dec. 7-13, 1987. Tezisy dokladov (All-Union workshop-seminar, methods of isotope geology, Dec. 7-13, 1987. Summaries of reports) edited by IU.A. Shukoliukov, Moscow, 1987, p.53-54, In Russian. Zairi, N.M., Gushchin, V.N. Fracturing, Geochemistry, Mining, Surveys, Mapping, Carbon isotopes, Permafrost, Isotope analysis, Igneous rocks.

42-3683

Possibilities of using isotope techniques in studying the growth of hailstones. (Vozmozhnosti issledovanii

rosta gradin izotopnymi metodami, Kaviladze, M.Sh., et al, Vsesoiuznaja shkola-seminar Kaviladze, M.Sh., et al. Vsesoluznata shkola-seminar "Metody izotopnof geologii", Zvenigorod, Dec. 7-13, 1987. Tezisy dokladov (All-Union workshop-seminar, methods of isotope geology, Dec. 7-13, 1987. Summaries of reports) edited by IU.A. Shukoliukov, Moscow, 1987, p.111-112, In Russian. Hallstones, Ice growth, Ice composition, Ice crystal structure, Isotope analysis, Models.

Investigation procedures in the practice of geochrono-logical studies of Late Pleistocene frozen strata, using logical strates of Late Flestocene frozen strats, usue serial radiocarbon adating, in the cryolithozone. (Metodicheskie issledovaniia v praktike geokh-ronologicheskogo izucheniia pozdneplefatotsenovykh merzlykh tolshch kriolitozony pri serimom radiougle-

merzyst tolancia kroniożeny pri semioni radougier rodnom datirovanij, Kostiukevich, V.V., et al, Vsesojuznaja shkola-semior "Metody izotopnoj geologii", Zvenigorod, Dec. 7-13, 1987. Tezisy dokladov (All-Union workshop-semi-1297. 12289 GOKISGOV (AII-UNION WORKShop-semi-nar, methods of isotope geology, Dec. 7-13, 1987. Summaries of reports) edited by IU.A. Shukoliukov, Moscow, 1987, p.268-269, In Russian. Dneprovskais, O.V.

Geocryology, Permafrost, Radioactive age determination.

42.3685

Using radiocarbon dating in the Arctic and Subarctic Using reduceroon dating in the Arcic and Subarcic regions (northeastern USSR), Primenenic radiouglerodnogo metoda v arkticheskikh i subarkticheskikh ralonakh (Severo-Vostok SSSR),
Lozhkin, A.V., Vsesoiuznaia shkola-seminar "Metody

Lozinkin, A.V., Vsesoluziais ankola-seminar metodo y izotopnol geologii", Zvenigorod, Dec. 7-13, 1987. Tezisy dokladov (All-Union workshop-seminar, methods of isotope geology, Dec. 7-13, 1987. Summaries of reports) edited by IU.A. Shukoliukov, Moscow, 1987, p.277-279, In Russian.

Radioactive age determination, Permafrost, Paleo-climatology, Paleoecology, Paleobotany.

42-3686

Formation of HCl in the antarctic atmosphere. Legrand, M.R., et al, *Journal of geophysical research*, Jun. 20, 1988, 93(D6), p.7153-7168, 73 refs. Delmas, R.J.

Snow composition, Ice composition, Atmospheric composition, Aerosols.

composition, Aerosois.

A comprehensive glaciochemical study was conducted at several antarctic locations on the Antarctic Plateau and in more coastal regions of East Antarctics. The objective was to investigate the sulfur, nitrogen, and halogen atmospheric cycles in very remote areas. Spatio-temporal variations of the CU/Na ratio are reported here for several hundred samples collected in snow pits or from firm and ice cores using contamination-free techniques. Details are reported on the sodium to chloride weight ratio the major ious mantarctic necessitiation and the techniques. Details are reported on the sodium to chloride weight ratio; the major ions in antarctic precipitation and the release of gaseous HCl into the atmosphere; the weather conditions conductive to activating these processes; and the importance of the interaction between the sulfur and chlorine cycles in the antarctic atmosphere. (Auth. mod.)

42.3687

Attenuation rates of ocean waves in the marginal ice

Wadhams, P., et al, Journal of geophysical research, Jun. 15, 1988, 93(C6), p.6799-6818, 26 refs. Ocean waves, Attenuation, Ice edge, Sea ice.

Short-term ice motion modeling with applications to

Short-term ice motion modeling with applications to the Beaufort Sea.

Thomson, N.R., et al, Journal of geophysical research, Jun. 15, 1988, 93(C6), p.6819-6836, 46 refs. Sykes, J.F., McKenna, R.F.
Sea ice, I.es cover thickness, I.es creep, Mathematical

42-3689

Satellite and aircraft passive microwave observations during the marginal ice zone experiment in 1984. Gloersen, P., et al, Journal of geophysical research, Jun. 15, 1988, 93(C6), p.6837-6846, 8 refs. Campbell, W.J.

Sea ice, Ice edge, Aerial surveys, Radiometry, Mi-crowaves, Fram Strait.

40.2696

Penetrative radiolocation of sea and land ice with numerical processing of signals. Pronikaiushchaia radiolokatsiia morskikh i presnovodnykh l'dov s tsi-

reditionalisis more kar i presnovodnyki i dov s isi-frovoi obrabotkoi signalovi, Bogorodskii, V.V., et al, Leningrad, Gidrometeoizdat, 1987, 342p., In Russian. 92 refs. Oganesian, A.G.

Airborne radar, Ice cover thickness, Sea ice, Land ice, Remote sensing, Radar echoes, Data processing, Computer applications, Computerized simulation, Computer programs.

42-3691

1986-87 Australian antarctic research program: initial field reports.
Australia. Antarctic Division, Kingston, Tasmania.

Australia: Antarctic Division, (Aingston, Issmania, 1987), 228p., Refs., passim. For selected reports see A-37801, B-37770-73, B-3775-89, B-37802, C-37790, B-37764-65, B-37774, F-37767, H-37768-69, I-37791-93, I-37797-98, J-37794, K-37795-96, K-37799-37800.

Research projects, Ice, Antarctics.

Messarch projects, Ice, Antarctica. Summaries are provided of the preliminary results of Australian research programs in earth science, environmental studies, glaciology, human biology and medicine, life sciences, mapping and surveying, meteorology, oceanography, and physics. Appendix I is a listing of geographical locations of field programs giving names of the Pls, research topic, discipline, and field period at Casey, Commonwealth Bay, Davis, Mawson, Macquarie I., Prydz Bay, Law Base/Larsemann Hills, Heard I., Scullin Monolith, and Edgeworth David/Bunger Hills. Appendix II contains PI contact information.

42-3692

Studies of till and moraine formation and other glaciogeological observations made during ANARE Voy-

Lundqvist, J., 1986-87 Australian antarctic research program: initial field reports, compiled by the Antarc-tic Division, (Kingston, Tasmania, 1987), p.25-27, 4

Moraines, Glacial geology, Glacial deposits.

Moralnes, Glacial geology, Glacial deposits. The purpose of the study was to obtain a better understanding of the differences between till formation in dry polar regions and in wet warmer areas. Results show the following: confirmation of till formation at aubilimation of ice, the importance of folding for formation of so-called shear-inoraines, the very low content of debris in cold-based loe in the areas wisited, the importance of supraglacial run-off compared to subglacial in these areas, indications that the antactic ice cap in these areas was earlier more than 100 m thicker than today, and the small amount of debris incorporated at the base of the fast-moving, warm-based glaciers studied on Heard I. (Auth. mod.)

42-3693

Automatic weather stations.

Allison, I., et al. 1986-87 Australian antarctic research program: initial field reports, compiled by the Antarctic Division, [Kingston, Tasmania, 1987], p.157-159, 5 refs.

Morrissy, J.V.

Weather stations, Snowdrifts, Polar regions, Antarctice-Casey Station.

During 1936.3 new automatic weather stations (AWS) were installed inland of Casey Station by the wintering glaciology traverse party. The location and operating period of all AWS under this program are summarized. The stations measure sirressure, air temperature, and wind speed 1 m, 2 m and 4 m pressure, an temperature and wind speed in M. 2m and 4 m above surface, wind direction, snow temperatures at 0.1 m, 1 m, 3 m and 10 m depth, and incoming short wave radiation. Day are relayed from the A WS almost every hour and the majority of data received have been of high quality. Data from all AWS are received monthly on a digital tape. These data are processed and edited to produce both detailed and mean climatic data files of meteorological variables. (Auth.)

42-3694

Floating ports: design and construction practices. Tsinker, G.P., Houston, TX, Gulf Publishing Co., 1986, 380p. (Pertinent p. 98-112, 340-353), Refs.

Ports, Docks, Ice control, Floating structures, Ice loads, Design, Construction, Loads (forces).

42.3695

Ice is ice?. Toliver, R.D., Journal of environmental sciences, May-June 1988, 31(3), p.31-33, 8 refs. Glaze, Icing, Precipitation (meteorology), Equip-

mant 42-3696

Effective permittivity of dielectric mixtures.

Sihvola, A.H., et al, IEEE transactions on geoscience and remote sensing, July 1988, 26(4), p.420-429, 25 refs.

Kong, J.A. Snow electrical properties, Ice electrical properties, Sea ice.

42-3697

Three-dimensional imaging of objects in accumulated snow using multifrequency holography.

Sakamoto, Y., et al, IEEE transactions on geoscience and remote sensing, July 1988, 26(4), p.430-436, 10 refe

Pajiri, K., Sawai, T., Aoki, Y.

Detection, Microwaves, Avalanche deposits,

42.3698

Formation of zirconia fibres on unidirectional freez-

Formation of Arteenis Hotes on annated to an iresting of a gel.

Kokubo, T., et al, Journal of materials science, Mar. 1988, 23(3), p.1126-1130, 6 refs.

Teranishi, Y., Maki, T., Sakka, S.

Solutions, Freezing.

42.3600

42-3699
Preeze-thaw durability and deicer salt scaling resistance of a 0,25 water-cement ratio concrete.
Foy. C., et al. Cement and concrete research, Jul. 1988, 18(4), p.604-614, 7 refs.
Pigeon, M., Banthia, N.
Concrete durability, Freeze thaw cycles, Salting,

Water cement ratio.

42-3700

Hydrodynamics of ice mass near large offsore struc-

Isaacson, M., et al, Journal of waterway, port, coastal, and ocean engineering, Jul. 1988, 114(4), p.487-502, 13 refs.

Cheung, K.F. Sea ice, Offshore structures, Hydrodynamics, Mathematical models.

42-3701

Note on chimney formation in ice edge regions Hakkinen, S., Journal of geophysical research, Jul. 15, 1988, 93(C7), p.8279-8282, 25 refs.

Ice edge, Water chemistry, Water temperature, Ther-modynamics, Wind factors, Greenland Sea.

42-3702

Priction of ice.

Priction of ice.

M., et al, Journal of geophysical research,
Jul. 10, 1988, 93(BT), p.7625-7633, 26 refs.

Durham, W.B., Kirby, S.H.

Ce friction, Ice mechanics, Ice strength, Compressive

properties, Laboratory techniques, Extraterrestrial ice.

42-3703

Climate simulations for 9000 years before present: seasonal variations and effect of the Laurentide Ice

Mitchell, J.F.B., et al, Journal of geophysical research, Jul. 20, 1988, 93(D7), p.8283-8303, 61 refs.

Grahame, N.S., Needham, K.J. Climate, Models, Ice cover effect, Atmospheric circulation, Water temperature.

42-3704

Insoluble particles in antarctic ice: background Ansousie particles in antarctic ice: oaccground aerosol size distribution and diatom concentration.

Ram, M., et al, Journal of geophysical research, Jul. 20, 1988, 93(D7), p.8378-8382, 15 refs.

Gayley, R.I., Petit, J.R.

Aerosols, Particle size distribution, Ice sheets, Anomatica.

tarctica-Wilkes Land. We have measured insoluble particle size distributions covering

We have measured insoluble particle size distributions covering the radius range 0.05-1.31 micron for six sections of ice core from Dome C, Antarctica. Two of the sections are from the Holocene, two are from the last glacial maximum (LOM), and another two are from the period that preceded it. We conclude that the Southern Hemisphere insoluble background aerosal size distribution, in the range of measurements used, has not changed significantly over the 26,000 year period studied. We also compared the concentration of distoms in a sample of Holocene ice with that in two samples of LOM ice and found that the concentration of distoms whose largest dimension was equal to or greater than 10 micron was 20 times larger during the LOM, the same as the ratio we measured for the concentration of insoluble particles. We interpret this to mean that the higher dust levels were mainly due to an increase in wind strength rather than to increased continental aridity. (Auth.)

42-3705

Theory of the optical properties of lake ice.
Mullen, P.C., et al, Journal of geophysical research,
Jul. 20, 1988, 93(D7), p.8403-8414, 36 refs.

Lake Ice, Ice optics, Light scattering, Bubbles, Al-

42-3706

Creep of ice measured with a pressuremeter.

Kjartanson, B.H., et al, Canadian geotechnical journal,

May 1988, 25(2), p.250-261, In English with French Shields, D.H., Domaschuk, L., Man, D.S.
Ice creep, Ice pressure, Measuring instruments.

42-3707

Subsoil investigation of ice lensing at the Calgary,

Canada frost heave test facility.
Carlson, L.E., et al, Canadian geotechnical journal,
May 1988, 25(2), p.307-319, in English with French
summary. 8 refs.
Nixon, J.F.

Ice lenses, Ground ice, Frost heave, Pipelines.

42-3708

Formate, acetate and methanesulfonate measure-ments in antarctic ice: some geochemical implications.

Legrand, M., et al, Atmospheric environment, 1988, 22(5), p.1011-1017, 38 refs.

Ice cores, Ice composition, Antarctics—Adelle Coast, See cores, toe composition, Antarctics—Acetic Com-Senious contamination problems are encountered when measur-ing organic acids in polar ice. Using an involved experimental protocol, methanesulfonate, formate and acetate have been in-vestigated in ice core sections from Antarctica. With me-thaneaulfonate concentrations of a few ppb, formate at a few tenths of ppb and acetate around the detection limit, the organic tenths of ppb and acetate around the detection limit, the organic acids represent only a small percentage of the total acidity in antarctic ice. Analysis of the various possible sources indicates that methane is probably the major atmospheric precurer (via formaldehyde) of formate present in the ice. The significant presence of acetate in antarctic ice confirms the preponderant role played by marine biogenic emissions in the antarctic sulfate budget. The acetate ratio with respect to non-sea-sait sulfate is higher in antarctic precipitation than in marine acrosol. Finally, acetate in polar ice is suggested to be a more suitable parameter than excess sulfate for the study of marine biogenic emissions in the past. (Auth.)

42-3709

Ocean-an international workplace; Oceans '87 Conference; Proceedings.
Oceans '87 Conference, Halifax, Nova Scotia, Canada,

sep. 28-Oct. 1, 1987, New York, Institute of Electrical and Electronics Engineers, 1987, 1772p. (5 vols.), Refs. passim. For selected papers see through 42-3729.

Oceanography, Sea ice, Ice loads, Offshore struc-tures, Measuring instruments, Computer applica-tions, Engineering, Ice conditions.

42-3710

1987 presenson iceberg survey and season prediction.
Osmer, S.R., et al, Oceans '87 Conference, Halifax,
Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceednova scotta, Canada, sep. 28-0ct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.1-4, 7 refs.

McRuer, H.

Ice conditions, Icebergs, Ice forecasting, Ice surveys, Seasonal variations. Canada.

42-3711

Innovations in dynamic modelling of iceberg drift. Smith, S.D., et al, Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Ennews 1 ors, institute of Electronic and Electronics Engineers, 1987, p.5-10, 8 refs.

Donaldson, N.R.

Icebergs, Drift, Ice mechanics, Ocean currents, Models, Wind factors, Porecasting.

42-3712

Long-range forecasting of iceberg season severity.
Davidson, L.W., Oceans '87 Conference, Halifax,
Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.11-16, 3 refs.
Icebergs, Seasonal variations, Ice conditions, Long range forecasting, Statistical analysis.

42-3713
Statistical properties of iceberg motion at the western entrance of Lancaster Sound.
Sanderson, B.G., Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics En-New York, Institute of Electrical and Electronics Engineers, 1987, p.17-23, 14 refs.

Icebergs, Drift, Forecasting, Ice mechanics, Statisti-

cal analysis. Velocity.

Ice forces on offshore structures; model and full scale comparison and future improvements.

comparison and reture improvements.
Abdelnour, R., et al, Oceans '87 Conference, Halifax,
No''s Scotis, Canada, Sep. 28-Oct. 1, 1987. Proceedines, Vol. 1. Ocean—an international workplace,
New York, Institute of Electrical and Electronics Engineers, 1987, p.24-29, 4 refs.
Comfort, G., Pikington, R., Wright, B.D.

Ice loads, Offshore structures, Ice models, Offshore drilling. Ice pressure. Ice conditions.

12-3/15
Ice-induced dynamic behaviour of structures.
Nadreau, J.P., Oceans '87 Conference, Halifax, Nova
Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York. Institute of Electrical and Electronics Engi-, 1987, p.30-34, 23 refs.

Ice loads, Impact strength, Ice strength, Structures, Dynamic loads, Vibration, Ice solid interface.

42-3716
M.V. Arctic vessel performance and trafficability pro-

De Bastianti, P., et al, Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.35-41, 13 refs.
Wells, D.G.

Ice navigation. Ice conditions. Ice solid interface. Ships. Velocity.

42-3717

Nonlinear heave motion and wave forces on a partial-

Wishahy, M., et al. Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, gineers, 1987, p.42-48, 13 refs. Pawlowski, J.S., Muggeridge, D.

, Muggeridge, D. Ice navigation, Ice conditions, Drift, Ice loads, Ocean waves, Icebergs, Ice mechanics.

42-3719

Improved SALARGOS buoy for deployments in polar

Burke, S.P., et al, Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceed-Nova Scotia, Canada, Sep. 2-0-0ct. 1, 1967. Fide-ings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics En-gineers, 1987, p.49-53. Morison, J.

Measuring instruments, Oceanography, Meteorologi-cal data, Ice conditions, Ocan waves, Electric equipment. Beaufort Sea.

42-3719
Arctic Remote Autonomous Measurement Platform.
Prada, K.E., et al., Oceans '87 Conference, Halifax,
Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace,
New York, Institute of Electrical and Electronics Engineers, 1987, p.54-S8, 1 ref.
Koelsch, D.E., Witzell, W., Singer, R.
Floating structures, Drift stations, Data transmission, Platforms, Offshore structures, Floating ice, Ice

mechanics.

Deployment and recovery of oceanographic moorings

through drifting sea ice. Moorhouse, S.W., et al, Oceans '87 Conference, Halimoornouse, S. w., et al, Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.59-65, 6 refs.

Melling, H.

Moorings, Sea ice distribution, Drift, Ice conditions, Ice navigation, Logistics, Beaufort Sea.

42-3721

Machanical design solutions for buove to be used in

Mechanical design solutions for buoys to be used in the marginal ice zone. Lilley, S.G., Oceans '87 Conference, Halifax, Nova Scotis, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engi-

Tork, institute of Electrical and Electronics Engineers, 1987, p.66-69.

Offshore structures, Ice conditions, Ice edge, Buoys, Floating structures, Design, Penetration.

Generation of a probabilistic climatology for arctic

Perchanok, M., et al. Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol. 1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.70-75, 9 refs.

Ferregut, C., Brown, R.

Glacial meteorology, Sea ice distribution, Ice condi-tions. Ice navigation. Climatology. Offshore structures. Statistical analysis.

42.3723

42-3723
Winter MIZEX 87, operations overriew.
Horn, D.A., Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.76-82. For another source see 42-1980.

Sea ice distribution, Ice edge, Remote sensing, Oceanography, Glacial meteorology, Ice physics, Snow physics, Marine biology.

Automatic data acquisition system installed in off-shore Canadian arctic well: monitoring precise temperatures by acoustic telemetry.

Judge, A., et al. Oceans '87 Conference, Halifax, Nova

Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.156-160, 12 refs.

Temperature measurement, Oil wells, Telemetering equipment, Temperature distribution, Acoustic measurement, Sea ice, Monitors, Canada.

Development of thermistor chain buovs for use in ice infested waters.
Fowler, G.A., et al, Oceans '87 Conference, Halifax,

Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol. 1. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.220-224, 3 refs. Budgen, G.

Thermistors, Sea water freezing, Ice formation, Water temperature, Ice conditions, Ice forecasting, Freezeup.

Water mass distributions in the Canadian Beaufort

Fissel, D.B., et al, Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol. 3. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.910-916, 14 refs.
Bradstreet, M.S.W., Moen, J.
Oceanography, Sea water, Mass flow, Temperature

distribution, Water temperature, Salinity, Wind factors, Manning, Beaufort Sea.

Ocean drilling program.
Rabinowitz, P.D., et al., Oceans '87 Conference, Hali-Rabinowitz, P.D., et al, Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol.3. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p. 1058-1063, 11 refs. Offshore drilling, Research projects, Sea ice distributo, Ice conditions, Climatic factors, Oceanography, South Atlantic Ocean, Antarctica—Weddell Ses.

The Ocean Prilling Program recently completed its first 14 cruises (28 months) of scientific ocean drilling by addressing important scientific problems in many regions, including the Weddell Sea and Southern South Atlantic Ocean. During this period, the ship's drilling systems as well as the shipboard scientific laboratory complex have undergone a thorough testing, with modifications made as required. The scientific objects of our forthcoming 16-month Indian Ocean campaign are reported. ed. (Auth mod)

42-3728

42-3/28
Canadian Sea Ice Information System CSIIS.
Guy, E.V., et al. Oceans '87 Conference, Halifax,
Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceed-Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Frocedings, Vol.3. Ocean—an international workplace, New York, Institute of Electrical and Electronics Engineers, 1987, p.1085-1090. Whittick, J.A.

Ses ice distribution, Research projects, Data processing. Ice conditions. Ice surveys. Canada.

42.3720

42-3729

Effects of chemical dispersion on long-term weathering of crude oil in cold water.

Pelletier, E., et al, Oceans '87 Conference, Halifax, Nova Scotia, Canada, Sep. 28-Oct. 1, 1987. Proceedings, Vol. 3. Ocean—an international workplace, New York, Institute of Electrical and Electronics En-

gineers, 1987, p.1620-1623, 9 refs.
Brochu, C., Desnoyers, J.E., Vandermeulen, J.H.
Oil spills, Dispersions, Ice cover effect, Weathering, Sea water, Crude oil.

42-3730

Controlling the deflection of slanted wells in western

Controlling the deflection of stanted wells in western Siberia, Upravlenie iskrivleniem naklonnykh skvaz-hin v Zapadnof Sibiri, Sushon, L.IA., et al, Moacow, Nedra, 1988, 124p., In Russian with abridged English table of contents en-closed. 11 refs.

Emel'ianov, P.V., Mullagaliev, R.T.
Permafrost, Swamps, Directional drilling.

Concretes containing acetone formaldehyde resins.

Betony s dobaykoï atsetonoformal'degidnykh Betony s smoh.

Takhirov, M.K., Moscow, Strolizdat, 1988, 103p., In Russian with abridged English table of contents en-closed. 101 refs.

Concrete strength, Concrete freezing, Frost resistance, Concrete hardening, Concrete admixtures, Concrete aggregates.

Numerical analysis of an NACA 0012 airfoil with

Numerical analysis of an INALA VOIA autou was leading-edge to accretions.

Potapczuk, M.G., Journal of aircraft, Mar. 1988, 25(3), p.193-194, Synopsis of paper presented at the AIAA 25th Aerospace Sciences Meeting, Reno, Nev., Jan. 12-15, 1987. 6 refs.

Aircraft Icing, Ice accretion.

Analytical determination of propeller performance

Analytical determination of propeller performance degradation due to loe accretion.

Miller, T.L., et al, Journal of aircraft, Nov. 1987, 24(11), p.768-775, 11 refs.

Korkan, K.D., Shaw, R.J.

Aircraft icing, Ice accretion, Propellers.

Heater made from graphite composite material for

potential deicing application. Hung, C., et al, Journal of aircraft, Oct. 1987, 24(10), p.725-730, 18 refs. Dillehay, M.E., Stahl, M.
Ice removal, Aircraft icing, Electric heating.

Manoeuvering in ice. Weiss, F., Schiff & Hafen, Aug. 1984, 36(8), p.74-78. Ice navigation, Ice physics, Propellers.

Messurement of the temporal fluctuations of cw tones Measurement of the temporal fluctuations of cw tones propagated in the marginal lee zone.

Dahl, P.H., et al, Acoustical Society of America. Journal, June 1988, 83(6), p.2175-2179, 17 refs.

Baggeroer, A.B., Mikhalevsky, P.N., Dyer, I.

Subglacial observations, Ice edge, Underwater acoustical control of the property 
Comparison of extraction techniques for munitions residues in soil.

Jenkins, T.F., et al, *Analytical chemistry*, May 1, 1987, 59(9), MP 2350, p.1326-1331, 23 refs. Grant C.I.

Soil pollution, Military operation, Soil composition, Chemical analysis, Countermeasures.

42-3738

Crystallographic effects during radiative melting of

semitransparent materials.

Webb, B.W., et al, Journal of thermophysics and heat transfer, Oct. 1987, 1(4), p.313-320, 16 refs.

Viskanta, R. Ice melting, Crystals, Radiant heating.

Thermal boundary layer on a continuous moving plate

with freezing.
Cheung, F.B., Journal of thermophysics and heat transfer, Oct. 1987, 1(4), p.335-342, 21 refs.
Ca accretion, Boundary layer, Freezing, Heat trans-

42.3740

Hydrology of Alaskan wetlands, U.S.A: a review. Ford, J., et al, Arctic and alpine research, Aug. 1987, 19(3), p.209-229, Refs. p.225-229.
Bedford, B.L.

Permafrost hydrology, Swamps, Snowmelt, Water balance, United States—Alaska.

42-3741

Some characteristics of turbulent transfer over alpine surfaces during the snowmelt-growing season: Niwot Ridge, Front Range, Colorado, U.S.A. Olyphant, G.A., et al., Arctic and alpine research,

Aug. 1987, 19(3), p.261-269, 10 refs. Isard, S.A.

Turbuisht flow, Snow surface, Snowmelt, United States—Colorado—Niwot Ridge.

42-3742

Fourier series approach to skyline generalization for surface irradiance estimates in alpine terrain.
Arnfield, A.J., Arctic and alpine research, Aug. 1987, 19(3), p.270-278, 42 refs.

Solar radiation, Radiation balance, Slope orientation, United States—Wyoming—Teton Range.

42-3743

Computational method for prediction and regionalization of permafrost.

Nelson, F.E., et al, Arctic and alpine research, Aug. 1987, 19(3), p.279-288, 40 refs.
Outcalt, S.I.

Permafrost forecasting, Permafrost distribution, Degree days.

42-3744

Freeze-thaw cycle of a subarctic fen, northern Que-

Freeze-taw cycles, Peat, Ground ice.

Freeze-taw cycles, Peat, Ground ice.

42-3745

Neoglacial glacier variations in northern Iceland: ex-

Amples from the Eyjafjördur area.

Caseldine, C.J., Arctic and alpine research, Aug. 1987, 19(3), p.296-304, 39 refs.

Glacier oscillation, Paleoclimatology, Iceland—

Eyjafjördur.

Physicochemical limnology of meromictic saline Lake Sophia, Canadian Arctic Archipelago.

Ouellet, M., et al, Arctic and alpine research, Aug. 1987, 19(3), p.305-312, 50 refs.

Bisson, M., Pagé, P., Dirbertan, M.

Lake water, Water chewart, Water temperature.

lake basin and beneath the surface of the area. It is most likely that the concentration of salts by freezing-out of ions from the underground relict pore seawater was progressively brought about by the encroachment of permafrost on the newly uplifted lake surrounding. The water insulating layer could have caused the formation of a talk beneath the lake basin, which subsequently favored the displacement of the underground saline water toward the bottom of the lake. With time, some of the underground inflowing waters would have migrated to the mistolimuicn, there to be diluted with slightly mineralized meteoric waters before leaving the lake through the outflowing creek. (Auth.)

42-3747

Habitat use by nesting water pipits Anthus spinoletta: a test of the snowfield hypothesis.

Hendricks, P., Arctic and alpine research, Aug. 1987, 19(3), p.313-320, 22 refs.

Snow cover effect, Animals.

42-3748

Bedload transport and sediment yield in the Onyx River. Antarctica.

Mosley, M.P., Earth surface processes and landforms, Feb. 1988, 13(1), p.51-67, 18 refs.

River flow, Sediment transport, Sands, Antarctica Onyx River.

Bedload transport measurements were made in a braided reach of the Onyx River during summer 19.4/85. Transport was

predominantly of sand in the form of dunes, which moved in a band down the centre of the channels, the perimeters of which were composed of a gravel pavement created during short during high drough on high flows in earlier years. Transport rates at-a-point and past-a-cross-section were highly variable in space and time, even under conditions of constant discharge, and it was inferred that many factors other than hydraulic conditions—particularly even under conditions of constant discharge, and it was inferred that many factors other than hydraulic conditions—particularly aediment supply—control transport rates. An empirical power function relationship between sediment discharge and water discharge was used to predict an average annual total sediment discharge was used to predict an average annual total sediment discharge will be supplied to the state of the sediment yield of 5.9 t/sq km/ry, which is two orders of magnitude less than values for Arctic and Alpine proglacial rivers, and confirms earlier conclusions that sedimentation rates on Antarctic sandur are much lower than in the Arctic. on Ant

42.3749

Climate forcing implications from Vostok ice-core

Climate forcing implications from Vostok ice-core sulphate data.

Legrand, M.R., et al, Nature, Aug. 4, 1988, 334(6181), p.418-420, 18 refs.

Delmas, R.J., Charlson, R.J.

Ice cores, Ice composition, Climate, Condensation nu-

clei, Clouds (meteorology). The hypothesis that the number concentration of cloud conden-sation nuclei (mainly the sulphate particles pr. duced by the oxidation of dimethylsulphide emitted from the ocean) influ-ences marine stratus cloud albedo, and hence global climate, is ences marine stratus cloud albedo, and hence global climate, is examined using the non-sessal sulphate profile that was recently obtained along the 160 kyr Vostok (Antarctica) ice core. The deduced 20-46% increase in ns sulphate content in the antarctic atmosphere during full glacial (compared with interglacial) conditions is consistent with higher dimethybulphide emissions from marine biota productivity. Similar spectral features and correlation of CO2 and ns sulphate suggest a global significance for these changes, and a possible link between CO2 and dimethybulphide emissions. Assuming that the global average number population of cloud condensation nuclei is proportional to nss sulphate in the antarctic atmosphere, a global radiative cooling at the surface of up to 1 K would result, retinforcing the effect of CO2 (about 0.6K) and of total insolation changes (0.2K). (Auth.)

Reactions on ice crystals.

Pyle, J., Nature, Jul. 28, 1988, 334(6180), p.297.

Ice crystals, Clouds (meteorology), Chemical properties.

ties.

Results from several Antarctic observations, including the US Airborne Antarctic Ozone Expedition in Aug.-Sep. 1987 were discussed at the Polar Cozone Workshop at Aspen, CO, 9-13 May 1988. They show that the spiringtime ozone level in the polar stratosphere fell to 40 per cent of the values measured in the 1970s, the strongest depletion yet recorded. Other data confirm the leading role played by heterogeneous chemistry on ice particles in the stratospheric clouds in producing the ozone hole. Measurements from the Arctic stratosphere show ozone depletion could happen there, although no strong effect has yet been observed. (Auth.)

42-3751

Answer lies in the ice. Wolff, E., Geographical magazine, Feb. 1987, 59(2),

p.73-77.
Ice cores, Ice composition, Paleoclimatology, Polar

Polar ice core drilling and analysis techniques, for evidence of climatic changes through history, are described Generalized trends in global air temperature during the past million years are tienus in giousi art emperature ouring nee past million years are shown on a chart, indicating that climate is in a state of perpetu-al change. A record depth of 2083 m reached by a Soviet drill-ing team at Vostok Station, giving 150,000 years of climatic history including all of the last interglacial, is reported.

42-3752

Ice runways in the Heritage Range, Antarctica. Swithinbank, C., Cambridge, 1987, 16p. + appendices. 3 refs.

Ice runways, Ice surveys, Site surveys, Antarctica-Heritage Range.

A reconnaissance of all blue iceffelds in the Ellsworth Moun-tains was carried out; the NASA Landsat images revealed that all iceffelds of significance were confined to the Heritage Range. It is concluded that the Patriot Hills iceffeld offers the best prospects for ice runways in the area surveyed. The advantages of that location are listed, and some recommendations concerning construction, maintenance and use of the icefield are offered.

42-3753

Investigation of dust bands from blue ice fields in the Lewis Cliff (Beardmore) area, Antarctica: a progress report.

Koeberl, C., et al, NIPR Symposium on Antarctic Meteorites, Tokyo, National Institute of Polar Research, 1988, p.291-309, 36 refs.

Yanai, K., Cassidy, W.A., Schutt, J.W.
Ice sheets, Dust, Falling bodies, Chemical composition, Antarctica—Lewis Cliff.

tion, Antarcitica—Lewis Guille, the base is a support of the case The REE pattern and in its abundances of trace elements.

some other trace element ratios of that sample suggest it is a sediment from the local Beacon Supergroup, which has been scooped up from the ground by ice movement. The other 5 samples which were investigated have very small grain sizes (20 micron), and abundant glass shards. Major element data on samples which were investigated have very small grain sizes (20 micron), and abundant glass shards. Major element data on the glass shards (and some feldspar crystals, which are also present in the dust band samples) allow the conclusion that they have originated from an alkaline volcano. The chemical composition of the glasses is highly variable, some showing basantite composition. The silice are sum of alkalis plot shows that the Lewis Cliff samples are different from dust collected at the Allan Hills, but that there is a close similarity with volcanic material from The Pleiades, Northern Victoria Land. (Auth. mod.)

Data report of RV "Polarstern" cruise ARK IV/1. 1987 to the Arctic and polar fronts. Hirche, H.-J., ed, Berichte zur Polarforschung, 1987,

Nic.44, 226p.
Oceanographic surveys, Sea water, Water chemistry,
Thermal conductivity, Biomass, Marine biology.

Pastern Weddell Sea drifting buoy data set of the Winter Weddell Sea Project (WWSP) 1986.

Hoeber, H., et al, Berichte zur Polarforschung, 1987, No.37, 108p., 8 refs. Gube-Lenhardt, M.

Drift stations, Remote sensing, Sea ice, Antarctica-Weddell Sea.

Weddell Sea.

As part of the Winter Weddell Sea Project 1986, a set of 10 drifting ARGOS buoys was deployed in the sea ice region of the southern Atlantic Ocean around Maud Rise. Starting in July-Ang. 1986 these buoys provided data through the melting period until—at least—Apr. 1987. Sensors deployed were air presaure, air temperature, snowlice temperature, wind speed and direction and —on some of the stations—current speed and direction at 10 m depth. The main objective of the experiment direction at 10 m depth. The main objective of the experiment was accomplished; defining in detail the atmospheric forcing function for ice drift and the dynamics of the oceanic mixed layer. Geostrophic wind around Maud Rise and its variability age:

Geostipie who around visual sea in its variously can be computed and wind stress at the ice surface can be derived. Wind observations will help in deriving necessary universal fuctions or verifing the models. From the position data together with relative current observations, the momentum data together with relative current observations, the momentum flux through the ice into the water and the forcing of the mixed layer can be determined. Modelling ice formation, ice drift and mixed layer processes requires a good knowledge of the atmospheric boundary layer, in particular of the surface momentum flux under the condition of stable stratification above the sea ice. The temperature observations reveal a characteristic thermal structure showing large scale advection as long as transient low pressure systems are large enough to cover the thermally contrasting regions above sea ice and open water, cancertively. This changes at he sea ice stem become large respectively. This changes as the sea ice extent Decomes has and the scale of cyclones no longer reflects the thermal contrinternally. (Auth. mod.) This changes as the sea ice extent becomes larger

42-3756

Some problems of cloud physics. Weather modification. Collected papers, (Voprosy fiziki oblakov. Aktivnye vozdejstvija. Sbornik statelj, Stepanenko, V.D., ed, Leningrad, Gidrometeoizdat,

Stepanenko, V.D., ed, Leningrad, Gidrometeoizdat, 1987, 144p., In Russian. For selected papers see 42-375 through 42-3767. Refs. passim. Selezneva, E.S., ed, Mazin, I.P., ed, Gromova, T.N., ed, Dovgaliuk, IU.A., ed. Smoke generators, Supercooled clouds, Weather modification, Cloud seeding, Supercooled fog, Fog dispersal, Artificial nucleation, Dry ice (trademark), Silver iodide, Snowfall, Aerosols, Electric fields, Impact, Praezing. Freezing.

42-3757

Frequency of heavy snowfalls and studies of the pos-sibilities of their control in the Leningrad area. ¡Pov-toriaemost' obil'nykh snegopadov i issledovanie vozmozhnosti ikh regulirovanija v rajone Leningradaj, mozhnosti ikh regulirovaniia v ralone Leningrada, Nikandrov, VI.A., et al. Voprosy fiziki oblakov. Aktivnye vozdelstviia (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.31-36. In Russian with English summary. 6 refs. Orenburgskaia, E.V. Snowfall, Cloud seeding, Weather modification.

42-3758
Microstructure of cirrus clouds. ¡O mikrostrukture

Microstructure or cirrus ciouas. 10 initialicheskikh oblakov, Mazin, I.P., et al, Voprosy fiziki oblakov. Aktivnye vozdelstviia (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.37-49, In Russian with English summary. 18 refs.

Nevzorov, A.N. Meteorology, Clouds (meteorology), Ice crystals, Microstructure

42-3759
Seeding of supercooled clouds and fog with nucleating agents. (Sovremennoe sostoianie issledovanii po iskusstvennomu vozdeistviiu on pereokhlazhdennye oblaka i tumany a ispol'zovaniem khladoreagentov), Krasnovakais, L.I., et al, Voprosy fiziki oblakov. Aktivnye vozdeistviia (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al seriment Ciddorpatendes. 1987. 2 6 6 44. In Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.50-64, In Russian with English summary. 23 refs. Seregin, IU.A., Khvorost'ianov, V.I. Weather modification, Cloud dissipation, Cloud seed-ing, Nucleating agents.

Experimental studies of artificial crystallization and ination of supercooled stratus clouds and fog. Eksperimental'nye issledovaniia protsessa iskuset vennot kristallizatsii i rasseianiia pereokhlazhdennykh sloistoobraznykh oblakov i tumanov), Polovina, I.P., Voprosy fiziki oblakov. Aktivnye voz-

deïstviia (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.65-73, in Russian with English summary. 6 refs. Supercooled clouds, Cloud dissipation, Supercooled fog, Fog dispersal, Artificial nacleation.

Estimation of the maximum expenditure of dry ice for seeding overcooled clouds allowing for the interaction between granules. (Otsenka predel'nogo raskhoda tverdoï uglekisloty pri vozdeŭtvii na pereokhlazhdennye oblaka s uchetom vzaimodejstvija granulj, Buškov, M.V., Voprosy fiziki oblakov. Aktivnye voz-

detavila (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometozicat, 1987, p.74-81, In Russian with English summary. 11 refs.

Weather modification, Supercooled clouds, Cloud seeding, Dry ice (trademark).

42-3762

Dispersion of supercooled stratiform clouds. [Rasseianie moshchnyk]: percokhlazhdennykh sloistoobraz-

Bakhanov, V.P., et al, Voprosy fiziki oblakov. Aktivnye vozdelstviia (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.82-93, In Russian with English summary. 21 refs. Voronov, G.S., Manzhara, A.A.

Mathematical models, Supercooled clouds, Cloud seeding, Dry ice (trademark).

Ice crystal formation on particles of complex chemical composition. ¡Obrazovanie ledianykh kristallov na chastitsakh slozhnogo khimicheskogo sostava], na cnastusakn sioznnogo knimicneskogo šoštavaj, Plaude, N.O., et al, Voprosy fiziki oblakov. Aktivnye vozdefatvila (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.94-102, In Russian with English summary. 11 refs. Sosnikova, E.V. Supercooled clouds, Cloud seeding, Aerosols, Smoke

erators, Silver lodide.

Formation of ice-forming serosols with optimal size-distribution characteristics. (O formirovanii l'doo-brazuiushchikh aerozolel s optimal'nymi dispersnymi kharakteristikami,

Volkovitskil, O.A., et al, Voprosy fiziki oblakov. Aktivnye vozdejstvija (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al. Leniera Citatoria. westier mounication; cuited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.103-111, In Russian with English summary. 9 refs. Kim, N.S., Shkodkin, A.V. Asrosols, Ice auclel, Ice formation, Cloud seeding.

42-3765

Laboratory investigations of polymolecular water evaporation. [Laboratornye issledovaniia

polimolekuliarnogo ispareniis vody,
Mikhailov, E.F., et al, Voprosy fiziki oblakov. Aktivnye vozdeistviia (Some problems of cloud physics.
Weather modification) edited by V.D. Stepanenko et
al, Leningrad, Gidrometeoizdat, 1987, p.124-130, in
Russian with English summary. 20 refs.

Ivley, L.S. Cloud droplets, Phase transformations, Cloud electrification, Mathematical models.

42-3766

Studying the process of convective clouds crystallization after seeding. (Rezul'taty issledovanii protsessa kristallizatsii konvektivnykh oblakov posle vozdeist-

vilj, Bekriaev, V.I., et al, Voprosy fiziki oblakov. nye vozdelstviia (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et wester mounteaton cutted by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.131-136, in Russian with English summary. 13 refa. Ponomarev, IU.F., Sin'kevich, A.A., Chubarina, E.V. Cload seeding, Convection, Aerosola, Ice formation,

Ice nuclei.

42-3707 Studying the process of water drops freezing in elec-tric fields. [lesledovanie protessas zamerzaniia kapel' vody v elektrichestikh poliakh, Klingo, V.V., et al. Voprosy fiziki oblakov. Aktivnye vozdelstviia (Some problems of cloud physics. Weather modification) edited by V.D. Stepanenko et al, Leningrad, Gidrometeoizdat, 1987, p.137-142, In Russian with English summary. 7 refs

Electric fields, Impact, Freezing, Supercooled clouds, Supercooled fog.

42.3768

Paleogeographic conditions at the time the Edoma series were formed in the Yana-Indigirka lowland. Paleogeograficheskaia obstanovka vremeni formirovaniia edomnoĭ svity IAno-Indigirskoĭ nizmen-

Ovander, M.G., et al, Chetvertichnyl period Severo-Ovatoka Azi (Quaternary period of northeastern Asia) edited by V.P. Pokhialainen, Magadan, Severo-Vostochnyi kompleksnyi nauch.-issled. inst., 1987, p.119-134. In Russian. 7 refs.

tochnyl Rompiesiny i neuton-issied. inst., 1907, p.119-134, In Russian. 7 refs. Lozhkin, A.V., Bashlavin, D.K., Zhigulevtseva, S.N. Prozes fines, Loess, Permafrost structure, Ice veins, Climatology, Vegetation, Radioactive age determina-tion, Palysology, Edoma complex.

42-3769

Studying stresses in marginal parts of a coal layer with a h ard, perennially frozen roof resistant to caving. rissiedovanie napriazhennogo sostoianiia kra-evykh chastei ugol'nogo plasta s trudnoobrushaemymi

mnogoletnemerzlymi porodami krovii,
Popov, S.F., Razrabotka ugol'nykh plastov podzemnym sposobom. Nauchnye soobshcheniia (Underground method of coal excavation. Scientific reports) edited by A.D. Ignat'ev, Moscow, Institut gornogo dela, 1987, p.97-102, In Russian.
Mining, Stresses, Coal, Permafrost, Prozen rock strength.

Manual for navigation officiers. [Spravochnaia

Makuas atturmans, knizhka shturmans, Burkhanov, M.V., Moscow, Transport, 1986, 181p., In 32 refs.

Ice navigation, Manuals, Icebreakers, Meteorology, Sea ice distribution. Ice cover thickness. Ice growth. Ice breakup, Ice melting.

42-3771
7th Symposium on the Physics and Chemistry of Ice,
1-5 September, 1986, Grenoble (France); [Proceed-

Symposium on the Physics and Chemistry of Ice, 7th, Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986, Journal de physique (Colloque Cl), Mar. 1987, 48(3 Suppl.), (Cl) 707p., With French summaries. Refs. passim. For individual papers see 41-3957 through 41-3959 and 42-3772 through 42-3855, or F-37895 through F-37900. Ice crystal structure, Chemical analysis, Meetings, Low temperature research, Temperature effects, Ice deformation.

This symposium, the ninth in a series of quadrennial symposia, attracted some 120 researchers from 20 countries. The papers document the latest findings in ice physics and chemists which have been reinforced by recent interdisciplinary studie

Geometry and orientation of the water molecule in ice

Kuhs, W.F., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.3-8, 10 refs., French summary. Lehmann, M.S.

Ice crystal structure, Molecular structure, Neutron diffraction, Low temperature research, Ice spectros-copy, Heavy water, Hydrogen bonds, Water.

42-3773

Metropolis Monte Carlo x-ray and neutron diffrac-

Metropolis Moste Cario x-ray and neutron miniation in ics Ih.
Deutsch, P.W., Journal de physique (Colloque C1),
Mar. 1987, 48(3 Suppl.), Symposium on the Physics
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. [Proceedings], p.9-14, 16 refs., With French summary.

Ice crystal structure, X ray diffraction, Neutron diffraction, Low temperature research, Water, Ice spectroscopy.

Raman scattering tensors for ice I(h).

Ziemczonek, L., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p.15-21, 10 refs., With

French summary.
Ice crystal structure, Light scattering, Molecular structure, Ice spectroscopy, Analysis (mathematics).

Elastic constants of ice Ih, up to 2.8 kbar, by Brillouin

spectroscopy.
Gagnon, R.E., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.23-28, 14 refs., Prench summary.

Kiefte, H., Clouter, M.J., Whalley, E. Ice elasticity, Ice spectroscopy, Ice crystal structure, Pressure, Experimentation, Temperature effects.

Acoustic velocities in ice Ih, II, III, V and VI, by

Acoustic velocities in ice in, 11, 111, v and v1, by Brillouin spectroscopy. Gagnon, R.E., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.29-35, 11 refs.,

French summary. Kiefte, H., Clouter, M.J., Whalley, E.

Ice acoustics, High pressure ice, Ice spectroscopy, Ice density, Ice crystal structure, Velocity, Hydrogen bonds, Experimentation.

Re-correlation of the vibrational spectra and crystal-

Re-correlation of the vibrational spectra and crystal-lographic data for the various ice polymorphs. Mindeva-Sukarova, B., et al, Journal de physique (Col-loque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.37-43, 26 refs., With French summary. Slark, G.E., Sherman, W.F., Wilkinson, G.R. Ice crystal structure, Ice spectroscopy, High pressure ice, Pressure, Thermodynamics, Temperature effects.

42-3778

Quantum mechanical examination of orientational defects in ice Ih.
Plummer, P.L.M., Journal de physique (Colloque CI),

Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.45-51, 12 refs.,

French summary.
Ice structure, Molecular structure, Ice water interface, Models, Defects, Water.

Small amplitude collective proton motions in water networks-application to ices, clathrates and aqueous solutions.

Green, J.L., et al. Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. rProceedings, p.53-58, 31 refs., With French summary.

Lacey, A.R., Sceats, M.G.

Ice crystal structure, Ice spectroscopy, Proton transport, Clathrates, Solutions, Water, Temperature effects.

42-3780

Studies of U.V. stimulated luminescence from H2O

Litjens, R.A.J., et al, Journal de physique (Colloque Litjens, R.A.J., et al. Journal de physique (Colloque CJ), Mar. 1987, 48(3 Suppl.), Symposium on the Phy-sics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p.59-65, 20 refs., With French summary. Quickenden, T.I.

Ice crystal structure, Luminescence, Ice optics, Ultraviolet radiation, Low temperature research.

42-3781

Investigation of the luminescence emitted by pulse-irradiated D2O ice.

Vernon, C.F., et al. Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physica and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-1096. Proceedings, p.67-73, 11 refs.,

French summary.

Quickenden, T.I., Sangster, D.F.
Ice crystal structure, Luminescence, Ice optics, Electron irradiation, Experimentation, Heavy water, Ice spectroscopy, Heavy water.

42-3782

Chemistry of antarctic snow and ice.

Legrand, M., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.77-86, 21 refs., With

French summary.

Ice composition, Snow composition, Impurities, Climatic changes, Chemical analysis, Meltwater, Ions,

Snow impurities, Variations.

Show impurities, Variations.

About 1000 samples of snow and ice from coastal and central areas of East and West Antarctica were studied. These samples cover different time periods up to 30,000 yrs. B.P. In the meltwater major ions were measured, using stringent contamination free techniques. A very close balance between anions and cations is observed, making it possible to draw up the list of chemical compounds present in antarctic snow and ice. In coastal areas, snow contains essentially see sail and two acids: HNO3 and H2SO4. In more central areas, the sea sail contribution decreases strongly. Acids represent the preponderant part (HNO3, H2SO4 and sometimes HCl being present in variable proportions depending on the location). These soluble species represent the greatest part of total impurities (90 to 95% by mass). The chemistry of the ice deposited during the late glacial age (18,000 years B.P.) is more intricate. Indeed, insoluble species (i.e. aluminosilicates) content is enhanced (30% by mass, against 5 to 10% during the Holocene). Besides, marine (sea salt) and terrestrial (cASO4, MgSO4) contributions increase whereas acids contribution remains stable. Sea sait (35%), terrestrial species (25%) and acids (20%) is a typical composition of soluble impurities in this aged (ce. (Auth. mod.)

42-3783

Theoretical and experimental study of pure and doped ice Ih by the method of thermally stimulated depolarization

Zaretskii, A.V., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.87-91, 12 refs., With

French summary.

Doped ics, Ice electrical properties, Polarization (waves), Ice spectrometry, Ions, Analysis (mathematics).

42-3784

Theoretical and experimental study of ice in the pres-

Incoretical and experiments study of ice in the presence of a space charge.

Zaretakii, A.V., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of ice, 7th, Grenoble, France, Sep. 1-5, 1986. (Proceedings), p.93-98, 10 refs., With

Prench summary.

Petrenko, V.F., Ryzhkin, I.A., Trukhanov, A.V.

Ice electrical properties, Electric charge, Protons,
Ions, Mechanical properties, Theories, Analysis
(mathematics).

Photoelectrical phenomena at the ice-semiconductor interface.

Chesnokov, V.A., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.99-103, 5 refs.,

French summary. Petrenko, V.F., Ryzhkin, I.A., Zaretskii, A.V Ice electrical properties, Illuminating, Electric fields, Electrical resistivity, Ions, Defects, Ice solid inter-

42-3780
Investigation of the proton-exchange processes at the ice-metal interface.
Khusnatdinov, N.N., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.105-108, 6 refs.,

With French summary. Petrenko, V.F., Zaretskii, A.V.

Ice electrical properties, Ice solid interface, Metals, Proton transport, Hydrogen, Analysis (mathemat-

42-3787

Pseudopiezoelectric effects in ice.

Evtushenko, A.A., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings, p.109-113, 7 refs.,

With French summary.
Maeno, N., Petrenko, V.F., Ryzhkin, I.A.
Ice electrical properties, Ice elasticity, Impurities,
Stresses, Temperature effects, Analysis (mathemat-

42-3788 Ice field transistor.

Petrenko, V.F., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.115-119, 7 refs., French summary. Maeno, N.

Ice electrical properties, Electric charge, Electrical resistivity, Surface energy, Ice surface, Analysis (mathematics).

Electric characteristics of point defects in HCl-doped

Takei, I., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. (Proceedings), p.121-126, 20 refs., With French aummary. Maeno, N.

Ice electrical properties, Doped ice, Ions, Ice resistivity, Defects, Temperature effects.

42-3790

Study of the multiplicity of dielectric relaxation times in ice at low temperatures.

Apekis, L., et al. Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.127-133, 32 refs., With French summary. Pissis, P.

Ites electrical properties, Low temperature research, Ice relaxation, Dielectric properties, Polarization (charge separation), Ice crystal structure.

Comparative study of the dielectric behaviour of ice in

Comparative study of the dielectric behaviour of ice in water-containing systems.

Pissis, P., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.135-141, 19 refs., With Franch symptoms. French summary.

Apekis, L., Christodoulides, C. Ice electrical properties, Ice relaxation, Dielectric properties, Ice water interface, Polarization (charge separation), Hydrates, Temperature effects.

Dielectric properties of strained ice. 1: Effect of plastic straining.

plastic atrailing the physique (Colloque Cl), Mar. 1987, 48(3 Suppl.), MP 2356, Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.143-147, 5 refs., With French summary. Ice electrical properties, Ice relaxation, Ice plasticity. Private properties, Strain tests.

ty, Dielectric properties, Strain tests.

The effect of plastic straining on single crystals of ice was examined. As strain increased plastically, relaxation strength increased linearly as the relaxation time increased.

Dielectric properties of strained ice. 2: Effect of

Diesectric properties of strained ice. 2: Enect of sample preparation method. Itagaki, K., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl ), MP 2357, Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.149-153, 5 refs., With French summary. Lemieux, G.E.

Ice electrical properties, Ice crystal structure, Ice sampling, Dielectric properties, Strain tests, Freezing.

Since most commonly used sample preparation methods for ice dielectric studies involve rather heavy mechanical straining, the effects of straining were studied and compared with more strain-free sample preparation methods. 42-3794

New technique for dielectric logging of antarctic ice cores.

Moore, J.C., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.155-160, 11 refs., French summary. Paren, J.G.

Ice electrical properties, Ice cores, Dielectric proper-ties, Chemical analysis, Isotope analysis, Antarctica

A system has been developed for rapid dielectric profiling of ice cores at the time of drilling. Data from the top 38 m of a 133 m core from Dolleman Island, Antarctic Peninsula, show that this method is capable of providing detailed dielectric parameters comparable to those obtained by conventional techniques. Chemical and isotopic analysis of the core is needed before establishing correlations between the dielectric behavior and other parameters. (Auth.)

42-3795
Dislocation mechanisms of plastic deformation of ice.
Fukuda, A., et al, Journal de physique (Colloque Cl),
Mar. 1987, 48(3 Suppl.), Symposium on the Physics
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. (Proceedings), p.163-173, 23 refs., With French summary.

Hondoh, T., Higashi, A Ice deformation, Ice plasticity, Dislocations (materials), Shear stress, X ray analysis.

42-3796
Study of dislocation glide in ice by synchrotron radiation x-ray topography.
Ahmad, S., et al. Journal de physique (Colloque Cl), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.175-181, 12 refs., With rench summary

Ohtomo, M., Whitworth, R.W. Ice deformation, Dislocations (materials), X ray analysis, Sliding, Ice plasticity, Velocity.

Self-interstitials in ice.

Hondoh, T., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p.183-187, 12 refs., With rench summary.

Azuma, K., Higashi, A.
Interstitial ice, Ice crystal structure, Ice nuclei, Dif-fusion, Defects, X ray analysis, Ice physics, Temperature effects.

Grain boundary sliding in ice.
Ignat, M., et al, Journal de physique (Colloque CI),
Mar. 1987, 48(3 Suppl.), Symposium on the Physica
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. Proceedings, p.189-195, 16 refs., With French summary. Frost, H.J.

Ice physics, Boundary layer, Dislocations (materials), Sliding, Ice crystal structure, Metals, Temperature effects, Stresses.

42.3700

Study of grain boundaries in ice by internal friction

Tatibouet, J., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.197-203, 16 refs., With

French summary.
Perez, J., Vassoille, R.
Ice crystal structure, Internal friction, Ice relaxation, Dislocation (materials), Boundary layer, Ice plasticity. Temperature effects.

42,3800

Fracture of ice Ih.

Schulson, E.M., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-1986. [Proceedings], p.207-220, 22 refs.,

receracks, Fracturing, Stress strain diagrams, Ice eracks, Fracturing, Stress strain diagrams, Ice mechanics, Brittleness, Tensile properties, Crack propagation, Compressive properties, Grain size, Models.

Inelastic properties of several high pressure crystal-line phases of H2O: Ices II, III and V. Durham, W.B., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Phy-sics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.221-226, 9 refs., With French summary.

Kirby, S.H., Heard, H.C., Stern, L.A.

High pressure ice, Ice elasticity, Ice crystal structure, Ice deformation, Ice strength, Temperature effects, Ice deformation, Ice me hanks.

Inelastic properties of ice I(h) at low temperatures

and high pressures.

Kirby, S.H., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-, 1986. [Proceedings], p 227-232, 18 refs., French summary.

rrench summary.

Ice elasticity, Ice creep, Ice strength, Ice deformation, Rheology, Ice mechanics, Low temperature
tests, Pressure, Shear stress.

42-3803

42-3803
Viscosity of ice V.
Soin, C., et al, Journal de physique (Colloque C1),
Mar. 1987, 48(3 Suppl.), Symposium on the Physicand Chemistry of Ice, 7th, Grenoble, France, Sep. 1-French summary. Poirier, J.P.

Ice mechanics, Viscosity, Ice creep, High pressure ice. Rheology. Temperature effects. Compressive

42-3804

42-3804
Snow sounds.
Camp, P.R., Journal de physique (Colloque C1),
Mar. 1987, 48(3 Suppl.), Symposium on the Physics
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. (Proceedings), p.239-241, 3 refs., With
French summary.
Snow acoustica, Sound waves, Relaxation (mechanics), Snow temperature, Snow depth, Snow mechanics.

42-3805

Rate controlling processes in the creep of polar gla-

Proceedings. D. 243-248, 26 refs., With French summary.

Les creep, Glacier flow, Stresses, Ice deformation, Ice mechanics, Rheology, Viscosity, Antarctica—Amundsen-Scott Station.

Amundsen-Scott Statlos.
Torsion tests have been carried out on artificial ice and on samples cut from an ice core obtained at South Pole Station. Results give a stress exponent smaller than 2 for stresses lower than 0.1 MPa. Analysis of the inclinometer survey of the Dye 3 borehole yields the same result. The deformation mechanisms of polar ice at low stresse are reviewed. A Newtonian viscosity may be expected with dislocation glide accommodated by grain boundary migration linked with grain growth. However, rotation of crystals by dislocation glide and strain-induced boundary migration are complementary and efficient mechanisms to accommodate the incompatible plastic deformation between grains of different lattice orientation. These deformation mechanisms concern a great part of polar ice. (Auth.)

Firn densification by grain-boundary sliding: a first model.

Alley, R.B., Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.249-256, 21 refs., With

French summary.

Firn, Ice density, Sliding, Boundary layer, Ice sintering, Particles, Diffusion.

42-3807

Experimental study of the thermal convection in snow. Etude experimentale de la convection ther-

mique dans la neige<sub>1</sub>.

Brun, E., et al. Journal de physique (Colloque C1),
Mar. 1987, 48(3 Suppl.), Symposium on the Physica
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. rProceedings, p.257-262, 13 refs., In
French with English summary. Touvier, F.

low thermal properties, Convection, Snow permeability, Thermal conductivity, Heat flux, Experimenta42-3808

Particle rearrangement and dislocation creep in a anow-densification process.

Belinuma, T., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.263-269, 18 refs., French summary. Maeno, N.

Snow creep, Snow compression, Dislocations (materials), Snow density, Particles, Snow pressure, Snow depth, Stress strain diagrams.

Grain growth in laboratory prepared ice: solute effects.

Achaval, E.M. de, et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Phy-sics and Chemistry of Ice, 7th, Grenoble, France, Sep.

sics and Chemistry of Ice, 7th, Crenoble, France, Sep. 1-5, 1986. Proceedings, p.283-288, 12 refs., With French summary.

Nasello, O.B., Ceppi, E.A.
Ice growth, Particles, Ice crystal structure, Doped Ice, Temperature effects, Solutions, Experimentation.

42-3810

Approach to similar tertiary creep rates for antarctic core ice and laboratory prepared ice.
Gao, X.Q., et al, Journal de physique (Colloque CI),
Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.289-296, 10 refs., With French summary.

Ice creep, Ice cores, Ice deformation, Rheology, Com-pressive properties, Anisotropy, Shear strain, Antarc-tica—Law Dome.

tics—Law Dome.

An account is given of ice deformation experiments in uniaxial compression. Samples studied include isotropic and anisotropic ice, laboratory prepared and from a core drilled at the aummit of Law Dome, Antarctica. There are unexplained differences in the minimum strain rates attained by isotropic ices from the core and from the laboratory. Minimum strain rates to anisotropic ice are higher than for isotropic ice provided that the anisotropy is compatible with the stress configuration. In tertiary creep a constant strain rate is attained, associated with the development of a small circle girdle crystal orientation fabric, and an equilibrium crystal size. It is proposed that this tertiary creep is steady state. (Auth.)

42-3811

Preliminary study of friction between ice and sled

Hagaki, K., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), MP 2358, Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France,

Figure 3 and Chemistry of tice, '(n, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.297-301, 5 refs., With French summary. Lemieux, G.E., Huber, N.P. Ice friction, Sleds, Water films, Ice melting, Temperature effects, Lubricants, Models.

The effects of runner material and surface conditions on the

riction between runners and ice were studied by measuring the velocity of a free-sliding sled. Smooth runners showed lower friction at around -1 C than around -1 C c as expected, but the friction of rough runners showed little temperature dependence.

Study of cracks in polycrystalline ice under uniaxial compression.

Hallam, S.D., et al, Journal de physique (Conoque Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-Hallam, S.D., et al, Journal de physique (Colloque C1),

French summary. Duval, P., Ashby, M.F.

Ice cracks, Ice crystal structure, Compressive proper-ties, Ice loads, Tests, Crack propagation, Stresses, Tensile properties.

Micromechanical view of the fracture toughness of

Nixon, W.A., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. rProceedings), p.313-319, 35 refs., With French summary.

Ice mechanics, Ice cracks, Ice loads, Temperature effects, Grain size, Tests, Models.

Intrinsic curve of ice compression. [Courbe intrin-

seque de la glace en compression. Position Intimi-seque de la glace en compression, Nadreau, J.P., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Phy-sica and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. †Proceedings), p.321-327, 16 refs., In French with English summary.

Temperature effects. Tests. Pressure. Ice salinity.

42-3815

42-3813
Patigue behavior of freshwater (ce. Nixon, W.A., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physica and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p.329-335, 13 refs., With French summary. Smith, R.A.

Simila, R.A.
Ice strength, Losds (forces), Ice deformation, Ice cracks, Fatigue (materials), Tests, Crack propagation, Strains, Temperature effects.

42.3816

Comprative study of the tensile and compressive strength of atmospheric ice. [Etude comparative de la résistance à la traction et à la compression de la glace

la resistance a la raction et a la compression de la giade atmosphérique, Druez, J., et al, Journal de physique (Colloque Cl), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.337-343, 9 refs., French with English summary. Cloutier, J., Claveau, L.

Ice strength, Tensile properties, Compressive properties, Traction, Wind tunnels, Temperature effects, Strains.

42-3817

Growth of ice crystals from the vapour phase. In-teraction of basal and prism faces through the diffu-sion process and the surface kinetic process.

alon process and the sarries animate process.

Yokoyama, E., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings, p.347-333, 6 refs., With French summary. Kuroda, T.

Ice crystal growth, Water vapor, Vapor diffusion, Supersaturation, Ice crystal size.

Growth mechanism of ice crystals grown in air at a low pressure and their habit change with temperature. low pressure and their habit change with temperature (Gonda, T., et al. Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physica and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.355-359, 15 refs., With French summary.

Ice crystal growth, Supersaturation, Ice sublimation, Temperature effects, Pressure, Anistropy.

42-3819

Optical characteristics of different types of snow. Light extinction in snow. Caractérisation optique de différents types de neige. Extinction de la lumière

dans la neige, dans la neige, Sergent, C., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-

and Chemistry of 1cc, 7in, Verenous, France, Sep. 1-5, 1986. Proceedings, p. 361-367, 10 refs., In French with English summary. Chevrand, P., Lafeuille, J., Marbouty, D. Snow optics, Depth hoar, Ice structure, Light (visible radiation), Infrared radiation, Grain size, Snow im-

42-3820

Role of insoluble particulates in the ice crystal forma-

tion in a supercooled water cloud.

Andriambeloma, H., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Physics and Chemistry of ice, 7th, Grenoole, France, Sep. 1-5, 1986. [Proceedings], p.369-374, 17 refs., With French summary. Montmory, R., Podzimek, J. Ice crystal growth, Supercooled clouds, Ice crystal

nuclei, Nucleating agents, Cloud seeding, Ice nuclei, Temperature effects.

42-321 Application of the replica method for SEM-study of the ice crystal instability. Stoianova, V., et al. Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Phy-sics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.375-381, 17 refs., With French summary.

Gensdiev, N., Nenow, D.

Ice crystal growth, Water vapor, Ice crystal replicas, Ice crystal structure, Diffusion, Supercooled clouds, Scanning electron microscopy.

42-3822

Density and surface structure of ice accretions. Prodi, P., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.383-388, 11 refs.. With French aummary.

Levi. L. Ice accretion, Ice density, Ice structure, Ice surface, Ice growth, Temperature effects, X ray analysis.

42-3823

Influence of the roughness of rime on its growth by collection of supercooled water droplets: application to power line icing. [Influence de la rugosité du givre sur sa croissance par la captation des gouttes d'eau surfondue: application au givrage des cables élec-

Personne, P., et al, Journal de physique (Colloque C1), Personne, F., et al., Journal as physique (Conoque C.), Mar. 1987, 48(3 Suppl), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.389-395, 10 refs., In French with English aummary.

Duroure, C. Power line icing, Ice accretion, Surface roughness, Transmission lines

42-3824

De-icing analyses—the thermal properties of accret-ed saline ice.

ed same les.

Horjen, I., Journal de physique (Colloque Cl), Mar.
1987, 48(3 Suppl.), Symposium on the Physics and
Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5,
1986. (Proceedings), p.397-403, 6 refs., With

French summary.
Ice removal, Thermal conductivity, Ice thermal properties, Analysis (mathematics), Thermal effects, Ice salinity, Heat capacity, Ice temperature, Ice density.

42-3825

Application of common plastic solutions for ice crys-

Application or common plastic solutions to the Cylindrian translation.

Takahashi, T., et al. Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. ¿Proceedings), p.405-411, 9 refs. With French summary.

Fukuta, N. Ice crystal replicas, Plastics, Tests, Solutions, Vapor

42-3826

Models of the growth of low density rime. (Modelisation de la croissance du givre de faible densité), Personne, P., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p.413-419, 11 refs., In French with English summary.

Duroure, C.
Ice growth, Ice density, Ice accretion, Droplets,
Supercooling, Snow pellets.

42-3827

Thin accretions grown on an ice substrate: experimen-

tal study and numerical simulation.

Nasello, O.B., et al. Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.421-426, 7 refs., French summary. Ceppi, E.A., Levi, L

Dropa (liquids), Temperature effects, Experimenta-tion, Models, Ice crystal nuclei.

Recent work on high-density amorphous ice.

Whalley, E., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.429-434, 8 refs., With

Ice density, Ice crystal structure, High pressure ice, Phase transformations, Temperature effects, Hydro-

42-3829

42-3829
Phase transitions of ice V and VI.
Handa, Y.P., et al, Journal de physique (Colloque Cl),
Mar. 1987, 48(3 Suppl.), Symposium on the Physics
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. (Proceedings), p.435-440, 16 refs., With

French summary, Klug, D.D., Whalley, E.
High pressure ice, Ice crystal structure, Phase transnations, Temperature measurement, Hydrogen bonds Enthelny

42-3830

Non equilibrium ice crystallization in squeous solu-tions: comparison with theory, case of solutions of polyalcohols with four carbons, ability to form glasses, compounds favoring cubic ice.

Boutron, P., et al, Journal de physique (Colloque C1), Boutron, P., et al, Journal de pnyaique (Conoque 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-French summary.

Ice crystal growth, Solutions, Vitreous ice, Cubic ice, Low temperature tests.

42-3831

Survival of erythrocytes after cooling into liquid ni-trogen: relation with glass-forming tendency on cool-ing and the transition from cubic into hexagonal ice on rewarming. Mehl, P., et al

Mehl, P., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemiatry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings), p.449-455, 22 refs. With French summary. Boutron, P.

Cubic ice. Phase transformations, Ice crystal growth, Temperature effects, Vitreous ice.

42-3837

Neutron diffraction studies of ice nucleation in porous

Sinca. Dore, J.C., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.457-463, 9 refs., With French summary.

Dunn, M., Chieux. P. iclel, Porous materials, Neutron diffraction, Ice crystal growth, Heavy water, Temperature effects, Cubic ice.

42-3833

Comments on the ice I(c) structure and I(c) to (Ih) on mechanism: a neturon sc ing investigation of ice precipitates in glassy LiCl .-

Elarby-Aouizerat, A., et al, Journal de physique (Colloque Cl), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.465-470, 5 refs., With French summary.

Ice crystal structure, Phase transformations, Neutron

scattering, Temperature effects, Vitreous ice, Ice accretion, Cubic ice.

42-3834
Vitreous state decomposition study in some aqueous olyalcohols solutions.

Vassoille, R., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.471-475, 12 refs., With

French summary.
Vitreous ice, Low temperature research, Solutions, Ice crystal growth, Decomposition, Ice nuclei, Cubic ice. Phase transformations

Calorimetric study of ices I(h) doped with alkali hy-droxides and other impurities.

Matsuo, T., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p. 477-483, 12 refs., With French summary.

Suga, H. Doped ice, Ice thermal properties, Temperature measurement, Impurities, Heat capacity, Phase transformations, High pressure ice. 42-3836

Role of water layer at an ice surface in the kinetic processes of growth of ice crystals—growth of snow crystals and frost heaving.

Kuroda, T., Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p.487-493, 8 refs., With French summary.

Ice crystal growth, Snow crystal growth, Frost heave, Ice vapor interface, Water temperature, Thermody-namics, Hydrothermal processes, Ice lenses, Ice solid interface

Ellipsometric study of the ice surface structure just

Ellipsometric study of the ice surface structure just below the melting point.
Furukawa, Y., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.495-501, 19 refs., With Prench summary.

Yamamoto, M., Kuroda, T.
Ice surface, Ice physics, Ice crystal structure, Water films, Temperature effects, Melting points.

47.3838

Origin of the equilibrium liquid-like layer on ice. Fukuta, N., Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.503-509, 21 refs., French summary

Ice surface, Water films, Hydrogen bonds, Surface properties, Freezing, Analysis (mathematics), Pres-

42-3839

Studies of surface properties of ice using nuclear mag-

Stadles of surface properties of the same metic resonance.
Mizuno, Y., et al. Journal de physique (Colloque CI),
Mar. 1987, 48(3 Suppl.), Symposium on the Physics
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. [Proceedings], p.511-517, 19 refs., With French summary. Hanafusa, N.

Ice surface, Surface properties, Nuclear magnetic resonance, Water films, Temperature effects, Seif dif-fusion, Molecular energy level.

42,3840

Structure and evolution of different ice surfaces at low

Structure and evolution of different ice surfaces at low temperature adsorption studies. Schmitt, B., et al, Journal de physique (Colloque Cl), Mar. 1987, 48(3 Suppl.), Symposium on the Physica and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p. 519-525, 19 refs., With Franch surpress. French summary.

Ocampo, J., Klinger, J.
Adsorption, Ice surface, Ice structure, Ice mechanics,
Water vapor, Low temperature research, Ice crystal

structures.

42-3841

Recent experimental work on solute redistribution at the ice/water interface. Implications for electrical properties and interface processes.

Gross, G. W., et al., Journal de physique (Colloque C1).

Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p. 527-533, 23 refs., With Prech summery. 5, 1700. [Flored July 2], proceedings, proceedings, french summary. Gutjahr, A., Caylor, K. Ice water interface, Ice electrical properties, Solutions, Ions, Distribution, Impurities.

Some structural studies of clathrate hydrates. Davidson, D.W., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.537-542, 11 refs.,

With French summary.
Clathrates, Hydrates, Ice structure, Pressure, X ray

Thermal expansion of the clathrate hydrates of ethyl-

There may be and tetrahydrofuran.

Tse, J.S., Journal de physique (Colloque C1), Mar.

1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986.

Proceedings, p.543-548, 25 refs., With

French summary.
Clathrates, Hydrates, Ice thermal properties, Thermal expansion, X ray diffraction, Temperature effects.

Microscopic observations of the air hydrate-bubble.

Transformation process in glacier ice.

Shoji, H., et al, Journal de physique (Colloque C1),
Mar. 1987, 48(3 Suppl.), Symposium on the Physics
and Chemistry of Ice, 7th, Grenoble, France, Sep. 15, 1986. [Proceedings], p.551-556, With French
summary. 6 refs.

summary. 6 rets.
Langway, C.C., Jr.
Glacier ice, Hydrates, Microstructure, Ice cores, Gla-cier flow, Bubbles, Transformations, Antarctica— Byrd Station.

Byrd Station.

Microscopic examinations for air hydrate inclusions were made on specimens of the Dye-3 and Camp Century, Greenland and Byrd Station, Antarctica deep ice cores. The shallowed depths at which air hydrates are observed in the Dye-3, Camp Century and Byrd Station cores are at 1092 m, 1099 m and 727 m depths respectively. For the Dye-3 and Camp Century cores, the observed depths for air hydrate appearance agree with Miller's calculation. For the Byrd Station cores, the observed depth for the appearance as about 100 m shallower than the calculated result by Miller. This apparent difference at Byrd Station location. The phase/grain boundary observations and deformation experiments revealed that phase boundary energy is much higher than grain boundary energy and that the transformation process from air hydrate to bubble is clearly related to the strain-induced nucleation opposes. (Auth.) These findings suggest that the air hydrate /bubble transformation process is strongly controlled by both in situ and post ice core recovery nucleation activation process. (Auth.) nucleation activation process. (Auth.)

42-3845

Chemical reactivity on the disordered surfaces. The case of ice.

Ocampo, J., et al, Journal de physique (Colloque Cl), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. Proceedings, p.557-563, 17 refs., French summary.

Schmitt, B., Klinger, J.
Ice surface, Clathrates, Phase transformations, Tem perature effects. Analysis (mathematics).

42-3846

Thermal conductivity of tetrahydrofuran clathrate

White, M.A., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.565-572, With French 32 refs.

Clathrates, Hydrates, Thermal conductivity, Ice crystal structure, Melting points, Heat capacity.

Phase transitions attributable to disorder in waters of hydration in M(ClO4)(2).6H2O (M=Cd,Mg,Zn). White, M.A., et al., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, Prance, Sep. 1-5, 1986. [Proceedings], p.573-578, 26 refs., With Prench summary.

Clathrates, Hydrates, Phase transformations, Hydro-gen bonds, Temperation measurement, Infrared reconnaissance, Ions, Low temperature research.

42-3848

Amorphous ice. A microporous solid: astrophysical implications.

Mayer, E., et al, Journal de physique (Colloque CI), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.581-586, 28 refs., With French summary. Pletzer, R.

Extraterrestrial ice, Microstructure, Ice crystal structure, Water vapor, Ice physics, Ice accretion, Comets.

Equilibrium temperature of ice grains formed around

a star as a function of stellar parameters.

Crifo, J.F., Journal de physique (Colloque CI), Mar.
1987, 48(3 Suppl.), Symposium on the Physics and
Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5,
1986. [Proceedings], p.587-592, 10 refs., With

Prench summary.

Extraterrestriai ice, Ice temperature, Particles, Planetary environments.

42-3850

Technique for the growth of high quality single crystals of ice.

Ohtomo, M., et al, Journal de pnysique (Conocidente 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-Ohtomo, M., et al, Journal de physique (Colloque CI),

French summary. Ahmad, S., Whitworth, R.W.

Ice crystal growth, Ice density, Freezing, X ray anal-

42-3851

Possible ordered structures of ice lh.

Howe, R., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.599-604, 10 refs., With French summary.

Ice crystal structure, Protons, Molecular structure,

High pressure ice.

D.C. conductivity of antarctic ice in relation to its chemistry. Legrand, M., et al, Journal de physique (Colloque CI),

Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.605-611, 22 refs., With French summary.

Petit, J.R., Korotkevich, E.S.

Ice composition, Ice electrical properties, Electrical resistivity, Impurities, Meltwater, Chemical analysis, Ice cores, Antarctics—Vostok Station, Antarctics— Amundsen-Scott Station.

Amundsen-Scott Statlou.

Conductivity profiles for antarctic ice cores (Vostok and South Pole stations) were studied in relation with a comprehensive study of soluble species. The profiles revealed an important 'double spike' on both conductivity and sulfuric acid record for snow deposited during the 'Tambora years (1815)' which is used as a stratigraphic marker. Among the 3 acids (HZSO4, HCl and HNO3) susually present in the ice HCl and HNO3 seem to be more effective than HZSO4 on the conductivity background. In addition a negative effect of aluminosilicates is suggested. These results suggest that impurities are located at grain boundaries where the pH can reach very low values. This assumption is in agreement with the conductivity model previously proposed by Wolff and Paren. (Auth. mod.)

42-3853

Meteorology, chemistry, acidity of mountain snow-falls and snowpack chemistry.

Page, Y., Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. (Proceedings), p.613-617, 4 refs., With French summary.

Meteorological data, Precipitation (meteorology), Mountains. Chemical analysis, Ions, Statistical anal-

42-3854

Variations of (delta 18)O and Cl(ion) in the ice cores of Spitsbergen.
Punning, IA.-M.K., et al, Journal de physique (Col-

loque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice. 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.619-624, 11 refs.,

With French summary. Valkmiae, R.A., Tougu, K.

Ice composition, Firn, Isotope analysis, Geochemistry, Climatic factors, Ice cores, Ions, Norway—Spitsbergen.

High-resolution neutron powder diffraction study of

Kuhs, W.F., et al, Journal de physique (Colloque C1), Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-1984. 5, 1986. [Proceedings], p.631-636, 36 refs.,

French summary.
Bliss, D.V., Finney, J.L.
Cubic ice, Neutron diffraction, Ice crystal structure,
High pressure ice, Hydrogen bonds, Phase transfor-

Storm-influenced deltas and ice scouring in a late Pleistocene glacial lake.

Eyles, N., et al, Geological Society of America. Bulletin, May 1988, 100(5), p.793-809, 70 refs. Clark, B.M.

Ice scoring, Glacial lakes, Lucustrine deposits.

Fox permafrost tunnel: a late Quaternary geologic record in central Alaska.

Hamilton, T.D., et al, Geological Society of America. Bulletin, June 1988, 100(6), MP 2355, p.948-969, 70

Craig, J.L., Sellmann, P.V. Permafrost, Tunnels, Geologic structures, Quaternary deposits.

Dispersive noise removal in t-x space: application to Arctic data. Beresford-Smith, G., et al, Geophysics. Mar. 1988, 53(3), p. 346-358, 13 refs.
Rango, R.N.

Seismic prospecting, Floating ice.

42-3859

Radiation characteristics of an arbitrary antenna positioned on a polar ice sheet.

West, J.C., et al, Geophysics, Dec. 1987, 52(12), p.1689-1696, 19 refs.

Demarest, K.R.

Radar, Ice sheets, Ice cover thickness, Ice structure,

Seismic and electrical properties of unconsolidated

permatrost.
King, M.S., et al, Geophysical prospecting, May 1988, 36(4), p.349-364, 19 refs.
Zimmerman, R.W., Corwin, R.F.

Seismic prospecting, Electromagnetic prospecting, Acoustic measurement, Permafrost physics, Unfrozen water content.

Influence of perennially frozen strata on gas distribu-tion in coal deposits of the northeastern USSR. (O vliianii tolshchi mnogoletnemerzlykh porod na

viniani toisachi mnogoietnemerziykn porod na ras-predelenie gaza na ugol'nykh mestorozhdeniiakh Severo-Vostoka SSSR, Ushakov, A.A., et al, Evoliutsiia ugleobrazovaniia na Severo-Vostoke Azii (Evolution of coal formation in northeastern Asia) edited by V.G. Varnavskii and L.I. Izmallov, Magadan, 1987, p.169-174, In Russian. Shagova, N.F.

Mining, Coal, Continuous permafrost, Sporadic permafrost, Natural gas, Distribution.

41-3802
Physics of hall process formation and active modification. Proceedings of an All-Union seminar, Nel'chik, Oct. 13-17, 1985. [Fizika obrazovanija gradovykh protessov i aktivnykh vozdelství na nikh.
Materialy vsesoiuznogo seminara, Nal'chik, Oct. 151086.

17, 1985).
Fedchenko, L.M., ed, Moscow, Gidrometeoizdat, 1988, 140p., In Russian. For selected papers see 42-3863 through 42-3867. Refs. passim. Cloud physics, Hail clouds, Cloud dissipation, Mathematical models.

Determining the form and falling velocity of a melting hallstone. ¡Opredelenie formy i skorosti padeniis ob-

halistone. Copiculatina com., vodnenoj gradiny, Vodnenoj gradiny, Gzirishvili, T.G., et al, Fizika obrazovanija gradovyk protsessov i aktivnykh vozdejstvii na nikh. Materialy zamisara Nal'chik. Oct. 15-17, 1985 protesesov i aktivnykh vozdelstvii na nikh. Materialy vessoiuznogo seminars, Nal'chik, Oct. 15-17, 1985 (Physics of hail process formation and active modification. Proceedings of an All-Union seminar, Nal'chik, Oct. 15-17, 1985) edited by L.M. Fedchenko, Moscow, Gidrometeoizdat, 1988, p.28-32, In Russian. 3

Magradze, G.D.

Ice melting, Mathematical models, Hailstones, Falling bodies, Velocity, Ice formation.

Ice accretion in a stream of charged water aerosol.

Otlozhenie l'da v potoke zariazhennogo vodnogo

Okudzhava, A.M., et al, Fizika obrazovanila grado-vykh protsessov i aktivnykh vozdelstvii na nikh. Materialy vsesoiuznogo seminara, Nal'chik, Oct. 15-17, 1985 (Physics of hail process formation and active modification. Proceedings of an All-Union seminar, Nal'chik, Oct. 15-17, 1985) edited by L.M. Fedchen-ko, Moscow, Gidrometeoizdat, 1988, p.38-42, In Rus-

sian. 7 refs.
Bliadze, T.G., Saliashvili, T.N.
Models, Drops (liquids), Electric charge, Ice accre-

Basic problems and some preliminary results of a complex experiment with hall. (Osnovnye zadaclu i nekotorye predvaritel'nye rezul'taty kompleksnogo

negotorye predvantei nye rezul taty kompiesanogo gradovogo eksperimenta,
Abshaev, M.T., et al, Fizika obrazovaniia gradovykh protsessovi aktivnykh vozdefstvii aa nikh. Materialy vesesoiuznogo seminara, Nal'chik, Oct. 15-17, 1985 (Physics of hail process formation and active modification. Proceedings of an All-Union seminar, Nal'chik, Oct. 15-17, 1985) edited by L.M. Fedchenko, Mos-cow, Gidrometeoizdat, 1988, p.43-62, In Russian. 10 refs

Aerosols, Hailstones, Ice nuclei, Topographic effects, Models, Forecasting, Formation.

42-3866 Numerical modeling of the distribution of ice-forming aerosol in convective clouds. [Chislennoc modelirovanie rasprostraneniis l'doobrazuiushchego

modelirovanie rasprostranenia l'doobrazuusanenego aerozolia v konvektivnykh oblakakh, Klingo, V.V., et al, Fizika obrazovaniia gradovykh protsessov i aktivnykh vozdetstvi na nikh. Materialy veseoiuznogo seminara, Nal'chik, Oct. 15-17, 1985 (Physics of hail process formation and active modification. Proceedings of an All-Union seminar, Nal'chik, Oct. 15-17, 1985) edited by L.M. Fedchenko, Mos-cow, Gidrometeoizdat, 1988, p.86-90, In Russian. 5 refs.

Kudashkin, G.D., Faïzullin, B.Sh.

Mathematical models, Turbulent diffusion, Cloud seeding, Weather modification, Aerosols, Distribu-

42-3867

Measuring the real values of ice-forming activity of reagents. (Ob izmerenii real'noi l'doobrazuiushchei

aktivnosti reagentovi, Kondratenko, V.A., Fizika obrazovanjia gradovykh Kondratenko, V.A., Fizika obrazovaniia gradovykh protsessov i aktivnykh vozdelstvii na nikh. Materialy veseojuznogo seminara, Nal'chik, Oct. 15-17, 1985 (Physics of hail process formation and active modification. Proceedings of an All-Union seminar, Nal'chik, Oct. 15-17, 1985) edited by L.M. Fedchenko, Mos-cow, Gidrometeoizdat, 1988, p.95-99, In Russian. 4 refs.

Supercooled fog, Fog dispersal, Aerosols, Cloud dissi-

42.3868

Continuum model for proton transfer in ice containing

symmetrical hydrogen bonds.

Kriachko, E.S., Journal of structural chemistry.
Sep.-Oct. 1987(Pub. Mar. 1988), 28(5), p.704-709,
Translated from Zhurnal strukturnol khimii. 29 refs. Mathematical models, Molecular structure, Ice physics, Proton transport, Hydrogen bonds.

42.3860

Improving the drilling and testing of wells under com plicated conditions. Sovershenstvovanie bureniis i ispytaniis skvazhii v oslozhnennykh usloviiskh, Timokhin, I.M., ed, Moscow, VNIGNI, 1986, 232p., In Russian. For selected papers see 42-3870 and 42-

In Russian. For selected papers see 92-38/0 and 92-3871. Refs, passim. Shmarev, A.T., ed. Design, Drilling, Ice physics, Plates, Foundations, Frozen ground, Ice crossings, Petroleum industry, Ice cover thickness, Seasonal freeze thaw, Ice roads,

42-3870

Modeling the stress-strain state of a floating ice plate under momentary load. Modelirovanie napriazhen-no-deformirovannogo sostoianiia plavaiushchei ledisnoi plity pri kratkovremennom zagruzhenii,

Tsedershtrem, S.A., Sovershenstvovanie bureniia i ispytaniis skwazhin v oslozhnennykh uslovitakh (improving the drilling and testing of wells under complicated conditions) edited by I.M. Timokhin and A.T. Shmarev, Moscow, VNIGNI, 1986, p.202-206, In

Russian. 4 refs. Ice roads, Ice crossings, Bearing strength, Snow roads, Design, Ice physics, Petroleum industry, Ice cover thickness

42-3871

Applicability of mathematical models of the stress-strain state of ground beneath drilling rigs. [Analiz primenimosti raschetnykh modelel napriazhennodeformirovannogo sostoianiia gruntov pod burovymi

ustanovkamij, Nekrasov, A.A., Sovershenstvovanie burenila i is-pytanila skvazhin v oslozhnennykh uslovilakh (Improving the drilling and testing of wells under complicated conditions) edited by I.M. Timokhin and A.T. Shmarev, Moscow, VNIGNI, 1986, p.207-212, In 4 refs.

Russian. - 7 cm. Foundations, Drilling, Plates, Frozen ground, Sea-sonal freeze thaw, Design.

Tribotechnical materials and systems for cold climate. [Tribotekhnicheskie materialy i sistemy dila

kholodnogo klimataj, Filatov, I.S., ed, Yakutsk, IAkutski filial SO AN SSR, 1987, 106p., In Russian. For selected papers see 42-3873 through 42-3875. Refs. passim.

see 42-30/3 unrougn 42-38/3. Refs. passim. Polymers, Plastics ice friction, Ice adhesion, Metals, Corrosion, Metal ice friction, Metal snow friction, Pipes (tubes), Cold weather performance, Construc-tion materials.

42-3873

42-3873
Ice adhesion to polymer coating at different conditions of moisture crystallization. rAdgeziia i'da k polimernomu pokrytiiu pri razlichnykh usloviiakh kristallizatsii viagi, Igoshin, V.A., et al, Tribotekhnicheskie materialy isstemy diia kholodnogo klimata (Tribotechnical materials and systems for cold climate) edited by I.S. Pilatov, Yakutak, IAkutskif filial SO AN SSSR, 1987, p.67-71, In Russian. 8 refs. p.67-71, in Rus IAkovlev, S.N.

Coatings, Corrosion, Polymers, Metal ice friction, Ice adhesion, Metal snow friction, Snow cover, Metals.

42-3874

Influence of polymer coating thickness and its heat conductivity on the frictional characteristics of materials in contact with Ice. [Vliianie tolshchiny polimernogo pokrytiia i udel not teploprovodnosti na friktsionnye kharakteristiki materialov v kontakte so

Berdnikov, A.G., Tribotekhnicheskie materialy i sistemy dlia kholodnogo klimata (Tribotechnical materials and systems for cold climate) edited by I.S. Filatov, Yakutsk, IAkutskii filial SO AN SSSR, 1987, p.71-76.

In Russian. 11 refs.
Polymers, Metal ice friction, Ice adhesion, Construction materials.

42-3875

ation of an intermediate layer on the fatigue life of bi-plastic pipes in cold climates. ¡Vliianie promezhutochnogo sloia na rabotosposobnost biplastmasovykh trub v usloviiakh kholodnogo klimata, Davydova, N.N., et al, Tribotekhnicheskie materialy i disterny. dilis. kholodnogo klimata;

Davydova, N.N., et al., 11100teknnicneskie materiasy i sistemy dilis kholodnogo klimata (Tribotechnical materials and systems for cold climate) edited by I.S. Filatov, Yakutak, IAkutakif filial SO AN SSSR, 1987, p.76-85, in Russian. 5 refs. Ignat'ev, V.E., Riabets, IU.S. Polymers, Plastics ice friction, Pipes (tubes), Design, Construction materials, Cold weather performance.

Bending failure of brittle plates and beams on an elastic foundation.

Aguiar, J.B. de, Cambridge, Massachusetts Institute of Technology, Oct. 1987, 297p., Ph.D. thesis. Refs.

passim.

Ice loads, Offshore structures, Foundations, Deformation, Elastic properties, Plates, Cracking (fracturing), Analysis (mathematics).

42-3877

Economic analysis of urban planning solutions for construction workers' settlements. ¡Ekonomicheskii anatiz planirovochnykh reshenii bytovykh gorodkov

stroiteleij, Novak, B.V., et al, Ekonomika i organizatsiia stroi-tel'stva v ratonakh Vostochnoi Sibiri i Krainego Severa (Economics and organization of construction in East Siberia and the Far North) edited by E.I. Peryshkin, Krasnoyarsk, Krasnoyarskii Promstroiniiproekt, 1983, p.30-40, In Russian.

Urban planning, Residential buildings, Design, Cost analysis, Permafrost beneath structures, Subarctic

42-3878

Geographic and engineering-geological conditions in the Altal steppes. Geograficheskie i inzhenerno-geologicheskie uslovia Stepnogo Altaia, Gadzhiev, I.M., ed, Novosibirak, Nauka, 1988, 97p., In Rusaian with English table of contents enclosed.

In Russian with English table of contents encl. Refs. p.95-96.

Rett. p. yo.-yo.
Steppes, Engineering geology, Cryogenic structures,
Permafrost distribution, Foundations, Seasonal
freeze thaw, Frost penetration, Permafrost beneath
structures, Frost heave, Mountains, Hydrology, Active layer, Alpine landscapes, Loess, Construction,
Cryogenic soils, USSR—Ob' River.

42-3879

Morphology and origin of altiplanation terraces under cryozone conditions. [Morfologia i genezis nagornykh terras v usloviiakh kriozony, Chalko, A.V., Novosibirsk, 1988, 83p., In Russian with abridged English table of contents enclosed. Refs. p.75-82. Geologic structures, Geocryology, Altiplanation, Geomorphology, Mountains, Slope processes, Frost weathering, Rock streams, Nivation, Terraces.

42-3880 Methods for measurement of thermal conductivity and specific heat at moderate, low and cryogenic temneratures.

peratures.
Platunov, E.S., Journal of engineering physics, Dec. 1987 (Pub. June 1988), 53(6), p.1452-1457, 11 refs.
Translated from Inzhenerno-fizicheskii zhurnal. onstruction materials, Thermal properties, Measur-

ing instruments. 42-3881

Method for the approximate solution of a two-phase Stefan problem with reverse motion of the front.
Medvedakii, R.I., Journal of engineering physics,
Sep. 1987 (Pub. Mar. 1988), 53(3), p.1079-1085, 10
refs. Translated from Inzhenerno-fizicheskii zhurnal. Frozen rock temperature, Wells, Frost penetration, Phase transformations, Stefan problem, Mathematical models.

42-3882

Temperature regime to grow modelled ice in the AANII ice model basin. Dedushkin, R.A., New York, 1988, 3p., ECTC Transl. No. T-856-16, Unpublished manuscript. 1 ref. For Russian original sec 42-2062. Artificial ice, Ice strength, Water chemistry, Ice mod-

els. Salinity. Temperature effects. 42.3883

Cracking resistance of ice cover and its breaking by

Gol'dshtein, R.V., et al, New York, [1988], 22p., ECTC Transl. No.T-856-20, Unpublished manuscript. For Russian original see 42-2066. Osipenko, N.M.

Icebreakers, Ice breaking, Ice cracks, Ice strength, Crack propagation, Models, See ice distribution. 42-3884

e2-3884
Prevention of ice sticking to ship halls.
Gavrilo, V.P., et al, New York, r19881, 5p., ECTC
Transl. No.T-856-22, Unpublished manuscript. 3
refs. For Russian original see 42-2068.
Nikitin, V.A., IUnak, A.B.
Ship icing, Ice navigation, Ice prevention, Countermeasures, Artificial ice, Water chemistry, Salinity,
Testa, Models.

42-3885

Arctic air pollution.

cattuc auf pountion.
Stonehouse, B., ed, Cambridge, University Press, 1986, 328p., Refa. passim.
Air pollution, Aerosols, Haze, Polar regions, Atmospheric circulation, Chemical analysis, Seasonal variations, Climatic factors, Environmental impact, Origia, Ecology. 42-3886

Past and present chemistry of north and south polar

Delmas, R.J., Arctic air pollution. Edited by B. Stonehouse, Cambridge, University Press, 1986, Stonehouse, Camb

Snow composition, Aerosols, Air pollution, Chemical analysis, Climatic changes, Ice cores, Snow air inter-face, Polar regions, Fallout.

tace, Foir regional, Failorit.

Chemic: I analysis of anow layers in Antarctica and Greenland has provided valuable information on present and past background aerosol composition, despite probable surface effects at the air-snow interface. Pre-industrial polar precipitation is chemically similar in central areas of the two ice sheets, with a weak primary aerosol component relatively free of the guiderived acids (mainly H2SO4 and HNO3) characteristic of the foundation of the second property of the sec later deposits. Large volcanic eruptions have contaminated polar snows, particularly by H2SO4 fall-out. Records of major volcanic events of the last 200 years are dissimilar in the two

ice sheets: only the 1815 eruption of Tambora appears to be strongly and equally recorded. Anthropogenic pollution has not yet affected south polar regions: the case of heavy metals are very difficult to assess due to their extremely low concentrations in snow. Much more particulate matter reached polar regions during the last glacial age than at present; however, currently available glacio-blochemical data indicate that the effect was different both qualitatively and quantitatively for Greenland and Antarctica. (Auth.)

42-3887

42-387
Time-dependent model of a coastal polynys.
Ou, H.W., Journal of physical oceanography, Apr.
1988, 18(4), p.564-590, 11 refs.
Polynyas, Ice edge, Wind velocity, Ice accretion,
Models.

47.3888

Global sea level and earth rotation. Peltier, W.R., Science, May 13, 1988, 240(4854), p.895-901, 24 refs.

Sea level, Glacier melting, Ice sheets, Earth rotation. Sea level, Glacter melting, Ice aheets, Earth rotation. Recent analyses of long time scale secular variations of sea level, based on tide gauge observations, have established that sea level is apparently rising at a globally averaged rate somewhat in excess of I mm/year. It has been suggested that the nonsteric component of this secular rate might be explicable in terms of ongoing mass loss from the small ice sheets and glaciers of the world. Satellite laser ranging and very long baseline interferometry data may be used to deliver atong constraints on this important scenario because of the information that these sysimportant scenario because of the information that these sys-tems provide on variations of the length of day and of the position of the rotation pole with respect to the earth's surface geography. These data demonstrate that the hypothesis of mass loss is plausible if the Barents Sea was covered by a sub-stantial ice sheet at the last maximum of the current ice age 18,000 years ago. Data on subantarctic glaciers and ice sheets are included in this study. (Auth.)

Growth rhythms and ways of structural adaptation of tundra plants. ¡Ritmy rosta i puti strukturnoï adaptat-

sii tundrovykh rastenii, Shilova, N.V., Leningrad, Nauka, 1988, 212p., In Russian with abridged English table of contents enclosed.

stan with apringed English table of Contents enclosed. Refs. p.200-210. Tundra, Vegetation, Introduced plants, Acclimatiza-tion, Plant ecology, Human factors, Soil erosion. 42.3890

Tien Shan as seen by a glaciologist. [Tian'-Shan'

glazami gliatsiologaj, Serebriannyi, L.R., et al, Moscow, Nauka, 1988, 143p., In Russian with English table of contents enclosed. 36 refe

Alpine landscapes, Mountain glaciers, Glacier ice, Snow cover distribution, Glacial erosion, Glacial deposits, Slope processes, Geocryology, Snow water equivalent, Surveys, Expeditions, 47.3891

Plankton bacteria of the Yenisey River. Bakterio-

plankton reki Eniselj, Driukker, V.V., et al. Novosibirsk, Nauka, 1988, 96p., Lin Russian with abridged English table of contents enclosed. Refs. p.92-95.

Petrova, V.I.

Permafrost beneath rivers, Flow control, Rivers, Bac-teria, Plankton, Surveys, Polar regions, Expeditions, USSR-Yenisey River.

42-3892

82-392 Studies of gas content in the hydrate-formation zones of the USSR, Izuchenie gazonosnosti zon gidratoobrazovania SSSR, Nerskii, N.V., et al, Yakutsk, IAkutskii filial SO AN SSSR, 1987, 175p., In Russian with abridged English table of contents enclosed. 189 rcfs. Mikitin S.P.

Natural gas, Hydrates, Clathrates, Permafrost.

Highway design. Proektirovanie avtomobil'nykh

dorog<sub>3</sub>, Babkov, V.F., et al, Moscow, Transport, 1987, 417p. (Pertinent p.228-247), In Russian. 24 refs. Andreev, O.V.

Permafrost beneath roads, Active layer, Roadbeds, Design, Foundations, Clay soils, Freeze thaw cycles, Frost heave, Embankments, Permafrost structure, Swamps, Maps, Permafrost distribution.

42.3894

Crocker, G.B., New Zealand antarctic record, 1988, 8(2), p.20-25, 8 refs.

Sea Ice, Wave propagation, Wind velocity, Strain

Tesus.

The general purpose of these studies was to gain understanding of the growth and destruction of the fast ice in McMurdo Sound. Three models were used and all seriously underpredicted ice growth because they were unable to account for the oceanic heat component. McMurdo Sound is unusual in having large positive heat fluxes in summer and significant

negative fluxes in winter. When the models were adjusted to deal with these unusual features, good agreement with the models was obtained. Two major elements in the destruction of the sea ice are wind and wave action. A threshold wind velocity was found, below which wave energy does not propagate in the ice cover. This value is roughly 10 m/s. This knowledge resulted from analyzes of data from two sets of instrumentation located about 1,500 m offshore of Socti Base. One of these measured air temperature, humidity and wind velocity. An ince tehrmistor chain was part of this set. The second was a rosette of strain gauges bolted to the ice at 120 deg to each other. Recordings of this strain net were made routinely an hour each day all winter. The mic-met set operated 10 runs during the winter, each run lasting 4 to 5 days during which all 16 data channels were sampled at 10 minute intervals.

Organizing construction in northern West Siberia on the basis of engineering geocryology. Organizatsiia stroitel'stva na severe Zapadnol Sibiri: inzhenerno-

stroitel'stva na severe Zapadnol Sibiri: inzhenerno-geokriologicheskie osnovy, Novikov, I.P., Stroitel'stvo truboprovodov, June 1988, No.6, p.7-9, In Russian. Pipelines, Engineering geology, Design, Geocryology, Site surveys, Mapping, Transportation, Ice roads, Snow roads, Subpolar regions, Petroleum industry, Ice (construction material), USSR—Tyumen'.

42-3896

Construction worker in the North. Sociological studies of manpower potential. [Stroitel' na Severe.
Trudovol potentsial v zerkale sotsiologicheskikh iseledovanija

Ponomarenko, I.T., et al, Stroitel'stvo truboprovodov, June 1988, No.6, p.10-13, In Russian.

astovskii, G.L. Construction, Work time standards, Polar regions.

47-3897

Rotary trencher. [Rotornyi transheinyi ekskavator], Kovalev, E.P., et al, Stroitel'stvo truboprovodov, June 1988, No.6, p.25-26, In Russian. Al'shits, M.Z.

Pipelines, Earthwork, Permafrost beneath structures. Design, Frozen ground.

42-3898 Channel processes and morphology of mountain riverbeds subject to frequent mudflows (the case of the northern slope of Zailiyakiy Alatau). [Ruslovye pro-tsessy i morfologii rusel gornykh rek v usloviiakh aktivnol selevol deiatel'nosti (na primere rek severnogo

twino selevol celatel nost (in a primere rek severnogo sklona Zailijskogo Alatau), Kuznetsov, K.L., et al, Geomorfologiis, Apr.-June 1988, No.2, p.71-78, In Russian with English summary. 15 refs.

Chalov, R.S.
Rivers, Mudflows, Slope processes, Sediment transport, Stream flow, Mountains.

Estimating the harmful effect of sign-variable temperature cycles on heavy concrete. [Otsenka povrezh-daiushchego deïstvija znakoperemennykh temperatur-

nykh tsiklov na tiazhelyi beton, Aktuganov, I.Z., et al, Russia. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniia. Izvestiia vysshikh uchebnykh zavedenii. Stroitel'stvo arkhitektura, 1988, No.4, p.47-50, In Russian. 2 refs. Pushkin, A.A.

Winter concreting, Concrete freezing, Frost resistance, Freeze thaw cycles, Concrete strength.

42.3900

Development of rural power-supply networks in the North, Siberia and the Far East. (Osobennosti razvitija sel'skikh elektrosetel v ralonakh Severa. Sibiri i

Villia sei skin elektriosetel v raionaki severa, sioiri Dal'nego Vostokaj, Korataev, E.I., et al, *Energeticheskoe stroitel'stvo*, May 1988, No.5, p.27-28, în Russian. 10 refs. Marfin, N.I., Pleshkov, V.A. Power line supports, Electric power, Foundations, Permafrost beneath structures, Cost analysis.

42-3901

Ground-sounding instruments mounted on the USZ-15/36 all-terrain vehicle. Staticheskoe zondirovanie 19'30 all-terrain ventice, istaucheskoe zondirovanie gruntov s pomoshch'iu ustanovki USZ-15/36, Pylaev, E.L., et al, Energeticheskoe stroitel'stvo, May 1988, No.5, p.40-42, In Russian. Ziuzin, A.I., Kornilenko, A.I., Forshtreter, E.L. All terrain vehicles, Engineering geology, Frozen ground, Sounding, Surveys, Soil physics. 42 2002

Present state of frozen dams in the Magadan region. Sovremennoe sostojanie merzlykh plotin v Maga-

danskof oblasti, Biianov, G.F., et al, Energeticheskoe stroitel'stvo, June 1988, No.6, p.27-34, In Russian. 5 refs. Kuznetsov, G.I.

Ruznetsov, C.I.
Earth dams, Permafrost control, Artificial freezing,
Permafrost beneath structures, Thermokarst, Permafrost thermal properties, Rock fills, Earth fills, Hydraulic structures, Deformation,

42-3903

Transport schemes for rural construction of electric nets in northern regions. [Transportnye skhemy dlia sel'skogo elektrosetevogo stroitel'stva v severnykh

sel'skogo elektrosetevogo stroitel'stva v severnykn ralonakhj, Marfin, N.I., Energeticheskoe stroitel'stvo, June 1988, N.6, p. 34-37, in Russian. 11 refs. Railroads, Electric power, Permafrost beneath struc-tures, Power lines, Transportation, Power line sup-ports, Construction materials, Construction equipment. Cost analysis

42-3904

Present state and problems of providing geocryological information to railroad construction, Sostoianie i zadachi geokriologicheskogo obespechenija stroi-

tel'stvaj, Kondrat'ev, V.G., et al, Transportnoe stroitel'stvo, June 1988, No.6, p.9-11, In Russian. 14 refs.

Korolev, A.A. Route surveys, Permafrost distribution, Aerial surveys, Railroads, Permafrost forecasting, Permafrost control. Permafrost beneath structures.

42,1905

Studying the experience of using chemical admixtures in concrete. (Izuchenie opyta primeneniia khimiches-

Zhukov, A.F., Transportnoe stroitel'stvo, June 1988, No.6, p.32-37, In Russian.

Air entrainment, Concrete admixtures, Antifreezes, Winter concreting, Concrete strength, Frost resistance, Chemical composition.

42-3906

Peculiarities of testing industrial pipelines in the Far Peculiarities of testing industrial pipelines in the Far North. (Osobennosti ispytanii promyslovykh trubo-provodov na krainem Severej, Borisov, I.V., Stroitel'stvo truboprovodov, May 1988, No.5, p.26-27, in Russian. Pipelinea, Permafrost beneath structures, Pipeline

freezing, Tests.

42.3907

Improving the technology and organization of pipe-line construction in YAmburg. ¡Sovershenstvovat' tekhnologiiu i organizatsiiu stroitel'stva promyslovykh technologius of gameasina strotter siva promystovyk truboprovodov na IAmburgej, Gabelaia, R.D., Stroitel'stvo truboprovodov, May 1988, No.5, p.27-28, In Russian.

Pipe laying, Permafrost beneath structures, Cold weather construction, Thermal insulation, Pipeline freezing, Welding.

42-3908

Mobile assembly for flame-jet drilling of frozen Mobile assembly for frame-jet drilling of frozen ground, (Mobil'naia ustanovka dlia ognestruïnogo bureniia merzlykh gruntov<sub>1</sub>, Shapovalov, I.A., et al, Stroitel'stvo truboprovodov, May 1988, No.5, p.41-43, In Russian. Drilling, Thermal drills, Frozen ground.

42-3909 Construction of the nuclear-powered icebreaking car-go-barge-container carrier Sermorput'. Na stroi-tel'stve atomnogo ledokol'no-transportnogo likhterovoza-kontejnerovoza "Sevmorput" Voloshin, A.A., Sudostroenie, June 1988, No.6, p.17-18. In Russian. Ice navigation, Ships, Icebreakers.

42-3910

Improving hull gear of ice-going ships. [Sovershenstvovanie ustroistv sudov ledovogo plavaniia, Makeev, A.N., et al, Sudostroenie, June 1988, No.6, p.29-30, In Russian. Kuperman, A.M.

Ice navigation, Ships, Icebreakers.

42-3911

Freezing of soil with an unfrozen water content and

variable thermal properties.

Lunardini, V.J., U.S. Army Cold Regions Research and Engineering Laboratory, Mar. 1988, CR 88-02, 23p., ADA-195 343, 15 refs.

Soil freezing, Unfrozen water content, Thermal conductivity, Phase transformations, Temperature effects, Specific heat.

While many materials undergo phase change at a fixed tempera-ture, soil systems exhibit a definite zone of phase change. The variation of unfrozen water with temperature causes a soil sysvariation of unfrozen water with temperature causes a soil system to freeze or thaw over a finite temperature range. Exact and approximate solutions are given for conduction phase change of plane layers of soil with unfrozen water contents that vary linearly and quadratically with temperature. The temperature and phase change depths were found to vary significantly from those predicted for the constant-temperature or Neumann problem. The thermal conductivity and specific heat of the soil within the mushy zone varied as a function of unfrozen water content. It was found that the effect of specific heat is negligible, while the effect of variable thermal conductivity can be accounted for by a proper choice of thermal properties used in the constant-thermal-property solution.

42.3012

Spatial and seasonal variations in primary production of sea ice microalgae and phytoplankton in Probisher Bay, Arctic Canada.

Bay, Arctic canasas. Hsiao, S.I.C., Marine ecology. Progress series, May 26, 1988, 44(3), p.275-285, 44 refs. Blomass, Algae, Cryobiology, Sea ice, Canada-Northwest Territories—Frobisher Bay.

42,3013

Phenomena at the advancing ice-liquid interface: so-lutes, particles, and biological cells. Körber, C., Quarterly reviews of biophysics, May 1988, 21(2), p.229-298. Refa. p.287-298.

Ice edge, Ice water interface, Solutions, Freezing, Cryobiology.

42-3914

Developments in Arctic long-wave propagation theory and experiments.

Kelly, F.J., et al, Radio science, May-June 1988, 23(3), p.240-246, 17 refs.

Radio waves, Ice structure, Attenuation, Ice sheets.

42-3915

Damage to ship plating due to ice impact loads.
Wiernicki, C.J., Marine technology, Jan. 1987,
24(1), p.43-58, Paper presented at meeting of Society of Naval Architects and Marine Engineers, Chesapeake Section, Dec. 19, 1985. 13 refs. Ships, Impact strength, Ice pressure, Loads (forces),

42-3916

Frost hardiness and carbohydrates changes in leaves of Nothofagus dombeyi (mirb.) Oerst at various on-

togenetic stages.
Rios, D., et al, Acts oecologics; oecologis plantarum, 1988, 9(2), p.135-144, With French summary. 33 refa

Plant physiology, Frost resistance.

42-3917

Transport of indicator clasts by ice sheets and the transport half-distance: a contribution to prospecting

for ore deposits.

Strobel, M.L., et al, Journal of geology, Sep. 1987, 95(5), p.687-697, 32 refs.

Ice sheets, Periglacial processes, Glacial deposits.

42.1018

Environmental limits of needle ice: a global survey. Lawler, D.M., Arctic and alpine research, May 1988, 20(2), p.137-159, Refs. p.156-159. Ice needles, Bibliographies, Data processing.

42.3919

Rock glacier appearance level and rock glacier initia-tion line altitude: a methodological approach to the

tion me anticues: a methodological approach to the study of rock glaciers. Humlum, O., Arctic and alpine research, May 1988, 20(2), p.160-178, Refs. p.176-178. Rock glaciers, Periglacial processes.

42-3920

Glacier inventory for the Northern Patagonia Ice-field, Chile, and variations 1944/45 to 1985/86. Aniya, M., Arctic and alpine research, May 1988, 20(2), p. 179-187. Glacier surveys, Chile—Patagonia.

42.3021

Solar resetting of thermoluminescence of sediments in a glacier-dominated flord environment in Spitsberin a glacier-don

gen: geochronologic implications.
Forman, S.L., Arctic and alpine research, May 1988, 20(2), p.243-253, 30 refs. Glacial deposits, Luminescence, Sediments.

Coarse particle soil dust in Arctic aerosols, Spring 1983.

Winchester, J.W., et al, Geophysical research letters, Oct. 1984, 11(10), p.995-998, 19 refs. Aerosols, Particle size distribution.

42-3923

White lightning in the mountains. [Belye molnii

ansev, L.A., Leningrad, Gidrometeoizdat, 1987, 151p., in Russian with abridged English table of contents enclosed.

Avalanches, Snow cover distribution, Snow depth, Expeditions, Glaciology, Photography.

42-3924

Materials for studying the history and present state of glacies on the Kronotskiy volcano, Materialy k izucheniiu istorii i sostoianiia lednikov na Kronotskom vulkaner,

Tsiurupa, A.I., Geograficheskoe obshchestvo SSSR. Izvestiia, May-June 1988, 120(3), p.269-274, In Rus-11 refs.

Volcanoes, Glaciation, Mountain glaciers, Glacier Ice, Snow cover distribution, Snow depth, Glacial lakes.

Using millimeter spectroscopy in studying water in disperse solid state. Izuchenie sostoianiia vody v dispersnoi tverdoi faze metodom millimetrovoi spektroskopii<sub>3</sub>, Khurgin, IU.I., et al, Akademiia nauk SSSR.

lady, 1988, 299(4), p.929-931, In Russian. 5 refs. Hygroscopic water, Ice, Dispersions, Spectroscopy. 42-3926

Millimeter-wave propagation measurements at the Ballistic Research Laboratory.

Wallace, H.B., IEEE transactions on geoscience and remote sensing, May 1988, 26(3), p.253-258, 11 refs. Radio waves, Snowfall, Fog, Attenuation, Reflection. 42-3927

Influence of surrounding permafrost temperature on the stressed state around mine workings.

the stressed state around mine workings.
Kovickov, I.I., Soviet mining science, May-June
1987 (Pub. Mar. 1988), 23(3), p.199-202, Translated
from Fiziko-tekhnicheskie problemy razrabotki poleznykh iskopaemykh, No.3, p.20-24, 1987. 7 refs.
Permafrost thermal properties, Frozen rock temperature, Stresse, Placer mining, Air temperature, Heat
transfer, Analysis (mathematics).

42.3928

Penetration of an axisymmetric conical hammer into

Pénetration ou la lairy mining science, May-June 1987 (Pub. Mar. 1988), 23(3), p.227-232, Translated from Fiziko-tekhnicheskie problemy razzabotki poleznykh iskopaemykh, No.3, p.20-24, 1987. 7 refs.
Frozen ground strength, Penetration tests, Hammers, Hardness tests.

42,3929

Seasonal and temporal changes of organic compounds

In rain and snow.
Czuczwa, J., et al, Atmospheric environment, 1988, 22(5), p.907-916, 25 refs.

Lcuenberger, C., Giger, W.
Precipitation (meteorology), Chemical composition,
Snow composition, Switzerland.

42-3930

Thermal simulation of a lake with winter ice cover. Patterson, J.C., et al, Limnology and oceanography, May 1988, 33(3), p.323-338, 32 refs. Hamblin, P.F.

Lake ice, Thermodynamics, Models, Temperature distribution.

Antarctica (Key environments series).
Bonner, W.N., ed, Oxford, Pergamon Press, 1985, 381p., Refs. passim. For individual papers see 42-3932 through 42-3936 or A-37938, B-37920, B-37924 through B-37937, E-37922, E-37923 and I-37921.
Walton, D.W.H., ed.

Ice edge, Ice cover, Soil formation, Ecology.

This volume, published in collaboration with the International Union for Conservation of Nature and Natural Resources, is a Omon for Conservation or Nature and Natural Keaources, is a collection of papers on antarctic exploration in biology, physical geography, terrestrial and inarine habitats, birds and mammals, and food webe and interactions. The papers are from experts aiming to contribute to the knowledge of their particular envi-ronments, to identify recent environmental changes and to sug-gest effective management and conservation strategies for the future.

42-3932

42-3932
Physical geography—climate.
Phillpot, H.R., Antarctica. Edited by W.N. Bonner and D.W.H. Walton (Key environments series), Oxford, Pergamon Press, 1985, p.23-38, Refs. p.37-38.
Climate, Sea ice, Ice edge, Mass balance, Ice cover. The three dominant features influencing antarctic climate—the waters of the southern ocean, the variable sea ice cover, and the continental ice sheet—are examined, with maps showing location of meteorological stations, surface circulation of oceans

south of 30S, mean maximum ice extent in Feb. and Mar., total south of 30S, mean maximum ice extent in Feb. and Mar., total cloudiness percent over Antarctica in Jan. and July, mean monthly isotherms in Jan. and July, average strength of surface temperature inversion over Antarctica in winter, average wind speed in Jan. and July, annual snow balance, and a table showing the generalized time scale of climatic events for high latitudes in the Southern Hemisphere. It is concluded that at present the antarctic ice sheet appears to be stable, but that it is very important to keep an eye on the climate.

Physical geography—geological evolution.
Elliot, D.H., Antarctica. Edited by W. N. Bonner and
D.W.H. Walton (Key environments series), Oxford,
Pergamon Press, 1985, p.39-61, 41 refs.

Paleoclimatology, Ice cover thickness, Ice formation,

A review is presented of studies on Antarctica and plate tectonics, Antarctics in Gondwana and the Gondwana break-up, the paleoclimate and the formation of continental ice. An evaluapassocumate and the formation of continental ice. An evalua-tion of potential resources, based on the geological features reviewed, includes a suggestion that at present it is not known what the metallic, non-metallic and hydrocarbon resources in the Antarctic might be.

42-3934

Physical geology—soils.
Claridge, G.G.C., et al, Antarctica. Edited by W.N.
Bonner and D.W.H. Walton (Key environments
series), Oxford, Pergamon Press, 1985, p.62-70, 14

Campbell, I.B.

Polar regions, Soil formation, Soil chemistry, Perma-

frost.

Ice-free areas occupy some 2% of the antarctic continent and occur in the Antarctic Peninsula, along the Transantarctic Mountains, and in other scattered coastal situations, where ice sheets have retreated or where glaciers have diminished in volume and disappeared from valleys. In these, mostly morane-covered bare ground, weathering and soil formation on the exposed rocks and glacial deposits has commenced. These soil-forming factors, and soil zones, are described. The significance of soil studies, from the points of interest of history of Antarctics, the nature and significance of salts, the relationship with soils of the hot deserts, and the influence of man on soils are discussed. It is concluded that care needs to be taken to ensure that soils are not altered, and that they are protected from local activities including physical disturbance, accumulation of samospheric and other pollutants, and the accidental introduction of new soil organisms.

Plankton of the antarctic seas.

El-Sayed, S.Z., Antarctica. Edited by W.N. Bonner and D.W.H. Walton (Key environments series), Oxford, Pergamon Press, 1985, p.135-153, 19 refs.

Ice cover effect, Marine biology.

Physical and chemical characteristics of the anteretic ecosystem, the phytoplankton and zooplankton composition, distribution, seasonal variations and interrelationships, are described. Particular emphasis is put on krill, the organism and its biology and stocks, in the light of krill's importance in the antarctic food chain and in commercial exploitation.

Marine habitats—benthos.
Picken, G.B., Antarctica. Edited by W.N. Bonner and D.W.H. Walton (Key environments series), Oxford, Pergamon Press, 1985, p.154-172, Refs. p.171-

Ice cover effect, Biomass, Sea ice distribution, Ecolo-

gy.

The boundaries of the benthic region within which the fauna is considered antarctic are defined, with a description of the environment, including a review of benthic flora & fauna communities in the littoral and the sub-littoral region, the biogeography and origin of benthic fauna and the physiology of benthic invertebrate. It is found that conditions in the antarctic benthos are unique, with a deep shelf and abyasal plain littered with hard substrates, a constantly low temperature, and an input of pri-mary productivity which is large, short-lived and generally regular each year. The benthic fatuna is well adapted to its en-vironment, and available energy is utilized very efficiently.

Heat transfer in a wet porous thermal insulation in a flat roof.

Hedlin, C.P., Journal of thermal insulation, Jan. 1988, 11(3), p.165-188, 9 refs.

Roofs, Thermal insulation, Heat transfer.

42-3938

On the micrometeorology of surface hoar growth on

sow is mountainous area.

Colbeck, S.C., Boundary-layer meteorology, July 1988, 44(1-2), MP 2359, p.1-12, 16 refs.

Hoarfrost, Snow surface, Snow air interface, Turbu-

ort-range radio navigation systems: current status

and prospects.
Pakholkov, G.A., et al, IEEE serospace and electronic systems magazine, Jan. 1988, 3(1), p.2-7, Paper presented at AUSRIRE/RTCA Symposium, May 25-31, 1987, Leningrad, USSR. 4 refs. Gromov, G.N.

Ico navigation, Icobreakers.

42-3940

Millimeter-wave multipath measurements on snow COVET.

Lammers, U.H.W., et al, IEEE transactions on geo-science and remote sensing, May 1988, 26(3), p.259-

Hayes, D.T., Marr, R.A. Snow surface, Radio waves, Reflection.

42-3941

Fluctuation statistics of millimeter-wave scattering from distributed targets.

Ulaby, F.T., et al, IEEE transactions on geoscience and remote sensing, May 1988, 26(3), p.268-281, 25

Haddock, T.F., Austin, R.T.

Radio waves, Scattering, Snow surface.

42-3942

Millimeter-wave backscatter measurements on snowcovered terrain

covered terrain.
Baars, E.P., et al, IEEE transactions on geoscience and remote sensing, May 1988, 26(3), p.282-299, 10 refs.

Snow surface, Radio waves, Backscattering,

42-3943

Surface snow properties effects on millimeter-wave backscatter.

Williams, L.D., et al, IEEE transactions on geoscience and remote sensing, May 1988, 26(3), p.300-306, 12

Gallagher, J.G., Sugden, D.E., Birnie, R.V. Snow surface, Backscattering, Radio waves.

42.3944

Millimeter-wave measurements and analysis of snow-

covered ground.

Currie, N.C., et al, IEEE transactions on geoscience and remote sensing, May 1988, 26(3), p.307-318, 6

Snow surface, Radio waves, Backscattering, Regelation.

42.1045

Backscatter and attenuation by falling snow and rain at 96, 140, and 225 GHz.

Nemarich, J., et al, IEEE transactions on geoscience and remote sensing, May 1988, 26(3), p.319-329, 7 refs

Wellman, R.J., Lacombe, J. Snowfall, Radio waves, Backscattering, Attenuation. 42-3946

Fluctuations in millimeter-wave signals propagated through inclement weather.

Bohlander, R.A., et al, IEEE transactions on geo-science and remote sensing, May 1988, 26(3), p.343-354, 14 refs.

Snowfall, Radio waves, Backscattering, Attenuation. 42-3947

Airborne thermal mapping for winter highway maintenance using the Barr and Stroud IR18 thermal video frame scanner.

Stove, G.C., et al, International journal of remote sensing, July 1988, 8(7), p.1077-1084, 9 refs.

Kennie, T.J.M., Harrison, A. Remote sensing, Mapping, Winter maintenance, Road maintenance.

42-3948

42-3948
Problems of geocryology. Problemy geokria logiis,
Mel'nikov, P.I., ed, Moscow, Nauka, 1988, 195p., In
Russian. Papers prepared in anticipation of the 5th
International Conference on Permafrost, Trondheim,
Norway, Aug. 2-5, 1988. For individual papers see
42-3949 through 42-3978.
Geocryology, Permafrost, Engineering geology, Frozen ground, Active layer, Freeze thaw cycles, Climatic
forcers.

42-3949

Alpine cryolithozone and geocryological belts. [Al'pilskaia kriolitozona i geokriologicheskaia poias-

nost'),
Gorbunov, A.P., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.6-12, 22 refs., In Russian.
Geocryology, Permafrost distribution, Alpine glacistion, Landforms, Mountains, Snow line.

42-3950

Features of rock-stream formation in a bald-peak mountain belt. (Osobennosti formirovaniia kurumov

gol'tsovogo poisas gorj, Romanovskii, N.N., et al, Problemy geokriologii (Problemo of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.12-18, 1 ref., In Russian. Rock streams, Permafrost, Alpine glaciation, Geo-cryology, Topographic features, Ground ice, Ice for-mation, Mountains.

Methodical basis of permafrost as a science of lithogenesis in the permanent cold regions of the Earth.

[Metodologicheskie osnovy kriolitologii—uchenie o
litogeneze v zonakh ustošchivogo okhlazhdeniis Zem-

Popov, A.I., Problemy geokriologii (Problems of geo-cryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.18-23, in Russian. Permafrost distribution, Permafrost thickness, Cryo-

genic soils, Frozen ground mechanics, Seasonal freeze thaw, Ground ice, Soil water migration.

Role of cryogenesis in the system of natural pro-

cesses. Mesto kriogeneza v sisteme prirodnykh prot-sessov Žemli, Konishchev, V.N., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.23-30, 13 refs., In Russian. Permafrost distribution, Geocryology, Ground ice, Glacier flow, Origin, Frozen ground strength, Ice for-

42.3053

Stationary investigations of permafrost. [Razvitic stationarnykh isaledovanii kriolitozony, Pavlov, A.V., et al. Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.30-34, 6 refs., In Russian. Gravis, G.F.

Permafrost physics, Geocryology, Engineering geology, Research projects, Tests, Organizations.

Permafrost and the zone of hydrates of natural gas Permafrost and the zone of hydrates of natural gas (problems of interrelation and interaction). (Kriolitozona i zona gidratov prirodnykh gazov (problema vzaimootnosheniia i vzaimodelstviia), Romanovskii, N.N., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Naka, 1988, p. 35-41, 11 refs., In Russian. Permafrost physics, Hydrates, Geocryology, Ground ice, Temperature effects, Paleoclimatology, Climatic factors. factors.

42-3955

Cryodiagenesis in underwater sedimentation. (Kriodiagenez v usloviiakh subakval'nogo osadkonako-

pleniis), Maslov, A.D., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.41-51, 12 refs., in Russian. Subsea permafrost, Bottom sediment, Geocryology, Frozen ground mechanics, Landalides, Temperature effects, Acoustic measurement, Seismic surveys.

42-3956

Role of permafrost in formation of edoma complex. Role to permarous in tormation or ecome complex, Rol' kriolitogeneza v formirovanii edomnol svity; Rozenbaum, G.E., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.51-55, 7 refs., In Russian. Permafrost physics, Geocryology, Ice veins, Edoma complex, Origin, Thermokarst, Ice formation, Stracomplex, Origin, Thermokarst, Ice formation, Origin, Orig

Polygonal-vein ice in the Yenisey North. [Poligonal'-no-zhil'nye l'dy Eniselskogo Severa,
Tume!, N.V., Problemy geokriologii (Problems of geo-cryology). Edited by P.I. Mel'nikov, Moscow,
Nauka, 1988, p.56-61, 6 refs., In Russian.
Permafrost distribution, Ice veins, Ground ice, Poly gonal topography, Paleoclimatology, Bottom sediment, Climatic factors, River basins.

Petrology of underground ice. [Petrologiia podzemnykh l'dov],
Solomatin, V.I., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow,
Nauka, 1988, p.61-64, 4 refs., In Russian. Ground ice, Ice structure, Lithology, Ice formation, Geology, Recrystallization.

42-3959

42-3959
Columnar ice. (Stebel'kovyĭ led),
Tarakanov, A.I., et al, Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.65-71, 3 refs., In Russian. Bykasov, V.E.
Ice crystal structure, Ice formation, Ground water, Temperature effects, Porosity, Microstructure, Humidity, Hoarfrost.

42-3960

Perennial stratified ice in the Quaternary deposits of Ural and Pay-Khoy. [Mnogoletnie plastovye l'dy chetvertichnykh otlozhenii Urala i Pai-Khoia]. cnetverticinnykn otiozhenii Urala i Pal-Khoia, Oberman, N.G., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.71-77, 16 refs., in Russian. Quaternary deposits, Geomorphology, Permafrost, Ice formation, Ground water, Water chemistry, Paleoclimatology, Ice composition, USSR—Ural Mountains.

Genesis of over-ice stratus at the Ice Mountain. [O genezise nadlednoï tolshchi obnazheniia "Ledianaia

gors 1, Kuznetsova, T.P., et al, Problemy geokriologii (Prob-lems of geocryology). Edited by P.I. Mel'nikov, Mos-cow, Nauka, 1988, p.77-84, 14 refs., In Russian. Karpov, E.G. Permafrost structure, Ground ice, Glacler ice, Perma-frost beneath rivers, Banks (waterways), Pleistocene,

Meteorological factors.

42-3962

Seasonal freeze-thaw dynamics under destruction of soil surface strata in Turana Range. (Dinamika sezonnogo protsivaniia-promerzaniia gruntov pri unichtozhenii napochvennykh pokrovov v khrebte Turana,

Zabolotnik, S.I., et al, Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.84-92, 15 refs., In Russian. Sorokina, Z.G.

Soroama, 2.0. Permafrost preservation, Seasonal freeze thaw, Permafrost beneath structures, Geocryology, Climatic factors, Vegetation factors, Landscapes, Plant ecolo-

42-3963

Composition of pore water in saline permafrost in West Siberia. (Sostav porovykh rastvorov zasolennykh merzlykh porod Zapadnof Sibiri, Dubikov, G.I., et al, Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.92-101, 8 refs., In Russian. Ivanova, N.V.

Permafrost origin, Saline soils, Ground water, Ground ice, Water chemistry, Porosity, Chemical analysis, Geochemistry, Pleistocene.

Mineral and petrological description of deposits of ice Mineral and petrological description of deposits of icc complexes in central Yakatia. "Mineralogo-petrograficheskais kharakteristika otlozhenii ledovykh kompleksov Tsentral'noi I Akutiij, Zigert, Kh., Problemy geokriologii (Problems of geocyology). Edited by P.I. Me'nikov, Moscow, Nauka, 1988, p. 101-107, 10 refs., in Russian. Glacial deposits, Geomorphology, Geocyology, Minerals Scil. Vastello Microstructure Phalescopes Scil. erals, Soil erosion, Microstructure, Pleistocene, Soil formation, Grain size, USSR—Yakutia.

42-3965
Multifacial complex of late Pleistocene syn- and epicryogenic deposits in the Main River valley (Chaket-ka). Polifatsial'nyi kompleks pozdnepleistot-senovykh sin- i epikriogennykh otlozhenii doliny r. senovyka sim i epikitogennyki otożykania (Problems of geo-kain (Chukokia), Kotov, A.N., Problemy geokriologii (Problems of geo-cryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.108-115, 5 refs., In Russian. Geocryology, Permatrost, Glacial deposits, Edoma complex, Pleistocene, River basias, Valleys.

42-3966

Geocryological zoning of East Siberia. [Geokriologi-Geocryological zoning of Least Siberia, Cucokriologi-cheskoe raionirovanie Vostochnof Sibiri, Shats, M.M., Problemy geokriologii (Problems of geo-cryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.115-120, 16 refs., In Russian. Permafrost distribution, Geocryology, Permafrost thickness, Permafrost thermal properties, Climatic

Gas permeability of frozen coarse rocks. [Gazo-pronitasemost' merzlykh krupnooblomochnykh po-

rody, Olovin, B.A., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.120-124, 15 refs., In Russian. Frozen rocks, Permsfrost physics, Ground ice, Permeability, Gas inclusions, Porosity, Ground water, Grain size.

42-3968
Tilleble land and hydrotechnical soil improvement in central Yakutia. (Podbor pakhotnykh ugodiř i osushchestvienie gidrotermicheskof melioratali v uslovilskh Tsentral nof lakutij,

Pavlov, A.V., et al. Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.124-130, 16 refs., In Russian.

Grave, N.A. Permafrot thermal properties, Land reclamation, Hydrothermal processes, Ground ice, Active layer, Agriculture, Cryoseule soils, Climatic factors, Irriga-tion, USSR—Yakutia.

42-3969

Stability of geocryosystems. [Ustoichivost' kri-

ogeosistem, Chigir, V.G., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.131-136, 7 refs., in Russian.

Permafroet thermal properties, Frozen ground strength, Geocryology, Seasonal freeze thaw, Cryogenic coils, Heat transfer, Vegetation factors, Forest

42-3970

Thermal and mass transfer and structure formation in

Thermal and mass transfer and structure formation in freezing peat. (Teplomassoperence i strukturoobrazovanie v promerzaiushchem torfe), Gamaiunov, N.I., et al., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauks, 1988, p.136-143, 17 refs., In Russian: Stotland, D.M., Tovbin, I.B., Kazakov, S.L. Heat transfer, Mass transfer, Permafrost structure, Permafrost thickness, Peat, Ground ice, Cryogenic soils, Temperature effects, Molsture, Soil compaction.

42.3971

Electrical sounding by means of transition processes

Electrical sounding by means of transition processes for geocytologic mapping, Elektrozondirovanie metodom perekhodnykh protessov pri geokriologicheskom kartirovanii,
Nim, IU.A., Problemy geokriologii (Problems of geocytology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p. 143-148, 7 refs., In Russian.

Permatrost distribution, Geocryology, Geomorphology. gy, Electromagnetic prospecting, Sounding, Mapping, Electric fields.

42-3972

Ion migration and reverse osmosis in frozen soils.

[Migratsia ionov i obratnyl osmos v merzlykh poro-

rMigratsus 1000v 1 obrathy 1 ostale dakh, Lebedenko, IU.P., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.148-152, In Russian. Permatrost physics, Ion diffusion, Soil water migration, Salinity, Soil composition, Ground ice, Unfrozen water content, Thermodynamics.

42-3973
Oxygen-isotope composition of underground ice. Ilzotopno-kialcrodny'i soatav podzemnykh l'dov, Arkhangelov, A.A., et al, Problemy geckriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p. 152-158, 18 refs., In Russian, Koniakhin, M.A., Mikhalev, D.V., Solomatin, V.I. Ground ice, Ice composition, Oxygen isotopea, Isotope analysis, Chemical analysis, Distribution, Snowmelt.

Foundation construction in discontinuous permafrost. Fundamentostroenie v usloviiakh nesploshnogo rastrundamentostroenie v uslovijakh nespioshnogo ras-prostranenia vechnomerziykh gruntov, Khrustalev, L.N., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.159-164, 9 refs., In Russian. Permafrost preservation, Foundations, Discontinuous permafrost, Cold weather construction, Artificial freezing, Soil stabilization, Engineering. 42-3975

Principles of over-shaft foundations on permafrost. Printsipy fundirovaniia nadshakhtnykh zdanii na

vechnomerziykh gruntakh; Gur'ianov, I.E., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.164-174, In Russian., For modified English version see 42-4210. 13 refs.

Permafrost beneath structures, Foundations, Taliks, Countermeasures, Ground thawing, Mining, Pits (excavations), Analysis (mathematics).

42-3976
Rock streams as a foundation for structures. ¡Kurumy kak osnovaniā tekhnogennykh sooruzhenij, Senuk, D.P., et al. Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.175-180, 6 refs., In Russian. Zhelezniak, I.I., Ivin, I.L., IAdrishchenskii, G.E. Rock streams, Geocryology, Foundations, Roads, Permafrost thermal properties, Ice melting, Snowmelt, Temperature effects, Seasonal variations.

42-3977
Ventilated folding foundations on fillings. [Skladchatye ventiliruemye fundamenty na podsypke, Berdichevskii, IU.V., et al. Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.180-186, 6 refs., In Russian.

Goncharov, IU.M. Permafrost beneath structures, Foundations, Ventila-tion, Concrete structures, Models, Cooling, Thermal

inculation.

Prevention of cryogenic deformation of roadbeds by using polymers. (Ustranenic kriogennykh deformatsi zemlianogo polotna s ispol'zovaniem polimernykh materialov),

materialov, Dydyahko, P.I., Problemy geokriologii (Problems of geocryology). Edited by P.I. Mel'nikov, Moscow, Nauka, 1988, p.186-193, 7 refs., In Russian. Roadbeds, Geocryology, Pernaforst beneath structures, Frozen ground settling, Polymers, Frost heave, Deformation, Countermeasures, Thermal Insulation, Frozen ground structure.

**Proceedings** International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988, Trondheim, Norway, Tapir Publishers, [1988], 1533p. (2 vols.), Refs. pass-im. For individual papers see 42-3980 through 42-4267.

Senneset, K., ed.

Permafrost distribution, Permafrost, Geocryology, Ground water, Active layer, Meetings.

Paleoclimate and permafrost in the Mackenzie Delta. Allen, D., et al, international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p. 33-38, 24 refs.

Norway, 1apir Publishers, (1988), p.33-38, 24 rets. Michel, F., Judge, A. Permafrost distribution, Permafrost depth, Paleoclimatology, Glaciation, Sedimentation, Surface temperature, Models, Deltas, Canada—Northwest Territories—Mackenzie River Delta.

Meteorological conditions influence on the permafrost ground in Sveagruva, Spitzbergen.

Bakkehöi, S., et al, International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1 Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, t19881, p.39-43, 5 Bandis C

Permafrost, Snow cover effect, Active layer, Soil water, Meteorological data, Heat flux, Time factor, Salinity, Ground thawing, Tundra, Norway—Spits-

Thermal currents of active layer in Hornsund area. Thermal currents of active layer in Horasund area. Chmal, H., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.44-49, 9 refs. Klementowski, J., Migala, K. Permafrost thermal properties, Active layer, Thaw depth, Freeze thaw cycles, Snow cover effect, Air temperature, Seasonal variations, Norway—Spitsbergen.

42-3983

Freezing-point depression at the base of ice-bearing permafrost on the north slope of Alaska.
Collett, T.S., et al, International Conference on Perma-

COMERT, 1.S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.50-55, 14 refs. Bird, K.J.

Permafrost thermal properties, Ground ice, Sediments, Salinity, Ions, Freezing points, Wells, Measuring instruments, Grain size.

Natural ground temperatures in upland bedrock terrain, Interior Alaska.

runs, interior Aissis.

Collins, C.M., et al, MP 2360, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p. 56-60. 20 refs.

oo, 20 reis.
Haugen, R.K., Kreig, R.A.
Talga, Permafroet thermal properties, Soil temperature, Discontinuous permafrost, Slope orientation, Vegetation, Altitude, Topographic effects, United States—Alaska.

States—Alassas.
Surface and subsurface ground temperature measurements were made in drill holes representing a variety of permafroat/non-permafroat, slope exposure, elevation, vegetation, and soil conditions within the upland taigs of interior Alaska. Algorithms representing equivalent latitude and air temperature/elevation relationships are developed to more precisely define permafroat/poundaries within this complex terrain.

42.3985

42-3985
Thawing in permafrost—simulation and verification.
Corapcioglu, Y.M., et al, International Conference on
Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.61-66, 16 Panday, S.

Permafrost thermal properties, Ground thawing, Frozen ground settling, Soil water, Porosity, Saturation. Ice melting, Mathematical models.

42-3986

42-3986
Schefferville snow-ground interface temperatures.
Desrochers, D.T., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.67-72, 22 refs.

Granberg, H.B.

Snow cover effect, Soil temperature, Tundra, Perma-frost distribution, Thermal regime, Forest land, Tem-perature variations, Alpine tundra, Snow tempera-ture, Canada—Quebec.—Schefferville.

Long-term permatrost and climate monitoring program in Northern Canada.

gram in Northern Canada.

Etkin, D.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim,
Norway, Tapir Publishers, 1988, p.73-77, 9 refs.
Headley, A., Stoker, K.J.L.
Headley, A., Stoker, K.J.L.

Taiga, Soll

Permafrost thermal properties, Tundra, Taiga, Soil temperature, Meteorological data, Snow depth, Soil

42-3988

Permafrost-climatic characteristics of different classes.

Gavrilova, M.K., International Conference on Perma-Gavrilovs, M.A., international Conterence on Ferma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988, p.78-83, 2 refs. Permafrost distribution, Freeze thaw cycles, Geo-cryology, Seasonal variations, Climatic factors, Heat balance, Air temperature.

42-3989

Late Quaternary solifluction in central Spitsbergem. Klysz, P., et al., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988), p.84-88, 17 refs. Lindner, L., Marks, L., Wysokinski, L. Periglacial processes, Solifluction, Glacial deposits, Geomorphology, Paleoclimatology, Quaternary deposits, Soil creep, Slope processes, Particle size distribution, Norway—Spitsbergen.

Geomorphological effects and recent climatic response of anowpatches and glaciers in the western Abisko Mountains, Sweden.

Lindh, L., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.89-94, 21 refs.

NOTWAY, 1 aptr FUDISHERS, [1988], p. 89-94, 21 refs. Nyberg, R., Rapp, A. Mountain glaciers, Snow cover distribution, Geomorphology, Permetroet distribution, Climatic factors, Nivation, Solifluction, Slope processes, Mass balance, Sweden—Ablako Mountains.

Gas-hydrate accumulations and permafrost develop-

ment.
Makogon, IU.F., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.95-101. Permafrost thickness, Hydrates, Natural gas, Ther-mal regime, Engineering, Freeze thaw cycles, Phase

transformations

42-3992

Hypothesis for the Holocene permafrost evolution. Maksimova, L.N., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988, Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.102-106, 12 refs

Romanovskii, V.E.

Permafrost distribution, Freeze thaw cycles, Soil freezing, Paleoclimatology, Climatic changes, Pleistocene, USSR.

Division and temperature condition of the last glacia-tion in Northern China.

Sun, J., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.107-112, 22 refs. Li, X.

Permafrost distribution, Glaciation, Periglacial pro-cesses, Paleoclimatology, Fossils, Pleistocene, China.

Shoreline permafrost in Kangiqsualujjunq Bay, Ungava, Quebec.

gava, Queoec. Aliard, M., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.113-118, 19

refs

Seguin, M.K., Pelletier, Y. Seguin, M.K., Pelicuer, T.
Permafrost distribution, Coastal topographic features, Shoreline modification, Permafrost physics,
Tides, Shore erosion, Subsea permafrost, Swamps,
Canada—Quebec—Kangiqualujuaq Bay.

42-3995

Permafrost data and information: status and needs. Permafrost data and information: status and needs. Barry, R.G., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceed-ings, Vol.1. Edited by K. Senneset, Trondheim, Nor-way, Tapir Fublishers, 1988, p. 119-122, 27 refs. Permafrost physics, Frozen ground, Periglacial pro-cesses, Permafrost thermal properties, Remote sensing, Boreholes, Environ-

42,3996

42-3996
Geocryological map of Mongolian People's Republic.
Baulin, V.V., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim,
Norway, Tapir Publishers, [1988], p.123-126, 3 refs.
Permafrost distribution, Geocryology, Permafrost
thermal properties, Mapping, Mongolia.

Geotechnical and geothermal conditions of near-shore sediments, southern Beaufort Sea, Northwest Territories, Canada.

Dallimore, S.R., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.127-131,

Kurfurst, P.J., Hunter, J.A.M.

Subsea permafrost, Frozen ground, Shoreline modifi-cation, Geothermy, Sediments, Ocean bottom, Bot-tom sediment, Eng neering, Geology, Beaufort Sea.

42-3998

Massive ground ice associated with glaciofluvial sediments. Richards Island. N.W.T., Canada.

Dallimore, S.R., et al., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988, p.132-137, 17 refs.

Ground ice, Sediments, Permafrost distribution, Gla-cial deposits, Ice volume, Redar echoes, Paleo-climatology, Boreholes, Canada—Northwest Territo-ries—Richards Island.

42-3999

Permafrost aggradation along an emergent coast, Churchill, Manitoba.

International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.138-142, 11 refs way, 1apir Publishers, (1905), p.136-142, 11 feb. Permafroet distribution, Shores, Tides, Engineering, Borsholes, Soll temperature, Thaw depth, Canada— Manitoba—Churchill.

42-4000

Characteristics of the massive ground ice body in the

western Canadian Arctic (11).
Pujino, K., et al, International Conference on Perma-Fujino, K., et al, international Conference on Ferma-froat, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988, p. 143-147, 9 refs. Ground ice, Periglacial processes, Ice sampling, Drill core analysis, Origin, Ice volume, Ice cores, Stratig-raphy.

42-4001

Measurements of active layer and permafrost parameters with electrical resistivity, self potential and in-

eters with electrical resistivity, self potential and in-duced polarization.
Gahe, E., et al, International Conference on Perma-frost, 5th, Trondbeim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.148-153, 6 refs. Allard, M., Seguin, M.K., Fortier, R. Active layer, Permafrost physics, Electrical resistivi-ty, Freeze thaw cycles, Shores, Ground Ice, Salinity, Clay solls.

42.4002

Alpiae permafrost zone of the U.S.S.R.
Gorbunov, A.P., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988, p. 154-158, 5 refs. Permafroet distribution, Alpiae glaciation, Geocryology, Temperature gradients, Mountains.

On the spatial dynamics of snowcover-permafrost relationships at Schefferville.

Satisfacing at Scienterville.

Granberg, H.B., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.159-164, 26 refs.

Permafrost thermal properties, Frozen ground tem-perature, Saow cover effect, Alpine tandra, Forest land, Snow accumulation, Snow depth, Vegetation, Seasonal variations, Models.

42-4004

Perennial changes in natural complexes of cryolitho-

Zoue.
Gravis, G.F., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.165-169,

Moskalenko, N.G., Pavlov, A.V. Permafrost, Geocryology, Snow cover effect, Seasonal freeze thaw, Active layer, Thaw depth, Air temperature. Revenetation.

Permafrost and its altitudinal zonation in N. Lapland. Permarroet and its authorization in 18, Laplanus, Jeckel, P.P., International Conference on Permafrost, 5th, Trondheim, Norway, Aug 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.170-175, 42 refs. Permafrost distribution, Geomorphology, Thermis-tors, Frost mounds, Altitude, Tundra, Polygonal topography, Thermokarst lakes, Soil temperature,

erature. Finland.

42-4006
Model for mapping permafrost distribution based on Model for mapping permatrost distribution based on landscape component maps and climatic variables. Jorgenson, M.T., et al, International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. I. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.176-182,

18 refs.

Permafrost distribution, Landscape types, Photoin-terpretation, Mapping, Climatic changes, Computer applications, Vegetation, Heat balance, Soil temperature, Modela

42-4007

Permafrost sites in Finnish Lapland and their envionment occurre

roament occurrences. King, L., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.183-188, 52

Seppala, M.

Seppairs, M. Permafrost distribution, Snow accumulation, Discontinuous permafrost, Vegetation, Wind erosion, Environments, Finland—Lapland.

42-4008
Cryogenic complexes as the basis for prediction maps.
Klimovskii, I.V., et al, International Conference on Permafrost, 5th, Tondheim, Norway, Aug. 2-5, 1988
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.189-193, 7 refs.

Gotovtsev, S.P.

Permafrost heat balance, Cryogenics, Topographic features, Mapping, Permafrost control, Human fac-

42-4009

42-409
Glacial history and permafrost in the Svalbard area.
Landvik, J.Y., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.194-198,

13 fets.
Mangerud, J., Salvigsen, O.
Permafrost distribution, Glaciation, Periglacial processes, Permafrost thickness, Sea level, Paleoclimatology, Glacial geology, Geologic processes, Norway—Svalbard.

42-4010

Regional factors of permafrost distribution and thick-ness, Hudson Bay coast, Quebec, Canada. Lévesque, R., et al, International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.199-204, 29 refe

Allard, M., Seguin, M.K.

Permafrost distribution, Permafrost thickness, Land-scape types, Geomorphology, Tundra, Forest lines, Quaternary deposits, Geocryology, Vegetation, Snow depth, Canada—Quebec.

42-4011

Pinus hingganensis and permafrost environment in the Mt. Da-Hinganling, Northeast China. Lu, G., International Conference on Permafrost, 5th,

Lu, G., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Scaneset, Trondheim, Norway, Tapir Publishers, 1988, p. 205-207, 4 refs. Permafroet distribution, Vegetation, Glaciation, Climatic changes, Mountains, Forest lines, Paleoclimatology, Revegetation, Pleistocene, China—Da-Hinganling Mountain.

42-4012

A2-4012
Natural geosystems of the plain cryolithozone.
Mel'nikov, E.S., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.208-212, 8 refs. Permafrost, Geocryology, Ecosystems, Sensonal freeze thaw, Mapping, Forecasting.

42-4013

Predicting the occurrence of permafrost in the Alaskan discontinuous zone with satellite data.

Morrissey, L.A., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.213-217, 10

Discontinuous permafrost, Permafrost forecasting, Permafrost distribution, Remote sensing, Models, Vegetation, Mapping.

Modern methods of stationary engineering—geologic investigations of cryolitic zone.

isvestigations of cryolitic zone. Pavloy, A.V., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p. 218-223, 21 refs.

Tsibul'skii, V.R. Permafroet, Geocryology, Geological surveys, Accuracy, Engineering, Messuring instruments.

42-4015

Petrographic characteristics of massive ground ice,

Yukon Coastal Plain, Canada. Pollard, W.H., et al. International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Sunneset, Trondheim, Norway, Tapir Publishers, (1988), p.224-229,

13 refs. Dallimore, S.R.

Ground ice, Sediments, Ice structure, Rock properties, Ice wedges, Snow ice.

Content of North American cryolithological map. Popov, A.I., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.230-232.

Rosenbaum, G.E.
Permafrost distribution, Mapping, Frozen ground,
Geocryology, Classifications, Freeze thaw cycles.

New data on permafrost of Kodar-Chara-Udokan re-

Romanovskil, N.N., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.233-236, 6 refs

o rem.

Permafrost distribution, Geocryology, Permafrost thickness, Permafrost thermal properties, Mountains, Taliks, USSR—Transbalkal.

42-4018

Mean annual temperature of grounds in East Siberia. Zamolotchikova, S.A., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, 1988, p.237-240, 8 refs.

Frozen ground temperature, Permafrost thermal properties, Soil temperature, Altituda, Heat transfer, Soil surface, USSR—Siberia.

Alpine permafrost in eastern North America: a re-

Schmidlin, T.W., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.241-246, 34 refs.

Permafrost distribution, Climatic factors, Alpine glaciation, Air temperature, Mountains, Forest lines, Mapping.

Seasonal freezing of soils in Central Asia mountains. Severskii, I.V., et al, International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.247-252, 6 refs.

Severskil, E.V.

Discontinuous permafrost, Seasonal freeze thaw, Snow depth, Geocryology, Soil freezing, Mountains, Seasonal variations, Alpine glaciation.

Alpine permafrost occurrence at Mt. Taisetsu, central Hokkaido, in northern Japan.

Sone, T., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.253-258, 11

Takahashi, N., Fukuda, M. Permafrost distribution, Soil temperature, Active lay-er, Permafrost depth, Alpine glaciation, Mountains, Temperature gradients, Cracks, Frost mounds, Japan —Taisetsu, Mountain.

Rock glaciers and glaciation of the Central Asia ownteins

mountains.
Titkov, S.N., International Conference on Permafro
5th, Trondheim, Norway, Aug. 2-5, 1988. Proces
ings, Vol.1. Edited by K. Senneset, Trondheim, N.
way, Tapir Publishers, [1988], p.259-262, 29 refs.
Rock glacters, Alpine glactation, Glacter escillation
Mountains, Paleoclimatology, Origin.

42-4023

42-4023 Geocryogenic geomorphology, east flank of the Andes of Mendozz, at 33 deg S.L. Trombotto, D., International Conference on Perma frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.263-267, 16

Geocryology, Geomorphology, Discentinees perma-frost, Periglacial processes, Meuntains, Rock gla-ciers, Talus, Argentine—Andes.

42-4024

Outer limit of permafrost during the last glaciation in east Chine

east China.

Xu, S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.268-273, 15 refs.

Fossils, Permetrest distribution, Glacistion, Paleo-climatology, Periglacial processes, Alpine glaciation, Pleistocene, China.

42-4025

42-4025
Geocryological map of the USSR of 1:2,500,000 scale.
Ershov, E.D., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.274-277.
Geocryology, Permafrost distribution, Frezen ground temperature, Topographic factures, Maps, Soil temperature, Permafrost thickness, Cryogosic structures, USSR.

42-4026
Permafrost zone evolution induced by destruction of soil overlying cover in the Amer Neeth.
Zabolotnik, S.I., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988, p. 278-283, 5 refs. Permafrost transformation, Active layer, Freeze thaw cycles, Permafrost depth, Sawo cover effect, Degradation, Soils, Seasonal freeze thaw, Messes, USSR—Amer Pires.

42-4027
Distribution of shallow permafreet on Maru.
Zent, A.P., et al, International Conference on Permafreet, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.284-289, 10 refs.

Fanale, F.P., Salvaii, J.R., Postawko, S.E. Permafrost distribution, Permafrost thickness, Mars (planut), Surface temperature, Models, Planetary ennts, Water vapor.

42-4028

On the method of crychydrogeochemical investig

tions.
Anisimova, N.P., International Conference on Perm frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondhein Norway, Tapir Publishers, [1985], p.290-293, 6 refa. Geocryology, Permatrost, Hydregeology, Geochamitry, Ground ice, Soll water, Ions, Sampling.

Hydrochemistry of rivers in mountain permetrest at 33 deg L.S., Mendous-Argentina.

Buk, E.M., International Conference on Permetrest,

Buk, E.M., International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1983. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.294-298, 11 refs. Glacial rivers, Water chemistry, Permatrest, River flow, Mountains, Glacial deposits, Water temperature, Precipitation (meteorology), Rock glaciers, Iong, Argentins—Mendoza.

42-4030
Freet line behaviour eround a cooled cavity.
Cames-Pintaux, A.M., et al., International Conference
on Permarkoet, 5th, Trondheim, Norway, Aug. 2-5,
1988. Proceedings, Vol.1. Edited by K. Senneset,
Trondheim, Norway, Tapir Publishers, [1988], Aguirre-Puente. J.

Proces thaw cycles, Underground pipelines, Stefan problem, Underground storage, Gas pipelines.

42-4031
Proet heave model of sendy gravel in open system.
Chen, X.B., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988; p.304-307, 8 refs. Wang, Y.Q., He, P.
Proet heave, Gravel, Proet penetration, Sends, Models, Proet resistance, Soil water.

42-4032 ervations of moisture migration in frozen soils

Observations of moisture migration in frozen soils during thewing.
Cheng, G., et al., MP 2373, International Conference on Permafrost, 5th, Trondelim, Norway, Aug. 2-3, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p. 308-312, 14 refs.
Chamberlain, B.J.
Greund thawing, Soil water migration, Frozen ground, Water content, Tests, Ice leases, Frost heave,

ica formation. Ice formation.

Open and closed system tests on prefrozen allt and clay were conducted to investigate moisture migration in frozen soils during thawing. In all tests, an increase in water content just below the thawing from twa observed. In some cases, a thawing frings, ice lenses and frost heavy were recorded. Water migration into the frozen part of thawing soil was greatly reduced after a continuous ice lens had formed across a sample. A regulation mechanism for ice formation in frozen soil during thawing a managented.

42-4033
Geocryologic studies aimed at nature conservation.
Chizhov, A.B., et al, International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.313-315.
Gavrilov, A.V., Pizhankova, E.I.
Geocryology, Permatrost preservation, Permatrost control, Human factors, Environmental protection.

42-4034
Iron and clay minerals in periglacial environment.
Chodak, T., International Conference on Permafrost,
5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by fk. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.316-319, 8 refs.
Active layer, Clay minerals, Permafrost physics, Periglacial processes, Chemical analysis, X ray diffraction, Weathering.

42-4035
Prezes soil macro-and microtexture formation.
Chuvilin, E.M., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.320-323.
Laynin, O.M.
Cryogonic taxtures, Frozen ground physics, Soil structure, Soil formation, Permafrost physics, Soil freezing, Microstructure.

Acoustics and unfrozen water content determination.
Deschatres, M.H., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.324-328,

Cohen-Tenoudji, F., Aguirre-Puente, J., Khastou, B. Undrozen water content, Accestics, Porces materials, Precesing, Attenuation, Ultraconic tests, Temperature effects, Stefan problem, Sound transmission.

Thermodynamics theory forecasting frozen ground.
Ding, D., International Conference on Permafrost,
Sth, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway,
Tapir Publishers, [1983], p.329-332, 8 refs.
Prozes ground thermodynamics, Permafrost thermal
properties, Geocryology, Ferecasting, Hest balance.

Pore solutions of frozen ground and its properties. Dubikov, G.I., et al, International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.333-338,

I renova, N.V., Aksenov, V.I.
Frozen ground physics, Soil water, Solutions, Unfresen water content, Freezing points, Perceity, Saline soils, Soil strength, Chemical analysis.

42-4039
Formation problem of thick ice streaks, ice saturated horizons in permatroet.
Fel'dman, G.M., International Conference on Permatroet, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.339-343, 4 refs.
Fermatroet, Ground ice, Ice formation, Soil water migration, Ice volume, Ice leases.

42-4040

Prost heave

Porland, K.S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988, Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], ...344-348, 1 ref

Periand, T., Ratkje, S.K. Frost heave, Heat transfer, Thermodynamics, Soil water migration, Pressure, Preeze thaw cycles, Anal-ysis (mathematics).

42-4041

Parametric effects in the filtration free convection model for patterned ground.
Gleason, K.J., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.349-354, 17 refs.

Krantz, W.B., Caine, N.

Patterned ground, Frozen ground mechanics, Thaw depth, Models, Convection, Ground thawing, Frost action, Viscosity, Thermal conductivity.

42-4042

Heat and moisture transport during annual freezing and thewing.

Gosink, J.P., et al, International Conference on Perma frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.355-360, 19

rens. Kawasaki, K., Osterkamp, T.E., Holty, J. Freeze thaw cycles, Soil water migration, Heat transfer, Permafrect thermal properties, Soil temperature, Water content, Environmental impact, Models, Agriculture.

42-4043

Summer thawing of different grounds—an empirical

model for western Spitsbergen.

Grzes, M., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Aug. 2-6, 1988. way, Tapir Publishers, [1988], p.361-363, 9 refs. Ground thawing, Thaw depth, Active layer, Perma-frost, Seasonal variations, Models, Norway—Spits-

Observations on the redistribution of moisture in the

Observations on the redistribution of moisture in the active layer and permafrost.

Harris, S.A., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.364-369, 26 refs. Permafrost hydrology, Active layer, 804l water migration, Temperature effects, Permafrost thermal properties, Ground thawing, Frost mounds.

Mathematical model of frost heave in granular

meteriele.

Piper, D., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.370-376, 20 refa

Holden, J.T., Jones, R.H.

Frost heave, Water pressure, Soil freezing, Grain size, Mathematical models, Forecasting, Temperature of-

42-4046

Electric conductivity of an ice core obtained from

massive ground ice.
Horiguchi, K., International Conference on Perm riority Ch., Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.37-380, 4 refs. Ice electrical properties, Ground ice, Soil structure, Electrical realistivity, Sediments, Ice volume, Ice sam-

42-4047

Physical-chemical types of cryogenesis.
Konishchev, V.N., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.381-383, 2 and 1988.

Rogov, V.V., Poklonnyi, S.A.
Permafroet weathering, Geocryology, Sediments,
Freeze thaw cycles, Degradation, Chemical properties, Experimentation.

42-4048
Temperature of ice lens formation in freezing soils.
Konrad, J.M., International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p. 384-389, 7 refs.
Ice lenses, Ice formation, Ground ice, Soil freezing, Temperature effects, Pressure, X ray analysis.

42-4049

Microstructure of frozen soils examined by SEM. Kumai, M., MP 2361, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.390-395,

8 refs 5 reus.
Frozan ground physics, Soil structure, Microstructure, Scanning electron microscopy, X ray analysis, Clay, Porosity, Ice sublimation, Chemical analysis, Grain size.

Grain size.

Physical properties of bentouits, dickits and sand samples for freering experiments were examined with a scanning electron microscope (SEM), and elemental compositions were measured with an energy dispersive x-ray (EDX) analyzer. Bentonite from Umiat, Alaska, is a typical coid-regions swelling clay with thin, crumpled and folded structures. The soil samples with relatively high water contents were frozen, and the frozen characteristic severe examined with the SEM equipped with a cold stage. SEM images of frozen bentonits and dickite showed characteristic segregated los and coagulated soil patterns formed during freezing processes and prorus structures formed during the sublimation stage of ice in frozen soils. However, forcen sand showed no typical ice segregation and sand grain coagulation because of the large grain size. The freeze sublimation process of frozen clay and silt increases the permeability to water vapor because of the procus structure formation.

42-4050

Cryoganic deformations in fine-grained soils.
Lebedenko, IU.P., et al, International Conference on Permafroat, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.396-400.
Shevchenko, L.V.

Geocryology, Soil structure, Soil treaxing, Ground thawing, Salinity, Grain size, Soil water, Saturation, Deformation, Frozen ground physics, Frost heave.

Properties of geochemical fields in the permafrost

Makarov, V.N., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.401-405, 17 refe

Permafrost control, Geochemistry, Active layer, Su-prapermafrost ground water, Water pollution, Chemi-cal analysis.

Plain (NW Spitsbargen).
Marciniak, K., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.406-411, 5 refs

Przybylak, R., Szczepanik, W. Soll mechanics, Rheology, Ground thawing, Beaches, Thaw depth, Meteorological factors, Seasonal varia-tions, Norway.—Spitaberges.

42-4053

Method for measuring the rate of water transport due to temperature gradients in unsaturated frozen soils. Nakano, Y., et al, MP 2362, International Conference Nakano, 1, et al., Mr 2002, international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.412-417, 7 refs.
Tice, A.R.

Temperature gradients, Frozen ground temperature, Soil water migration, Saturation, Water content, Analysis (mathematics).

A new experimental method is introduced to determine the rate A new experimental method is introduced to determine the rate of water movement caused by temperature gradients in unsaturated frozen soils. When a linear temperature distribution is imposed on a closed soil column with initially a uniform water content, a redistribution of water occurs in the column. As time increases, the profile of water is stabilized to approach a stationary profile, which is used to calculate the rate of water movement due to temperature gradients. The theoretical justification of the method is presented and the feasibility of the method is demonstrated by experiments with a marine-deposited clay.

Filtration properties of frozen ground.
Olovin, B.A., Interactional Conference on Permafrost, 5th, Trondheim, Norwsy, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norwsky, Proceedings, Vol.1. ings, vol.1. Scieted by K. Senneset, irondaeim, Norway, Tapir Publishers, [1985], p.418-44, 8 ref.
Permafrost structure, Freezes ground physics, Seepage, Thermodynamics, Permeshility, Gases, Air temperature, Atmospheric pressure, Experimentation.

42-4055
Thermodiffuse ion transfer in grounds.
Ostroumov, V.E., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p. 425-430, 4 refs.
Prozen ground, Ion diffusion, Ground thawing, Temperature effects, Soil water migration, Analysis (mathematics).

42-4056
Electroscoustic effect in frozen soils.
Pavlov, A.S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.431-435, 12 refs.

Frolov, A.D.

Geogryology, Frozen ground physics, Permafrost physics, Elastic waves, Ions, Acoustics, Electric fields.

42-4057

Spatial variation in seasonal frost heave cycles. Perfect, E., et al, International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. I. Edited by K. Senneset. Trondheim, Norway, Tapir Publishers, 1988, p.436-441, 22

Miller, R.D., Burton, B. Frost heave, Rheology, Frost penetration, Frozen ground mechanics, Thaw consolidation, Soil physics, Statistical analysis, Sessonal variations.

Direction of ion migration during cooling and freezing

Qiu, G., et al, International Conference on Permafrost, Qu., G., et al, international Conference on Permatrost, Sth., Trondheim, Norway, Aug. 2-5, 1988. Proceed-ings, Vol.1. Edited by K. Senneset, Trondheim, Nor-way, Tapir Publishers, [1985], p.442-447, 8 refs. Sheng, W., Huang, C., Zheng, K. Frozes ground, Ion diffusion, Soil freezing, Tempera-ture gradients, Water flow, Cooling, Ground water, Pressure, Solutions.

Dynamics of permafrost active layer—Spitsberges.
Repelewsks-Pekalows, J., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senness, Trondheim, Norway, Tapir Publishers, 1988, p.448-453, 10 refs.

p.448-49-29, 10 val... Gluza, A. Active layer, Ground thawing, Permafreet thermal properties, Soil machanics, Topographic features, Soil water, Vegetation, Thaw depth.

Investigation of electric potentials in freezing diserse systems.

perse systems.

Romanov, V.P., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.454-458, 18

Electric potential, Soil freezing, Permafrost physics, Ground ice, Solutions, Ice formation, Experimenta-tion, Freezing.

42-4061

Physico-chemical nature of congelation strength. Physico-chemical nature of congelation strength.

sh. el'ev, B.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p. 459-461.
Razumov, V.V., Gagarin, V.E.
Ice solid interface, Ice strength, Frozen ground
strength, Ice accretion, Freezing, Solutions, Engineering, Chemical composition.

42-4062

Hydrogeochemistry of kryolithozone of Siberian Platform.

Schwartsev, S.L., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-Proceedings, vol.1. Edited by N. Semieset, Arona-heim, Norway, Tapir Publishers, [1988], p.462-466. Zuev, V.A., Bukaty, M.B. Permafrost hydrology, Geochemistry, Ground water, Permafrost thickness, Water chemistry, Soll water.

42-4063

Formation of pedogenic carbonates on Svalbard: the

Formation of pedogenic carbonates on Svalbard: the influence of cold temperatures and freezing. Sletten, R.S., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Sennestt, Trondheim, Norway, Tapir Publishers, 1988, p.467-472, 32 refs. Soil composition, Soil freezing, Permafrost, Ice composition, Temperature effects, Water chemistry, Soil chemistry, Norway—Svalbard.

42-4064

Measurement of the unfrozen water content of soils: a comparison of NMR and TDR methods.

Smith, M.W., et al, MP 2363, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, Trondheim, Norway, Tapir Publishers, 11988, p.473-477, 10 refs. Tice, A.R. Unfrozen water content, Soil water, Frozen ground,

Temperature effects, Dielectric properties, Ex-perimentation, Nuclear magnetic resonance, Reflecperimentation, rucies tivity. Water content.

A laboratory testing program was carried out to compare two independent methods for determining the unfrozen water content of soils. With the TDR method, the unfrozen water con-A lacoratory testing program was carried out to compare two independent methods for determining the unfrozen water content of soils. With the TDR method, the unfrozen water content is inferred from a calibration curve of apparent dielectric constant versus volumetric water content, determined by seprement. Previously, precise calibration of the TDR technique was hindered by the lack of a reference comparison method, which NMR now offers. This has provided a much greater scope for calibration, including a wide range of soil types and temperature (unfrozen water content). The results of the testing program yielded a relationship between dielectric constant and volumetric unfrozen water content that is largely unaffected by soil type, although a subtle but apparent of wendency on the testure of the soil was noted. It is suggested that this effect originates from the lower valued delectric constant for adsorbed soil water. In spite of this, the general equation presented may be considered adequate from other transfer of the soil was noted. The constitution of the transfer of the soil was noted. It is suggested that this effect originates from the lower value of the constitution of the consti

42-4065

Genesis of Arctic Brown soils (pergelic cryochrept) in

Systogram. Ugolini, F.C., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p. 478-483,

Sletten, R.S.

Soil formation, Soil water, Soil chemistry, Cryoturbation, Vegetation, Solutions, Ions, Norway-Svalbard. 42-4000

Oxygen isotopic composition of some massive ground

Oxygen isotopic composition of some massive ground ice layers in the north of West Siberla.

Valkmiae, R.A., et al, International Conference on Permafrost, 5th, Trondheim, Norwsy, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norwsy, Tapir Publishers, [1988], p.484-488, 15 rafe

Solomatin, V.I., Karpov, E.G.

Ground ice, Oxygen isotopes, Ice formation, Isotope analysis, Origin, Ice detection, Circues.

42-4067

Oxygen isotope variations in ice-wedges and massive

108. Usall'chuk, IU.K., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.489-492. Q refe

Trofimov, V.T.

Itomov, v. 17.
Ice wedges, Ground ice, Oxygen isotopes, Permafrost thermal properties, Origin, Ice volume, Paleoclimatology, Freeze thaw cycles, Pleistocene.

Thermodynamic and mechanical conditions within frozen soils and their effects.

Williams, P.J., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.493-498, 24

Frozen ground mechanics, Frozen ground thermody-namics, Soil water migration, Frost heave, Soil struc-ture, Microstructure, Origin, Solifluction, Rheology, Soil freezing, Freeze thaw cycles.

42-4069

Time and spatial variation of temperature of active layer in summer on the Kafflöyra Plain (NW Spitsbergen). Wojcik, G., et al, International Conference on Perma-

frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.499-504, 14

Marciniak, K., Przybylak, R.

Active layer, Soil temperature, Permafrost thermal properties, Temperature distribution, Beaches, Tun-dra, Meteorological factors, Norway—Spitsbergen.

Temperature of active layer at Bunger Oasis in Antarctica in summer 1978-79.

tarctica in summer 1978-79.

Wojcik, G., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.505-510, 5 refs. Active layer, Soil temperature, Permafrost, Temperature distribution, Seasonal variations, Temperature gradients, Weather observations, Antarctica—Bungart Hills.

or fills.

The results of the ground temperature measurements in the Bunger Oasis, Ansarctica, from the summer season 1978-79 are meented and discussed in the paper with particular regards to temperature of active surface, vertical distribution and vertical gradients of temperature dependent on daytime and weather conditions. (Auth.)

Chemical weathering in permafrost regions of Antarctica: Great Wall Station of China, Casey Station and Davis Station of Australia.

Xie, Y., International Conference on Permafrost, 5th,

Xie, Y., International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir l'ablishets, [1988], p.511-515, 2 rcfs. Chemistry, Permafrost weathering, Ion diffusion, Frost action, Frost weathering, Antarctica—Casey Station, Antarctica—Dayls Station, Antarctica—Great Wall Station.

Lirest Wall Station.

Although it is cold and dry in "ermafrost regions of Antarctics, chemical weathering and ion migration do occur. Some elements move upwards, and some downwards. CaCO3 is leached downwards and deposited at a depth of about 1 m in the Great Wall Station area. Chemical weathering is stronger in the Great Wall Station of China than in the Casey and Davis Stations. This paper deals with the chemical weathering process of bedrock in some regions of the Antarctic. The samples were collected from the Great Wall Station of China in 1984 to 1986, Casey Station in 1984 and Davis Station in 1980. (Auth.)

42-4072
Water migration in saturated freezing soil.
Xie, X., et al., International Conference on Permafrost,
5th, Trondheim, Norway, Aug. 2-5, 118. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway,
Tapir Publishers, [1988], p.516-521, 13 refs.
Deng, Y., Wang, J., Liu, J.
Soil water migration, Soil freezing, Frost heave, Saturation, Water content, Permeability, Frost penetration. Water flow. Forecasting.

tion. Water flow. Forecasting.

42-4073

Effect of over consolidation ratio of saturated soil on frost heave and thaw subsidence.
Yamamoto, H., et al. International Conference on Per-

ramamoto, r., et al, international conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.522-527,

neim, Norway, 1apir Publishers, [1988], p.322-327, 11 refs.
Ohrai, T., Izuta, H.
Frost heave, Ground thawing, Stresses, Frozen
ground settling, Settlement (structural), Saturation,
Soil water, Clays, Experimentation, Models.

Mass transfer in frozen soils.

Prince Transfer in frozen source on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.528-532,

Lebedenko, IU.P., Ershov, V.D., Chuvilin, E.M. Leocoenko, 10.17, Ersnov, V.D., Chuvuin, E.M., Frozen ground physics, Mass transfer, Ice formation, Ground ice, Temperature gradients, Solutions, Ground water, Moisture transfer, Frozen ground thermodynamics

42-4075

42-4075
Stress-strain prediction of frozen retaining structures regarding the frozen soil creep.
Zareskif, IU.K., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.533-536,

Ter-Martirosian, Z.G., Shchobolev, A.G. Frozen ground mechanics, Soil creep, Artificial freez-ing, Stress strain diagrams, Rheology, Models, Vis-cous flow, Plastic flow, Forecasting, Rock excavation.

Study of frozen soils by geophysical methods. Zykov, IU.D., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.537-542, 14 cefe.

Rozhdestvenskij, N.IU., Chervinskaia, O.P. Frozen ground physics, Geophysical surveys, Acous-tics, Electrical properties, Engineering, Soil structure, Soil compositio

Outflow of water in permafrost environment-Spitsbergen.

Bartoszewski, S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.543-545, 6 refs.

Rodzik, J., Wojciechowski, K. Permafrost hydrology, Runoff, Snow melting, Active layer, Seasonal variations, Floods, Norway—Spitsbergen.

42-4078

Modelling of average monthly streamflows from gla-

Modeling of average monthly streamness from practerized basins in Alaska.

Bjerkelie, D., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.

Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.546-551,

Carlson, R.F.

Stream flow, Glacier melting, Runoff, Climatic fac-tors, Hydrography, Temperature effects, Radiation balance, Mountains, Models, United States—Alaska.

Protection of the environment in Jameson Land. Back-Madsen, C., International Conference on Perma-Back-Madsen, C., International Conference on Permariost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1983, p.552-557, 8 refs. Environmental protection, Permariost preservation, Frost penetration, Landforms, Geomorphology, Soil temperature, Climatic factors, Engineering, Greenland—Jameson Land.

Suspended sediment transport in arctic rivers Clark, M.J., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.558-563, 20

Gurnell, A.M., Threlfall, J.L.

Sediment transport, Permafrost, Suspended sediments, River flow, Ground thawing, Snowmelt, Ice melting, Hydrology, Electrical resistivity, Finland.

Buffering potential of carbonate soils in discontinuous permafrost terrain, against natural and man-induced acidification.

aciaincation.

Dredge, L.A., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.564-567, 6 refs. Discontinuous permafrost, Soll chemistry, Active layer, Leaching, Ground water.

Physical and chemical characteristics of the active layer and near-surface permafrost in a disturbed homogeneous Pices marians stand, Fort Norman, N.W.T., Canada.

Evans, K.E., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.568-573, 31 refs. Kershaw, G.P., Gallinger, B.J.

Active layer, Soil chemistry, Permafrost depth, Soil water, Ions, Forest ecosystems, Engineering, Canada
--Northwest Territories-Fort Norman.

Hydrology and geochemistry of a small drainage basin in upland tundra, northern Alaska.

Everett, K.R., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.574-579, 6 refs Ostendorf, B.

Tundra, Hydrology, Geochemistry, Snowmelt, Run-off, Ions, United States—Alaska.

Environment protection studies in permafrost zone of the USSR.

Grave, N.A., International Conference on Permafrost, Sth, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.580-582, 5 refs. Permafrost preservation, Environmental protection, Human factors, Permafrost control.

42-4085

Classification of ground water in permafrost areas on the Qinghai-Xizang Plateau, China.
Guo, P., International Conference on Permafrost, 5th,

Guo, P., International Conference on Permatrost, 9th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, £1988, p.583-589, 9 refs. Permafrost hydrology, Suprapermafrost ground wa-ter, Subpermafrost ground water, Taliks, Ground wa-ter, Classifications, China—Qinghal-Xizang Plateau.

Permafrost hydrology of a small arctic watershed. kone, D.L., et al. International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.590-595, 26 Hinzman, I. D.

Permafrost hydrology, Continuous permafrost, Watersheds, Stream flow, Precipitation (meteorology), Soil water, Active layer, Water balance, Snowmelt,

42-4087

Flowing water effect on temperature in outwash deposits.

arczewski, A., International Conference on Permarost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.596-598, 10 refs.

Sediments, Thermal properties, Water temperature, Soil temperature, Air temperature, Water flow, Soil erosion, Banks (waterways).

42-4088

Salix arbusculoides Anderss. Response to denuding

and implications for northern rights-of-way.

Kershaw, G.P., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.

Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.599-604,

Gallinger, B.J., Kershaw, L.J.
Environmental impact, Vegetation, Revegetation, Environmental protection, Plant ecology, Human factors, Ecosystems, Polar regions.

Ablation of massive ground ice, Mackenzie Delta. Lewkowicz, A.G., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.605-610,

Ground ice, Ablation, Permafrost, Heat transfer, Erosion, Slope orientation, Solar radiation, Canac Northwest Territories—Tuktoyaktuk Peninsula.

Hydrogeological features in Huolahe Basin of north Daxinganling, northeast China.
Lin, F., et al, International Conference on Permafrost,

5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.611-614, 1 ref. Tu, G.

Permafrost hydrology, Ground water, Runoff, Sub-permafrost ground water, Taliks, Geologic structures, China—Huolahe.

42-4091

Shallow occurrence of wedge ice: irrigation features. Shailow occurrence of wedge ice: irrigation features. Mandarov, A.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988), p.615-617, 1 ref.

Ugarov, LS.

Ice wedges, Ice melting, Irrigation, Permafrost, Water pipelines, Soil temperature, Surface tempera-

42-4092

Soil infiltration and snow-melt run-off in the Mackenzie Delta, N.W.T.

zie Delta, N.W.T.

Marsh, P., International Conference on Permafrost,
5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.618-621, 21 refs.
Soll water, Snowmelt, Runoff, Permafrost thermal
properties, Heat flux, Seepage, Active layer, Latent
best, Snow, convention. heat. Snow cover effect.

Late Pleistocene discharge of the Yukon River. Late Pleistocene discharge of the Yukon River. Mason, O.K., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.622-627, 33 refs. Beget, J.E.

River flow, Remote sensing, River basins, Paleo-climatology, Pleistocene, Channels (waterways), Variations, United States—Alaska—Yukon River.

Influence of water phenomena on depth of soil thawing in Oscar II Land, northwestern Spitsbergen. Pietrucien, C., et al, International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.628-632,

Ground thawing, Thaw depth, Water content, Tundra, Permafrost beneath rivers, Permafrost beneath lakes, Permafrost hydrology, Norway-Spitsbergen.

Influence of an organic mat on the active layer. Riseborough, D.W., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.633-638,

Active layer, Vegetation factors, Permafrost thermal properties, Permafrost hydrology, Thermal regime, Mosses, Soil chemistry, Water flow, Canada—Yukon Territory-Mayo.

42-4096

42-4996
Perennial discharge of subpermafrost groundwater in two small drainage basins, Yukon, Canada.
Van Everdingen, R.O., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.639-643,

Subpermafrost ground water, Water flow, Discontinuous permafrost, Water supply, Springs (water), Water chemistry, River basins, Canada—Yukon Ter-

Wetland runoff regime in northern Canada. Woo, M.-K., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1983], p.644-649, 18 refs. Runoff, Snowmelt, Ground water, Surface waters, Seasonal variations, Ground thawing.

42-4098

Streamflow characteristics of the Qinghai (northern

Tibetan) Plateau.

Yang, Z., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.650-655, 14 refs Woo, M.

Stream flow, Permafrost hydrology, Runoff, Precipitation (meteorology), Snowmelt, Glacier melting, Ground water, Rain, Mountains, Chine—Qinghai Plateau.

47-4000

Rational exploitation and utilization of ground water

Rational exploitation and utilization of ground water in permafroat region of the Mt. Da-Xinganiling and Mt. Xiao-Xinganiling, northeast China.
Zheng, Q., International Conference on Permafroat, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.556-658, 4 refs. Permafroat hydrology, Ground water, Water reserves, Mountains, Talliks, China—Da-Xinganling Mountain, China—Xiao-Xinganling Mountain.

42-4100

Groundwater protection in the permafrost zone. Afanasenko, V.E., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.659-660b, 5 refs. Volkova, V.P.

Permafrost hydrology, Ground water, Hydrology, Protection, Water pollution.

42-4101

Minero-cryogenic processes.

Namero-cryogenic processes.
Alumada, A.L., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.661-665, 24

Active layer, Soil composition, Permafrost, Preeze thaw cycles, Minerals, Mountains, Sampling, Argentina—Andes.

Upfreezing in sorted circles, western Spitsbergen. Optreezing in sorted circles, western Spitsbergen.
Anderson, S.P., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.666-671, 33

Soil freezing, Rocks, Frost heave, Active layer, Freeze thaw cycles, Forecasting, Geomorphology, Freezeup, Sorting, Gravel, Norway—Spitsbergen.

Tephras and sedimentology of frozen Alaskan loess. Beget, J.E., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.672-677, 32 refs. Loesa, Ice wedges, Sediments, Geomorphology, Eolian solls, Paleoclimatology, Stratigraphy, United States—Alaska.

Morphological features of the active rock glaciers in

Morphological leatures of the active rock glackers in the Italian Alps and climatic correlations.

Belloni, S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p 678-682b, 10

Pelfini, M., Smiraglia, C.

Rock glaciers, Geomorphology, Aerial surveys, Cli-matic factors, Mountains, Altitude, Air temperature, Italy-Alps.

42-4105

Observations on near-surface creep in permafront, eastern Melville Island, Arctic Canada.

Bennett, L.P., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.683-688, 26 refs.

French, H.M.

Permafrost physics, Soil creep, Frozen ground me-chanics, Permafrost thermal properties, Rheology, Ground ice, Active layer.

Observations on an active lobate rock gladler, Slims

Observations on an active toolste rock gracier, Slims River Valley, St. Elias Range, Canada. Blumstengel, W., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.689-694,

Harris, S.A.

Radins, S.A.
Rock glaciers, Permatrost hydrology, Ice creep,
Loess, Glacier flow, Forest land, Active layer, Frozer
ground temperature, Canada—Yukon Territory—
Silms River Valley.

42-4107

General moistening of the area and intensity of cryo-

genic processes.

Bosikov, N.P., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.695-699, 13

Geocryology, Thermokarst, Soil water, Permafrost distribution, Mapping.

Thermokarst lakes at Mayo, Yukon Territory, Cana-

Burn, C.R., et al, International Conference on Perma-Frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.700-705, 17 Smith. M.W.

Thermokarst lakes, Lacustrine deposits, Aerial surveys, Age determination, Taliks, Climatic changes, Geothermal prospecting.

Loess and deep thermokarst basins in Arctic Alaska. Carter, L.D., International Conference on Permafrost, Carter, L.D., International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p. 706-711, 23 refs. Loess, Thermokarst, Ground ice, Distribution, Ice wedges, Stratigraphy, Radioactive age determination, United States—Alaska.

42-4110

First approach to the systematic study of the rock glaciers in the Italian Alps.

glaciers in the Italian Alps. Carton, A., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.712-717, 12

Dramis, F., Smiraglia, C.

Rock glaciers, Geomorphology, Distribution, Mountains, Aerial surveys, Altimetry, Climatic factors, Italy-Alns.

42-4111

Geocryology of the central Andes and rock glaciers. Corte, A.E., International Conference on Permafrost, Corte, A.E., International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.718-723, 21 refs. Geocryology, Rock glacters, Permafrost distribution, Mountains, Talus. 42-4112

Rock glaciers in the source region of Urumqi River, middle Tian Shan, China.
Cui, Z., et al, International Conference on Permafrost,

5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.724-727, 14 refs. Zhu, C.

Rock glaciers, Talus, Permafrost, Glacier flow, Alpine glaciation, Electromagnetic prospecting.

Scasonal frost mounds in an colian sand sheet near Söndre Strömfjord, W. Greenland. Dijkmans, J.W.A., International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.728-733,

Frost mounds, Eolian soils, Permafrost distribution, Sands, Hummocks, Seasonal variations, Sedimenta-tion, Stratification, Ground ice, Greenland.

42-4114

Pingos in Alaska: a review.

Ferrians, O.J., Jr., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.734-739, 35

Pingos, Continuous permafrost, Frost mounds, Dis-continuus permafrost, Climatic factors, Geologic pro-cesses, Topographic effects.

42-4115

Regularities in forming the discontinuity of a cryogen-

Fotiev, S.M., International Conference on Permafrost. 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norings, vol.1. Edited by A. Senneset, i rondineim, Norway, Tapir Publishers, [1988], p.740-743, 2 refs.

Discontinuous permafrost, Freeze thaw cycles, Geocryology, Pleistocene, Paleoclimatology, Tallks.

42-4116

Rock glacier rheology: a preliminary assessment. Giardino, J.R., et al, International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.744-748,

Rock glaciers, Glacier flow, Rheology, Basal sliding, Models, Ice mechanics, Ice creep, Ice deformation.

Use of microbiological characteristics of rocks in geocryology. Gilichinskii, D.A.

et al. International Conference on Permafrox, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.749-753,

Geocryology, Frozen rocks, Soil microbiology, Per-mafrost, Pleistocene, Paleoclimatology, Geomor-phology, Sediments.

Thermic of permafrost active layer—Spitsbergen. Gluza, A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.754-758, 14

Repelewska-Pekalowa, J., Dabrowski, K. Active layer, Permafrost, Geomorphology, Tundra, Meteorological factors, Plains, Shores, Soil water, Vegetation, Periglacial processes, Soil temperature, Norway-Snitsbergen.

Soll formation paleogeographic aspects in Yakutiya. Gubin, S.V., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p. 759-763, 7 refs. Soll formation, Tundra, Active layer, Landscape descriptions. velopment, Paleoclimatology, Pleistocene, USSR—Yakutia. 42-4120

Acrophotogrammetrical monitoring of rock glaciers. Haeberli, W., et al, International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.764-769, 14 ref6. 14 refs. Schmid, W.

Rock glaciers, Photogrammetric surveys. Permafrost. Glacier flow, Rheology, Periglacial processes, Aerial surveys, Discontinuous permafrost, Ground ice, Ice

42-4121

Surface soil displacements in sorted circles, western Spitsbergen.

Hallet, B., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.770-775, 31

reis.
Anderson, S.P., Stubbs, C.W., Gregory, E.C.
Active layer, Soll mechanics, Periglacial processes,
Geomorphology, Prost heave, Soll water migration,
Seasonal variations, Gravel, Sorting, Norway—Spita-

42-4122

Micromorphology and microfabrics of sorted circles, Jotunheimen, southern Norway. Harris, C., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.776-783, 35 refs. Cook, J.D.

Microstructure, Periglacial processes, Geomorphology, Active layer, Freeze thaw cycles, Microanalysis, Gravel, Clays, Sorting.

42-4123

Cryostratigraphic studies of permafrost, northwest-

ern Canada.

Harry, D.G., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.784-789, 31 refs.

French, H.M.

Permafrost, Geocryology, Ground ice, Stratigraphy, Paleoclimatology, History, Canada.

42-4124

Thaw lake sediments and sedimentary environments. Hopkins, D.M., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.790-795, Kidd I G

Lacustrine deposits, Ground thawing, Sediments, Geomorphology, Permafrost, Paleobotany, Vegeta-tion, Ice melting, Lake ice.

42-4125

Periglacial soil structures in Spitsbergen and in con-Jahn. A., International Conference on Permafrost, 5th,

Jann, A., International Conterence on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1983, p.796-800, 24 refs. Permatrost structure, Periglacial processes, Active layer, Soil structure, Glaciation, Paleoclimatology,

Norway-Spitsbergen. 42-4126

Continuous persistence of the permafrost zone during

Continuous persistence of the permatrost zone during the Quaternary period. Katasonov, E.M., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.801-804, 11 refs

Continuous permafrost, Permafrost distribution, Preeze thaw cycles, Quaternary deposits, Cryogenic structures, Paleoclimatology.

42-4127

Problem of integral index stability of ground complex

rootem of integral lands standing of ground complex of permafrost.

Koval'kov, V.P., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.805-808,

Shvetsov. P.F.

Permafrost physics, Frozen ground mechanics, Sta-bility, Soil temperature, Seasonal freeze thaw, Phase transformations, Soil water, Analysis (mathematics).

Ice wedge growth in newly aggrading permafrost, western Arctic coast, Canada.

Mackay, J.R., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-coedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.809-814, 11

Ice wedges, Lake water, Ice growth, Continuous per-mafrost, Freeze thaw cycles, Ground ice, Ice forma-tion, Drainaga, Canada.

Heat flow and peculiarities of cryolithozone in west-

Heat flow and poculiarines of cryonicacous in western Siberia.
Mel'nikov, V.P., et al, International Conference on Permafroat, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.815-818,

Deviatkin, V.N., Bevzenko, IU.P.
Permafrost heat transfer, Geocryology, Frozen
ground mechanics, Frozen rocks, Geothermy, Seismic
surveys, Heat flux, Taliks.

42-4130

Microtopographic thermal contrasts, northern Alas-

Nelson, F.E., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.819-823, 18 refs.

Frost mounds, Topographic features, Permafrost thermal properties, Microanalysis, Active layer, Freeze thaw cycles, Soil temperature.

Frost mounds in Kafflöyra and Hermansenöya, NW Spitsbergen, and their origin. Niewiarowski, W., et al, International Conference on

Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.824-829, 30 refs.

Sinkiewicz, M. Prost mounds, Geomorphology, Continuous perma-frost, Ground ice, Origin, Peat, Vegetation, Norway— Spitsbergen.

42-4132

Contemporary frost action on differently oriented rock walls: an example from the Swiss Jura Mountains.

Pancza, A., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Fro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.830-833, 12 refa.

Ozouf, J.C. Frost action, Frost shattering, Frozen rocks, Geomor-phology, Mountains, Air temperature, Walls, Particle size distribution.

Geocryogenic slope caves in the southern Cascades. Pérez. F.L., International Conference on Permafrost. 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norings, vol.1. Seines of N. Senneset, Fronneism, Now way, Tapir Publishers, [1983], p.834-839, 26 refs. Geocyyology, Caves, Frost shattering, Slopes, Talus, Periglacial processes, Soil creep, Geomorphology, United States—Californis.

Traces of ice in caves: evidence of former permafront. Traces of Ice in Caves: evidence of former permatrost. Pissart, A., et sl., international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1/1983, p. 840-845, 8 refs. Van Vliet-Lanoe, B., Ek, C., Juvigne, E. Ice surveys, Caves, Permatrost distribution, Paleocilimatology, Sedimentation, Quaternary deposits, Soil freezing.

Theory of cryolithogenesis.

Popov. A.I., International Conference on Permafrost. Fopov, A.I., International Conference on Permatrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p. 846-849. Geocryology, Permatrost distribution, Permatrost structure, Theories, Origin, History, Ice formation, Ground ice, Lithology. 42-4136

Origin of massive ground ice on Tuktoyaktuk Peninsula, Northwest Territories, Canada: a review of stratigraphic and geomorphic evidence.

Rampton, V.N., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.850-855, 22

Ground ice, Geomorphology, Permafrost, Sediments, Origin, Stratigraphy, Oxygen isotopes, Ice lenses, Moltwater, Canada—Northwest Territories—Tuktoyaktuk Peninsula.

42-4137

Andes slope asymmetry due to geliffuction.
Regairaz, M.C., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.856-861, 34

Periglacial processes, Solifluction, Permafrost, Mountains, Climatic factors, Slope orientation, Soli erosion, Argentine-Andes.

Development of depressed-centre ice-wedge polygons in the northernmost Ungava Peninsula, Quebec,

Seppala, M., et al, International Conference frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.862-866, 16 refs.

Gray, J., Richard, J.

Polygonal topography, Ice wedges, Active layer, Peri-glacial processes, Ice formation, Paleoclimatology, Radioactive age determination, Stratigraphy, Canada —Quebcc—Ungava Peninsula.

42-4139

Upper horizon of permafrost soils. Shur, IU.L., International Conference on Permafrost, Shur, 1U.L., International Conference on Fermanos, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.867-871, 4 refs. Permafrost structure, Active layer, Geocryology, Thermokarst, Seasonal freeze thaw, Permafrost

42-4140

Frost shattering of rocks in the light of porosity. Uusinoka, R., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.872-875, 16 refs. Nieminen, P.

Frost shattering, Frozen rocks, Frost resistance, Porosity, Frost weathering, Water content.

Fluvio-aeolian interaction in a region of continuous ermafrost.

permafrost.
Vandenberghe, J., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.876-881, 19 refs.

Van Huissteden, J.

Continuous permafrost, Geocryology, Geomorphology, Cryoturbation, Periglacial processes, Climatic factors, Paleoclimatology, Sedimentation, Eolian solls. Ice wedges.

Regularities of forming seasonally cryogenic ground. Viturina, E.A., international Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.882-885, 9 refs. Cryogenic solis, Permafrost, Seasonal freeze thaw, Seasonal variations, Soli classification.

42-4143
Observations of sorted circle activity, central Alaska. Walters, J.C., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceed-ings, Vol.1. Edited by K. Senneset, Trondheim, Noray, Tapir Publishers, (1988), p.886-891, 19 refs. Patterned ground, Permafrost, Periglacial processes Prozen ground mechanics, United States—Alaska.

Patterned ground geologic controls, Mendoza, Argentine.

Wayne, W.J., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p892-896, 25 refs.
Patterned ground, Periglacial processes, Geomorphology, Permafrost, Mountains, Precipitation (meteorology), Wind factors, Paleoclimatology, Landforms, Argentina—Mendoza.

42-4145

Landslide motion in discontinuous permafrost.
Wilbur, S.C., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondeim, Norway, Tapir Publishers, [1988], p.897-902,

8 refs. Beget, J.E.

Discontinuous permafrost, Landslides, Permafrost thermal properties, Seasonal variations, Soil mechan-ica, Permafrost distribution, Permafrost thickness, Climatic factors, United States—Alaska.

Characteristics of cryoplanation landform in the in-terior area of Qinghai-Xizang Plateau.
Zhang, W., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p. 903-905, 8 refs. Shi S. Chen, E. Xu. S.

Norway, Tapir Publishers, [1988], p. 903-905, 8 reis.
Shi, S., Chen, F., Xu, S.
Altiplanation, Geomorphology, Periglacial processes,
Landforms, Mountains, Climatic factors, Origin,
Pleistocene, China—Qinghai-Xizang Plateau.

Prediction of permafrost energy stability.

Zhigarev, L.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.906-909,

Parmuzina, O.IU.

Permafrost thermal properties, Permafrost forecasting, Tundra, Heat flux, Thermal regime, Climatic factors, Snow cover effect, Vegetation factors.

Borehole investigations of the electrical properties of frozen silt.

Arcone, S.A., et al, MP 2364, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.910-915, 16 refs.
Delaney, A.J.

Frozen ground physics, Electrical properties, Bore-holes, Ground ice, Frozen ground temperature, Die-lectric properties, Attenuation, Sediments, Water

content.

The dielectric constant and attenuation rate of short radiowave pulses in frozen Fairbanks silt have been measured between boreholes 12 m deep and spaced between 4.4 and 17.6 m. The ranges for volumetric ice content and temperature were 44 to 79% and -6.0 (surface, early Apr.) to -0.7 C (bottom) respectively. The pulses lasted approximately 30 ns, had a power spectrum centered near 100 MHz, and were transmitted and received at the same depth. Dielectric constants were determined from the propagation time delay of the the leading edge and there was no significant dispersion. Attenuation rates (dB/m) were determined by comparing signal levels received at the same depth pairs and were adjusted for geometric apreading losses. Concurrent borehole dc resistivity measurements allowed estimates of the separate contributions of various loss mechanisms. The results show the dielectric constant to vary between 4.3 and 7.0 and to correlate well with the volumetric ice content, but not with temperature. Average attenuation rates at any particular depth varied between 1.4 and 4.0 dB/m. The lowest values occurred in the sections with the higher ice content. higher ice content. No more than 0.8 dB/m could be ascribed to conductive absorption losses, suggesting that scattering is an important loss mechanism.

Permafrost and terrain preliminary monitoring results, Norman Wells pipeline, Canada.
Burgess, M.M., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.916-921, 17 refs.

Permafrost thermal properties, Underground pipelines, Frozen ground settling, Discontinuous perma-frost, Ground thawing, Thermal regime, Monitors, Frozen ground temperature, Settlement (structural).

Contribution to the study of the active layer in the area around Contrum Lake, north east Greenland. Chiron, M., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.922-926, 3 refs.

Loubiert, J.P.
Active layer, Karst, Thaw depth, Seasonal freeze thaw, Wind factors, Freeze thaw cycles, Sounding,

Seasonal variations in resistivity and temperature in

Seasonal variations in realstivity and temperature in discontinuous permafrost.

Delancy, A.J., et al, MP 2365, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988j, p.927-932, 16 refs.

Sellmann, P.V., Arcone, S.A.

Discontinuous permafrost, Permafrost thermal properties, Electrical resistivity, Frozen ground physics, Boreholes, Sediments, Unfrozen water content, Grain size, Frozen ground temperature.

Electrical resistivity and temperature, were measured in two

size, Prozen ground temperature were measured in two lize-measured process and temperature were measured in two lize-melop boreholes in interior Alaska in perennially frozen ice-rich silt and in coarse-grained alluvium. Seasonal temperature and resistivity changes were most noticeable in the upper 6 m at both sites, with resistivity varying more than several chousand ohm-m during the year. Resistivity profiles were compared with lithology, temperature and moisture content. At the alluvium site resistivity and grain size strongly correlated. Values ranging over 10,000 ohm-m occurred with coarse-grained material and values an order of magnitude lower occurred in the fine-grained material section. At the ice-rich silt site, resistivity values were generally lower, but in agreement with values for the fine-grained part of the alluvial section. Lithologic variations in the discontinuous permificit zone can be as important as the high permafrost temperatures and correspondingly large unfrozen water contents in accounting for significant seasonal resistivity changes in fine-grained sediment.

42-4152

Permafrost conditions in the shore area at Svalbard. Oregreen, O., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.933-936, 4 refs.

Eldsmoen, 1.
Permafrost distribution, Geologic structures, Permafrost thermal properties, Shores, Thermistors, Climatic factors, Temperature distribution, Engineering, Norway—Svalbard.

42-4153 Core drilling through rock glacier-permafrost. Haeberli, W., et al, International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.937-942, 20 refs.

Permafrost, Rock glaciers, Talus, Periglacial pro-cesses, Drill core analysis, Glacier flow, Ice creep, Boreholes, Permafrost structure.

42-4154

Remote sensing lineament study in northwestern

Alaska. Huang, S.L., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.943-948, 7 refs.

Continuous permafrost, Remote sensing, Goologic structures, Sediments, Topographic features, Minerals, LANDSAT, Mapping, United States—Alaska.

Thermal evidence for an active layer on the seabottom of the Canadian Beaufort Sea shelf.

or the Canagian Beautort Ses shelf.
Hunter, J.A., et al, International Conference on Permafrost, 5th, Trondheira, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.949-954,

Active layer, Subsea permafrost, Permafrost thermal properties, Boreholes, Water temperature, Sea water, Seasonal variations, Engineering, Beaufort Sea.

42-4156

Foundation considerations for siting and designing the Red Dog Mine mill facilities on permafrost.

Krzewinski, T.G., et al. International Conference on

Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.955-960,

Hammer, T.A., Booth, G.G.

Permafrost thermal properties, Geophysical surveys, Excavation, Mining, United States—Alaska.

42-4157

42-4157
Electric prospecting of inhomogeneous frozen media. Kuskov, V.V., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.961-964, 3 refs. Permafrost physics, Frozen ground physics, Electromagnetic prospecting, Engineering, Analysis (mathematics), Sounding.

42-4158

Prediction of permafrost thickness by the "two point" method.

Kutasov, I.M., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.965-970, 15 refs.

Permafrost thickness, Permafrost forecasting, Permafrost thermal properties, Permafrost bases, Temperature distribution. Geothermy, Wells. Analysis

42-4159

42-4139
Use of ground probing radar in the design and monitoring of water retaining embankments in permafrost.
LaPleche, P.T., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.971-976,

Judge, A.S., Pilon, J.A.
Permatrost hydrology, Water retention, Radar echoes, Embankments, Active layer, Design, Monitors, Seepage, Earth dams.

42-4160

Peat formation in Svalbard.

Pest formation in Systems.

Lág. J., international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.977-979, 9 refs. Active layer, Peat, Permafrost thermal properties, Mosses, Slope orientation, Ground thawing, Norway—Systems.

42-4161

Permafrost geophysical investigation at the new air-port site of Kangiqsualujjuaq, northern Quebec, Canada.

Seguin, M.K., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Sennest, Trondheim, Norway, Tapir Publishers, [1988], p.980-987,

29 refs.
Gahe, E., Aliard, M., Ben-Mikoud, K.
Permafrost beneath structures, Geomorphology, Discontinuous permafrost, Airports, Active layer, Permafrost distribution, Ground water, Electrical resistivity, Seismic refraction, Electromagnetic prospecting.

42-4162

D.C. resistivity along the coast at Prudhoe Bay, Alas-

Sellmann, P.V., et al. MP 2366, International Confer-Selimann, F.V., et al, MF 2306, International Contention of the ence on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.988-993, 11 refs.

Delaney, A.J., Arcone, S.A.

ibsea permafrost, Permafrost distribution, Tundra, Models, Permatrost physics, Shoreline modification, Electrical resistivity, Sounding, Shore erosion, Unit-

Electrical resistivity, Sounding, Shore erosion, United States—Alaska—Prudhoe Bay.
Electrical resistivity measurements, at three sites in Prudhoe Bay, Alaska, were made to provide an understanding of marine modification to coastal permafrost, and to evaluate D.C. resistivity techniques for coastal subsea permafrost studies. The measurements were made using Wenner electrical resistivity soundings. Profiles extended 2.8 km offshore and inhand beyond the last signs of tundra modification by costal processes. Offshore measurements were made with a floating cable, and inland measurements were made with a floating cable, and inland measurements were made using driven electrodes. The observations indicate that the electrical properties of permafrost beneath the coastal bluff and adjacent tundra are rapidly modified by coastal erosion and periodic flooding during storms. Along one control line, apparent resistivity changes corresponded with the configuration of the top of ice-bonded

permafrost observed by Baker (1987) Modeling supported by the control data permitted a close interpretation of the position of the top of ice-bounded subsea permafrost and provided a range of real resistivities for offshore materials.

42-463
EM soundings for mapping complex geology in the permafrost terrain of northern Canada.
Sinhs, A.K., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.994-999, 19 refs. Permafrost thickness, Electromagnetic prospecting, Permafrost distribution, Geology, Sounding, Boreles, Mapping, Canada—Northwest Territories—Mackenzie River Delta.

42-4164

Mapping and engineering-geologic evaluation of kuruma.

Tiurin, A.I., et al, International Conference on Perma-Tiurin, A.I., et al, International Conference on Permariot, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p. 1000-1003. Romanovskii, N.N., Sergeev, D.O. Rock streams, Permafrost, Geologic structures, Damage, Structures, Engineering, Mountains, Climatic factors, Slopus, Mapping.

42-4165

Development and thawing of ice-rich permafrost around chilled pipelines monitored by resistance

gauges.
Van Everdingen, R.O., et al, International Conference van Everdingen, K.O., et al., international Contenence on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1004-1007, 3 refs. Carlson, L.E.

Permafrost, Underground pipelines, Ground thawing, Frost heave, Ground ice, Ice growth, Measuring in-struments, Freeze thaw cycles, Soil freezing.

Origin of patterned grounds in N.W. Syalbard. Van Vliet-Lanoë, B., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1008-1013, 31 refs.

Patterned ground, Cryoturbation, Frost heave, Frozen ground mechanics, Origin, Drainage, Frost resistance, Periglacial processes, Ice lenses, Sediments, Norway—Svalbard.

42-4167

Statistical analysis on frost heave of soils in seasonally frozen ground area.

ly rozen ground area. Wang, I, et al, International Conference on Perma-froat, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1989, p.1014-1017. Xie Y

Prost heave, Freezing indexes, Seasonal freeze thaw Frozen ground mechanics, Ground water, Statistical analysis.

42-4168

92-9108
Discontinuous permafrost mapping using the EM-31.
Washburn, D.S., et al, international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1018-1023, 7 refs.

Discontinuous permafrost, Permafrost distribution, Geophysical surveys, Mapping, Foundations, Perma-frost beneath structures, Engineering.

42-4169

Discussion on maximum seasonal frost depth of ground.

Xu, R., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.1024-1025, 3 refs. way, Taphi rubiniers, [1700], p. 1301 Pang, G., Wang, B. Frost penetration, Frost heave, Loads (forces), Seasonal variations, Engineering.

42-4170
Principles for compiling an atlas of seasonal frost penetration, Jilin, Caina (1:200000).
Zhang, X., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, r1988, p.1026-1029, 4

refs. Li. Y., Song. Z.

Lt. 1., Song, L. Frost penetration, Soil freezing, Seasonal freeze thaw, Soil water, Analysis (mathematics), Mapping, Design, Engineering, Snow cover effect.

Segregation freezing observed in welded tuff by open system frost heave test.

system frost heave test.

Akagawa, S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.

Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1030-1035, 12 refs.

Frost heave, Ice lenses, Frozen rocks, Ice growth, Porous materials, Saturation, Cracking (fracturing), Tests, Water intakes, Weathering.

42-4172

Some senects of soils engineering properties improve-

Some aspects of soils engineering properties improvement during dam construction.
Bitanov, G.F., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1036-1038, 3 refs.
Makarov, V.I., Kadkina, E.L.
Soil strength, Earth dams, Embankments, Permafrost, Solifluction, Engineering, Grain size, Water content Clay soils.

content. Clay soils.

Frost heave forces on H and pipe foundation piles. Buska, J.S., et al, MP 2367, International Conference DIRECT PROPERTY OF THE PROPERT

Jonnson, J.B. Frost heave, Pile extraction, Pipeline supports, Shear stress, Loads (forces), Active layer, Adhesion, Foundations, Air temperature, Frozen ground tempera-ture. United States—Alaska—Fairbanks.

ture, United States—Alaska—Fairbanks.

The magnitude and variation of forces and sear stresses, caused by frost heaving in Fairbanks silt and the adfreeze effects of a surface ice layer and a gravel layer, were determined as a function of depth along the upper 2.75 m of a pipe pile and an H pile for three consecutive winter seasons (1982-1985). The peak frost heaving forces on the H pile during each winter were 752, 790 and 802 kN. Peak frost heaving forces on the pile of 1118 and 1115 kN were determined only for the second and third winter seasons. Maximum average shear stresses acting on the pipe pile were 627 and 972 kPs for the second and third winter seasons. The surficial ice layer may have contibuted 15 to 20% of the peak forces measured on the piles. The gravel layer on the H pile contributed about 35% of the peak forces measured. neak forces measured.

New freezing test for determining frost susceptibility. Chamberlain, E.J., MP 2368, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, r1988, p.1045-1050, 6 refs.

Prost resistance, Soil freezing, Pavements, Frost heave, Artificial freezing, Tests, Freeze thaw cycles, Temperature control, Equipment.

A new freezing test for determining the frost susceptibility of soils used in pavement systems is designed to supplant the standard CRREL freezing test. This new test cuts the time required to determine frost susceptibility in half. It also allows for the determination of both the frost have and thaw weakening susceptibilities and considers the effects of freeze-thaw cy-cling. The new freezing test also eliminates much of the varia-bility in test results by completely automating the temperature control and the data observations.

Thaw settlement of frozen subsoils in seasonal frost regions.

regions. Cheng, E., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1051-1055, 3 refs.

Jiang, H.

Frozen ground settling, Thaw consolidation, Seasonal freeze thaw, Frozen ground temperature, Tests, Frost resistance, Damage, Structures, Loads (forces).

42-4176

Tensile adfreezing strength between soil and founds

tion.

Ding, J., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 11988, p. 1056-1059, 3 rafa

Icis. Lou, A., Yang, X.
Frozen ground strength, Adhesion, Foundations, Ten-sile properties, Frost heave, Shear strength, Tests, Bearing strength, Stability, Rheology.

42.4177

Interaction between a laterally loaded pile and frozen soil

soll.

Domaschuk, L., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1060-1065, 3 refs.

Fransson, L., Shields. D.H.

Frozen ground strength, Pile load tests, Soil creep, Ice strength, Sands, Loads (forces), Rheology, Time feeter

42-4178

Choice of parameters of impact breakage of frozen soils and rocks.

solis and rocks. Fédulov, A.I., et al, International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, t1988, p.1066-1070 7 refs Labutin, V.N.

Prozen ground strength, Frozen rocks, Brittleness, Impact strength, Loads (forces), Coal, Mining, Excavation. Loading.

42-4179

Frost heave characteristics of saline soils and canal

damage.

Feng. T., International Conference on Permafrost, 5th. Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway,

Vol. 2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1071-1077, 2 refs. Frost heave, Saline soils, Channels (waterways), An-tifreezes, Damage, Salinity, Frozen ground mechan-ics, Frost resistance, Soil chemistry.

42-4190

Mechanical properties of frozen saline clays. Mechanical properties of mozen saline clays. Puruberg, T., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1078-1084, 3 refs. Berggren, A.-L

Frozen ground mechanics, Saline soils, Clays, Soil creep, Salinity, Permafrost, Tests, Unfrozen water content, Temperature effects, Compressive properties

42-4181

Decreased shear strength of a silty sand subjected to

Gifford, G.P., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1085-1090, 7 refs.

Prozen ground strength, Thaw weakening, Shear strength, Frost heave, Freeze thaw cycles, Sands, Ex-perimentation, Soil water migration, Ice lenses.

42-4182

Theoretical problems of cryogenic geosystem modell-

ing. Grechishchev, S.E., International Conference on Per-mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.1091-1095, 6 refs.

Geocryology, Permafrost forecasting, Thermodynamics, Mathematical models, Forecasting, Cryogenic

42-4183

42-4183 Use of geotextiles to mitigate frost heave in soils. Henry, K., MP 2369, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1096-1101, 14 refs.

Frost heave, Frozen ground mechanics, Materials, Grain size, Water table, Countermeasures, Soil water migration, Capillarity, Porosity.

one potential use of geotextiles is horizontal placement in soil bove the water table to act as a capillary break or barrier to

mitigate frost heave. A capillary break works because larger pore sizes and/or wetting angles of the material than surrounding soil result in lower unasturated hydraulic conductivity and lowered height of capillary rise of warter. This reduces frost heave by limiting the rate of upward water migration. Five series of open-system, undirectional frost-heave tests were run in which 3 nonwoven polypropylene geotextiles were tested for their ability to mitigate frost heave. Certain fabrics were successful in reducing frost heave by as much as 85%. Test results also indicate that the optimum fabric thickness required to mitigate frost heave is a function of soil type as well as properties of the seotextile. of the sentextile

42-4184
Volume of frozen ground strength testing.
Khrustalev, L.N., et al, International Conference on
Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.11021105, 7 refs.

Pustovořt. G.P. Tests, Frozen ground strength, Cost analysis, Permafrost physics, Analysis (mathematics). Engineering geology.

42 410E

Mechanical frozen rock-fill properties as soil structure.

Kronik, IA.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1106-1109, 3 refs.

Gavrilov, A.N., Shramkova, V.N.

Prozen ground strength, Frozen ground mechanics, Permafrost physics, Rheology, Materials, Rocks, Ice (construction material), Deformation, Analysis (mathematics).

42-4186

Study of frost heave in large u-shaped concrete canals. Li. A., International Conference on Permafrost, 5th. Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway. Tapir Publishers, (1988), p.1110-1115, 3 refs.

Frost heave, Concrete structures, Frost penetration, Ground water, Channel stabilization, Loads (forces), Countermeasures, Engineering, Design, Deformation.

42,4197

Frost heaving force on the foundation of a heating building.

Liu. H., International Conference on Permafrost, 5th. Liu, H., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.1116-1120, 2 refs. Prost heave, Loads (forces), Foundations, Buildings, Heating, Piles, Thaw depth, Frost penetration.

47.4188

Frost heave in saline-saturated fine-grained soils. Lu, B.T.D., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset. Transleting, Norway, Tapir Publishers, [1988], p.11 26, 14

Leonard, M.L., Mahar, L. Frost heave, Saline soils, Water intakes, Saturation, Grain size, Temperature gradients, Stresses, Salinity, Ice lenses, Tests.

42-4189

Effect of variable thermal properties on freezing with

nunfrozen water content.

Lunardini, V.J., MP 2370, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1127-1132, 17 refs.

Freezing points, Thermal conductivity, Unfrozen water content, Heat transfer, Permafrost thermal properties, Phase transformations, Temperature effects, Ground thawing, Analysis (mathematics).

fects, Ground thawing, Analysis (mathematics). While many materials undergo phase change at a fixed temperature, the variation of unfrozen water with temperature causes a soil system to freeze or thaw over a finite temperature range. Exact and approximate solutions are given for conduction phase change of plane layers of soil with unfrozen water contents that vary linearly and quadratically with temperature. The temperatures and phase change depths are found to vary significantly from those predicted for the constant temperature. (Neumann) problem. The thermal conductivity and specific heat of the soil within the mushy zone varied as a function of unfrozen water content. The effect of specific heat is negligible and the effect of variable thermal conductivity can be accounted for by a proper choice of thermal properties used in the constant thermal property solution.

Development and application practice of methods for preliminary thawing of permafrost soils in founda-tions.

Maksimenko, E.S., International Conference on Permargost, 5.5., international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988, Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1133-1136, 7 refs.

Ground thawing, Frozen ground strength, Permafrost beneath structures, Foundations, Buildings, Artificial thawing, Deformation, Countermeasures, Electric heating.

42-4191

Secondary creep interpretations of ice rich perma-

McRoberta E.C. International Conference on Permarost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1137-1142, 14

Permafrost hydrology, Soil creep, Ground ice, Frozen ground mechanics, Rheology, Temperature effects, Ice creep, Deformation, Tests.

Phase relaxation of the water in frozen ground sam-

ranse relaxation of the water in frozen ground samples.
Mel'nikov, V.P., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1143-1146, 12 refs. Podenko, L.S., Zavodovskii, A.G.

Permafrost hydrology, Soil water, Ground ice, Relax-ation (mechanics), Unfrozen water content, Tempera-

42-4193 Standard method for pile load tests in permafrost. Neukirchner, R.J., International Conference on Permafrost, 5th, Trondheim, Norway, Mag. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1147-

1151, 13 refs.

Permafrost, Pilo lond tests, Mechanical properties, Londs (forces), Compressive properties, Forecasting, Engineering.

Cryogenic heave under freezing of rocks. Nevecheria, V.L., International Conference on Perma-

frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1152-1155, 7

Frost heave, Frozen rocks, Freezing, Frost penetra-tion, Seasonal variations, Permafrost.

Effective life in creep of frozen soils.

Parameswaran, V.R., International Conference on Per-

Parameters and Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1156-1159, 7 refs.

Frozen ground mechanics, Soil creep, Permafrost, Foundations, Bearing strength, Loads (forces), Shear strength, Piles.

Horizontal frost heave force acting on the retaining

ravizontal frost neave force acting on the retaining wall in seasonal frozen regions.
Shui, T., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1160-1164, 1 ref. Na. W.

Frost heave, Loads (forces), Walls, Seasonal freeze thaw. Design.

42-4197

Dynamic load effect on settlement of model piles in

frozen sand.
Stelzer, D.L., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1165-1170, 6 refs. Andersland, O.B.

Pile load tests, Frozen ground mechanics, Frozen ground settling, Soil creep, Sands, Rheology, Forecasting.

42-4198

Tangential frost-heaving force of the reinforced con-crete pile and calculation of preventing it from pulling up due to frost heave.
Sun, Y., International Conference on Permafrost, 5th,

Sun, r., international Conference on remainost, Jun Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p. 1171-1174, 1 ref. Frost heave, Loads (forces), Concrete piles, Pile ex-traction, Reinforced concretes, Countermeasures, De-

Behaviour of long piles in permafrost.

nenaviour of long piles in permafrost.
Theriault, A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1175-1180, 21 refs. Ladanvi, B.

rost, Piles, Stresses, Loads (forces), Frozen ground strength, Foundations, Compressive properties, Analysis (mathematics).

Investigation on tangential frost heaving forces. Tong, C., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1181-1185, 3

rets.
Yu, C., Sun, W.
Frost heave, Loads (forces), Foundations, Soil water, Soil composition, Freezing rate, Construction materials. Stresses. Water content.

42-4201

Stress-strain behaviour of frozen soils.

Vialov, S.S., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1186-1191, 10

Geocryology, Frozen ground mechanics, Stresses, Loads (forces), Strain tests, Rheology, Mathematical models, Engineering geology, Deformation, Compressive properties.

42-4202

Frost heaving forces on foundations in seasonally frozen ground. Xu, S., International Conference on Permafrost, 5th,

Au, S., International Conference on Permatrost, 3th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1192-1195, 1 ref. Frost heave, Loads (forces), Foundations, Seasonal freeze thaw, Structures, Pressure, Distribution.

On the distribution of frost heave with depth.
Zhu, Q., International Conference on Permafrost, 5th,
Trondheim, Norway, Aug. 2-5, 1988. Proceedings,
Vol.2. Edited by K. Senneset, Trondheim, Norway,
Tapir Publishers, [1988], p.1196-1199, 3 refs. Frost heave, Frozen ground physics, Soil water migra-tion, Distribution, Seasonal freeze thaw, Mathemati-cal models, Frost penetration.

Triaxial compressive strength of frozen soils under constant strain rates.

Zhu, Y., et al, MP 2371, International Conference on Premafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1200-1205b, 10 refs.

Frozen ground strength, Strain tests, Compressive properties, Frozen ground mechanics, Stresses, Sands, Deformation, Loads (forces), Shear strength. Trainai compressive strength tests were conducted on remold-ed, saturated Fairbanks silt and Northwest sand taken from Alaska under various constant strain rates ranging from 5-27/10,000,000 to 9.84/10,000/s and confining pressures up to 3.43 MPa at -2 C. The average dry density of the samples test-ed were 1.20 g/cu cm for silt and 1.52 g/cu cm for sand, respec-tively. It was found that, within the range of confining pres-sure employed, the maximum deviator stress for the silt did not

42-4205

Long term :ettlement test (3 years) for concrete piles in permafrost.

Bredesen, B.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1206-1211, 5 refs.

uschmann, O., Gregersen, O.

Dermafrost structure, Piles, Settlement (structural), Reinforced concretes, Foundations, Bearing strength, Loads (forces), Compressive properties, Permafrost thermal properties.

42-4206

Tangential frost heaving force on reinforced concrete

piles of highway bridge.
Dai, H., et al, International Conference on Permafrost, ωai, π., et al, international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceed-ings, Vol.2. Edited by K. Senneset, Trondheim, Nor-way, Tapir Publishers, (1988), p.1212-1216, 3 refs. Tian, D.

Prost heave, Bridges, Piles, Reinforced concretes, Losds (forces), Experimentation, Countermeasures, Frost penetration.

42-4207

Performance of two earthfill dams at Lupin, N.W.T. Dufour, S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1217-1222, 9

Holubec, I.

Earth dams, Permafrost thermal properties, Frozen ground temperature, Watersheds, Tailings, Ponds, Construction materials, Temperature effects, Seepage.

42-4208

Roadway embankments on warm permafrost, problems and remedial treatments.
Esch, D., International Conference on Permafrost,

St., Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol. 2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1223-1228, 17 refs. Permafrost beneath roads, Embankments, Frozen Permafrost beneath roads, Embankments, Frozen ground mechanics, Ground thawing, Design, Fore-casting, Temperature effects, Slopes, Solar radiation, Snow cover effect, Tillks, Countermeasures.

42-4209 Remedial solutions for pipeline than settlement. Ferrell, J.E., et al, International Conference on Permafroat, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1229-1234, 8 refs.

Thomas, H.P.

Frozen ground settling, Pipelines, Ground thawing, Soil freezing, Settlement (structural), Hot oil lines, Countermeasures, Thaw weakening.

42-4210

Frozen foundation above a technogenic talik. Gur'ianov, I.E., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1235-1241, 7

Permafrost, Taliks, Pits (excavations), Ground thaw-ing, Foundations, Buildings, Countermeasures, Cli-matic factors, Temperature regime.

42-4211

Assessment of key design aspects of a 150 foot high earth dam on warm permafrost.
Hammer, T.A., et al. International Conference on Per-

mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1242-1246, 4 refs.

Krzewinski, T.G., Booth, G.G. Earth dams, Permafrost beneath structures, Embank ments, Permafrost thermal properties, Design, Tailings, Seepage, Countermeasures, Soil stabilization. 42-4212

Permafrost slope design for a buried oil pipeline. Hanna, A.J., et al. International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.1247-1252, 9

McRoberts, E.C. Permatrost distribution, Underground pipelines, Slope stability, Ground thawing, Design, Topographic features, Discontinuous permafrost, thickness, Countermeasures. Permafrost

Method for calculating the minimum buried depth of building foundations.

Jiang, H., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1253-1255, 1 ref.

Permatrost beneath structures, Frost heave, Seasonal freez thaw, Foundations, Deformation, Frost penetration, Countermeasures, Protection.

Protection of warm permafrost using controlled subsi-dence at Nunapitchuk airport.

eence at Nunspitcank airport.
Johnson, E. G., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1256-1261, 10 refs.

Permafrost thermal properties, Airports, Permafrost benesth structures, Permafrost preservation, Tundra, Protection, Frozen ground settling, Settlement (structural), Thaw weakening, Climatic factors, Em-

42-4215

Thermal performance of a shallow ntilidor.

Kennedy, F.E., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.

Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1262-1267, 7 refs.

1267, 7 rets.
Phetteplace, G., Humiston, N., Prabhakar, V.
Permafrost thermal properties, Utilities, Frozen
ground temperature, Ground thawing, Soil temperature, Microclimatology, Air temperature.

Construction of hydros in cold climate: achievements and problems.

Kudoiarov, L.I., et al, International Conference Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1268-

Krivonogova, N.F.
Permafrost beneath rivers, Electric power, Geo-cryology, Engineering geology, Freeze thaw cycles, Design, Temperature effects.

Study of some geotechnical aspects effecting con-struction in glacial regions of Himalayas.

alji, D.S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1271-1276, 19 refs

Permafrost beneath structures, Pavements, Foundations, Cold weather construction, Precipitation (meteorology), Engineering, Mountains, Snow accumulation, Icing, Freeze thaw cycles, Geomorphology, Himalaya Mountains.

Subgrade cooling and energy recovery system.

Long, E.L., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway. Tapir Publishers, 1988), p.1277-1281, 8 refs.

Yarmak, E., Jr.

Farmax, E., Jr. Frozen ground settling, Permsfrost beneath struc-tures, Ground thawing, Settlement (structural), Ther-mal insulation, Foundations, Countermeasures, Cooling systems.

42-4219

Long term plate load tests on marine clay in Svea,

Lunne, T., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, 1988, p.1282-1287, 10

Eidsmoen, T.

Frozen ground mechanics, Loads (forces), Soil creep, Permafrost thermal properties, Rheology, Clays, Frozen ground temperature, Tests, Settlement (struc-tural), Norway—Svalbard.

42-4220
Melioration of soils of cryolithozone.

Makeev, O.V., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1288-1291, 14 refs.

Cryogenic soils, Soil formation, Permafrost, Tundra, Thermokarst lakes, Freeze thaw cycles.

42-4221

Emcankment failure from creep of permafrost foundation soils.

McHattie, R., et al, International Conference on Permairost, 5th, Trondheim, Norway, Aug. 2-5, 1988. P.oceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1292-1297, 1 ref. Esch, D.

Permafrost beneath roads, Embankments, Seasonal freeze thaw, Soil creep, Permafrost thermal properties, Frozen ground mechanics, Ice lenses, Settlement (structural), Rheology.

Construction of earth structures in permafrost areas by hydraulic methods.

by nyaraunc methods. Mel'nikov, P. 1, et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1298-1300, 4 refs.

Chang, R.V., Kuz'min, G.P., IAkovlev, A.V. Permafrost, Earthwork, Hydraulic fill, Thermokarst, Testa, Freeze thaw cycles, Taliks, Lakes.

42-4223

Storage tank foundation design, Prudhoe Bay, Alaska, U.S.A.

Nidowicz, B., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1301-1306. 9 refs

Bruggers, D., Manikian, V.

Permafrost beneath structures, Storage tanks, Oil storage, Foundations, Thaw depth, Freeze thaw cy-cles, Design, Models, Settlement (structural), United States—Alaska—Prudhoe Bay.

42-4224
Studies of pipeline interaction with heaving soils.
Parmuzin, S.IU., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1307-1311, 7 refs.

Perel'miter, A.D., Naïdenok, I.E.

Frost heave, Underground pipelines, Loads (forces), Stresses, Soil freezing, Frost resistance, Analysis (mathematics), Dynamic properties.

42-4225

Yukon River bank stabilization: a case study. Riddle, C.H., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1312-1317, 14 refs

Rooney, J.W., Bredthauer, S.R.

Bank protection (waterways), Slope stability, Ground ice, Ground thawing, Soil erosion, Frozen ground strength, Design, Countermeasures, United States—Alasks—Yukon River.

42-4226

Airport runway deformation at Nome, Alaska. Rooney, J.W., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1318-1323, 8 refs.

Nixon, J.F., Riddle, C.H., Johnson, E.G.

Permafrost Runways, Frozen ground settling, Permafrost beneath roads, Airports, Frost heave, Deformation, Permafrost thermal properties, Subsurface drainage, Construction materials, Ground thawing, Design, United States—Alaska—Nome. 42-4227

42-427 Physical model study of Arctic pipeline settlement. Vinson, T.S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1987 Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1324-1320 Journal of the Proceedings of the Proce 1329. 10 refs. Palmer, A.C.

Subses permafrost, Pipelines, Settlement (structural), Loads (forces), Ground thawing, Offshore structures, Permafrost thermal properties, Deformation,

42-4228

Bethel Airport CTB pavement performance analysis. Vita, C.L., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1330-1335, 9

Rooney, J.W., Vinson, T.S.

Permafrost beneath roads, Pavements, Aircraft landing areas, Permafrost preservation, Runways, Construction materials, Design, Airports, United States Alaska Bethel.

42-4229

New method for pile testing and design in permanent-

Vialov, S.S., et al. International Conference on Permarent, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1336-1340, 9 refs

Mirenburg, IU.S. Permafrost physics, Pile load tests, Foundations, Settlement (structural), Bearing strength, Tests, Design, Forecasting, Analysis (mathematics), Dynamome-

42-4230

Classification of frozen heave of ground for hydraulic engineering in seasonal frozen regions.

Xie, Y., et al, International Conference on Permafrost,

5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1341-1345, 5 refs. Wang, J., Yian, W.

Frost heave, Seasonal freeze thaw, Frost resistance, Engineering, Mountains, Statistical analysis, Density (mass/volume), Freezing indexes, Ground water,

Retaining wall with anchor slabs using in cold region. Au, p., et al, international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1346-1351, 5 refs. Li, C.

Frost heave, Loads (forces), Walls, Seasonal freeze thaw, Pressure, Water table, Damage, Countermeasures, Experimentation, Ground water.

42-4232

Thaw stabilization of roadway embankments.

Zarling, J.P., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol. 2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1352-1357, 5

Braley, W.A., Esch, D.C.

Permafrost beneath roads, Soil stabilization, Thaw weakening, Embankments, Snow cover effect, Permafrost thermal properties, Countermeasures, Thermal regime.

42-4233

Method for calculating frost heave reaction force in seasonal frost region.

seasonal rost region.

Zhou, Y., International Conference on Permafrost,
5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, iol.2. Edited by K. Senneset, Trondheim, Norway, Tayir Publishers, 1988, p. 1358-1362, 5 refs.

Frost heave, Loads (forces), Pile structures, Stresses, Foundations, Frost penetration, Analysis (mathematics). Tests.

42-4234

Cold-mix asphalt curing at low temperatures.

Beaty, A.N.S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondeim, Norway, Tapir Publishers, [1988], p.1363-1367, 11 refs. Jarrett, P.M.

Bitumens, Permafrost beneath roads, Pavements, Cold weather construction, Concrete curing, Tests, Concrete strength, Air temperature.

Prognosis of soil temperature at the area under con-

straction.
Chekhovaki, A.L., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1368-1371, 5 refs.

afrost thermal properties, Cold weather conrermands thermal regime, Frozen ground tempera-ture, Heat sources, Soil temperature, Analysis (math-ematics), Thermal conductivity, Design.

42-4236

Pressure in relation to freezing of water-containing

masses in a confined space.

Dubina, M.M., International Conference on Perma-Frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1372-1376, 5

Ice formation, Freezing, Stresses, Phase transforma-tions, Analysis (mathematics), Pressure.

42-4237

Environment protection for mining enterprises in permafrost regions

Eichaninov, E.A., International Conference on Perma-

frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1377-1381, 4 refs. Permafrost preservation, Environmental protection,

Mining, Ground thawing, Air pollution, Tailings, Waste disposal.

42-4738

42-4338
Arctic mining in permafrost.
Giegerich, H.M., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1382-1387.
Permafrost preservation, Mining, Prozen ground strength, Engineering, Artificial freezing, Soil stabilization, Design criteria, Ground thawing, Counter-

42-4239

Applied study of preventing structures from frost damage by using dynamic consolidation.

Han, H., et al, International Conference on Perma-

frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1388-1392, 1 ref

Guo. M. Frost heave, Structures, Soil compaction, Frost re-sistance, Damage, Countermeasures, Permatrost beneath structures, Water table, Ground water, Permeability.

42-4240

Effect of heating on frost depth beneath foundations of building.

of building.

Hong, Y., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1393-1396, 1

Jiang, H.

Permafrost beneath structures, Frost penetration, Heating, Buildings, Design, Surface properties.

Prediction of permafrost thawing around mine workings.

Lakson, V.IU., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1397-1402, 3 refs.
Petrov, E.E., Samokhin, A.V.

Permafrost thermal properties, Ground thawing, Mine shafts, Thaw depth, Forecasting, Thermal regime, Thermal insulation.

42.4242

Experience in construction by stabilization method. Experience in construction by stubulization mentions.

Khrustalev, L.N., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.

Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1403-1406, 2 refs.

Nikiforov, V.V.

Permafrost beneath structures, Soil stabilization, Permafrost preservation, Foundations, Cooling systems. Settlement (structural). Countermeasures

42-4243

Geocryclogical studies for railway construction

(state, primary tasks). Kondrat'ev, V.G., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1407-1412, 18 refs.

Railroad tracks, Icing, Geocryology, Permafrost beneath roads, Permafrost hydrology, Countermeas-ures, Permafrost thickness, Climatic factors, Seasonal freeze thaw.

42-4244

Ventilated surface foundations on permafrost soils. Ventuated surface tonastics and permaners source. Kutvitskaia, N.B., et al, international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988, Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1413-1416. 5 refs. Gokhman, M.R.

Permafrost beneath structures, Permafrost preserva-tion, Ventilation, Design, Engineering, Buildings, Bearing strength, Thermal regime.

42-4245

Results of researches and experience of hydraulic mining of frozen rocks.

Lavrov, N.P., et al, International Conference on Pe mafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trond-heim, Norway, Tapir Publishers, [1988], p.1417-1421, 4 refs.

1421, 4 7618.
Perl'shtein, G.Z., Samyshin, V.K.
Prozen ground strength, Mining, Permafrost, Hydraulics, Sediments, Soil water, Ground thawing,
Analysis (mathematics), Water temperature, Heat flux. Frozen rocks.

42-4246
Offshore Seawater Treating Plant for Waterflood
Project, Prudnee Bay oil field, Alaska, U.S.A.
Manikian, V., et al, International Conference on Permafroat, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.14221425, 2 refs.
Machemell, I.I.

Machemehl, J.I.

Nationali, 31.2.

Ice loads, Offshore structures, Water treatment, Oil recovery, Sea water, Design, Engineering, Protection, Water pressure, United States—Alaska—Prudhoe

42-4247

Developing a thawing model for sludge freezing beds. Martel, C.J., MP 2372, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988, Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1426-1430, 7 refs.

Sludges, Thaw depth, Freeze thaw cycles, Waste treatment, Water treatment, Mathematical models, Forecasting, Drying, Freezing.

This paper presents the development of a model that can be used to predict the thawing design depth of a sludge freezing bed. A sludge freezing bed is a new unit operation for dewatering sludges from water and wastewater treatment plants. Preliminary results obtained from a pilot-scale freezing bed in-dicate that this model is valid.

42-4248
Test of the shallowly buried water supply pipe.
Meng, F., International Conference on Permafrost,
5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1431-1434.
Underground pipelines, Water pipes, Cold weather
construction, Engineering, Tests, Soil temperature,
Frost action, Damage.

Rock mechanics related to coal mining in permafrost on Spitabergen. Myrvang, A.M., International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1435-1440, 3 refs.

Permafrost, Mining, Rock mechanics, Design, Freeze than cycles. Stresses. Tests. Norway—Spitsbergen.

42-4250

Settlements of the foundations on seasonally freezing

Orloy V.O. et al. International Conference on Perma-Oriov, V.U., et al., international Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1441-1445. Fursov, V.V.

Settlement (structural), Foundations, Frost heave, Seasonal freeze thaw, Freeze thaw cycles.

42-4251

42-4251
Regularities of thermal and mechanical interaction between culverts and embankments.
Perturkhin, N.A., et al, international Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1446-1449, 8 refs.

Topekha, A.A.

Permafrost thermal properties, Culverts, Embank-ments, Frost penetration, Frost heave, Soil freezing, Railroad tracks, Deformation, Soil temperature, Design, Thermal regime.

Methods of quantitative valuation of regional heat resources for preparation of permafrost placer depos-

resources for preparation to permanents places depending. Perl'shtein, G.Z., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1450-1453, 11 refs.

1935, 11 ress.

Kapranov, V.E.

Permafrot thermal properties, Heat sources, Water
temperature, Ground thawing, Frozen ground
strength, Piacer mining, Excavation, Analysis (mathematics), Climatic factors.

42-4253

Stability of road subgrades in the north of west Si-

Polunovskii, A.G., et al, International Conference on Permafrost, 5th, Trondisim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Educed by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1454-

14750. L'vovich, IU.M. Soll stabilization, Subgrade soils, Permafrost beneath road, Cold weather construction, Thermal insulation, Design, Materials.

Reflection selamic exploration and data processing in

Porturas, F., International Conference on Permafrost, rorturas, r., international Conterence on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceed-ings, Vol.2. Edited by K. Senneset, Trondheim, Nor-way, Tapir Publishers, 1988, p. 1459-1465, 9 refs. Permafrost thickness, Seismic surveys, Data process-ing, Wave propagation, Seismic reflection, Boundary layer, Attenuation.

42-4255

Problems of arctic road construction and maintenance in Finland.

mance in Finiand.
Saarelainen, S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1466-1471, 12 refs. Vaskelainen, J.

Cold weather construction, Road maintenance, Permafrost beneath roads, Frost heave, Road icing, Sno accumulation, Design, Thermodynamics, Embankments, Finland.

Some aspects of freezing the ice pla.forms.
Savel'ev, B.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1472-1475, 9 refs.
Latelin D. Latalin, D.A.

Ice islands, Ice formation, Artificial ice, Floating ice, Platforms, Freezing, Analysis (mathematics), Temperature effects.

42-437 Slope stability in arctic coal mines. Sinha, A.K., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1476-1481, 10

Sengupta, M., Kinney, T.C.

Solope stability, Permatrost, Mines (excavations), Thermal conductivity, Thermal insulation, Ground thawing, Countermeasures.

Resistance to frost heave of various concrete canal

lining.

Song, B., et al, International Conference on Pern frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim,

ceedings, vol.2. Edited by K. Senneset, 1 fondaleim, Norway, Tapir Publishers, [1988], p.1482-1487. Fan, X., Sun, K. Frost heave, Frost resistance, Concrete structures, Seasonal freeze thaw, Linings, Channels, Damage, Countermeasures, Frost penetration, Water content.

Barrow direct bury stillties system design.
Thomas, J.E., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1488-1493, 4

refs. Utilities, Underground pipelines, Facavation, Design, Engineering.

42-4260 Cold cracking of asphalt pavement on highway. Tian, D., et al, International Conference on Perma-frost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Pro-ceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1494-1499, 2 refs.

Bitumens, Pavements, Permafrost beneath roads, Cracking (fracturing), Countermeasures, Construc-tion materials, Design, Climatic factors.

42-4261

Alrport network and housing construction programmes in northern Quebec, Canada.

Tremblay, C., et al., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.

Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1500-1506 8-26 1506, 8 refs. Doré. G.

Permafrost beneath structures, Cold weather construction, Frost heave, Airports, Continuous perma-frost, Engineering, Thaw depth, Settlement (structural), Slope stability, Countermeasures.

42-4262
Frost damage of enclosure and its measure for preventing frost hazard.
Wang, G., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988, p. 1507-1510, 1 ref. Permafrost beneath structures, Cracking (fracturing), Frost action, Frost heave, Damage, Countermeasures, Analysis (mathematics), Seasonal freeze thaw, Foundations, Ground thawing.

42-4263
Application of lime stabilization on highway permafrost region, Qinghai-Xizang Plateau.
Wang, Q., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1511-1514, 2 refs.

Wu, J., Liu, J. Permafrost beneath roads, Subgrade soils, Linings, Soil stabilization, Frozen ground strength, Chemical composition, Frost resistance, Freeze thaw cycles.

Investigation and treatment for slope-sliding of rail-

Investigation and treatment for slope-silding of railway cutting in permafrost area.

Wang, W., International Conference on Permafrost, 5th, Irondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, (1988), p.1515-1519.

Permafrost beneath roads, Slope atability, Engineering geology, Roadbeds, Sliding, Damage, Countermeasures, Seepage, Dredging, Thermal effects.

42-4265

Model test to determine thawing depth of embank-

ment in permafrost region.
Ye, B., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1520-1525, 1 ref.

Tong, Z., Lou, A., Shang, J. Permafrost beneath roads, Embankments, Subgrades, Ground thawing, Models, Thaw depth, Analysis (mathematics), Tests, Temperature distribution.

42.4266

92-9200 Studies on the plastic-film-enclosed foundation of sluice gates and its application. Yu, B., et al, International Conference on Permafrost,

5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1526-1530, 2 refs.

Qu, X., Jin, N.
Sluices (hydraulic engineering), Frost heave, Plastics,
Cold weather construction, Foundations, Counter-

42-4267

Geocryological block of oil and gas producing and

veocryotogical niock of oil and gas producing and transporting geotechnical systems.

Zakharov, Y.F., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988.
Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1531-1533. 6 ref.

Podbornyi, E.E., Pushko, G.I.
Permafrost preservation, Engineering geology, Pipelines, Geocryology, Thermal effects, Design, Hydrocarbons, Active laver, Permafrost control.

42-4268

Oceanic regimes at the ice fronts of George VI Sound,

Oceanic regimes at the ice fronts of George vi Sound, Antarctic Peninsula. Potter, J.R., et al, Continental shelf research, Apr. 1988, 8(4), p.347-362, 15 refs. Talbot, M.H., Paren, J.G. Ice shelves, Ice models, Ice melting, Antarctica—George VI Sound, Antarctica—George VI Ice Shelf. George VI Sound, Antarctica—George VI Ice Shelf.
The basal melting of George VI Ice Shelf into the unusually
warm underlying water represents a major oceanographic feature in the waters off the west coast of the Antarctic Peninsula.
A snyoptic dataset from the northern ice front has been obtained by a continuously measuring CTD probe. The crosssectional profiles prepared from these data support the suggested model and sho
hat the scinculation can account for two
thirds of the basal met required for mass balance of the ice
shelf. Further me rements, with the profiling CTD instrument, with sample bottles and reversing thermometers, and
with an Aanderas RCM4 current meter, have extended coverage to the southern ice front. The oceanographic regime there
is similar to that in the north below 500 m and it appears that
communication occurs between the northern and southern is similar to that in the north below 300 m and it appears that communication occurs between the northern and southern regions at this depth. Clear evidence of basal melting is observed in the T-S characteristics at the southern ice front but the waters of the region are not described by a unique T-S curve as they are in the north. More detailed investigation of the southern are as required before estimates of the actual melt rates for the entire ice shelf will be possible. (Auth. mod.)

United States Antarctic Research Program in the western Ross Sea, 1979-1980: the sediment descrip-

Kaharoeddin, F.A., et al. Florida State University Rainfoeddin, F.A., & a., Fibria a State University. Sedimentology Research Laboratory. Contribution, Apr. 1988, No.53, 230p., Refs. p.225-228.

Drill core analysis, Bottom sediment, Antarctica—

Ross Sea.

This volume is a presentation of the descriptions of sediments obtained by coring and grab-sampling during the 1979-1980 sustral summer cruise of the U.S. Coast Guard icebreaker, Glacier, in the western Ross Sea adjacent to the continental margin of Antarctica, and it is the fifth in a series concerned with the descriptions of sediments collected since 1968 by this vessel. The intended purpose of the volume is to serve as a guide to sampling of the sediments by researchers wishing to pursue further, more detailed studies. The data presented herein include: a brief summary of the scientific objectives of the cruise, together with a discussion of core and grab sample recovery, shipment, and handling; a table and maps of station location data for materials retrieved; an explanation of the laboratory procedures and descriptive criteria used in the description of the sediments; lithologic descriptions of the piston and trigger cores, the piston and trigger core bagged samples, and the bagged grab samples and information concerning age-dates of the piston cores and selected grab samples. (Auth. mod.)

42-4270

Remote sensing studies of Siberia. (Distantsionnye

issledovanija Sibirij, Vorob'ev, V.V., et al, Novisbirsk, Nauka, 1988, 161p.,

Vorobey, V.V., et al, Novisbirsk, Nauka, 1988, 161p., In Russian with abridged English table of contents enclosed. Refs. pl17-160.

IAnshin, A.L., ed, Solov'ev, V.A., ed.

Spaceborne photography, Aerial surveys, Mapping, Charts, Photointerpretation, Geomorphology, Topography, Landscape types, Slope processes, Soils.

Aerial and satellite surveys of natural resources in Siberia. [Aerokosmicheskie issledovaniia prirodnykh

Siberia, Aerokosmicnessie issiedovanna prirodnyki resursov Sibirii, Ziat'kova, L.K., et al, Novosibirsk, Nauka, 1988, 166p., in Russian with abridged English table of con-tents enclosed. Refs. p.132-165. IAnshin, A.L., ed, Solov'ev, V.A., ed.

IABBIII, A.L., ed., SOIOV eV, V.A., ed.
Aerial surveys, Spaceborne photography, Photointerpretation, Remote sensing, Geobotanical interpretation, Landscape types, Permafrost distribution, Mapping, Economic development, Arctic landscapes, Alpine landscapes.

42-4272

Automated processing of images of natural associa-tions in Siberia. (Automatizirovannaia obrabotka

itons in Siberia. (Avionalizifovanniai obracolizio) izobrazhenî prirodnykh kompleksov Sibirii, Alekseev, A.S., et al, Novosibirisk, Nauka, 1988, 223p., In Russian with abridged English table of contents enclosed. Refs. p. 137-172. IAnshin, A.L., ed, Solov'ev, V.A., ed.

Spaceborne photography, Photointerpretation, Remote sensing, Data processing, Computer applica-

Arctic research of the United States, Vol.2. Interagency Arctic Research Policy Committee, MP 2379, Washington, D.C., Spring 1988, 76p., For selected papers see 42-4274 through 42-4276. Brown, J., ed, Cate, D., ed, Bowen, S.L., ed, Valliere,

D.R., ed. Research projects, Polar regions, Data processing,

The articles in this first issue of 1988 are divided into three main The articles in this first issue of 1988 are divided into three main sections. The first focuses on non-Federal research in Alaska and selected Federal support activities involving data and information acquisition, storage and dissemination. The second section presents reports on meetings and activities of international interest predominantly originating outside the U.S. The third section contains brief reports of other Arctic research activities, primarily in the U.S. Reports of meetings of the Arctic Research Commission and the Interagency Committee and notices of upcoming meetings are a regular feature of the journal.

42-4274

Alaska SAR facility: an update. Weller, G., et al, Arctic research of the United States, Spring 1988, Vol.2, MP 2380, p.27-31, 5 refs. Weeks, W.F.

Data processing, Sea ice, Radar echoes.

42-4275

World Data Center-A for Glaciology: National Snow and Ice Data Center.

Barry, R.G., et al, Arctic research of the United States, Spring 1988, Vol.2, p.32-38, 11 refs. Brennan, A.M.

Data processing, Sea ice.

42-4276

Arctic air chemistry.

Schnell, R.C., Arctic research of the United States, Spring 1988, Vol.2, p.39-41. Atmospheric composition, Air pollution, Polar re-

gions.

42-4277

Kiwi 131; an antarctic field experiment to study strains and acoustic emission generated by loads moving over ses ice.

Squire, V.A., et al, May 1986, 33p., Unpublished re-30 refs. port. 30 refs. Langhorne, P.J., Robinson, W.H., Heine, A.J.

Sea ice, Strain tests, Ice physics, Loads (forces), Antarctics-McMurdo Sound.

After an introductory description of basic sea ice characteris-tics, problems of moving loads on ice and previous work on acoustic emission, details are given of experiments carried out on flat, snow-free, shore-fast ice in McMurdo Sound on an ice road 6 km long. The discussion includes location and layout of experimental site, physical characteristics of the ice in the of experimental stip, physical crinical extractions of the rice in the acca, gauges used to measure surface strains and sensors used to monitor acoustic activity, data processing, sample results and theory. The moving loads used were an extended cab Ford pickup of 50,000 kg approximate weight. Plans for completion of the analysis of the Kiwi 131 dataset are outlined.

Mateorological studies carried out during the period Feb. 1985 to Feb. 1986.

Lal, B., Report of the 2nd Indian wintering team in Antarctica (1985-86), New Delhi, Department of Ocean Development, 1987, p.10-21.

Weather observations, Snowfall, Antarctica shin Gangotri Station.

Meteorological data collected at Dakshin Gangotri Station is presented, with tables showing monthly and seasonal variations of an duration of blizzards, and daily number of sunshine hours.

42-4279

Analytical results and sample locality map of stream-Analystical results and sample docatify map of stream-sediment, moraine-sediment, and heavy-mineral-con-centrate samples from the Anchorage quadrangle, South-Central Alaska.

Sourt-Central Alisans. Arbogast, B., et al, U.S. Geological Survey. report, 1987, 87-151, 175p. + map, 9 refs. Madden, D., Hoffman, J.D., O'Leary, R.M.

Glacial deposits, Moraines, Sediment transport, Minerals, Chemical composition, Streams, Geochemistry, Sampling, Erosion, United States—Alaska—Anchor-

42-4280

Debris flows/avalanches: process, recognition, and mitigation.

Costa, J.E., ed, Reviews in engineering geology, 1987, Vol.7, 239p., Refs. passim.

Wieczorek, G.F., ed. Mudflows, Talus, Landslides, Rheology, Mountains, Rain. Countermeasures.

42-4281

Climate, history, periodicity, and predictability. Rampino, M.R., ed, New York, Van Nostrand Rein-hold Co., 1987, 588p., Refs. passim. Sanders, J.E., ed, Newman, W.S., ed, Konigason, L.K.,

Climatic changes, Sea level, Solar activity, Forecasting, Paleoclimatology.

42-4282

Construction on permafrost.
Thomas, D.H., Northern engineer, Fall/winter 1987, 19(3-4), p.4-7.

Pile structures, Foundations, Permafrost bases.

42-4283

Ground freezing and frost heave: a review.
Nixon, J.F., Northern engineer, Fall/winter 1987, 19(3-4), p.8-18, For another source see 42-1689. 51

Frost penetration, Soil freezing, Frost heave, Models. 42-5284

Frazil ice in rivers and streams.

Daly, S.F., Northern engineer, Fall/winter 1987, 19(3-4), MP 2381, p.19-26, For another source see 42-

Prazil ice. Supercooling, Laboratory techniques.

42-4285

Heat loss in multi-story buildings due to open windows. Oelfke, S., Northern engineer, Fall/winter 1987,

19(3-4), p.27-34, 8 refs. Windows, Heat loss, Indoor climates, Heating.

42-4286

Use of wood fiber in lightweight embankments for northern applications. McMahon, R.J., Northern engineer, Fall/winter 1987, 19(3-4), p.35-39, 6 refs. Embankments, Wood, Permafrost bases.

42-4287

Photoadaptive strategies in sea-ice microalgae. Barlow, R.G., et al, Marine ecology progress series, June 1988, 45(1-2), p.145-152, 45 refs. Algae, Ice edge, Cryobiology, Photosynthesis.

42-4288

Abrupt climatic change: evidence and implications. Berger, W.H., ed, North Atlantic Treaty Organization.
ASI Service C: Mathematical and Physical sciences, 1987, Vol.216, NATO Advanced Research Workshop on Abrupt Climatic Change—Evidence and Implica-tions, St. Hugues de Biviers, France, Oct. 16-22, 1985. Proceedings, 425p., Refs. passim. For selected papers see 42-429 through 14-4297 or 1-37993 through 1-37995

Labevrie, L.D., ed.

Climatic changes, Paleoclimatology, Glaciation, Ice cores, Oxygen isotopes, Paleoecology, Pleistocene, Meetings, Bottom sediment.

The major topic of the conference is the last glacial-interglacial transition. The evidences for rapid climatic fluctuations in the Arctic and Antarctic are presented.

42-4289

Evidence of abrupt climatic change during the last 1,500 years recorded in ice cores from the tropical

1,500 years recorded in ice cores from the Quelicaya ice cap, Peru.
Thompson, L.G., et al, North Atlantic Treaty Organization. ASI Series C: Mathematical and Physical Sciences, 1987, Vol.216, p.99-110, 15 refs. Mosley-Thompson, E.

Climatic changes, Ice cores, Paleoclimatology, Gla-cial deposits, Ice sheets, Oxygen isotopes, Moun-tains, Particles, Peru.

Lee core evidence of abrupt climatic changes.
Dansgaard, W., North Atlantic Treaty Organization.
ASI Series C: Mathematical and Physical Sciences,
1987, Vol.216, p.223-233, Refs. p.230-233.

Climatic changes, Ice cores, Oxygen isotopes, Glaciation, Atmospheric composition, Snow cover, Paleo-climatology, Greenland, Antarctica—Vostok Station, Antarctica—Byrd Station, Antarctica—Dome C.

Antarctica—Byrd Station, Antarctica—Dome C.
Profiles of oxygen isotopes along five deep ice cores including
Dome C, Byrd and Vostok stations, Antarctica are compared.
The two Greenland profiles reveal many abrupt climatic
changes in the North Atlantic Ocean during the Wisconsin
glaciation. Dust and trace element concentrations show radical environmental changes. The targets of future deep ice core
drilling are discussed. (Auth. mod.)

42-4291

Abrupt climatic changes: the antarctic ice record dur-ing the late Pleistocene.

ing the late Pleistocene.

Jouzel, J., et al, North Atlantic Treaty Organization.

ASI Series C: Mathematical and Physical Sciences,
1987, Vol.216, p.235-245, Refs. p.243-245.

Lorius, C., Merlivat, L., Petit, J.R.

Climatic changes, Ice cores, Glaciation, Paleocilmatology, Pleistocene, Antarctica—Byrd Station,
Antarctica—Dome C.

Records Grayers larger from Automic Court Part 1

ARTECUCE—Dome C.

Records of oxygen isotopes from Antarctic (Dome C and Byrd) ice cores allow us to investigate the possible existence of abrupt climatic changes as revealed by Greenland ice cores in the 40 to 10 ky BP time period. At the decade to century time-scale there is no firm conclusion about the presence of rapid climatic changes since seasonal oscillation is not completely averaged out. At the century to millennium time-scale there are characteristic features of rapid warnings and cooling during the Last out. At the century to millennium time-scale there are characteristic features of rapid warnings and cooling during the Last Glacial Maximum with a rate of temperature change of about 3 deg C/ks. This rate is similar to the one observed during the last deglaciation. During this period a significant reversal of the temperature trend is observed (as already noted for Greenland ice cores) and discussed. (Auth.)

42-4292

Environmental changes during last deglaciation inferred from chemical analysis of the Dome C ice core. Legrand, M., et al, North Atlantic Treaty Organiza-tion. ASI Series C: Mathematical and Physical Sciences, 1987, Vol.216, p.247-259, 14 refs

Delmas, R.J.

Climatic changes, Glaciation, Ice cores, Ice composition, Chemical analysis, Ice sheets, Antarctica-Dome C.

The global environmental changes inferred from the glacio-The global environmental changes inferred from the glacio-chemical study of the Dome Ciec core (Antarctics) for the last climatic transition 15-11 Ka BP are reported in detail. The methods and the calculation for interpreting the data are ex-plained. It is confirmed that the most significant changes in the deposition of aluminum and sodium occurred during the first stage of the transition, i.e. in about 2 Ks. The ratio CLINa varied considerably when passing from the Last Glacial Max-imum to the Holocene, most probably in relation with the stabil-ity of the atmosphere. Major changes occurred also for the ori-gin and composition of sulfate and nitrate contributions. Since the beginning of the Holocene, the acid form (H2SQ4 and gin and composition of sulfate and nitrate contributions. Since the beginning of the Holocene, the acid forms (H2SO4 and HNO3) have been predominant for both anions contrary for what is observed for the glacial age. (Auth.)

42-4293

Bioturbation effects on abrupt climtic changes recorded in deep sea sediments. Correlation between delta (18)O profiles and accelerator (14)C dating.

Bard, E., et al, North Atlantic Treaty Organization.
ASI Series C: Mathematical and Physical Sciences, 1987, Vol.216, p.263-278, 19 refs.

Climatic changes, Bottom sediment, Ocean bottom, Ice volume, Quaternary deposits, Oxygen isotopes, Radioactive age determination, Pleistocene, Paleoclimatology, Paleocology.

Glacial-Holocene transition: climate pulsations and

Glacial-Holocene transition: climate pulsations and sporadic shutdown of NADW production.

Berger, W.H., et al, North Atlantic Treaty Organization. ASI Series C. Mathematical and Physical Sciences, 1987, Vol.216, p.279-297, Refs. p.293-297. Burke, S., Vincent, E.

Climatic changes, Glaciation, Bottom sediment, Ice

cores, Meltwater, Paleoclimatology, Paleoecology, Albedo, Carbon dioxide, Heat flux.

42-4295

Paleoproductivity of oceanic upwelling and the effect on atmospheric CO2 and climatic change during deeleciation times.

Sarnthein M. et al. North Atlantic Treaty Organiza. Sammen, M., et al, North Atlantic Treaty Organiza-tion. ASI Series C: Mathematical and Physical Sciences, 1987, Vol.216, p.311-337, Refs. p.331-334. Winn, K., Zahn, R.

Upwelling, Climatic changes, Ice volume, Paleo-climatology, Paleoecology, Biomass, Carbon dioxide,

Climate sensitivity and past climates: evidence from numerical studies.

Mitchell, J.F.B., North Atlantic Treaty Organization.

ASI Series C: Mathematical and Physical Sciences, 1987, Vol.216, p.383-397, 28 refs.

Climatic changes, Paleoclimatology, Snow cover effect, Ice cover effect, Sea ice, Models, Cloud cover, Water vapor, Carbon dioxide.

42-4297

Climate model intercomparison for the Younger Dryss and its implications for paleoclimatic data collection.

lection.
Schneider, S.H., et al, North Atlantic Treaty Organization. ASI Series C: Mathematical and Physical Sciences, 1987, Vol.216, p.399-417, 28 refs.
Peteet, D.M., North, G.R.
Climatic changes, Paleoclimatology, Glaciology, Meltwater, Sea ice distribution, Pleistocene, Models.

Sediment source and discharge variability in a small subarctic nival catchment.

Threlfall, J.L., West Yorkshire, United Kingdom, (1988), 337p., Ph.D. thesis. Refs. p.317-337.

Permafrost hydrology, Sediments, Snowmelt, River flow, Sediment transport, Drainage, Snow cover effect, Electrical resistivity, Ground thawing, Snow hy-

42.4200

Thermal regime of overland pipelines in freezing weather. (Teplovof rezhim nadzemnykh trubo-provodov v zimnikh usloviiakh), Nasupbekova, D.A., Alma-Ata, Nauka, 1988, 187p.,

drology. Ice conditions, Climatic factors,

In Russian with abridged English table of contents enclosed. 155 refs.

Electric power, Meteorological data, Hydraulic structures, Water pipelines, Waste disposal, Pipe flow, Thermal regime, Wind factors, Pipeline freezing. Air temperature.

42-4300

Aerial and satellite methods in engineering geodynamics. [Aerokosmicheskie metody v inzhenerno]

geodinamike, Sadov, A.V., Moscow, Nedra, 1988, 207p. (Pertinent p.153-171), In Russian. 50 refs. Talga, Mining, Railroads, Forest tundra, Swamps, Baykal Amur railroad, Slope processes, Hydrology.

Simulation-modeling of ships' power plants. ¿Imitat-sionnoe modelirovanie sudovykh energeticheskikh us-

tanovok, Shostak, V.P., et al, Leningrad, Sudostroenie, 1988, 255p. (Pertinent p.219-228), In Russian. 98 refs. Gershanik, V.I.

Icebreakers, Ice navigation, Models, Computerized simulation, Propellers, Propagation, Electric power.

Little Ice Age.

Grove, J.M., New York, Methuen & Co., 1988, 481p., Refs. p.422-481.

Glaciers, Paleoclimatology, Sea ice, Ice sheets, Cli-matic changes, Mountains, Thermal regime.

42-4303

Advances in phase change heat transfer; Proceedings. International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988, Beijing, China, International Academic Publishers, 1988, 712p., Refs. passim. For selected papers see 42-4304 through 42-4314. Xin. M., ed.

Heat transfer, Phase transformations, Melting, Preezing, Meetings, Analysis (mathematics), Liquid solid interfaces.

Stefan y-roblem by Lagrange-Bürmann expansions.
Tokude, N., International Symposium on Phase
Change Heat Transfer, Chongqing, Sichuan, China,
May 20-23, 1988. Proceedings. Advances in phase
change heat transfer. Edited by M. Xin, Beijing,
China, International Academic Publishers, 1988, p.15-19, 21 refs.

Crystal growth, Stefan problem, Boundary layer, Analysis (mathematics).

42-4305

Heat pipe research and development in Western Enror

Europe.
Groll, M., International Symposium on Phase Change
Heat Transfer, Chongqing, Sichuan, China, May 2023, 1988. Proceedings. Advances in phase change
heat transfer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988, p.20-46, 58

Heat nines. Heat transfer, Cold weather operation. Heat recovery, Solar radiation, Corrosion, Protective coatings, Cooling.

42-4306

Research and development of heat pipes in the coun-

tries of Eastern Europe. Horváth, L., et al, International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988, p.47-66. 82 refs.

Polášek, F. Heat pipes, Heat transfer, Permafrost beneath structures, Thermal properties, Design, Capillarity, Heat recovery, Wastes.

42-4307

Heat transfer and interface motion in the presence of subcooling for melting around a horizontal tube with

subcooling for melting around a horizontal tube with and without axial fins.

Wang, Q.I., et al, International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988, p.350-355, 8 refs.

Li, W.Y.

Heat transfer, Ground thawing, Pipes (tubes), Phase transformations, Cooling, Experimentation, Thaw depth, Liquid solid interface:

42-4309

Heat transfer enhancement under frosting conditions. Heat transfer enhancement under froating conditions.

Meng, F., et al, International Symposium on Phase
Change Heat Transfer, Chongqing, Sichuan, China,
May 20-23, 1988. Proceedings. Advances in phase
change heat transfer. Edited by M. Xin, Beijing,
China, International Acrdemic Publishers, 1988,
p.356-361, 9 refs.
Ma, H., Yue, D., Pan, Y.
Heat transfer, Mass transfer, Ice formation. Host-

Ma, H., Yue, D., Pan, I Heat transfer, Mass transfer, Ice formation, Hoar-frost, Tests, Phase transformations, Temperature ef-fects, Sublimation, Water vapor, Electric fields.

42-4309

On the effect of the 4 C density maximum on melting

On the effect of the 9 C density maximum on meeting heat transfer.

Yen, Y.-C., MP 2382, International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, betamational Academic Dublishers, 1988. ing, China, International Academic Publishers, 1988, p.362-367, 15 refs. Heat transfer, Ice melting, Ice water interface, Den-

sity (mass/volume), Convection, Analysis (math-

The effect of the 4 C density maximum on heat transfer in a water layer formed by melting ice has been investigated. The anomalous density maximum of water at about 4 C has been attributed to the occurrence of a constant temperature region within the layer and has resulted in variable critical Rayleigh numbers dependent on both the warm boundary temperature and the direction of melting.

42-4310

Analysis of melting process of a phase change material at cavities with different orientation of heating. Galaktionov, V.V., et al, International Symposium on Galaktionov, V.V., et al, International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988, p.368-372, 4 refs.
Ezerskii, A.P., Ezerskii, M.P.
Heat transfer, Melting, Phase transformations, Temperature effects, Mathematical models.

42-4311

42-4311
Heat pipes for ground hesting and cooling.
Vasil'ev, L.L., International Symposium on Phase
Change Heat Transfer, Chongqing, Sichuan, China,
May 20-23, 1988. Proceedings. Advances in phase
change heat transfer. Edited by M. Xin, Beijing,
China, International Academic Publishers, 1988,
p.473-477, 8 refs.

p.4/3-4//, 8 reis. Heat pipes, Soil freezing, Heating, Cooling, Frozen ground strength, Soil stabilization, Underground storage, Heat sources, Solar radiation.

42-4312

Phase change heat transfer program for microcom-

puters.
Buzzell, G.M., et al, MP 2383, International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Values in phase change near trainer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988, p.645-650, 22 refs.
Farag, I.H., Phetteplace, G.

raisg, i.r., Pietteplace, G. Heat transfer, Phase transformations, Computer pro-grams, Electric equipment, Freeze thaw cycles, Melt-ing, Analysis (mathematics), Freezing, Latent heat. The development of a microcomputer based finite element program featuring phase change (melting and freezing) simulation facilities is outlined. A closed form Galerkin finite element method derived from a della function formulation of the latent method derived from a delta function formulation of the latent heat discontinuity in the heat capacity versus temperature func-tion is used within phase change elements of the solution do-main. Storage reduction data structures are implemented and main. Storage reduction data structures are implemented and compared on the basis of overall program execution time. Analytical solutions for melting and freezing are used to verify program accuracy and to explore other simulation parameters such as time step size, mesh density and start-up technique. Several "life litle" phase change simulations are compared to the results obtained from other numerical models; main frame and microcomputer performance based on execution time is tabulated for each of these cases.

Boundary element method for predicting the motion

Boundary element metroo for pressuring has of solid-liquid phase change interface.

Dong, Z., et al, International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988,

China, international Academic Publishers, 1988, p.651-654, 7 refs. Chen, Z., Wang, Q. Liquid solid interfaces, Phase transformations, Heat transfer, Analysis (mathematics), Temperature gradi-

42-4314

Simplified analysis for freezing in phase change material with extended freezing temperature range. Yu, Z., International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, In-ternational Academic Publishers, 1988, p.708-712, 11

Freezing, Phase transformations, Heat transfer, Analysis (mathematics), Solid phases, Temperature effects, Stefan problem, Thermal diffusion.

Application of two theoretical melt water drainage models on Storglaciären and Mikkaglaciären, northern Sweden.

ern Sweden.
Holmlund, P., Geografiska annaler. Series A Physical geography, 1988, 70A(1-2), p.1-7, 26 refs.
Meltwater, Glacial hydrology, Drainage, Glacial rivers, Models, Radio echo soundings, River flow, Seasonal variations, Bottom topography, Sweden.

A2-4-10 Basal ice and debris sequence at the margin of an equatorial ice cap; El Cotopaxi, Ecuador. Knight, P.G., Geografiska annaler. Series A Physical geography, 1988, 70A(1-2), p.9-13, 12 refs. Glacial deposits, Glacier beds, Meltwater, Freezing, Moral hee, Glacier flow, Ice edge, Equador—Coto-

Giardino, J.R., et al, Geografiska annaler. Series A Physical geography, 1988, 70A(1-2), p.15-25, 53 refs. Vitek, J.D.

Rock glaciers, Glacier oscillation, Glacial deposits, Ice composition. Glacier flow. Ice mechanics. Talus.

42-4318

Giant ploughing block, Finse, southern Norway. Reid, J.R., et al, Geografiska annaier. Series A Physical geography, 1988, 70A(1-2), p.27-33, 34 refs.

Nesic, A.
Soil freezing, Soil water migration, Ground thawing,
Frozen ground mechanics, Mass transfer, Thermal

conductivity, Slopes, Frost action.

Linear till ridges in the southern Norwegian-Swedish Linear till ridges in the southern Norwegian-Swedian mountains—wvidence for a subglacial origin.
Kleman, J., Geografiska annaler. Series A Physical geography, 1988, 70A(1-2), p.35-45, 28 refs.
Glacial deposits, Paleoclimatology, Subglacial drainage, Glaciation, Mountains, Landforms, Sweden.

42-4320 Global survey of sediment yield. Jansson, M.B., Geografiska annaler. Series A Physi-cal geography, 1988, 70A(1-2), p.81-98, 55 refs. Sedimentation, Runoff, Erosion, Climatic factors, Statistical analysis.

42-4321

42-4371
Late glacial hydrology of the upper Pite River Valley, Swedish Lapland.
Elfström, A., Geografiska annaler. Series A Physical geography, 1988, 70A(1-2), p.99-123, 35 refs.
Glacial hydrology, Glacial rivers, Paleoclimatology, Drainage, Valleys, Climatic factors, Geomorphology, Glacial deposits, Talus, Sweden—Pite River.

Instruments and methods of processing microwave radiometer measurements made by the Cosmos-1151

Akvilonova, A.B., et al, Ocean research by remote methoda, 19837, p.114-120, 12 refs. Translated from Issledovanie okeana distantisionnymi metodami, Sevastopol', Morskof gidrologicheskii institut, 1981, p.123-130. rGC10.4.R4184 1981, Radiometry, Microwaves, Remote sensing, Spectros-

copy, Oceanography.

Some results of Arctic ice investigations by the Cosmos-1151 satellite.

Armand, N.A., et al, Ocean research by remote methods, 1983?, p.128-133, 7 refs. Translated from Issledovanie okeana distantsionnymi metodami, Sevas-

sledovanie okeana distantionnymi metodami, Sevas-topol, Morskof gidrologichesků institut, 1981, p.139-144 (GC10.4.R4184 1981). Egorov, S.T., Kurskais, A.A., Kutuza, B.G. Sea Ice distribution, Remote sensing, Microwaves, Radiometry, Psek ice, Ice conditions, Polarization (waves), Brightness.

42-4324

Microwave measurement of the mass of frozen hydro-

Microwave measurement of the mass of frozen hydro-gen pellets.

Talanker, V., et al, Review of scientific instruments, July 1988, 59(7), p.1085-1087, 4 refs. Greenwald, M.

Hydrogen, Freezing, Mass balance, Microwaves, Measuring instruments.

Wind erosion and climatic changes. Comments on wind erosion and cimante changes. Comments of Stane during the 18th century. the ecological crisis of Stane during the 18th century. the condition och klimatändringar. Kommentarer till 1700-taleta ekologiska kris i Skäne; Mattsson, J.O., Svensk geografisk årsbok, 1987, No.63, p.94-108, In Swedish with English summary.

Climatic changes, Wind erosion, Soil erosion, Agriculture, Landscapes, Temperature effects, Statistical analysis, Sweden—Skane.

42-4320 Extent of snowpack influence on water chemistry in a North Cascades lake. Loranger, T.J., et al, Water resources research, May 1988, 24(5), p.723-726, 9 refs. Brakke, D.F. Meliwater, Water chemistry, Snow cover effect, Run-

off, Lake water, Ions.

42-4327

Colors of glacier water.

Ass, E., et al, Water resources research, Apr. 1988, 24(4), p.561-565, 13 refs.

Bogen, J.
Glacial rivers, Suspended sediments, Meltwater,
Water chemistry, Optical properties, Particle size
distribution, Spectroscopy, Analysis (mathematics).